

- What is AI and ML?
- Course information
- Introduction to Supervised Learning

 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Machine learning – Block 1(a)

Måns Magnusson Department of Statistics, Uppsala University

Autumn 2024



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

This block

- What is AI and Machine Learning?
- Course Information and Practicalities
- Introduction to Supervised Learning
- (Stochastic) Gradient Descent
- Regularization



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Section 1

What is AI and ML?



- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

What exactly is machine learning and artificial intelligence?

The word "AI" is often used quite loosely:

To briefly explain how Linear Regression helped us reverse engineer the BSR equation, let's break it down. Linear Regression is an Al equation that finds the proper coefficients for an equation by sorting through massive amounts of data. The equation looks something like BSR = X(a)+Y(b)+Z(c).... and so and and so forth.



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

What is Artificial Intelligence?

Artificial intelligence (AI), sometimes called machine intelligence, is intelligence demonstrated by machines, unlike the natural intelligence displayed by humans and animals. – Wikipedia



What is Al and MI?

- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

What is Artificial Intelligence?

Artificial intelligence (AI), sometimes called machine intelligence, is intelligence demonstrated by machines, unlike the natural intelligence displayed by humans and animals. – Wikipedia Artificial intelligence (AI), the ability of a digital computer or computer-controlled robot to perform tasks commonly associated with intelligent beings. – Encyclopedia Brittanica



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

What is Artificial General Intelligence?

Artificial general intelligence (AGI) is the hypothetical intelligence of a machine that has the capacity to understand or learn any intellectual task that a human being can. — Wikipedia

Also called:

- 1. Strong Al
- 2. General Al
- 3. Full Al



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

What is Artificial General Intelligence?

Artificial general intelligence (AGI) is the hypothetical intelligence of a machine that has the capacity to understand or learn any intellectual task that a human being can. – Wikipedia

Also called:

- 1. Strong Al
- 2. General Al
- 3. Full Al

Artificial super intelligence (ASI) is "any intellect that greatly exceeds the cognitive performance of humans in virtually all domains of interest" – Nick Bostrom



What is Al and MI?

- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

What is Machine Learning?

Machine Learning is the field of study that gives the computer the ability to learn without being explicitly programmed. – Arthur Samuel (1959)

A computer program is said to learn from experience E with respect to some class of tasks T and performance measure P, if its performance at tasks in T, as measured by P, improves with experience E. - Tom Mitchell (1998)



What is Machine Learning?

- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Machine Learning is the field of study that gives the computer the ability to learn without being explicitly programmed. – Arthur Samuel (1959)

A computer program is said to learn from experience E with respect to some class of tasks T and performance measure P, if its performance at tasks in T, as measured by P, improves with experience E. – Tom Mitchell (1998)


Learning from data. - Hastie, Tibshirani, Friedman (2009)



- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

What is Machine Learning?

Figure: ML, AI and DL (Chollet, 2018, Figure 1.1)






What is Al and ML?

- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Computer Science and Machine Learning

Figure: A new paradigm? (Chollet, 2018, Figure 1.2)







What is Al and MI?

- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Statistics and Machine Learning

Figure: Regression vs. Pure Predictions (Efron, 2020, Table 5)

Table 5. A comparison checklist of differences between traditional regression methods and pure prediction algorithms.

	Traditional regressions methods	Pure prediction algorithms
1.	Surface plus noise models	Direct prediction
	(continuous, smooth)	(possibly discrete, jagged)
2.	Scientific truth	Empirical prediction accuracy
	(long-term)	(possibly short-term)
3.	Parametric modeling	Nonparametric
	(causality)	(black box)
4.	Parsimonious modeling	Anti-parsimony
	(researchers choose covariates)	(algorithm chooses predictors)
5.	$x p \times n$: with $p \ll n$	$p \gg n$, both possibly enormous
	(homogeneous data)	(mixed data)
6.	Theory of optimal inference	Training/test paradigm
	(mle, Neyman-Pearson)	(Common Task Framework)



- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Machine learning has developed in parallel with Statistics
- Common with different names for the same thing:
 - Time series classification (ML) vs. Functional data classification (Stats)



- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Machine learning has developed in parallel with Statistics
- Common with different names for the same thing:
 - Time series classification (ML) vs. Functional data classification (Stats)
 - 2. Time series regression (ML) vs. Scalar-on-function regression (Stats)



- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Machine learning has developed in parallel with Statistics
- Common with different names for the same thing:
 - Time series classification (ML) vs. Functional data classification (Stats)
 - Time series regression (ML) vs. Scalar-on-function regression (Stats)
 - 3. Learning (ML) vs. Estimation (Stats)



- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Machine learning has developed in parallel with Statistics
- Common with different names for the same thing:
 - Time series classification (ML) vs. Functional data classification (Stats)
 - Time series regression (ML) vs. Scalar-on-function regression (Stats)
 - 3. Learning (ML) vs. Estimation (Stats)
 - 4. Weights (ML) vs. Parameters (Stats)



- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Machine learning has developed in parallel with Statistics
- Common with different names for the same thing:
 - Time series classification (ML) vs. Functional data classification (Stats)
 - Time series regression (ML) vs. Scalar-on-function regression (Stats)
 - 3. Learning (ML) vs. Estimation (Stats)
 - 4. Weights (ML) vs. Parameters (Stats)
 - 5. Features (ML) vs. Covariates (Stats)



- Course information
- Introduction to Supervised Learning

 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Different flavors of ML

- Supervised learning
- Unsupervised learning
 - Self-(un)supervised learning
- Reinforcement learning



- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Questions?

Questions?



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Section 2

Course information



- What is AI and ML?
- Course information
- Introduction to Supervised Learning — Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Course information

The aims of this course are that you should:



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Course information

The aims of this course are that you should:

- get a good knowledge of a large number of machine learning models,
- become able to use methods for evaluating and improving predictive models,
- 3. become able to handle big data,
- become able to train and use machine learning models in R.
- 5. become able to train and use neural networks using Keras/TensorFlow.
- 6. become able to describe and discuss ethical aspects of big data and black box-models,



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Two main parts:

- Core Content (8 lecture blocks):
 - Supervised learning (5 blocks)
 - Introduction, statistical learning (1 block)
 - Tree-based methods (1 block)
 - Neural Networks (3 block)
 - Unsupervised learning (2 blocks)
 - Reinforcement learning (1 block)



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Two main parts:

- Core Content (8 lecture blocks):
 - Supervised learning (5 blocks)
 - Introduction, statistical learning (1 block)
 - Tree-based methods (1 block)
 - Neural Networks (3 block)
 - Unsupervised learning (2 blocks)
 - Reinforcement learning (1 block)
- Assignments (8 individual assignments)



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Two main parts:

- Core Content (8 lecture blocks):
 - Supervised learning (5 blocks)
 - Introduction, statistical learning (1 block)
 - Tree-based methods (1 block)
 - Neural Networks (3 block)
 - Unsupervised learning (2 blocks)
 - Reinforcement learning (1 block)
- Assignments (8 individual assignments)
- Mini-project on a supervised project (2-3 students)



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Two main parts:

- Core Content (8 lecture blocks):
 - Supervised learning (5 blocks)
 - Introduction, statistical learning (1 block)
 - Tree-based methods (1 block)
 - Neural Networks (3 block)
 - Unsupervised learning (2 blocks)
 - Reinforcement learning (1 block)
- Assignments (8 individual assignments)
- Mini-project on a supervised project (2-3 students)

Exact dates and details; see the course page.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning

 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Core Content

- Each block consist of:
 - Online video material (optional)
 - Reading assignments (approx. 2-4h, 50-90 pages a week)
 - One-two Lecture(s) (optional)
 - An individual computer assignment (approx. 14-16h).
 - Three Zoom computer lab sessions (optional)



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Core Content

- Each block consist of:
 - Online video material (optional)
 - Reading assignments (approx. 2-4h, 50-90 pages a week)
 - One-two Lecture(s) (optional)
 - An individual computer assignment (approx. 14-16h).
 - Three Zoom computer lab sessions (optional)
- Reading: Mandatory and optional (overlap)



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Core Content

- Each block consist of:
 - Online video material (optional)
 - Reading assignments (approx. 2-4h, 50-90 pages a week)
 - One-two Lecture(s) (optional)
 - An individual computer assignment (approx. 14-16h).
 - Three Zoom computer lab sessions (optional)
- Reading: Mandatory and optional (overlap)
- Recommended workflow for each block
 - Do the reading assignments
 - Watch the videos (optional)
 - Attend the lecture (optional) to ask questions.
 - Do the computer assignment
 - Attend the zoom lab session (optional) to ask questions.



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

• Present overall theory, concepts and content (overview)



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Present overall theory, concepts and content (overview)
- Ask questions during the lecture!
- Guest lectures on the course (worthwhile):
 - 1. Jonas Wallin, Lund University (regularization)



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Present overall theory, concepts and content (overview)
- Ask questions during the lecture!
- Guest lectures on the course (worthwhile):
 - 1. Jonas Wallin, Lund University (regularization)
 - 2. Erik Fredlund, CEO Codon AI (industry applications)



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Present overall theory, concepts and content (overview)
- Ask questions during the lecture!
- Guest lectures on the course (worthwhile):
 - 1. Jonas Wallin, Lund University (regularization)
 - 2. Erik Fredlund, CEO Codon AI (industry applications)
 - 3. Holli Sargeant, Cambridge University (fairness and law)



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Present overall theory, concepts and content (overview)
- Ask questions during the lecture!
- Guest lectures on the course (worthwhile):
 - 1. Jonas Wallin, Lund University (regularization)
 - 2. Erik Fredlund, CEO Codon AI (industry applications)
 - 3. Holli Sargeant, Cambridge University (fairness and law)
 - 4. Karim Jebari, The Institute for Futures Studies (Al and ethics)



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Present overall theory, concepts and content (overview)
- Ask questions during the lecture!
- Guest lectures on the course (worthwhile):
 - 1. Jonas Wallin, Lund University (regularization)
 - 2. Erik Fredlund, CEO Codon AI (industry applications)
 - 3. Holli Sargeant, Cambridge University (fairness and law)
 - Karim Jebari, The Institute for Futures Studies (Al and ethics)
 - 5. Väinö Yrjänäinen, UU (word embeddings)



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Lectures

- Present overall theory, concepts and content (overview)
- Ask questions during the lecture!
- Guest lectures on the course (worthwhile):
 - 1. Jonas Wallin, Lund University (regularization)
 - 2. Erik Fredlund, CEO Codon AI (industry applications)
 - 3. Holli Sargeant, Cambridge University (fairness and law)
 - 4. Karim Jebari, The Institute for Futures Studies (Al and ethics)
 - 5. Väinö Yrjänäinen, UU (word embeddings)
- No lectures after 19th/20th of December



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

• To pass (G): All labs, mini-project, and project review need to be passed (75%)



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- To pass (G): All labs, mini-project, and project review need to be passed (75%)
- To pass with distinction (VG): 6/10 VG points



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- To pass (G): All labs, mini-project, and project review need to be passed (75%)
- To pass with distinction (VG): 6/10 VG points
- Each assignment has an extra (VG) task worth 1 VG point.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- To pass (G): All labs, mini-project, and project review need to be passed (75%)
- To pass with distinction (VG): 6/10 VG points
- Each assignment has an extra (VG) task worth 1 VG point.
- The mini-project is worth 2 VG-points (if it is passed with distinction).
- Ph.D. students: I suggest you get VG to pass the course. Make the project a potential paper.
- Reassesment of grades (supply form to course admin)
- Failing the course: You will need to redo all assignments and mini-project.



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

- Main part of the course Learning by doing
- Machine learning = Statistics + Computer Science
 Hence a lot of programming



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Main part of the course Learning by doing
- Machine learning = Statistics + Computer Science
 Hence a lot of programming
- Both implementation of core components and state-of-the-art methods



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Main part of the course Learning by doing
- Machine learning = Statistics + Computer Science
 Hence a lot of programming
- Both implementation of core components and state-of-the-art methods
- Warning! There might be bugs in the assignments! Don't hesitate to ask questions!



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Main part of the course Learning by doing
- Machine learning = Statistics + Computer Science
 Hence a lot of programming
- Both implementation of core components and state-of-the-art methods
- Warning! There might be bugs in the assignments! Don't hesitate to ask questions!
- Deadline Sundays 23.59.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Main part of the course Learning by doing
- Machine learning = Statistics + Computer Science
 Hence a lot of programming
- Both implementation of core components and state-of-the-art methods
- Warning! There might be bugs in the assignments! Don't hesitate to ask questions!
- Deadline Sundays 23.59.
- All assignments can be turned in a three times. 2nd deadline last day of course. 3rd deadline approx 2-4 weeks after the course. If failed, resubmit right away!



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Main part of the course Learning by doing
- Machine learning = Statistics + Computer Science
 Hence a lot of programming
- Both implementation of core components and state-of-the-art methods
- Warning! There might be bugs in the assignments! Don't hesitate to ask questions!
- Deadline Sundays 23.59.
- All assignments can be turned in a three times. 2nd deadline last day of course. 3rd deadline approx 2-4 weeks after the course. If failed, resubmit right away!
- We will mark and return each assignment within 10 working days.



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logisti regression
- Optimization in Machine Learning

Don't write your name anywhere!



- What is AI and ML?
- Course information
- Introduction to Supervised Learning

 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

- Don't write your name anywhere!
- Do the assignment evaluation



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Don't write your name anywhere!
- Do the assignment evaluation
- Important! Don't show your assignment to any other student. But feel free to discuss!



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Don't write your name anywhere!
- Do the assignment evaluation
- Important! Don't show your assignment to any other student. But feel free to discuss!
- Zoom sessions:
 - 1. First lab each week will include a 15 min introduction
 - 2. Our focus: Help during computer labs less focus on written feedback
 - 3. Ask questions! This is your time.




- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Don't write your name anywhere!
- Do the assignment evaluation
- Important! Don't show your assignment to any other student. But feel free to discuss!
- Zoom sessions:
 - 1. First lab each week will include a 15 min introduction
 - 2. Our focus: Help during computer labs less focus on written feedback
 - 3. Ask questions! This is your time.



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 regression
- Optimization in Machine Learning


Figure: Workload last year to pass (G)





- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Figure: Workload last year to pass with distinction (VG)





- What is AI and ML?
- Course information
- Introduction to Supervised Learning — Example: Logistic
 - regression
- Optimization in Machine Learning

• See project instructions on webpage for details.



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

- See project instructions on webpage for details.
- Supervised problem of choice on real data.
- 2-3 students.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning

 Example: Logistic
 - regression
- Optimization in Machine Learning

- See project instructions on webpage for details.
- Supervised problem of choice on real data.
- 2-3 students.
- Supply step 1 proposal at the end of block 3.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning

 Example: Logistic
- regression
- Optimization in Machine Learning

- See project instructions on webpage for details.
- Supervised problem of choice on real data.
- 2-3 students.
- Supply step 1 proposal at the end of block 3.
- Supply step 2 proposal at the end of block 6.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- See project instructions on webpage for details.
- Supervised problem of choice on real data.
- 2-3 students.
- Supply step 1 proposal at the end of block 3.
- Supply step 2 proposal at the end of block 6.
- Project will last two weeks (half time) but start earlier.
 Good case to show potential employers.
- Recommended data: Images, text or tabular data (e.g. avoid time series).
- Feel free to build upon the Bayesian project (e.g. compare with Bayesian methods).
- Approximate 40 hours of work per student.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- See project instructions on webpage for details.
- Supervised problem of choice on real data.
- 2-3 students.
- Supply step 1 proposal at the end of block 3.
- Supply step 2 proposal at the end of block 6.
- Project will last two weeks (half time) but start earlier.
 Good case to show potential employers.
- Recommended data: Images, text or tabular data (e.g. avoid time series).
- Feel free to build upon the Bayesian project (e.g. compare with Bayesian methods).
- Approximate 40 hours of work per student.
- The project should result in a 4 page report (PDF) using the ICML LaTeX template (see course page).
- Project oral presentation (10-15 minutes)



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- See project instructions on webpage for details.
- Supervised problem of choice on real data.
- 2-3 students.
- Supply step 1 proposal at the end of block 3.
- Supply step 2 proposal at the end of block 6.
- Project will last two weeks (half time) but start earlier.
 Good case to show potential employers.
- Recommended data: Images, text or tabular data (e.g. avoid time series).
- Feel free to build upon the Bayesian project (e.g. compare with Bayesian methods).
- Approximate 40 hours of work per student.
- The project should result in a 4 page report (PDF) using the ICML LaTeX template (see course page).
- Project oral presentation (10-15 minutes)
- The first author is corresponding author



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- See project instructions on webpage for details.
- Supervised problem of choice on real data.
- 2-3 students.
- Supply step 1 proposal at the end of block 3.
- Supply step 2 proposal at the end of block 6.
- Project will last two weeks (half time) but start earlier.
 Good case to show potential employers.
- Recommended data: Images, text or tabular data (e.g. avoid time series).
- Feel free to build upon the Bayesian project (e.g. compare with Bayesian methods).
- Approximate 40 hours of work per student.
- The project should result in a 4 page report (PDF) using the ICML LaTeX template (see course page).
- Project oral presentation (10-15 minutes)
- The first author is corresponding author
- Mini-project and master thesis:
 - The mini-project can be used to explore thesis project



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

 Course page: Github – please do a PR if something is wrong!



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

- Course page: Github please do a PR if something is wrong!
- Acknowledgements: Måns Thulin, Josef Wilzén, Anders Eklund



- What is Al and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Course page: Github please do a PR if something is wrong!
- Acknowledgements: Måns Thulin, Josef Wilzén, Anders Eklund
- Schedule: Time Edit/Studium
- Assignments: Studium



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Course page: Github please do a PR if something is wrong!
- Acknowledgements: Måns Thulin, Josef Wilzén, Anders Eklund
- Schedule: Time Edit/Studium
- Assignments: Studium
- Literature
 - Bishop & Bishop (2024) Deep Learning Foundations and Concepts.
 - Hastie, Tibshirani & Friedman (2009). Elements of Statistical Learning.
 - Sutton and Barto (2020) Reinforcement learning: An introduction
 - Chollet & Allaire (2018) Deep Learning with R (optional)
 - Additional articles, tuturials, videos etc. posted on course (github) homepage
 - Mandatory and optional material: Overlap exists!



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Course page: Github please do a PR if something is wrong!
- Acknowledgements: Måns Thulin, Josef Wilzén, Anders Eklund
- Schedule: Time Edit/Studium
- Assignments: Studium
- Literature
 - Bishop & Bishop (2024) Deep Learning Foundations and Concepts.
 - Hastie, Tibshirani & Friedman (2009). Elements of Statistical Learning.
 - Sutton and Barto (2020) Reinforcement learning: An introduction
 - Chollet & Allaire (2018) Deep Learning with R (optional)
 - Additional articles, tuturials, videos etc. posted on course (github) homepage
 - Mandatory and optional material: Overlap exists!
- If you have complaint reach out to me in assignment evaluations!



- What is Al and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Course improvements since last year

- New course book (I hope it works!)
- New lecture (maybe) on diffusion models



- What is AI and ML?
- Course information
- Introduction to Supervised Learning — Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Questions?

Questions?



- What is AI and ML?
- Course information
- Introduction to Supervised Learning

 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Section 3


Introduction to Supervised Learning



- What is Al and MI?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Supervised learning

Figure: Relationship between appartment size and price (source)



Problem: We want to predict the price of a new apartment.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning

 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Supervised learning

• General problem: We have training data

$$\mathbf{d} = \{(y_i, \mathbf{x}_i), i = 1, ..., n\}.$$

- x_i = features/input/predictors/features/independent variables
- $y_i = labels/output/dependent variable$
- We want to *learn* a function $\hat{y} = f(x_{new})$ with as good performance as possible.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Supervised learning

• General problem: We have training data

$$\mathbf{d} = \{(y_i, \mathbf{x}_i), i = 1, ..., n\}.$$

- x_i = features/input/predictors/features/independent variables
- y_i = labels/output/dependent variable
- We want to *learn* a function $\hat{y} = f(x_{new})$ with as good performance as possible.
- Regression problems: $y_i \in \mathbb{R}$
- Classification problems: y_i ∈ a, b, c, ... where a, b, c... are discrete classes.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Any examples of applications?

• Is this e-mail message spam or not?



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Is this e-mail message spam or not?
- Image recognition/classification



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Is this e-mail message spam or not?
- Image recognition/classification
- Image object traction (position in a video)



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Is this e-mail message spam or not?
- Image recognition/classification
- Image object traction (position in a video)
- Will this patient recover from their illness or not?



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Is this e-mail message spam or not?
- Image recognition/classification
- Image object traction (position in a video)
- Will this patient recover from their illness or not?
- Does this fingerprint belong to an employee or not?



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Is this e-mail message spam or not?
- Image recognition/classification
- Image object traction (position in a video)
- Will this patient recover from their illness or not?
- Does this fingerprint belong to an employee or not?
- Does this customer have stable finances or not?



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Is this e-mail message spam or not?
- Image recognition/classification
- Image object traction (position in a video)
- Will this patient recover from their illness or not?
- Does this fingerprint belong to an employee or not?
- Does this customer have stable finances or not?
- Face recognition



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Is this e-mail message spam or not?
- Image recognition/classification
- Image object traction (position in a video)
- Will this patient recover from their illness or not?
- Does this fingerprint belong to an employee or not?
- Does this customer have stable finances or not?
- Face recognition
- Is this tumour malign or not?



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

- Is this e-mail message spam or not?
- Image recognition/classification
- Image object traction (position in a video)
- Will this patient recover from their illness or not?
- Does this fingerprint belong to an employee or not?
- Does this customer have stable finances or not?
- Face recognition
- Is this tumour malign or not?



- What is Al and ML?
- Course information
- Introduction to Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Logistic regression and classification

When the y_i in a regression problem is binary (or more generally, categorical), it becomes a classification problem.



Logistic regression and classification

- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

When the y_i in a regression problem is binary (or more generally, categorical), it becomes a classification problem.

The question that the model tries to answer is: does this observation belong to class 0 or class 1?



Logistic regression and classification

- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

When the y_i in a regression problem is binary (or more generally, categorical), it becomes a classification problem.

The question that the model tries to answer is: does this observation belong to class 0 or class 1?

Logistic regression is a workhorse for classification problems.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

When analysing binary data y_1, \ldots, y_N , we usually assume that the Y_i follow binomial (or Bernoulli) distributions.



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Frample: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

When analysing binary data y_1, \ldots, y_N , we usually assume that the Y_i follow binomial (or Bernoulli) distributions.

Assume that Y_1, \ldots, Y_N are independent with $Y_i \sim Bernoulli(\pi_i)$.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

When analysing binary data y_1, \ldots, y_N , we usually assume that the Y_i follow binomial (or Bernoulli) distributions.

Assume that Y_1, \ldots, Y_N are independent with $Y_i \sim Bernoulli(\pi_i)$.

 $Y_i \in 0, 1$ with success probability π_i and $\mu_i = E(Y_i) = \pi_i$.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

When analysing binary data $y_1, ..., y_N$, we usually assume that the Y_i follow binomial (or Bernoulli) distributions.

Assume that Y_1, \ldots, Y_N are independent with $Y_i \sim Bernoulli(\pi_i)$.

 $Y_i \in 0, 1$ with success probability π_i and $\mu_i = E(Y_i) = \pi_i$.

• The natural parameter of the binomial distribution is

$$g(\pi_i) = \log\left(\frac{\pi_i}{1 - \pi_i}\right),$$

called the logit or log odds.



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

When analysing binary data y_1, \ldots, y_N , we usually assume that the Y_i follow binomial (or Bernoulli) distributions.

Assume that Y_1, \ldots, Y_N are independent with $Y_i \sim Bernoulli(\pi_i)$.

 $Y_i \in 0, 1$ with success probability π_i and $\mu_i = E(Y_i) = \pi_i$.

• The natural parameter of the binomial distribution is

$$g(\pi_i) = \log\left(\frac{\pi_i}{1 - \pi_i}\right),$$

called the logit or log odds.

 A GLM using this link function is called logistic regression, but other link functions are also often used in practice.
 Many times we use likelihood functions



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

There are two equivalent formulas for logistic regression:

$$\log\left(\frac{\pi_i}{1-\pi_i}\right) = \beta_0 + \beta_1 x_{i1} + \beta_2 x_{i2} + \dots + \beta_p x_{ip}, \qquad i = 1,\dots, N$$

and

$$\pi_i = \frac{\exp\left(\beta_0 + \sum_{j=1}^p \beta_j x_{ij}\right)}{1 + \exp\left(\beta_0 + \sum_{j=1}^p \beta_j x_{ij}\right)}.$$



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Logistic regression: Prediction

- We train a logistic regression model using MLE using the training data.
- ullet Our estimation/traing output the MLE $\hat{ heta}$
- We the compute $\hat{p}_i = g^{-1}(\hat{\theta}x_{new})$ a for a new observation
- We use a decision rule to predict value 0 or 1:


$$\hat{y}_i(\hat{p}_i) = \begin{cases} 1, & \text{if } \hat{p}_i \ge 0.5 \\ 0, & \text{otherwise} \end{cases}$$



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Logistic regression: Example


Figure: Decision boundry with two covariates (Hastie et al, 2009, Figure 2.1)





- What is Al and MI?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

An example: E-mail classification



Predict if a new, unseen, e-mail is spam or ham.





- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Questions?

Questions?



- What is AI and ML?
- Course information
- Introduction to Supervised Learning — Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Section 4

Optimization in Machine Learning



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Training of ML algorithms

- 1. Training is usually done by minimizing the objective/loss/cost function $L(\theta)$ for $\theta \in \mathbb{R}^P$.
- 2. Example: Logistic regression, here we can use the negative log-likelihood as loss function:

$$L(\theta, \mathbf{y}, \mathbf{X}) = -\log \prod_{i=1}^{N} p_i^{y_i} (1 - p_i)^{1 - y_i},$$

where

$$\log \frac{p_i}{1-p_i} = \mathbf{x}_i \theta \,,$$



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Training of ML algorithms

- 1. Training is usually done by minimizing the objective/loss/cost function $L(\theta)$ for $\theta \in \mathbb{R}^P$.
- 2. Example: Logistic regression, here we can use the negative log-likelihood as loss function:

$$L(\theta, \mathbf{y}, \mathbf{X}) = -\log \prod_{i=1}^{N} p_i^{y_i} (1 - p_i)^{1 - y_i},$$

where

$$\log \frac{p_i}{1-p_i} = \mathbf{x}_i \theta \,,$$

3. In Machine Learning: P and N might be very large...



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Gradient Decent

1. The workhorse of Machine Learning

$$\theta_t = \theta_{t-1} - \eta \nabla L(\theta_{t-1}, \mathbf{X}, \mathbf{y}),$$

where

$$abla f(p) = egin{bmatrix} rac{\partial f}{\partial x_1}(p) \ dots \ rac{\partial f}{\partial x_n}(p) \end{bmatrix}$$

2. $L(\theta)$ needs to be differentiable



- What is AI and ML?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Gradient Descent Analogy

Figure: Gradient Descent Analogy (source)






- What is AI and ML?Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Gradient Descent (cont.)

Figure: Gradient Descent (source)





- What is Al and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Why Gradient Descent?

- Gradient Descent is a poor algorithm (Newtons method, Iteratively Reweighted Least Squares are 'better')
- So why is gradient descent relevant?



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Why Gradient Descent?

- Gradient Descent is a poor algorithm (Newtons method, Iteratively Reweighted Least Squares are 'better')
- So why is gradient descent relevant?
- The two benefits with Gradient Descent:
 - 1. Only uses the gradient—scales to large P
 - Can scale to large data with Stochastic Gradient Descent—scales to large N



- What is AI and ML?
- Course information
- Introduction to Supervised Learning

 Example: Logistic
- regression
- Optimization in Machine Learning

Stochastic Gradient Descent

Many loss functions (and gradients) are a sum over N observations (e.g. log-likelihoods).



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Stochastic Gradient Descent

- Many loss functions (and gradients) are a sum over N observations (e.g. log-likelihoods).
- We can estimate $\nabla L(\theta, X_i, y_i)$ by choosing a random observation (with index i)

$$E(\nabla L(\theta, X_i, y_i)) = \frac{1}{Z} \nabla L(\theta, \mathbf{X}, \mathbf{y}),$$

for some constant Z.



- What is Al and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Stochastic Gradient Descent

• This give us the following algorithm:

$$\theta_t = \theta_{t-1} - \eta_t \hat{\nabla} L(\theta_{t-1}, X_i, y_i),$$

where *i* is random sampled index.

• Note! We need to have an unbiased estimator for $\nabla L(\theta, \mathbf{X}, \mathbf{y})$



What is Al and ML?

- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Stochastic Gradient Descent

• This give us the following algorithm:

$$\theta_t = \theta_{t-1} - \eta_t \hat{\nabla} L(\theta_{t-1}, X_i, y_i),$$

where i is random sampled index.

- Note! We need to have an unbiased estimator for $\nabla L(\theta, \mathbf{X}, \mathbf{y})$
- What is an iteration?



• What is AI and ML?

- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Stochastic Gradient Descent

• This give us the following algorithm:

$$\theta_t = \theta_{t-1} - \eta_t \hat{\nabla} L(\theta_{t-1}, X_i, y_i),$$

where i is random sampled index.

- Note! We need to have an unbiased estimator for $\nabla L(\theta, \mathbf{X}, \mathbf{y})$
- What is an iteration?
- Epochs vs. Iterations



• What is Al and MI?

- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Stochastic Gradient Descent

- Learning rate η_t is important
- Will it converge to an optimum?



What is Al and ML?

- Course information
- Introduction to Supervised Learning

 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Stochastic Gradient Descent

- Learning rate η_t is important
- Will it converge to an optimum?
- We need to reduce η_t over time



- What is Al and MI?
- Course information
- Introduction to Supervised Learning - Example: Logistic regression
- Optimization in Machine Learning

Stochastic Gradient Descent

- Learning rate η_t is important
- Will it converge to an optimum?
- We need to reduce η_t over time
- Robbins-Monro (1951) conditions:

1.
$$\eta_t \geq 0 \ \forall t \geq 0$$

2.
$$\sum_{t=0}^{\infty} \eta_t = 0$$

2.
$$\sum_{t}^{\infty} \eta_{t} = \infty$$
3.
$$\sum_{t}^{\infty} \eta_{t}^{2} < \infty$$



What is Al and MI?

- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Mini-batch gradient descent

• Can we estimate the gradient in a better way?



What is AI and ML?

- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Mini-batch gradient descent

- Can we estimate the gradient in a better way?
- We take a mini-batch of size B:

$$\theta_t = \theta_{t-1} - \eta_t \nabla L(\theta, \mathbf{X}_{(S)_i}, y_{(S)_i}),$$

where $(S)_i$ is a set of random sample (without replacement) indices and $|(S)_i| = B$.



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Frample: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

Mini-batch gradient descent

- Can we estimate the gradient in a better way?
- We take a mini-batch of size B:

$$\theta_t = \theta_{t-1} - \eta_t \nabla L(\theta, \mathbf{X}_{(S)_i}, y_{(S)_i}),$$

where $(S)_i$ is a set of random sample (without replacement) indices and $|(S)_i| = B$.

• B is usually set to optimize hardware



- What is Al and ML?
- Course information
- Introduction to Supervised Learning

 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

• SGD can be slow to converge due to 'jumping' behaviour



- What is AI and ML?
- Course information
- Introduction to Supervised Learning

 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

- SGD can be slow to converge due to 'jumping' behaviour
- Can improve behaviour using momentum the rolling mean of gradients



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
 - Example: Logistic regression
- Optimization in Machine Learning

- SGD can be slow to converge due to 'jumping' behaviour
- Can improve behaviour using momentum the rolling mean of gradients
- Additional hyperparemeter α to control the momentum

$$m_t = \alpha m_{t-1} + \eta_t \hat{\nabla} L(\theta_{t-1}, X_i, y_i),$$

$$\theta_t = \theta_{t-1} - m_t,$$

Figure: SGD with momentum







(b) SGD with momentum



- What is Al and MI?
- Course information
- Introduction to Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

SGD with momentum, Intuition

Figure: SGD with momentum, Intuition (CC)





- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 Example: Logistic
- regression
- Optimization in Machine Learning

Example of SGD with momentum here.



UPPSALA UNIVERSITET

- · What is AI and ML?
- · Course information
- Introduction to
 Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Adaptive Moment Estimation (Adam)

• Adapt η_t to individual parameters

$$m_t = \beta_1 m_{t-1} + (1 - \beta_1) \hat{\nabla} L(\theta_{t-1}, X_i, y_i)$$

$$v_t = \beta_2 v_{t-1} + (1 - \beta_2) \hat{\nabla} L(\theta_{t-1}, X_i, y_i)^2$$

 Bias correction (due to initialization at 0)

$$\hat{m}_t = \frac{m_t}{1 - eta_1}$$

$$\hat{v}_t = \frac{v_t}{1 - eta_2}$$

Update

$$\theta_t = \theta_{t-1} - \frac{\eta}{\sqrt{\hat{v}_t} + \epsilon} \hat{m}_t,$$

• Common values: $\beta_1 = 0.9, \, \beta_2 = 0.999, \, \text{and} \, \, \epsilon = 10^{-8}$



UPPSALA UNIVERSITET

- · What is AI and ML?
- · Course information
- Introduction to
 Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Adaptive Moment Estimation (Adam)

• Adapt η_t to individual parameters

$$m_t = \beta_1 m_{t-1} + (1 - \beta_1) \hat{\nabla} L(\theta_{t-1}, X_i, y_i)$$

$$v_t = \beta_2 v_{t-1} + (1 - \beta_2) \hat{\nabla} L(\theta_{t-1}, X_i, y_i)^2$$

 Bias correction (due to initialization at 0)

$$\hat{m}_t = \frac{m_t}{1 - \beta_1}$$

$$\hat{v}_t = \frac{v_t}{1 - \beta_2}$$

Update

$$heta_t = heta_{t-1} - rac{\eta}{\sqrt{\hat{v}_t} + \epsilon} \hat{m}_t,$$


- Common values: $\beta_1 = 0.9, \, \beta_2 = 0.999, \, \text{and} \, \epsilon = 10^{-8}$
- RMSprop is another (similar) alternative



- What is AI and ML?
- Course information
- Introduction to
 Supervised Learning
 - Example: Logistic regression
- Optimization in Machine Learning

Adam

Figure: The Adam Optimizer (Kingma and Ba, 2014)



For convergence proofs, see: Defossez et al (2020) "A Simple Convergence Proof of Adam and Adagrad"