


Module 10: Sandbox

10.1 Understanding Sandbox

Types of Salesforce Environments

- In Salesforce, we have 2 types of environments:



Sandbox: It is a testing environment where we can create and test the components (apex classes, apex triggers, custom objects, validation Rules, flows).

Salesforce is having 2 types of environments:

1. Production environment --> available to end users.
2. Sandbox environment --> We create everything in sandbox and then deploy it to Production environment after testing.

- 75% of the code should be tested to deploy it to production.


What is a Sandbox?

1. It's a replica (clone copy) of your production organization that allows you to develop code and configure changes.
2. Sandboxes are special organizations that are used to test changes or new apps without risking damage to your production data or configuration.



Sandbox Types

Types of Sandboxes



Different Types of Salesforce Sandboxes

Sandbox Type	Purpose	Refresh Interval	Capacity	Includes
Developer	It is used for development and testing.	1 Day	200 MB	- Configuration - Apex & Metadata - All Users
Developer Pro	It is used for development and testing for large data set.	1 Day	1 GB	- Configuration - Apex & Metadata - All Users
Partial Copy	It is used for testing, ex: User acceptance, Integration etc.	5 Days	5 GB	- Configuration - Apex & Metadata - All Users - Records (sample of selected objects) - Sandbox Template Support

Sandbox Type	Purpose	Refresh Interval	Capacity	Includes
Full copy sandbox	It is used for testing, ex: performance, load, Staging etc.	29 Days	Same as Source	- Configuration - Apex & Metadata - All Users - Records (all or selected objects) - Sandbox Template Support - History & Chatter Data (optional)

Important Terms

❏ Refresh interval:

- We will get a sandbox refresh button.
- Before implementing significant changes or updates in your production environment, it's a good practice to refresh a sandbox to test these changes thoroughly in an environment that mirrors production.

❏ Capacity:

- Data storage and File storage.

--> 75% of the code should be tested in order to deploy it to production.

test.salesforce.com --> to login to sandbox

login.salesforce.com --> to login to Production

Points to be Noted...

- Sandbox username: `production_username.sandbox_name`
- Sandbox password: `same as production org password`
- How to recognize org is sandbox? `sandbox will be mentioned on top of the page.`
- Login link to sandbox: <https://test.salesforce.com/>