1)Dashboard and form

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Dashboard and Form</title>
<!-- Bootstrap 5 CSS -->
 k href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
<!-- Chart.js -->
  <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"</pre>
integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtlaxVXM"
crossorigin="anonymous"></script>
<style>
  .main {
   display: flex;
   flex-direction: row;
  }
  .main>div {
   width: fit-content;
  }
  .sidebar {
   height: 100%;
   background-color: #343a40;
   color: #ffffff;
   position: absolute;
   width: 15%;
```

```
}
  .sidebar a {
   color: #ffffff;
   text-decoration: none;
   padding: 10px 15px;
   display: block;
  }
  .sidebar a:hover {
   background-color: #495057;
  }
  .content {
   padding: 20px;
  }
</style>
</head>
<body>
  <div class="main">
   <!-- Sidebar -->
  <div>
   <nav class="sidebar" id="sidebarMenu">
     <h4 class="text-center">Menu</h4>
     <a href="#" onclick="showPage('dashboard')">Dashboard</a>
     <a href="#" onclick="showPage('form')">Form</a>
   </nav>
  </div>
  <!-- Main Content -->
  <div class="container">
   <!-- Dashboard Page -->
   <div id="dashboard" class="page">
    <h2>Dashboard</h2>
    <div class="row">
```

```
<div class="col-md-4 mb-3">
  <div class="card text-white bg-primary">
   <div class="card-body">
    <h5 class="card-title">Data Point 1</h5>
    $200 M
   </div>
   </div>
  </div>
  <div class="col-md-4 mb-3">
  <div class="card text-white bg-success">
   <div class="card-body">
    <h5 class="card-title">Data Point 2</h5>
    34,100
   </div>
   </div>
  </div>
  <div class="col-md-4 mb-3">
  <div class="card text-white bg-warning">
   <div class="card-body">
    <h5 class="card-title">Data Point 3</h5>
    56.7%
   </div>
  </div>
  </div>
 </div>
 <div class="row"><canvas id="chart"></canvas></div>
</div>
<!-- Form Page -->
<div id="form" class="page d-none">
```

```
<h2>Form</h2>
    <form>
     <div class="mb-3">
      <label for="name" class="form-label">Name</label>
      <input type="text" class="form-control" id="name" placeholder="Enter your name">
     </div>
     <div class="mb-3">
      <label for="email" class="form-label">Email</label>
      <input type="email" class="form-control" id="email" placeholder="Enter your email">
     </div>
     <div class="mb-3">
      <label for="message" class="form-label">Message</label>
      <textarea class="form-control" id="message" rows="4" placeholder="Enter your
message"></textarea>
     </div>
     <button type="submit" class="btn btn-primary">Submit</button>
    </form>
   </div>
  </div>
</div>
<!-- Bootstrap 5 JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
 <script>
 // Navigation between pages
  function showPage(pageId) {
   document.querySelectorAll('.page').forEach(page => page.classList.add('d-none'));
   document.getElementById(pageId).classList.remove('d-none');
  }
  // Initialize Chart.js
  const ctx = document.getElementById('chart')
```

```
const data = {
labels: ['Team 1', 'Team 2', 'Team 3', 'Team 4'],
datasets: [{
  label: 'Period 1',
  data: [95, 25, 35, 65],
  fill: false,
  borderColor: 'rgb(200, 47, 47)',
},
{
  label: 'Period 2',
  data: [25, 35, 15, 37],
  fill: false,
  borderColor: 'rgb(2, 44, 97)',
}]
};
const chart = new Chart(ctx, {
 type: 'line',
 data:data,
 options: {
  responsive: true,
  maintainAspectRatio: false,
  scale: {
   x: {
    ticks:{
     callback: function(value, index, values) {
           return this.getLabelForValue(value);
         },
         maxRotation: 45,
```

```
minRotation: 45

}

}

};

</script>

</body>

</html>
```

2)Index

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Dashboard and Form</title>
<!-- Bootstrap 5 CSS -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"</pre>
rel="stylesheet">
<!-- Chart.js -->
<script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"</pre>
  integrity="sha384-
MrcW6ZMFYIzcLA8NI+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtlaxVXM"\\
  crossorigin="anonymous"></script>
 <style>
  .main {
   display: flex;
```

```
flex-direction: row;
}
. main > div: first-child \, \{ \\
 width: 15%;
}
.main>div:last-child {
 width: 75%;
}
.sidebar {
 height: 100%;
 background-color: #343a40;
 color: #ffffff;
 position: absolute;
 width: 15%;
}
.sidebar a {
 color: #ffffff;
 text-decoration: none;
 padding: 10px 15px;
 display: block;
}
.sidebar a:hover {
 background-color: #495057;
}
```

```
.content {
   padding: 20px;
  }
 </style>
</head>
<body>
 <div class="main">
  <!-- Sidebar -->
  <div>
   <nav class="sidebar" id="sidebarMenu">
    <h4 class="text-center">Menu</h4>
    <a href="#" onclick="showPage('dashboard')">Dashboard</a>
    <a href="#" onclick="showPage('form')">Form</a>
   </nav>
  </div>
  <!-- Main Content -->
  <div class="container">
   <!-- Dashboard Page -->
   <div id="dashboard" class="page">
    <h2>Dashboard</h2>
    <div class="row">
     <div class="col-md-4 mb-3">
      <div class="card text-white bg-primary">
       <div class="card-body">
        <h5 class="card-title">Data Point 1</h5>
        $200 M
       </div>
      </div>
     </div>
     <div class="col-md-4 mb-3">
```

```
<div class="card text-white bg-success">
   <div class="card-body">
     <h5 class="card-title">Data Point 2</h5>
    34,100
   </div>
   </div>
  </div>
  <div class="col-md-4 mb-3">
  <div class="card text-white bg-warning">
   <div class="card-body">
     <h5 class="card-title">Data Point 3</h5>
    56.7%
   </div>
   </div>
  </div>
 </div>
 <div class="row"><canvas id="chart"></canvas></div>
</div>
<!-- Form Page -->
<div id="form" class="container page d-none">
<h2>Important Form</h2>
<br></br>
 <form>
  <div class="row align-items-center">
  <div class="col-lg-6">
   <div class="row align-items-start">
     <div class="col-md-3">
      <label for="name" class="form-label">First Name</label>
     </div>
```

```
<div class="col-md-9">
    <input type="text" class="form-control" id="fname" placeholder="Enter your first name">
   </div>
  </div>
</div>
<div class="col-lg-6">
 <div class="row align-items-start">
   <div class="col-md-3">
    <label for="name" class="form-label">Last Name</label>
   </div>
   <div class="col-md-9">
    <input type="text" class="form-control" id="Iname" placeholder="Enter your last name">
   </div>
 </div>
</div>
</div>
<br></br>
<div class="row align-items-center">
<div class="col-lg-6">
 <div class="row align-items-start">
   <div class="col-md-3">
    <label for="email" class="form-label">Email</label>
   </div>
   <div class="col-md-9">
    <input type="email" class="form-control" id="email" placeholder="Enter your email">
   </div>
 </div>
</div>
<div class="col-lg-6">
 <div class="row align-items-start">
   <div class="col-md-3">
```

```
<label for="city" class="form-label">City</label>
   </div>
   <div class="col-md-9">
    <input type="text" class="form-control" id="city" placeholder="Enter your city">
   </div>
  </div>
 </div>
</div>
<br></br>
<div class="row align-items-center">
 <div class="col-lg-6">
  <div class="row align-items-start">
   <div class="col-md-3">
    <label for="state" class="form-label">State</label>
   </div>
   <div class="col-md-9">
    <input type="text" class="form-control" id="state" placeholder="Enter your state">
   </div>
  </div>
 </div>
 <div class="col-lg-6">
  <div class="row align-items-start">
   <div class="col-md-3">
    <label for="country" class="form-label">Country</label>
   </div>
   <div class="col-md-9">
    <input type="text" class="form-control" id="country" placeholder="Enter your country">
   </div>
  </div>
```

```
</div>
     </div>
     <br></br>
     <div class="row align-items-start">
      <div class="col">
       <button type="submit" class="btn btn-primary">Submit</button>
      </div>
     </div>
    </form>
   </div>
  </div>
 </div>
 <!-- Bootstrap 5 JS -->
 <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
 <script>
  // Navigation between pages
  function showPage(pageId) {
   document.querySelectorAll('.page').forEach(page => page.classList.add('d-none'));
   document.getElementById(pageId).classList.remove('d-none');
  }
  // Initialize Chart.js
  const ctx = document.getElementById('chart')
  const data = {
   labels: ['Team 1', 'Team 2', 'Team 3', 'Team 4'],
   datasets: [{
    label: 'Period 1',
```

```
data: [95, 25, 35, 65],
  fill: false,
  borderColor: 'rgb(200, 47, 47)',
 },
 {
  label: 'Period 2',
  data: [25, 35, 15, 37],
  fill: false,
  borderColor: 'rgb(2, 44, 97)',
 }]
};
const chart = new Chart(ctx, {
 type: 'line',
 data: data,
 options: {
  responsive: true,
  maintainAspectRatio: false,
  scale: {
   x: {
    ticks: {
     callback: function (value, index, values) {
       return this.getLabelForValue(value); // Show label normally
     },
     maxRotation: 45,
     minRotation: 45
    }
   }
  }
 }
});
```

```
</script>
</body>
</html>
```

3)Submit form

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Dashboard and Form</title>
<!-- Bootstrap 5 CSS -->
k href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
 <!-- Chart.js -->
 <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"</pre>
  integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtlaxVXM"
  crossorigin="anonymous"></script>
 <style>
  .main {
   display: flex;
   flex-direction: row;
  }
  .main>div:first-child {
   width: 15%;
  }
```

```
. main > div: last-child \, \{ \,
   width: 75%;
  }
  .sidebar {
   height: 100%;
   background-color: #343a40;
   color: #ffffff;
   position: absolute;
   width: 15%;
  }
  .sidebar a {
   color: #ffffff;
   text-decoration: none;
   padding: 10px 15px;
   display: block;
  }
  .sidebar a:hover {
   background-color: #495057;
  }
  .content {
   padding: 20px;
  }
 </style>
</head>
<body>
```

```
<!-- Submitted Data View -->
<div id="submittedContainer" class="card p-4 shadow hidden">
 <h3 class="mb-4">Important Form</h3>
  Submitted successfully with the following data:
  <div class="mb-3">
   <strong>First Name:</strong> <span id="submittedFirstName"></span>
  </div>
  <div class="mb-3">
  <strong>Last Name:</strong> <span id="submittedLastName"></span>
  </div>
  <div class="mb-3">
  <strong>Email:</strong> <span id="submittedEmail"></span>
  </div>
  <div class="mb-3">
   <strong>City:</strong> <span id="submittedCity"></span>
  </div>
  <div class="mb-3">
   <strong>State:</strong> <span id="submittedState"></span>
  </div>
  <div class="mb-3">
  <strong>Country:</strong> <span id="submittedCountry"></span>
  </div>
  <div class="mt-3">
  <button class="btn btn-warning" onclick="editForm()">Edit</button>
  <button class="btn btn-danger" onclick="closeApp()">Close</button>
  </div>
</div>
</div>
<!-- Bootstrap JS -->
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-</pre>
alpha3/dist/js/bootstrap.bundle.min.js"></script>
 <!-- Custom Script -->
 <script>
 function showPage(pageId) {
   document.querySelectorAll('.page').forEach(page => page.classList.add('d-none'));
   document.getElementById(pageId).classList.remove('d-none');
// Get form values
 const firstName = document.getElementById('firstName').value;
 const lastName = document.getElementById('lastName').value;
 const email = document.getElementById('email').value;
 const city = document.getElementById('city').value;
 const state = document.getElementById('state').value;
 const country = document.getElementById('country').value;
// Validate form fields
 if (!firstName || !lastName || !email || !city || !state || !country) {
  alert("Please fill in all fields.");
  return;
}
// Prepare data object
 const formData = {
  firstName,
  lastName,
  email,
  city,
  state,
  country
 };
```

```
// Send data to REST API
fetch('https://topengr.com/api/v1/assessment/formdata, {
 method: 'POST',
 headers: {
  'Content-Type': 'application/json'
 },
 body: JSON.stringify(formData)
})
 .then(response => response.json()) // Parse JSON response
 .then(data => {
  if (data.type === 1) {
   // Info type response
   alert(`Info: ${data.message} (Code: ${data.code})`);
   // Populate submitted data view
   document.getElementById('submittedFirstName').textContent = formData.firstName;
   document.getElementById('submittedLastName').textContent = formData.lastName;
   document.getElementById('submittedEmail').textContent = formData.email;
   document.getElementById('submittedCity').textContent = formData.city;
   document.getElementById('submittedState').textContent = formData.state;
   document.getElementById('submittedCountry').textContent = formData.country;
   // Switch views
   document.getElementById('formContainer').classList.add('hidden');
   document.getElementById('submittedContainer').classList.remove('hidden');
  } else if (data.type === 2) {
   // Warning type response
   alert(`Warning: ${data.message} (Code: ${data.code})`);
  } else if (data.type === 3) {
   // Error type response
   alert(`Error: ${data.message} (Code: ${data.code})`);
  }
 })
```

```
.catch(error => {
   console.error('Error:', error);
   alert('An error occurred while submitting the form.');
  });
}

</script>
</body>
</html>
```