

Roll No:-098 Division:- B

### 1) Program Definition: . Create a Dynamic Website on E-commerce(VEGETABLE)

```
Your <Source Code>
Web Page Name: signin.php
<?php
ob_start();
?>
<!DOCTYPE html>
<html>
<head>
    <!--[if It IE 9]>
  <script
src="http://html5shim.googlecode.com/svn/trunk/html5.js"></script><![endif]-->
    <title>FARMER MARKET</title>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    k
href='http://fonts.googleapis.com/css?family=Raleway:400,500,700,600,800'
rel='stylesheet' type='text/css'>
    <link href="css/bootstrap/css/bootstrap.min.css" rel="stylesheet">
  k href="css/bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
    <link href="css/font-awesome/css/font-awesome.min.css" rel="stylesheet">
    <link href="css/icheck/minimal/yellow.css" rel="stylesheet">
    <!--[if IE 7]>
       k href="css/font-awesome/css/font-awesome-ie7.min.cs rel="stylesheet">
        <![endif]-->
    k rel="stylesheet" href="css/style.css">
   k rel="stylesheet" href="css/responsive.css">
```



```
</head>
<body>
  <div class="wrapper">
   <section class="section-head">
     <div class="container">
       <div class="row-fluid top-row">
         <div class="span4 logo-holder">
           <div class="logo">
             <span class="icon">
               <img alt="" src="images/logo.png" />
             </span>
             <span class="text">
               <a href="index.html">FARMER MARKET<span></a>
             </span>
           </div
         </div>
         <div class="span4 cart-holder">
           <div class="top-menu cart-menu">
             </div>
         </div>
       </div>
     </div>
     <div class="top-categories">
       <div class="container">
         <div class="row-fluid">
           <div class="span9">
```



```
<a href="signin.php">LOG IN</a>
                 <a href="Uhome.php">HOME</a>
                 <a href="Ucontactus.php">CONTACT US</a>
                 <a href="Uaboutus.php">ABOUT US</a>
                 <a href="upurchase.php">PURCHASE</a>
                 <a href="udisp.php">YOUR ORDER</a>
                   </div>
              </div>
         </div>
       </div>
</section>
     <section class="section-checkout">
       <div class="container">
         <div class="phase-title current">
           <h1>DOMAIN REGISTRATION</h1>
         </div>
         <div class="row-fluid">
           <div class="span6">
             <div class="form-holder right-border">
               <h4>registered user</h4>
               >
                 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam
sem purus, interdum a mi eget.
               <form method="post">
                 <div class="control-group">
                   <div class="controls">
                     <div class="form-label ">Email</div>
```



```
<input type="text" id="email" name="email1"</pre>
class="required span12 cusmo-input" />
                     </div>
                   </div>
                   <div class="control-group">
                     <div class="controls">
                       <div class="form-label ">Password</div>
                       <input id="password" required="" type="password"
name="password1" class="required span12 cusmo-input" />
                     </div>
                   </div>
                   <div class="rememberme">
                     <input type="checkbox" class="iCheck" > Remember me
                   </div>
                   <div class="forget-password">
                     <a href="#">Forgot your password?</a>
                   </div>
                   <div class="button-holder">
                            <button class="cusmo-btn narrow" type="submit"
             name="sublog" >log in</button>
                   </div>
                 </form>
               </div>
            </div>
                   <?php
      error_reporting(E_ERROR | E_PARSE);
                          if(isset($_POST["sublog"]))
```



```
{
            $cn=mysqli_connect("localhost","root","","temp");
            $password1=$_POST["password1"];
            $email1=$ POST["email1"];
            $q="select * from user_mstr where email='$email1' and
password='$password1'";
      $result=mysqli_query($cn,$q);
      $c=mysqli_num_rows($result);
      if($c>0)
      {
            //mysqli close($cn);
            //echo "<script>window.location.href="Uhome.php"</script>";
            session_start();
            $_SESSION["email1"]=$email1;
            header('location: Uhome.php');
            // ob_end_flush();
            //echo "record found" . $_SESSION["email1"];
      }
      else
      {
            echo "Record Not Found";
      }
            //mysqli_close($cn);
}
?>
  <div class="span6">
   <div class="form-holder">
          <h4>new member</h4>
                >
```



Roll No:-098 Division:- B

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam sem purus, interdum a mi eget.

```
<form method="post">
      <div class="control-group">
           <div class="controls">
                  <div class="form-label ">Name</div>
                    <input type="text" name="uname" class="required span12
cusmo-input" />
              </div>
      </div>
<div class="control-group">
     <div class="controls">
           <div class="form-label ">Email</div>
             <input type="text" name="email" class="required span12 cusmo-
input" />
         </div>
     </div>
<div class="control-group">
        <div class="controls">
               <div class="form-label ">Password</div>
                  <input type="password" name="password" class="required
span12 cusmo-input" />
               </div>
```



```
</div>
<div class="control-group">
       <div class="controls">
           <div class="form-label ">Contact</div>
                 <input type="contact" name="contact" class="required span12
cusmo-input" />
               </div>
        </div>
   <button class="cusmo-btn narrow pull-right" type="submit" name="save" >sign
up</button>
 </form>
</div>
</div>
</div>
          <!-- Insert code For New User -->
<?php
if(isset($_POST["save"]))
{
      $cn=mysqli_connect("localhost","root","","temp");
      session_start();
      $uname=$_POST["uname"];
      $ SESSION["uname"]='$uname';
      $email=$ POST["email"];
      $password=$ POST["password"];
      $contact=$_POST["contact"];
      //check all the feild are full
      if($uname !="" && $password !="" && $contact !="" && $email !="" )
      {
```



```
//check valid phone no
if(preg_match('/^[0-9]{10}+$/', $contact))
       $q="insert into user_mstr values(null,'$uname','$email','$password',$contact)";
       if(mysqli_query($cn,$q))
             echo "Record Inserted";
       else
             echo "error: inserted";
       mysqli_close($cn);
}
else
{
             echo " Invalid Phone Number";
}
}
else
       {
                    echo "Fill all the field";
       }
}
?>
</div>
 </section>
```



```
</div>
```


```
<script type="text/javascript" src="jquery-1.9.1.min.js"></script>
    <script src="jquery-migrate-1.1.1.min.js"></script>
    <script src="css/bootstrap/js/bootstrap.min.js"></script>
    <script src="css/bootstrap/js/bootstrap.min.js"></script>
    <script type="text/javascript" src="js/css_browser_selector.js"></script>
    <script src="js/jquery.icheck.min.js"></script>
    <script type="text/javascript" src="js/twitter-bootstrap-hover-dropdown.min.js"></script>
    <script type="text/javascript" src="js/jquery.easing-1.3.js"></script>
    <script type="text/javascript" src="js/jquery.validate.js"></script>
    <script type="text/javascript" src="js/jquery.validate.js"></script>
    <script type="text/javascript" src="js/bootstrap-slider.js"></script>
    <script type="text/javascript" src="js/script.js"></script><</script>
    </body>
```



Roll No:-098 Division:- B

# Screen short of your output:


Table : user\_mstr





Roll No:-098 Division:- B

# DATA OF USER\_MSTR TABLE





Roll No:-098 Division:- B

# REGISTERED USER AND NEW MEMBER :



DOMAIN RE	GISTRATION
Registered User	New Member
Lorem ipsum dolor sit amet, consectetur adipiscing elit.	Lorem ipsum dolor sit amet, consectetur adipiscing elit.
Nullam sem purus, interdum a mi eget.	Nullam sem purus, interdum a mi eget.
Email	Name
Password	Email
Remember me Forgot your password?	Password
LOG IN	

### VALIDATION :



DOMAIN RE	GISTRATION
Registered User	New Member
Lorem ipsum dolor sit amet, consectetur adipiscing elit.	Lorem ipsum dolor sit amet, consectetur adipiscing elit.
Nullam sem purus, interdum a mi eget.	Nullam sem purus, interdum a mi eget.
Email	Name
Password	Email
1.000000	
Remember me <u>Forgot your password?</u>	Password
LOG IN	
	Contact



RECORD INSERTED SUCCESSFULLY

Name :-KAPADIA MANSI

Roll No:-098 Division:- B



LOG IN HOME CONTACT US ABOUT US PURCHASE YOUR ORDER

# **DOMAIN REGISTRATION**

Registered User	New Member
Lorem ipsum dolor sit amet, consectetur adipiscing elit.	Lorem ipsum dolor sit amet, consectetur adipiscing e
Nullam sem purus, interdum a mi eget.	Nullam sem purus, interdum a mi eget.
Email	Name
Password	Email
Remember me <u>Forgot your password?</u>	Password
LOG IN	
	Contact
	SIGN UP



Roll No:-098 Division:- B

# RECORD NOT FOUND



LOG IN HOME CONTACT US ABOUT US PURCHA	SE YOUR ORDER				
DOMAIN	REGISTRATION				
Record Not Found					
Registered User  Lorem ipsum dolor sit amet, consectetur adipiscing elit.  Nullam sem purus, interdum a mi eget.	New Member  Lorem ipsum dolor sit amet, consectetur adipiscing elit.  Nullam sem purus, interdum a mi eget.				
Email	Name				
Password	Email				
Remember me Forgot vour password?	Password				
	Contact				



Roll No:-098 Division:- B

Web Page Name: Uhome.php

```
Page <Source Code>:
<?php
ob_start();
?>
<!DOCTYPE html>
<html>
<head>
    <!--[if It IE 9]>
  <script src="http://html5shim.googlecode.com/svn/trunk/html5.js"></script><![endif]-->
    <title>FARMER MARKET</title>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
       k href='http://fonts.googleapis.com/css?family=Raleway:400,500,700,600,800'
   rel='stylesheet' type='text/css'>
    <link href="css/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="css/bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
    <link href="css/font-awesome/css/font-awesome.min.css" rel="stylesheet">
    <link href="css/flexslider.css" rel="stylesheet">
    <!--[if IE 7]>
    <link href="css/font-awesome/css/font-awesome-ie7.min.css" rel="stylesheet">
    <![endif]-->
    <link rel="stylesheet" href="css/style.css">
    <link rel="stylesheet" href="css/responsive.css">
  </head>
  <body>
   <div class="wrapper">
      <section class="section-head">
```



```
<div class="container">
 <div class="row-fluid top-row">
   <div class="span4 logo-holder">
     <div class="logo">
       <span class="icon">
         <img alt="" src="images/logo.png" />
       </span>
       <span class="text">
         <a href="index.html">FARMER MARKET<span></span></a>
       </span>
     </div>
   </div>
   <div class="span4 cart-holder">
     <div class="top-menu cart-menu">
       </div>
   </div>
 </div>
</div>
<div class="top-categories">
 <div class="container">
   <div class="row-fluid">
     <div class="span9">
       <a href="signin.php">LOG IN</a>
         <a href="Uhome.php">HOME</a>
         <a href="Ucontactus.php">CONTACT US</a>
        <a href="Uaboutus.php">ABOUT US</a>
```



```
<a href="upurchase.php">PURCHASE</a>
                  <a href="udisp.php">YOUR ORDER</a>
               </div>
          </div>
         </div>
       </div>
     </section>
     <section class="section-home-products">
       <div class="container">
         <div class="tab-content">
           <div id="hot-products" class="products-holder active tab-pane">
            <?php
                error_reporting(E_ERROR | E_PARSE);
                $cn=mysqli connect("localhost","root","","temp");
                $q="select * from product_mstr1";
                $result=mysqli_query($cn,$q);
         ?>
<div class="row-fluid">
          <?php
                while($row=mysqli_fetch_array($result))
                {
                ?>
               <div class="span3">
                 <div class="product-item">
                   <a href="products-page.html">
                      <img alt="" src="pimage/<?php echo $row['pimage']?>" />
```



```
<h1><?php echo $row["pname"]?></h1>
                        </a>
                        <div class="tag-line">
                          <span><?php echo $row["pdesc"]?></span>
                        </div>
                        <div class="price">
                          <?php echo $row["price"]?>
                        </div>
                                   <a class="cusmo-btn add-button" href="upurchase.php?pid=<?php
             echo $row'pid']?>">add to cart</a>
                      </div>
                    </div>
             <?php
             }
      ?>
     </div>
    </div>
  </div>
  </div>
</section>
</div>
      <script type="text/javascript" src="jquery-1.9.1.min.js"></script>
      <script src="jquery-migrate-1.1.1.min.js"></script>
      <script src="css/bootstrap/js/bootstrap.min.js"></script>
      <script type="text/javascript" src="js/css browser selector.js"></script>
      <script type="text/javascript" src="js/twitter-bootstrap-hover-dropdown.min.js"></script>
      <script type="text/javascript" src="js/jquery.easing-1.3.js"></script>
```



Roll No:-098 Division:- B

<script type="text/javascript" src="js/jquery.flexslider-min.js"></script>


<script type="text/javascript" src="js/script.js"></script>
</body>



Roll No:-098 Division:- B

### Screenshot of your output:


Table: product mstr1





Roll No:-098 Division:- B

### DATA OF PRODUCT MSTR:





Roll No:-098 Division:- B



LOGIN HOME CONTACTUS ABOUTUS PURCHASE

YOUR ORDER



POTATO medium to large, oblong or slightly flattened oval. light to medium russet-brown, netted skin, white to pale yellow flesh 25



TOMATO yellow, though green and purple varieties do exist, and they vary in shape from almost spherical to oval and elongate to pear-



CORN that unlike most plants the kernels are completely enclosed by the outer layer known as the husk or shuck 15



rea. Hisum sativum. Is an annual herbaceous legume in the family Fabaceae grown for its edible seeds and seedpods. The pea plant can be bushy or climbing with slender stems which attach to a substrate using tendrils 35



MANGO The fruit varies greatly in size and character. Its form is oval, round, heart-shaped, kidney-shaped, or long and slender 700



CHERRY The fruit is a fleshy drupe (stone fruit) that is generally heart-shaped to nearly globular. measures about 2 cm (1 inch) in diameter, and varies in colour from yellow through red to nearly black 150



CARROT herbaceous, generally biennial plant of the Apiaceae family that produces an edible taproot 70



LADYFINGER vegetable, tapering at the end with tiny seeds inside 35



KIWI The ellipsoidal kind fruit is a true berry and has furry brownish green skin. The firm translucent green flesh has numerous edible purple-black seeds embedded around a white centre.



GRAPES Grapes are a type of fruit that grow in clusters of 15 to 300, and can be crimson, black, dark blue. yellow, green, orange, and pink 50



ORANGE A globose berry with a yellowish to reddish-orange rind and a sweet edible pulp He peeled an 95



Roll No:-098 Division:- B

Web Page Name: Ucontactus.php

```
Page <Source Code>:
<!DOCTYPE html>
<html>
<head>
    <!--[if It IE 9]>
  <script src="http://html5shim.googlecode.com/svn/trunk/html5.js"></script><![endif]-->
    <title>FARMER MARKET</title>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    k href='http://fonts.googleapis.com/css?family=Raleway:400,500,700,600,800' rel='stylesheet'
type='text/css'>
    <link href="css/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="css/bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
    <link href="css/font-awesome/css/font-awesome.min.css" rel="stylesheet">
    k href="css/icheck/minimal/yellow.css" rel="stylesheet">
    <!--[if IE 7]>
       <link href="css/font-awesome/css/font-awesome-ie7.min.css" rel="stylesheet">
        <![endif]-->
    <link rel="stylesheet" href="css/style.css">
<link rel="stylesheet" href="css/responsive.css">
    </head>
  <body>
    <div class="wrapper">
      <section class="section-head">
        <div class="container">
          <div class="row-fluid top-row">
            <div class="span4">
            </div>
     <div class="span4 logo-holder">
```



```
<div class="logo">
          <span class="icon">
           <img alt="" src="images/logo.png" />
   </span>
<span class="text">
      <a href="index.html">FARMER MARKET<span></a>
 </span>
 </div>
 </div>
 <div class="span4 cart-holder">
      <div class="top-menu cart-menu">
       </div>
   </div>
 </div>
 </div>
 <div class="top-categories">
   <div class="container">
      <div class="row-fluid">
          <div class="span9">
            <a href="signin.php">LOG IN</a>
              <a href="Uhome.php">HOME</a>
               <a href="Ucontactus.php">CONTACT US</a>
              <a href="Uaboutus.php">ABOUT US</a>
                <a href="upurchase.php">PURCHASE</a>
                <a href="udisp.php">YOUR ORDER</a>
            </div>
          </div>
         </div>
       </div>
```



```
</section>
      <section class="section-contact">
        <div class="container">
          <div class="row-fluid">
             <div class="span6">
               <div class=" contact-form-holder">
                   <h4>leave message</h4>
                   <div class="message-box"></div>
                   <form class="contact-form" method="post" >
                     <div class="control-group inline-block span6">
                           <div class="controls">
                             <label class="form-label">Name</label>
                              input id="cname" name="name" size="25" class="required cusmo-
                              input span12" />
                         </div>
                   </div>
<div class="control-group inline-block span6">
      <div class="controls">
          <label class="form-label">Email</label>
               <input id="cemail" name="mail" class="required cusmo-input span12" />
             </div>
       </div>
```



```
<div class="control-group">
              <div class="controls">
                     <label class="form-label">Your Message</label>
                     <textarea id="ccomment" name="message" rows="5" cols="5" class="required
span1 2 cusmo-input"></textarea>
                  </div>
           </div>
          <div class="text-right">
                    <input class="submit cusmo-btn narrow" type="submit" value="SUBMIT"</pre>
              name="submit" />
                        </div>
                     <div id="loading" class="pull-right">
                        <img alt="" src="images/loader.gif" />
                      </div>
   <?php
       error_reporting(E_ERROR | E_PARSE);
                 if(isset($_POST["submit"]))
                     {
                            $cn=mysqli connect("localhost","root","","temp");
                            $name=$ POST["name"];
                            $mail=$ POST["mail"];
                            $message=$_POST["message"];
                            if($name !="" && $mail !="" && $message !="")
                            {
```



```
$q="insert into contact_mstr values(null,'$name','$mail','$message')";
         if(mysqli_query($cn,$q))
                echo "Record inserted Successfully";
         else
                echo "ERROR: Record";
         }
         else
                {
                       echo "plz fillup data..";
                }
         ?>
  </form>
</div>
  </div>
 <div class="span6">
        <div class="contact-info-boxes">
           <h4>contact information</h4>
              <div class="row-fluid contact-info">
                <div class="span6">
                  >
                  Vegetable shop<br>
```



```
Good Town 122, vegetable Center, <br>
                 New York, USA<br><br>
                 <a class="email-link" >mansikapadia@gmail.com</a>
               </div>
             <div class="span6">
                >
                 <strong>Information:</strong><br>
                 +1 (123) 456 7890<br><br>
                  <strong>Delivery</strong><br>
                 +45 (123) 321 1221
               </div>
           </div>
         </div>
            </div>
       </div>
     </div>
   </section>
</div>
<script type="text/javascript" src="code.jquery.com/jquery-1.9.1.min.js"></script>
<script src="code.jquery.com/jquery-migrate-1.1.1.min.js"></script>
<script src="css/bootstrap/js/bootstrap.min.js"></script>
    <script type="text/javascript"</pre>
src="http://maps.google.com/maps/api/js?sensor=false&language=en"></script>
<script type="text/javascript" src="js/css_browser_selector.js"></script>
<script src="js/jquery.icheck.min.js"></script>
```




```
<script type="text/javascript" src="js/twitter-bootstrap-hover-dropdown.min.js"></script>
<script type="text/javascript" src="js/jquery.easing-1.3.js"></script>
<script type="text/javascript" src="js/jquery.validate.js"></script>
<script type="text/javascript" src="js/gmap3.min.js"></script>
<script type="text/javascript" src="js/bootstrap-slider.js"></script>
<script type="text/javascript" src="js/script.js"></script>
</body>
</html>
```



Roll No:-098 Division:- B

# Screenshot of your output:


Table : contact\_mstr






Roll No:-098 Division:- B

### DATA OF CONTACT MSTR



#### VALIDATION OF CONTACT PAGE





Roll No:-098 Division:- B

# • RECORD INSERTED OF CONTACT PAGE



LOGIN HOME CONTACT US	ABOUT US PURCHASE	YOUR ORDER	
Leave Message Name Em	iail	Contact Information  Vegetable shop  Good Town 122,vegetable Center, New York, USA	Information: +1 (123) 456 7890 Delivery
Your Message	SUBMIT	mansikapadia-agmail.com	+45 (123) 321 1221



Roll No:-098 Division:- B

Web Page Name: Uaboutus.php

```
Page <Source Code>:
            <!DOCTYPE html>
            <html>
            <head>
                <!--[if lt IE 9]>
              <script src="http://html5shim.googlecode.com/svn/trunk/html5.js"></script><![endif]-->
                <title>FARMER MARKET</title>
                <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
                <meta name="viewport" content="width=device-width, initial-scale=1.0">
                k href='http://fonts.googleapis.com/css?family=Raleway:400,500,700,600,800'
rel='stylesheet' type='text/css'>
                k href="css/bootstrap/css/bootstrap.min.css" rel="stylesheet">
                <link href="css/bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
                <link href="css/font-awesome/css/font-awesome.min.css" rel="stylesheet">
                <link href="css/icheck/minimal/yellow.css" rel="stylesheet">
                <!--[if IE 7]>
                <link href="css/font-awesome/css/font-awesome-ie7.min.css" rel="stylesheet">
                <![endif]-->
                k rel="stylesheet" href="css/style.css">
            <link rel="stylesheet" href="css/responsive.css">
```



```
</head>
<body>
 <div class="wrapper">
    <section class="section-head">
     <div class="container">
        <div class="row-fluid top-row">
          <div class="span4">
          </div>
          <div class="span4 logo-holder">
            <div class="logo">
              <span class="icon">
                <img alt="" src="images/logo.png" />
              </span>
              <span class="text">
                <a href="index.html">FARMER MARKET<span></a>
              </span>
            </div>
          </div>
          <div class="span4 cart-holder">
            <div class="top-menu cart-menu">
           </div>
          </div>
       </div>
     </div>
     <div class="top-categories">
        <div class="container">
          <div class="row-fluid">
            <div class="span9">
              <a href="signin.php">LOG IN</a>
```



Roll No:-098 Division:- B

```
<a href="Uhome.php">HOME</a>
               <a href="Ucontactus.php">CONTACT US</a>
              <a href="Uaboutus.php">ABOUT US</a>
               <a href="upurchase.php">PURCHASE</a>
               <a href="udisp.php">YOUR ORDER</a>
             </div>
         </div>
       </div>
      </div>
</section>
    <section class="section-contact">
      <div class="container">
       <div class="row-fluid">
```

A wide variety of options are available in all the categories at one place for purchasing and it is named bigbasket. Here, you can find best options at lower prices, right from fresh fruits, spices, dals, seasonings and vegetables to packaged products, meats, personal care products and beverages. Since, green vegetables provide necessary proteins and vitamins to the body, people prefer to buy vegetables and consume them, in daily food habits. On the website of BigBasket, you can find the entire vegetables list, which could be found in regular vegetable market. At the comfort of your home, you can purchase the fresh vegetables. The prices of each vegetable, when compared with other sellers, will be quite competitive. A separate navigation is provided in order to make the customers, make wise decisions, when it comes to purchasing. The options which could be found in the website, include vegetables for kids, Indian vegetables likegourd etc. Buying vegetables online is the best decision and mode the payment can be online. Cash on delivery is available as well. The vegetable prices are affordable and titillate the consumer to re-visit the site

<h2>Fresh Vegetables Online</h2>



Roll No:-098 Division:- B

and buy their basic needs, as and when required. Instead of standing in very long queues or stuck in the midst of traffic jams for purchasing vegetables, the wise decision is online shopping. Ample amount of time can also be saved. All you need to do is to just add all the vegetables, you need, to cart and place your order. Your order will reach out to you very soon at your doorsteps. Vegetables are staple food items that need to be included in our daily diet for the various benefits each of them carry. With schedules getting more hectic by the day, people don't find time to do their vegetable shopping and cook and thus turn towards fast foods and packaged foods for their meals. This lifestyle will affect our health adversely in the long run. You can now save time and do your grocery shopping through bigbasket's online store. <br/>br> <br/>

<h2>Types of vegetables</h2>

There are a wide range of Indian vegetables that you can find in the market that you will need.
Be it your green vegetables, fiber rich vegetables, exotic vegetables or any green leafy vegetables, you can find it on bigbasket. While there are several concerns regarding the pesticides and toxicants used to grow these produces, it is important to pick your fresh vegetables from well-known sources and vendors to get healthy vegetables. There are several organic vendors present in the market to lean on for your source of fresh vegetables and fruits.

```
</div>
</div>
</div>
</section>
</div>

<script type="text/javascript" src="code.jquery.com/jquery-1.9.1.min.js"></script>
<script src="code.jquery.com/jquery-migrate-1.1.1.min.js"></script>
<script src="css/bootstrap/js/bootstrap.min.js"></script>
<script type="text/javascript"
src="http://maps.google.com/maps/api/js?sensor=false&amp;language=en"></script>
<script type="text/javascript" src="js/css_browser_selector.js"></script>
<script src="js/jquery.icheck.min.js"></script>
<script type="text/javascript" src="js/twitter-bootstrap-hover-dropdown.min.js"></script>
<script type="text/javascript" src="js/jquery.easing-1.3.js"></script>
<script type="text/javascript" src="js/jquery.validate.js"></script>
<script type="text/javascript" src="js/jquery.validate.js"></script>
<script type="text/javascript" src="js/jquery.validate.js"></script>
<script type="text/javascript" src="js/gmap3.min.js"></script>
<script type="text/javascript" src="js/gmap3.min.js"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></sc
```



```
<script type="text/javascript" src="js/bootstrap-slider.js"></script>
  <script type="text/javascript" src="js/script.js"></script>
  </body>
</html>
```



Roll No:-098 Division:- B

# Screenshot of your output:



LOG IN HOME CONTACT US ABOUT US PURCHASE YOUR ORDER

#### Fresh Vegetables Online

A wide variety of options are available in all the categories at one place for purchasing and it is named bigbasket. Here, you can find best options at lower prices, right from fresh fruits, spices, dals, seasonings and vegetables to packaged products, meats, personal care products and beverages. Since, green vegetables provide necessary proteins and vitamins to the body, people prefer to buy vegetables and consume them, in daily food habits. On the website of BigBasket, you can find the entire vegetables list, which could be found in regular vegetables market. At the comfort of your home, you can purchase the fresh vegetables. The prices of each vegetable, when compared with other sellers, will be quite competitive. A separate navigation is provided in order to make the customers, make wise decisions, when it comes to purchasing. The options which could be found in the website, include vegetables for kids, Indian vegetables likegourd etc. Buying vegetables online is the best decision and mode the payment can be online. Cash on delivery is available as well. The vegetable prices are affordable and titillate the consumer to re-visit the site and buy their basic needs, as and when required. Instead of standing in very long queues or stuck in the midst of traffic jams for purchasing vegetables, the wise decision is online shopping. Ample amount of time can also be saved. All you need to do is to just add all the vegetables, you need, to cart and place your order. Your order will reach out to you very soon at your doorsteps. Vegetables are staple food items that need to be included in our daily diet for the various benefits each of them carry. With schedules getting more hectic by the day, people dont find time to do their vegetable shopping and cook and thus turn towards fast foods and packaged foods for their meals. This lifestyle will affect our health adversely in the long run. You can now save time and do your grocery shopping through bigbaskets online store.

#### Types of vegetables

There are a wide range of Indian vegetables that you can find in the market that you will need. Be it your green vegetables, fiber rich vegetables, exotic vegetables or any green leafy vegetables, you can find it on bigbasket. While there are several concerns regarding the pesticides and toxicants used to grow these produces, it is important to pick your fresh vegetables from well-known sources and vendors to get healthy vegetables. There are several organic vendors present in the market to lean on for your source of fresh vegetables and fruits.

Roll No:-098 Division:- B

# Web Page Name :upurchase.php

```
Page <Source Code>:
<?php
ob start();
?>
<!DOCTYPE html>
<html>
<head>
    <!--[if It IE 9]>
  <script
src="http://html5shim.googlecode.com/svn/trunk/html5.js"></script><![endif]-->
    <title>FARMER MARKET</title>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    k
href='http://fonts.googleapis.com/css?family=Raleway:400,500,700,600,800'
rel='stylesheet' type='text/css'>
    <link href="css/bootstrap/css/bootstrap.min.css" rel="stylesheet">
   k href="css/bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
    <link href="css/font-awesome/css/font-awesome.min.css" rel="stylesheet">
    <link href="css/dataslider.css" rel="stylesheet">
    <link href="css/chosen.css" rel="stylesheet">
    <link href="css/flexslider.css" rel="stylesheet">
    <!--[if IE 7]>
```



```
<link href="css/font-awesome/css/font-awesome-ie7.min.css" rel="stylesheet">
  <![endif]-->
  <link rel="stylesheet" href="css/style.css">
  <link rel="stylesheet" href="css/responsive.css">
</head>
<body>
  <div class="wrapper">
    <section class="section-head">
      <div class="container">
        <div class="row-fluid top-row">
          <div class="span4 logo-holder">
            <div class="logo">
               <span class="icon">
                 <img alt="" src="images/logo.png" />
               </span>
               <span class="text">
                 <a href="index.html">FARMER MARKET<span></a>
               </span>
            </div>
          </div>
          <div class="span4 cart-holder">
            <div class="top-menu cart-menu">
            </div>
          </div>
        </div>
```



```
</div>
<div class="top-categories">
 <div class="container">
   <div class="row-fluid">
    <div class="span9">
      <
         <a href="signin.php">LOG IN</a>
        <a href="Uhome.php">HOME</a>
        <a href="Ucontactus.php">CONTACT US</a>
        <a href="Uaboutus.php">ABOUT US</a>
        <a href="upurchase.php">PURCHASE</a>
        <a href="udisp.php">YOUR ORDER</a>
      </div>
   </div>
 </div>
</div>
<div class="breadcrumb-holder">
 <div class="container">
   <a href="index.html">home</a>
```



```
face
             all products
           <div class="grid-list-buttons">
             <a data-toggle="tab" href="#grid-view"><i</pre>
class="icon-th-large"></i> Grid</a>
               <a data-toggle="tab" href="#list-view"><i class="icon-th-</pre>
list"></i> List</a>
             </div>
         </div>
       </div>
</section>
<form method="Post">
     <section class="section-two-columns">
       <div class="container">
      <?php
        error_reporting(E_ERROR | E_PARSE);
           $pid=$_GET['pid'];
           $cn=mysqli_connect("localhost","root","","temp");
           $q="select * from product_mstr1 where pid=$pid";
           $result=mysqli_query($cn,$q);
           $row=mysqli_fetch_array($result);
      ?>
         <div class="row-fluid">
           <div class="span9">
```



```
<div class="page-content">
         <div class="products-page-head">
          <h1><?php echo $row['pname']?></h1>
          <div class="tag-line">
          </div>
         </div>
         <div class="row-fluid">
          <div class="span7">
            <div class="flexslider product-gallery">
              ">
                       <img alt="" src="pimage/<?php echo
$row['pimage']?>" />
                </div>
          </div>
          <div class="span5">
            <div class="product-info-box">
              <hr>
              <div class="info-holder">
                <h4>Product ID: <?php echo $row['pid']?></h4>
                >
                  <?php echo $row['pdesc']?>
                </div>
              <hr>
              <div class="drop-downs-holder">
```



name="order" />

Name:-KAPADIA MANSI

```
<div class="drop-selector">
                     <span>QTY</span>
                     <select class="chosen-select">
                       <option value="1">1</option>
                       <option value="2">2</option>
                       <option value="3">3</option>
                       <option value="4">4</option>
                       <option value="5">5</option>
                       <option value="6">6</option>
                       <option value="7">7</option>
                       <option value="8">8</option>
                       <option value="9">9</option>
                     </select>
                   </div>
                 </div>
                 <hr>
                 <div class="price-holder">
                   <div class="price">
                     <span>RS: <?php echo $row['price']?></span>
                   </div>
                 </div>
                 <div class="buttons-holder">
<input type="Submit" value="Purchase" class="cusmo-btn add-button"</pre>
                 </div>
               </div>
```



```
</div>
                 </div>
<?php
      if(isset($_POST["order"]))
      {
             $cn=mysqli_connect("localhost","root","","temp");
             session start();
             $uname=$_SESSION['email1'];
             //$uname=$_GET["uname"];
            $pimage =$row['pimage'];
             $pname=$row['pname'];
             $price=$row['price'];
             $qty=1;
             //$tamt=$_POST["tamt"];
             $tamt=$price;
             $q="insert into order_mstr
values(null,'$uname','$pname',$price,$qty,$tamt,'$pimage')";
      if(mysqli query($cn,$q))
             header('location: udisp.php');
      else
             echo "ERROR: Inserted";
      }
?>
 </div>
    </div>
 </div>
 </div>
  </section>
    </form>
```




```
</div>
    <script type="text/javascript" src="jquery-1.9.1.min.js"></script>
    <script src="jquery-migrate-1.1.1.min.js"></script>
    <script src="css/bootstrap/js/bootstrap.min.js"></script>
    <script type="text/javascript" src="js/css browser selector.js"></script>
    <script type="text/javascript" src="js/twitter-bootstrap-hover-</pre>
dropdown.min.js"></script>
    <script type="text/javascript" src="js/jquery.easing-1.3.js"></script>
    <script type="text/javascript" src="js/chosen.jquery.min.js"></script>
    <script type="text/javascript" src="js/jquery.raty.min.js"></script>
    <script type="text/javascript" src="js/jquery.flexslider-min.js"></script>
    <script type="text/javascript" src="js/bootstrap-slider.js"></script>
    <script type="text/javascript" src="js/script.js"></script>
  </body>
</html>
```



Roll No:-098 Division:- B

# Screenshot of your output:





# **GRAPES**



# Product ID: 111 Grapes are a type of fruit that grow in clusters of 15 to 300, and can be crimson, black, dark blue, yellow, green, orange, and pink. OTY 1 \$\displaystyle{2}\$



Roll No:-098 Division:- B

#### Web Page Name :udisp.php

```
Page <Source Code>:
            <!DOCTYPE html>
            <html>
            <head>
                <!--[if It IE 9]>
              <script src="http://html5shim.googlecode.com/svn/trunk/html5.js"></script><![endif]-->
                <title>FARMER MARKET</title>
                <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
                <meta name="viewport" content="width=device-width, initial-scale=1.0">
                k href='http://fonts.googleapis.com/css?family=Raleway:400,500,700,600,800'
rel='stylesheet' type='text/css'>
                <link href="css/bootstrap/css/bootstrap.min.css" rel="stylesheet">
                <link href="css/bootstrap/css/bootstrap-responsive.min.css" rel="stylesheet">
                <link href="css/font-awesome/css/font-awesome.min.css" rel="stylesheet">
                <link href="css/chosen.css" rel="stylesheet">
                <!--[if IE 7]>
                <link href="css/font-awesome/css/font-awesome-ie7.min.css" rel="stylesheet">
                <![endif]-->
                k rel="stylesheet" href="css/style.css">
                k rel="stylesheet" href="css/responsive.css">
              </head>
              <body>
                <div class="wrapper">
                  <section class="section-head">
                    <div class="container">
```



```
<div class="row-fluid top-row">
          <div class="span4 logo-holder">
             <div class="logo">
              <span class="icon">
                <img alt="" src="images/logo.png" />
              </span>
              <span class="text">
                <a href="index.html">FARMER MARKET<span></span></a>
              </span>
             </div>
           </div>
<div class="span4 cart-holder">
    <div class="top-menu cart-menu">
     </div>
 </div>
</div>
</div>
   <div class="top-categories">
         <div class="container">
           <div class="row-fluid">
             <div class="span9">
              <a href="signin.php">LOG IN</a>
                <a href="Uhome.php">HOME</a>
                <a href="Ucontactus.php">CONTACT US</a>
               <a href="Uaboutus.php">ABOUT US</a>
                <a href="upurchase.php">PURCHASE</a>
                <a href="udisp.php">YOUR ODRDER</a>
```



```
</div>
</div>
</div>
</div>
</section>
<section class="section-shopping-cart">
 <div class="container">
  <?php
      $cn=mysqli_connect("localhost","root","","temp");
      $q="select * from order_mstr";
           $result=mysqli query($cn,$q);
  ?>
    <div class="row-fluid">
     <div class="span12">
       <div class="page-content shopping-cart-page">
         <thead>
             ORDER ID
               NAME
               PRICE
              QUANTITY
               AMOUNT
               Image
               ACTION
             </thead>
```



```
<?php
while($row=mysqli fetch array($result))
  {
?>
   <div class="thumb">
           <?php echo $row['orid']?>
          </div>
        <div class="thumb">
           <?php echo $row['pname']?>
          </div>
        <div class="thumb">
           <?php echo $row['price']?>
          </div>
        <div class="thumb">
           <?php echo $row['qty']?>
          </div>
        <div class="thumb">
           <?php echo $row['tamt']?>
          </div>
        <div class="thumb">
            <img alt="" src="pimage/<?php echo $row['pimage']?>" />
          </div>
```



```
<div class="thumb">
                                        <a href="udel.php?orid=<?php echo
                             $row['orid']?>">Delete</a>
                                    </div>
                                  <?php
               }
               ?>
               <div class="buttons-holder">
             <a class="cusmo-btn gray narrow" href="Uhome.php">continue shopping</a>
                              </div>
                          </div>
                        </div>
                      </div>
                    </div>
                  </section>
               </div>
                <script type="text/javascript" src="code.jquery.com/jquery-1.9.1.min.js"></script>
                <script src="code.jquery.com/jquery-migrate-1.1.1.min.js"></script>
                <script src="css/bootstrap/js/bootstrap.min.js"></script>
               <script type="text/javascript" src="js/css_browser_selector.js"></script>
               <script type="text/javascript" src="js/twitter-bootstrap-hover-</pre>
dropdown.min.js"></script>
               <script type="text/javascript" src="js/jquery.easing-1.3.js"></script>
```



```
<script type="text/javascript" src="js/jquery.validate.js"></script>
  <script type="text/javascript" src="js/jquery.flexslider-min.js"></script>
  <script type="text/javascript" src="js/jquery.carouFredSel-6.2.1-packed.js"></script>
  <script type="text/javascript" src="js/bootstrap-slider.js"></script>
  <script type="text/javascript" src="js/jquery.raty.min.js"></script>
  <script type="text/javascript" src="js/jquery.min.js"></script>
  <script type="text/javascript" src="js/chosen.jquery.min.js"></script>
  </body>
  </html>
```



Roll No:-098 Division:- B

# Screenshot of your output:



LOG IN HOME	CONTACT US	ABOUT US	PURCHASE YOUR	ODRDER		
ORDER ID	NAME	PRICE	QUANTITY	AMOUNT	Image	ACTION
9	CORN	15	1	15		Delete
10	PEA	35	1	35		Delete
11	POTATO	25	1	25		Delete
15	TOMATO	30	1	30		Delete
20	CHERRY	150	1	150		Delete
21	GRAPES	50	1	50		Delete



Roll No:-098 Division:- B

# Web Page Name :udel.php

```
Page <Source Code> :

<?php
    $cn=mysqli_connect("localhost","root","","temp");
    $orid=$_GET['orid'];
    $q="delete from order_mstr where orid=$orid";

    mysqli_query($cn,$q);

    echo "Record Deleted successfully";
    mysqli_close($cn);
    header('location: udisp.php');
?>
```



Roll No:-098 Division:- B

2) Program Definition: Write a php code that executing python script using escapeshellcmd() and shell\_exec() method.

Your <Source Code>

• J2.php

```
<?php
$command = escapeshellcmd('python test.py');
$output = shell_exec($command);
echo $output;
?>
```

test.py

print("successfully")



Roll No:-098 Division:- B

# Screen short of your output:



Roll No:-098 Division:- B

3) Program Definition: Write a python script to write a file in system using Operating System Module.

```
Your <Source Code>
```

```
import os
file=open("python.txt",'w')
file.write("My python Program")
file.close()
print("File is created successfully")
```

# Screen short of your output:



Roll No:-098 Division:- B

python - Notepad

File Edit Format View Help

My python Program



Roll No:-098 Division:- B


4) Program Definition: Write a python script to create a Directory Name "D:\BCA\TYBCA" and using Operating System Module.

Your <Source Code>

```
import os
child_dir="TYBCA"
par_dir="D:\BCA"
path=os.path.join(par_dir,child_dir)
os.mkdir(path)
print("Directory Created")
```

# Screen short of your output:







Roll No:-098 Division:- B

5) Program Definition: Write a python script to check whether the specified path is an existing directory or not using Operating System Module

Your <Source Code>

```
import os.path
path="D:\sem-5"
isdir=os.path.isdir(path)
print(isdir)
```

# Screen short of your output:



Roll No:-098 Division:- B

6) Program Definition: Write a Flask web application that has two entry boxes and a button and that will add the two numbers inserted into the entry boxes. Write two solutions. In one of them the form will be submitted using GET in the other one it will be submitted using POST

# Your <Source Code>

Templates\j6.html

```
<html>
<head>
    <title>Sum of Two numbers</title>
</head>
<body>
    <h1 style="text-align:center">Sum of Two numbers</h1>
<form method="post" action="Add">
Enter First Numebr : 
    <input type="number" name="n1">
Enter Second Numebr : 
    <input type="number" name="n2">
<input type="submit" name="add" value="ADDITION">
</form>
</body>
</html>
```



```
• j6.py
from flask import Flask,request,render_template
app=Flask(__name__)
@app.route('/')
def DispHome():
  return render_template('j6.html')
@app.route('/Add',methods=['POST'])
def DispAdd():
  n1=request.form['n1']
  n2=request.form['n2']
  n3=int(n1)+int(n2)
  return "The sum is: "+str(n3)
if __name__=="__main___":
  app.run(debug=True)
```



Roll No:-098 Division:- B

Screen s	hort of	f your	output:
----------	---------	--------	---------

+

# Sum of Two numbers

Enter First Numebr :	5
Enter Second Numebr :	2
	ADDITION

3	127.0	.0.1:500	0/Add	d	x	+	
$\leftarrow$	$\rightarrow$	C	(i)	127.0.0.1:500	00/Ac	dd	

The sum is: 7



Roll No:-098 Division:- B

#### Your <Source Code>

• Templates\j6get.html <html> <head> <title>Sum of Two numbers</title> </head> <body> <h1 style="text-align:center">Sum of Two numbers</h1> <form method="get" action="AddGet"> Enter First Numebr : <input type="number" name="n1"> Enter Second Numebr : <input type="number" name="n2"> <input type="submit" name="add" value="ADDITION"> 



Roll No:-098 Division:- B


```
</form>
</body>
</html>
• j6get.py
   from flask import Flask,request,render_template
   app=Flask("__name__")
   @app.route('/')
   def dispHome():
     return render_template("j6get.html")
   @app.route('/AddGet',methods=['GET'])
   def dispAdd():
     n1=request.args.get('n1')
     n2=request.args.get('n2')
     n3=int(n1)+int(n2)
     return "The sum Of two numbers:"+str(n3)
   if __name__=="__main__":
```

app.run(debug=True)



Roll No:-098 Division:- B

# Screen short of your output:





The sum Of two numbers:12



Roll No:-098 Division:- B

7) Program Definition: 7. Write a Flask web application that will print the table of a number specified in the URL, i.e., the URL http://localhost:5000/table/15 will print the table of 15 on the browser's window

Your <Source Code>

• Templates\j7.html

```
<html>
<html>
<head>
<title>Example of Flask print table</title>
</head>
<body>
<h2>Table of {{n}}</h2>
{% for i in range(1,11):%}
<h2>{{n}}*{{i}}={{n*i}}</h2>
{%endfor%}
</body>
</html>
```



Roll No:-098 Division:- B

j7.py

```
from flask import *
app=Flask(__name__)
@app.route('/<int:number>')
def dispTable(number):
    return render_template('j7.html',n=number)

if __name__=="__main__":
    app.run(debug=True)
```

# Screen short of your output:

