

AL BARAKAH LIFESTYLE

LUXURY FRAGRANCE HOUSE · HYDERABAD

REST API Reference

Website · Admin studio · Mobile app — one API, one database

Version	1.3.0 (OpenAPI 3.0.3)
Production base URL	https://perfume-tau-nine.vercel.app/api
Local base URL	http://localhost:5000/api
Authentication	JWT bearer token (7 days) from /auth/login or /auth/register
Format	JSON; errors as { "message": "..."}; Excel downloads as .xlsx
Coverage	62 operations on 49 paths, 17 data models
Interactive docs	/api/docs (Swagger UI) · /api/openapi.json
Generated	29 September 2026 from the source code

The endpoint reference in this document is generated from the same OpenAPI description the server publishes, and that description is checked against the Express routes, so every documented endpoint exists and every endpoint is documented.

Contents

Part 1 — Developer guide	4
Base URL	4
Headers	4
Authentication and the token flow	4
Roles and permissions	5
Errors	5
Conventions	6
Endpoint map	6
Cart and wishlist	6
Checkout, payments and order status	7
Images	7
Mobile app notes	7
Part 2 — Endpoint reference	8
Health & settings	8
Auth	9
Profile & address	11
Products	13
Cart	15
Wishlist	20
Checkout & orders	22
Order status	27
Reviews	28
Journal	31
Contact	33
Admin: orders	35
Admin: Excel	40
Admin: users	47
Admin: catalogue & content	49
Uploads	55
Part 3 — Data models	56
Error	56
User	56
AuthResult	56
Region	57
Product	57
ProductInput	58

CartItem 59

Cart 59

Wishlist 60

OrderInput 60

Order 61

AdminOrder 62

Tracking 63

Review 64

Post 64

Paged 65

ImportJob 65

Part 1 — Developer guide

One backend, one MongoDB database and one set of REST endpoints serve the website, the admin studio and the mobile app. A product, price, stock level or order changed in one place is immediately what every other client reads. There is no separate mobile database or mobile-only business logic.

- **Interactive reference (every endpoint, schema and example):** `GET /api/docs`
- **Machine-readable spec (OpenAPI 3.0):** `GET /api/openapi.json` — import it into Postman, Insomnia, or an OpenAPI code generator for the app.

The spec is checked against the Express routes: every route in the code is documented, and nothing documented is missing from the code.

Base URL

Environment	Base URL
Production	<code>https://perfume-tau-nine.vercel.app/api</code> (Vercel; or your custom domain once it is added, see <code>SITE_URL</code>)
Local	<code>http://localhost:5000/api</code> (or <code>http://localhost:5173/api</code> through the Vite proxy)

All paths below are relative to the base URL.

Headers

Header	When
<code>Content-Type: application/json</code>	Every request with a JSON body
<code>Authorization: Bearer <token></code>	Signed-in and admin endpoints
<code>Content-Type: multipart/form-data</code>	<code>POST /uploads</code> and <code>POST /orders/import/preview</code> (field name <code>file</code>)

Responses are JSON (`application/json`), except Excel downloads (`.xlsx`, with `Content-Disposition: attachment; filename="..."`).

Authentication and the token flow

1. `POST /auth/register { name, email, password }` OR `POST /auth/login { email, password }`.
2. The response is `{ token, user }`. Store the token securely (Keychain / Keystore on mobile, `localStorage` on the website).
3. Send `Authorization: Bearer <token>` on every request that needs a signed-in user.
4. Tokens are JWTs valid for **7 days**. On any `401`, drop the token and ask the customer to sign in again. There is no refresh token; signing in again issues a new one.
5. `GET /auth/me` returns the current user (use it on app start to check the stored token).
6. Sign-out is client-side: delete the token (and, on the website, the local bag).

```
POST /api/auth/login
Content-Type: application/json

{ "email": "mans@example.com", "password": "a-long-password" }

{
  "token": "eyJhbGciOiJIUzI1NiIs...\"",
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
```

```
{
  "name": "Mansi Shukla",
  "email": "mansi@example.com",
  "role": "customer",
  "phone": "+91 91259 19516",
  "address": { "line1": "12 Kamakhya Road", "line2": "", "city": "Lucknow", "state": "Uttar Pradesh", "postalCode": "226010", "region": "IN" },
  "createdAt": "2026-09-01T10:00:00.000Z"
}
```

Password hashes and tokens are never returned by any endpoint.

Roles and permissions

Role	Can
Guest (no token)	Browse products, journal and reviews; place an order; track an order with tracking ID + email; contact and newsletter
customer	Everything a guest can, plus profile, saved address, cart, wishlist, My orders , change or cancel own orders before they ship
admin	Everything, plus the admin endpoints (products, journal, orders, Excel, users, reviews, enquiries, uploads)

Permissions are enforced on the server for every request. A customer asking for someone else's order gets 404 (not 403), so order IDs cannot be probed. Admin accounts are created with `npm run seed` (from `ADMIN_EMAIL` / `ADMIN_PASSWORD`).

Errors

Every error is JSON with a human-readable `message` you can show to the customer:

```
{ "message": "Only 2 of ZAFREON left in stock." }
```

Status	Meaning
200 / 201	OK / created
400	Invalid input (missing field, bad email, bad status...)
401	Not signed in, or the token is invalid/expired
403	Signed in but not an admin
404	Not found — also a malformed id, and other people's orders
409	Conflict: out of stock, email already used, order already shipped/paid/cancelled, Excel import already applied
410	Excel preview older than one hour
413	Upload larger than 4 MB
429	Rate limit (checkout 20 / 15 min, reviews 10 / hour, contact + newsletter 10 / 15 min, email/password changes 20 / 15 min)
500	Unexpected server error ("Something went wrong on our side. Please try again.")
502	Cloud image storage rejected an upload

Conventions

- **Money** is in whole units of the currency (2799 = ₹2,799). Products carry price: { INR, AED }. Carts and orders carry one currency.
- **Prices are always computed by the server.** Any price a client sends is ignored.
- **Markets** come from GET /settings (regions): India (INR) and the UAE (AED) ship; other GCC markets show indicative prices (estimate: true) and order by WhatsApp.
- **Dates** are ISO 8601 UTC strings.
- **IDs:** products and articles are addressed by slug for reading and by _id for admin edits. Orders are addressed by their **Order ID** (orderNumber, e.g. AB-26K7Q2M, immutable) or _id. The **Tracking ID** (ABL...) is for public tracking.
- **Pagination:** GET /posts, GET /users and GET /orders?paged=1 return { items, total, page, pages, limit } with page (from 1) and limit. GET /products returns an array (the catalogue is small); use limit to cap it.
- **Sorting / filtering** parameters are listed per endpoint in /api/docs (products: q, category, family, featured, inStock, minPrice, maxPrice, currency, sort=price-asc|price-desc|newest|name, limit).

Endpoint map

Area	Endpoints
Health & settings	GET /health, GET /settings, GET /geo
Auth	POST /auth/register, POST /auth/login, GET /auth/me
Profile & address	PATCH /auth/me (name, phone, saved address), POST /auth/me/email, POST /auth/me/password
Products, search & filter	GET /products, GET /products/{slug}
Cart	GET /cart, PUT /cart, DELETE /cart, POST /cart/items, PATCH /cart/items/{slug}, DELETE /cart/items/{slug}
Wishlist	GET /wishlist, POST /wishlist/{slug}, DELETE /wishlist/{slug}
Checkout & orders	POST /orders, GET /orders/mine, GET /orders/{orderId}, PATCH /orders/mine/{orderId}, POST /orders/mine/{orderId}/cancel
Order status	GET /orders/{orderId} (signed in), GET /orders/track/{trackingId}?email= (public)
Payments	Methods per market in GET /settings → regions[].payments; status in each order's paymentStatus
Reviews	GET /reviews/product/{slug}, GET /reviews/eligible/{trackingId}?email=, POST /reviews
Journal	GET /posts, GET /posts/categories, GET /posts/{slug}
Contact	POST /enquiries, POST /subscribers
Admin	products, journal, orders, Excel import/export, users, reviews, enquiries, subscribers, uploads — see /api/docs (tags starting "Admin")

Cart and wishlist

The bag and saved fragrances are stored on the account, so the website and the app share them. The website merges its local bag into the account bag at sign-in (the larger quantity wins) and saves every change after that.

```
POST /api/cart/items?region=IN
Authorization: Bearer <token>
Content-Type: application/json
```

```
{ "slug": "zafreon", "qty": 1 }
```

```
{
  "region": "IN", "currency": "INR", "estimate": false, "ships": true,
  "items": [{ "slug": "zafreon", "name": "ZAFREON", "image": "/media/render-zafreon.webp",
    "sizeLabel": "100 ML / 3.4 FL.OZ.", "qty": 1, "unitPrice": 2799, "lineTotal": 2799, "stock":
    42, "available": true, "message": null }],
  "count": 1, "subtotal": 2799, "shipping": 99, "total": 2898, "freeShippingOver": 2999
}
```

Rules: quantities 1–10 per line, at most 20 lines; unknown or hidden products are dropped; sold-out lines stay in the bag with `available: false` and a message, and are left out of the total.

Checkout, payments and order status

1. Read the bag: `GET /cart?region=IN`.
2. Place the order: `POST /orders` with the items, customer details, `region` and `paymentMethod` (one of `regions[].payments`). The server recalculates prices, delivery (India ₹99 under ₹2,999; UAE AED 35 under AED 300) and reserves stock atomically.
3. Empty the bag: `DELETE /cart`.
4. Show the order: `GET /orders/{orderId}`. Poll it (every ~30 s while the screen is open) to follow the status.

Payment methods today are `cod` (cash on delivery, India) and `pay-on-confirmation` (the house confirms on WhatsApp/email and sends a payment link). There is no card gateway yet, so there is no payment-intent endpoint; `paymentStatus` (pending → paid / refunded) is set by the house. When a gateway is added, its endpoints will be documented here.

Statuses: Order Placed → Confirmed → Packed → Shipped → Out for Delivery → Delivered, Or Cancelled from any step. Each change adds a history entry { `status`, `at`, `note` }; the order's `stages` array is the timeline to draw. The customer sees the courier name, `trackingNumber` and `eta` — not a courier link.

Changing an order (`PATCH /orders/mine/{orderId}`): check `editable` first.

	When	What
<code>details</code>	Order Placed, Confirmed, Packed	name, phone, address, gift card
<code>items</code>	Order Placed, Confirmed, and unpaid	quantities (<code>qty: 0</code> removes a line; at least one must remain)
<code>cancel</code>	Order Placed, Confirmed, Packed	<code>POST /orders/mine/{orderId}/cancel</code> — stock is returned

Images

Admins upload with `POST /uploads` (multipart field `file`; JPG, PNG, WebP or AVIF; max 4 MB). The response { `src` } is the URL to save on a product (`images[].src`) or article (`cover.src`). With `CLOUDINARY_*` set on the server the file goes to Cloudinary (absolute `https://res.cloudinary.com/... URL`); otherwise it is stored in MongoDB and served at `/uploads/{name}`. Image URLs may be absolute or site-relative — prefix relative ones with the site origin.

Mobile app notes

- Use the same base URL and endpoints as the website; no mobile-specific backend is needed.
- CORS applies only to browsers. Native apps send no `Origin`, so they are unaffected. Browser clients on other domains must be listed in `CLIENT_ORIGIN`.
- Relative media paths (`/media/...`, `/uploads/...`) are served by the website origin.
- Handle 401 globally (sign in again) and show `message` from any error response.
- Use `GET /settings` at start-up for markets, currencies, delivery rules and payment methods instead of hard-coding them.

Part 2 — Endpoint reference

Paths are relative to the base URL (e.g. `https://perfume-tau-nine.vercel.app/api`). **Access:** Public (no token), Signed in (any account), Admin (role admin). Every error response is { "message": "..." }.

Health & settings

GET `/health` **Public**

Liveness check

Responses

Status	Meaning
200	OK

Example response

```
{
  "ok": true
}
```

GET `/settings` **Public**

Markets, currencies, delivery rules and payment methods

Payment methods per market are in `regions[].payments`: `cod` (cash on delivery, India) and `pay-on-confirmation` (the house confirms and sends a payment link). There is no card gateway yet, so no payment-intent API.

Responses

Status	Meaning
200	Regions

Example response

```
{
  "regions": [
    {
      "code": "IN",
      "name": "India",
      "currency": "INR",
      "ships": true,
      "taxLabel": "incl. GST",
      "shipping": {
        "flat": 99,
        "freeOver": 2999
      },
      "payments": [
        "cod",
        "pay-on-confirmation"
      ]
    }
  ]
}
```

GET /geo**Public****Visitor country from the edge network (for the default market)**

Responses

Status	Meaning
200	Country or null

Example response

```
{
  "country": "AE"
}
```

Auth

POST /auth/register**Public****Create a customer account****Request body** (application/json, required)

Field	Type	Rules / notes
name *	string	
email *	string (email)	
password *	string	min length 8

```
{
  "name": "Mansi Shukla",
  "email": "mansi@example.com",
  "password": "a-long-password"
}
```

Responses

Status	Meaning
201	Signed in
400	Invalid input. message says what to fix.
409	Email already registered

Example response

```
{
  "token": "eyJhbGciOiJIUzI1NiIs...\"",
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    },
  },
  "createdAt": "2026-09-01T10:00:00.000Z"
}
```

```
}
}
```

POST

/auth/login

Public

Sign in

Request body (application/json, required)

Field	Type	Rules / notes
email *	string	
password *	string	

```
{
  "email": "mans@example.com",
  "password": "a-long-password"
}
```

Responses

Status	Meaning
200	Signed in
401	Email and password do not match

Example response

```
{
  "token": "eyJhbGciOiJIUzI1NiIs...\"",
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mans@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    },
    "createdAt": "2026-09-01T10:00:00.000Z"
  }
}
```

GET

/auth/me

Signed in

The signed-in user

Responses

Status	Meaning
200	User
401	Missing, invalid or expired token.

Example response

```
{
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
```

```
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    },
    "createdAt": "2026-09-01T10:00:00.000Z"
  }
}
```

Profile & address

PATCH

/auth/me

Signed in

Update name, phone and the saved delivery address

This is the address API: one saved address per account, used to fill checkout. `role` and `email` are ignored here.

Request body (application/json, required)

Field	Type	Rules / notes
name	string	max length 80
phone	string	max length 40
address	object	

```
{
  "phone": "+91 91259 19516",
  "address": {
    "line1": "12 Kamakhya Road",
    "city": "Lucknow",
    "state": "Uttar Pradesh",
    "postalCode": "226010",
    "region": "IN"
  }
}
```

Responses

Status	Meaning
200	Updated user
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.

Example response

```
{
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",

```

```
    "postalCode": "226010",
    "region": "IN"
  },
  "createdAt": "2026-09-01T10:00:00.000Z"
}
```

POST

/auth/me/email

Signed in

Change the sign-in email

Needs the current password. Guest orders under the old email are linked to the account first.

Request body (application/json, required)

Field	Type	Rules / notes
email *	string (email)	
password *	string	

```
{
  "email": "name@example.com",
  "password": "a-long-password"
}
```

Responses

Status	Meaning
200	Updated user
400	Invalid input. message says what to fix.
401	Wrong current password
409	Email in use
429	Too many requests from this connection; try again later.

Example response

```
{
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    },
    "createdAt": "2026-09-01T10:00:00.000Z"
  }
}
```

POST

/auth/me/password

Signed in

Change password

Request body (application/json, required)

Field	Type	Rules / notes
current *	string	
next *	string	min length 8
<pre>{ "current": "current-password", "next": "a-new-long-password" }</pre>		

Responses

Status	Meaning
200	Changed
400	Invalid input. message says what to fix.
401	Wrong current password
429	Too many requests from this connection; try again later.

Example response

```
{
  "ok": true
}
```

Products

GET	/products	Public
-----	-----------	--------

List, search, filter and sort products

Returns an array. Without parameters: every published product in shop order. Admins can add `all=1` to include hidden products.

Parameters

Parameter	In	Type	Description
q	query	string	Search name, family, tagline, description, mood, occasions and notes e.g. oud
category	query	string	Exact category
family	query	string	Olfactive family (case-insensitive)
featured	query	string	1 for featured only
inStock	query	string	1 to hide sold-out
currency	query	string: INR AED	Currency for price filters and sorting
minPrice	query	number	Minimum price
maxPrice	query	number	Maximum price
sort	query	string: price-asc price-desc newest name	Order
limit	query	integer	At most this many (1–100)
all	query	string	Admins: 1 includes hidden products

Responses

Status	Meaning
200	Products

Example response

```
[
  {
    "_id": "6a1f0c2e9b1d4c0012345678",
    "name": "ZAFREON",
    "slug": "zafreon",
    "subtitle": "Eau de Parfum",
    "family": "Oriental Woody Oud",
    "price": {
      "INR": 2799,
      "AED": 129
    },
    "stock": 42,
    "images": [
      {
        "src": "https://res.cloudinary.com/dch8n8kxm/image/upload/albarakah/zafreon.webp",
        "alt": "ZAFREON bottle"
      }
    ],
    "notes": {
      "top": [
        {
          "name": "Saffron"
        }
      ],
      "heart": [
        {
          "name": "Rose"
        }
      ],
      "base": [
        {
          "name": "Oud"
        }
      ],
      "approved": true
    },
    "published": true,
    "featured": true
  }
]
```

GET

/products/{slug}

Public

One product with up to three related ones

Parameters

Parameter	In	Type	Description
slug *	path	string	Product slug e.g. zafreon

Responses

Status	Meaning
200	Product
404	Not found (also returned for other people's orders).

Example response

```
{
  "product": {
    "_id": "6a1f0c2e9b1d4c0012345678",
    "name": "ZAFREON",
    "slug": "zafreon",
    "subtitle": "Eau de Parfum",
```

```
{
  "family": "Oriental Woody Oud",
  "price": {
    "INR": 2799,
    "AED": 129
  },
  "stock": 42,
  "images": [
    {
      "src": "https://res.cloudinary.com/dch8n8kxm/image/upload/albarakah/zafreon.webp",
      "alt": "ZAFREON bottle"
    }
  ],
  "notes": {
    "top": [
      {
        "name": "Saffron"
      }
    ],
    "heart": [
      {
        "name": "Rose"
      }
    ],
    "base": [
      {
        "name": "Oud"
      }
    ],
    "approved": true
  },
  "published": true,
  "featured": true
},
"related": [
  ...
```

Cart

GET

[/cart](#)

Signed in

The signed-in customer's bag, priced by the server

Parameters

Parameter	In	Type	Description
region	query	string	Market to price in (default: saved address, else IN) e.g. IN

Responses

Status	Meaning
200	Cart
401	Missing, invalid or expired token.

Example response

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
  "total": 5598,
```

```
"freeShippingOver": 2999,
"items": [
  {
    "slug": "zafreon",
    "name": "ZAFREON",
    "image": "/media/render-zafreon.webp",
    "sizeLabel": "100 ML / 3.4 FL.OZ.",
    "qty": 2,
    "unitPrice": 2799,
    "lineTotal": 5598,
    "stock": 42,
    "available": true,
    "message": null
  }
]
```

PUT**/cart****Signed in**

Replace the whole bag

Duplicate slugs are merged, unknown or hidden products dropped, quantities capped at 10, at most 20 lines.

Parameters

Parameter	In	Type	Description
region	query	string	Market to price in

Request body (application/json, required)

Field	Type	Rules / notes
items *	array of object	

```
{
  "items": [
    {
      "slug": "zafreon",
      "qty": 2
    }
  ]
}
```

Responses

Status	Meaning
200	Cart
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.

Example response

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
  "total": 5598,
  "freeShippingOver": 2999,
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
```

```
    "image": "/media/render-zafreon.webp",
    "sizeLabel": "100 ML / 3.4 FL.OZ.",
    "qty": 2,
    "unitPrice": 2799,
    "lineTotal": 5598,
    "stock": 42,
    "available": true,
    "message": null
  }
]
```

DELETE /cart

Signed in

Empty the bag

Responses

Status	Meaning
200	Cart
401	Missing, invalid or expired token.

Example response

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
  "total": 5598,
  "freeShippingOver": 2999,
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "sizeLabel": "100 ML / 3.4 FL.OZ.",
      "qty": 2,
      "unitPrice": 2799,
      "lineTotal": 5598,
      "stock": 42,
      "available": true,
      "message": null
    }
  ]
}
```

POST /cart/items

Signed in

Add a fragrance (adds to any quantity already in the bag)

Parameters

Parameter	In	Type	Description
region	query	string	Market to price in

Request body (application/json, required)

Field	Type	Rules / notes
slug *	string	

Field	Type	Rules / notes
qty	integer	default 1
<pre>{ "slug": "zafreon", "qty": 1 }</pre>		

Responses

Status	Meaning
201	Cart
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
404	Not found (also returned for other people's orders).

Example response

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
  "total": 5598,
  "freeShippingOver": 2999,
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "sizeLabel": "100 ML / 3.4 FL.OZ.",
      "qty": 2,
      "unitPrice": 2799,
      "lineTotal": 5598,
      "stock": 42,
      "available": true,
      "message": null
    }
  ]
}
```

PATCH `/cart/items/{slug}`

Signed in

Set a line's quantity (0 removes it)

Parameters

Parameter	In	Type	Description
slug *	path	string	Product slug e.g. zafreon
region	query	string	Market to price in

Request body (application/json, required)

Field	Type	Rules / notes
qty *	integer	min 0, max 10
<pre>{ "qty": 2 }</pre>		

Responses

Status	Meaning
200	Cart
401	Missing, invalid or expired token.
404	Not found (also returned for other people's orders).

Example response

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
  "total": 5598,
  "freeShippingOver": 2999,
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "sizeLabel": "100 ML / 3.4 FL.OZ.",
      "qty": 2,
      "unitPrice": 2799,
      "lineTotal": 5598,
      "stock": 42,
      "available": true,
      "message": null
    }
  ]
}
```

DELETE `/cart/items/{slug}`

Signed in

Remove a line

Parameters

Parameter	In	Type	Description
slug *	path	string	Product slug

Responses

Status	Meaning
200	Cart
401	Missing, invalid or expired token.

Example response

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
  "total": 5598,
  "freeShippingOver": 2999,
  "items": [
    {

```

```
{
  "slug": "zafreon",
  "name": "ZAFREON",
  "image": "/media/render-zafreon.webp",
  "sizeLabel": "100 ML / 3.4 FL.OZ.",
  "qty": 2,
  "unitPrice": 2799,
  "lineTotal": 5598,
  "stock": 42,
  "available": true,
  "message": null
}
```

Wishlist

GET

/wishlist

Signed in

Saved fragrances

Responses

Status	Meaning
200	Wishlist
401	Missing, invalid or expired token.

Example response

```
{
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "subtitle": "Eau de Parfum",
      "image": "/media/render-zafreon.webp",
      "price": {
        "INR": 2799,
        "AED": 129
      },
      "inStock": true
    }
  ]
}
```

POST

/wishlist/{slug}

Signed in

Save a fragrance

Parameters

Parameter	In	Type	Description
slug *	path	string	Product slug e.g. zafreon

Responses

Status	Meaning
201	Wishlist
401	Missing, invalid or expired token.
404	Not found (also returned for other people's orders).

Example response

```
{
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "subtitle": "Eau de Parfum",
      "image": "/media/render-zafreon.webp",
      "price": {
        "INR": 2799,
        "AED": 129
      },
      "inStock": true
    }
  ]
}
```

DELETE

/wishlist/{slug}

Signed in

Remove a fragrance

Parameters

Parameter	In	Type	Description
slug *	path	string	Product slug

Responses

Status	Meaning
200	Wishlist
401	Missing, invalid or expired token.

Example response

```
{
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "subtitle": "Eau de Parfum",
      "image": "/media/render-zafreon.webp",
      "price": {
        "INR": 2799,
        "AED": 129
      },
      "inStock": true
    }
  ]
}
```

Checkout & orders

POST **/orders****Public or signed in**

Place an order (checkout)

Works signed in (the order is linked to the account) or as a guest. Prices, delivery and totals are recalculated from the catalogue; stock is reserved atomically. Rate limited to 20 orders per 15 minutes per connection. A signed-in client should empty its cart afterwards (DELETE /cart).

Request body (application/json, required)

Field	Type	Rules / notes
region *	string: IN AE	Delivery market; other GCC markets order by WhatsApp
paymentMethod	string: cod pay-on-confirmation	Must be allowed for the region, else the first allowed one is used
items *	array of object	max items 20
customer *	object	
giftNote	object	

```
{
  "region": "IN",
  "paymentMethod": "cod",
  "items": [
    {
      "slug": "zafreon",
      "qty": 1
    }
  ],
  "customer": {
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010"
    }
  },
  "giftNote": {
    "enabled": false
  }
}
```

Responses

Status	Meaning
201	Placed
400	Invalid input. message says what to fix.
409	Not enough stock
429	Too many requests from this connection; try again later.

Example response

```
{
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "total": 2898,
  "currency": "INR"
}
```

GET

/orders/mine

Signed in

My orders, newest first

Orders placed while signed in, plus orders placed with the account's email.

Responses

Status	Meaning
200	Orders
401	Missing, invalid or expired token.

Example response

```
[
  {
    "_id": "6a1f0c2e9b1d4c00abcdef01",
    "orderNumber": "AB-26K7Q2M",
    "trackingId": "ABLK6KWBQJBS",
    "createdAt": "2026-09-29T07:23:06.000Z",
    "updatedAt": "2026-09-29T09:10:00.000Z",
    "status": "Shipped",
    "stages": [
      "Order Placed",
      "Confirmed",
      "Packed",
      "Shipped",
      "Out for Delivery",
      "Delivered"
    ],
    "history": [
      {
        "status": "Order Placed",
        "at": "2026-09-29T07:23:06.000Z",
        "note": "We have received your order."
      },
      {
        "status": "Shipped",
        "at": "2026-09-30T10:00:00.000Z",
        "note": "Dispatched from Hyderabad."
      }
    ],
    "items": [
      {
        "slug": "zafreon",
        "name": "ZAFREON",
        "image": "/media/render-zafreon.webp",
        "qty": 1,
        "unitPrice": 2799,
        "lineTotal": 2799
      }
    ],
    "currency": "INR",
    "taxLabel": "incl. GST",
    ...
  }
]
```

GET

/orders/{orderId}

Signed in

One of my orders (details and live status)

By Order ID (any case) or id. Poll this for status changes. Someone else's order returns 404. Admins can open any order.

Parameters

Parameter	In	Type	Description
orderId *	path	string	Order ID or id e.g. AB-26K7Q2M

Responses

Status	Meaning
200	Order
401	Missing, invalid or expired token.
404	Not found (also returned for other people's orders).

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "updatedAt": "2026-09-29T09:10:00.000Z",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
      "status": "Shipped",
      "at": "2026-09-30T10:00:00.000Z",
      "note": "Dispatched from Hyderabad."
    }
  ],
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "qty": 1,
      "unitPrice": 2799,
      "lineTotal": 2799
    }
  ],
  "currency": "INR",
  "taxLabel": "incl. GST",
  "subtotal": 2799,
  ...
}
```

PATCH /orders/mine/{orderId}

Signed in

Change my order before it ships

Delivery details and the gift card: while `editable.details` (Order Placed, Confirmed, Packed). Quantities: while `editable.items` (Order Placed or Confirmed, and unpaid); `qty: 0` removes a line, at least one item must remain. Stock and totals are recalculated.

Parameters

Parameter	In	Type	Description
orderId *	path	string	Order ID or id

Request body (application/json, required)

Field	Type	Rules / notes
customer	object	
giftNote	object	
items	array of object	

```
{
  "customer": {
    "address": {
      "line2": "Gate 2"
    }
  },
  "items": [
    {
      "slug": "zafreon",
      "qty": 2
    }
  ]
}
```

Responses

Status	Meaning
200	Updated order
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
404	Not found (also returned for other people's orders).
409	Shipped, paid (items) or not enough stock

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "updatedAt": "2026-09-29T09:10:00.000Z",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
      "status": "Shipped",
      "at": "2026-09-30T10:00:00.000Z",
      "note": "Dispatched from Hyderabad."
    }
  ],
  "items": [
```

```
{
  "slug": "zafreon",
  "name": "ZAFREON",
  "image": "/media/render-zafreon.webp",
  "qty": 1,
  "unitPrice": 2799,
  "lineTotal": 2799
}
],
"currency": "INR",
"taxLabel": "incl. GST",
"subtotal": 2799,
...
```

POST**/orders/mine/{orderId}/cancel****Signed in**

Cancel my order before it ships

Items go back into stock. For a paid order the note says a refund will be arranged.

Parameters

Parameter	In	Type	Description
orderId *	path	string	Order ID or id

Request body (application/json, optional)

Field	Type	Rules / notes
reason	string	max length 200

```
{
  "reason": "I ordered by mistake"
}
```

Responses

Status	Meaning
200	Cancelled order
401	Missing, invalid or expired token.
404	Not found (also returned for other people's orders).
409	Already shipped or cancelled

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "updatedAt": "2026-09-29T09:10:00.000Z",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    }
  ]
}
```

```
{
  },
  {
    "status": "Shipped",
    "at": "2026-09-30T10:00:00.000Z",
    "note": "Dispatched from Hyderabad."
  }
],
"items": [
  {
    "slug": "zafreon",
    "name": "ZAFREON",
    "image": "/media/render-zafreon.webp",
    "qty": 1,
    "unitPrice": 2799,
    "lineTotal": 2799
  }
],
"currency": "INR",
"taxLabel": "incl. GST",
"subtotal": 2799,
...
```

Order status

GET `/orders/track/{trackingId}`**Public**

Public tracking with tracking ID and checkout email

Parameters

Parameter	In	Type	Description
trackingId *	path	string	Tracking ID (any case) e.g. ABLK6KWBQJBS
email *	query	string (email)	

Responses

Status	Meaning
200	Tracking
404	No order matches that tracking ID and email

Example response

```
{
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
      "status": "Shipped",
      "at": "2026-09-30T10:00:00.000Z",
      "note": "Dispatched from Hyderabad."
    }
  ]
}
```

```
{
  },
  "carrier": "Delhivery",
  "trackingNumber": "26554968",
  "eta": "3 October 2026",
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "qty": 1,
      "image": "/media/render-zafreon.webp"
    }
  ],
  "city": "Lucknow",
  "country": "India",
  "createdAt": "2026-09-29T07:23:06.000Z"
}
```

Reviews

POST**/reviews****Public**

Review a delivered fragrance

Proven by tracking ID + checkout email. One review per product per order; published after the house approves it. Rate limited (10/hour).

Request body (application/json, required)

Field	Type	Rules / notes
trackingId *	string	
email *	string	
slug *	string	
rating *	integer	min 1, max 5
title	string	max length 80
body *	string	min length 20, max length 1200

```
{
  "trackingId": "ABLK6KWBQJBS",
  "email": "mansi@example.com",
  "slug": "zafreon",
  "rating": 5,
  "title": "Wonderful",
  "body": "Rich saffron opening, lasts all day."
}
```

Responses

Status	Meaning
201	Received
400	Invalid input. message says what to fix.
404	Not found (also returned for other people's orders).
409	Already reviewed
429	Too many requests from this connection; try again later.

Example response

```
{
  "ok": true,
```

```
"message": "Thank you. Your review will appear once the house has read it."
}
```

GET

/reviews

Admin

Admin: reviews to moderate

Parameters

Parameter	In	Type	Description
status	query	string: pending approved rejected	Status

Responses

Status	Meaning
200	Reviews
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
[
  {
    "_id": "6a1f0c2e9b1d4c00000000aa",
    "product": "6a1f0c2e9b1d4c0012345678",
    "slug": "zafreon",
    "order": "6a1f0c2e9b1d4c00abcdef01",
    "orderNumber": "AB-26K7Q2M",
    "name": "Mansi S.",
    "city": "Lucknow",
    "country": "India",
    "rating": 5,
    "title": "Wonderful",
    "body": "Rich saffron opening, lasts all day.",
    "status": "pending",
    "reply": "",
    "createdAt": "2026-10-05T09:00:00.000Z"
  }
]
```

GET

/reviews/product/{slug}

Public

Approved reviews and rating for a product

Parameters

Parameter	In	Type	Description
slug *	path	string	Product slug

Responses

Status	Meaning
200	Reviews

Example response

```
{
  "average": 0,
  "count": 2,
  "items": [
```

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "name": "Mansi S.",
  "city": "Lucknow",
  "country": "India",
  "rating": 5,
  "title": "Wonderful",
  "body": "Rich saffron opening, lasts all day.",
  "reply": "Thank you!",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "verified": true
}
```

GET**/reviews/eligible/{trackingId}****Public****Which fragrances of a delivered order can still be reviewed**

Parameters

Parameter	In	Type	Description
trackingId *	path	string	Tracking ID
email *	query	string	

Responses

Status	Meaning
200	Eligibility
404	Not found (also returned for other people's orders).

Example response

```
{
  "delivered": true,
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "reviewed": false
    }
  ]
}
```

PATCH**/reviews/{id}****Admin****Admin: approve / hide / reply**

Parameters

Parameter	In	Type	Description
id *	path	string	Review id

Request body (application/json, required)

Field	Type	Rules / notes
status	string: pending approved rejected	
reply	string	max length 600

```
{
  "status": "pending",
  "reply": "Thank you!"
}
```

Status	Meaning
200	Review
404	Not found (also returned for other people's orders).

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00000000aa",
  "product": "6a1f0c2e9b1d4c0012345678",
  "slug": "zafreon",
  "order": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "name": "Mansi S.",
  "city": "Lucknow",
  "country": "India",
  "rating": 5,
  "title": "Wonderful",
  "body": "Rich saffron opening, lasts all day.",
  "status": "approved",
  "reply": "Thank you, Mansi.",
  "createdAt": "2026-10-05T09:00:00.000Z"
}
```

Journal

GET	/posts	Public
-----	--------	--------

Published articles (paged)

Parameters			
Parameter	In	Type	Description
category	query	string	Category
q	query	string	Search title, excerpt, tags
page	query	integer	Page
limit	query	integer	Per page (max 50)
all	query	string	Admins: 1 includes drafts

Responses	
Status	Meaning
200	Posts

Example response

```
{
  "items": [
    ""
  ],
  "total": 181,
  "page": 1,
  "pages": 4,
  "limit": 50
}
```

```
}
```

GET

/posts/categories

Public

Categories with published articles

Responses

Status	Meaning
200	Categories

Example response

```
[  
  "text"  
]
```

GET

/posts/{slug}

Public

Article with related articles and products

Parameters

Parameter	In	Type	Description
slug *	path	string	Article slug

Responses

Status	Meaning
200	Article
404	Not found (also returned for other people's orders).

Example response

```
{  
  "post": {  
    "_id": "6a1f0c2e9b1d4c00000000bb",  
    "title": "The Art of Leaving a Signature",  
    "slug": "the-art-of-leaving-a-signature",  
    "excerpt": "Why fragrance is more than a scent.",  
    "content": "## A signature...",  
    "category": "Brand Stories",  
    "status": "published",  
    "publishedAt": "2026-09-01T08:00:00.000Z",  
    "readingMinutes": 4  
  },  
  "related": [  
    {  
      "_id": "6a1f0c2e9b1d4c00000000be",  
      "title": "From Passion to Perfume House",  
      "slug": "from-passion-to-perfume-house",  
      "excerpt": "Why fragrance is more than a scent.",  
      "category": "Brand Stories",  
      "status": "published",  
      "publishedAt": "2026-09-01T08:00:00.000Z",  
      "readingMinutes": 4  
    }  
  ],  
  "products": [  
    "... related product documents"  
  ]  
}
```

Contact

POST

/enquiries

Public

Send a message to the house

Shares a limit of 10 per 15 minutes with /subscribers.

Request body (application/json, required)

Field	Type	Rules / notes
name *	string	
email *	string	
phone	string	
topic	string	
message *	string	max length 3000

```
{
  "name": "ZAFREON",
  "email": "mansi@example.com",
  "phone": "+91 91259 19516",
  "topic": "Gifting",
  "message": "Do you gift wrap for Eid?"
}
```

Responses

Status	Meaning
201	Sent
400	Invalid input. message says what to fix.
429	Too many requests from this connection; try again later.

Example response

```
{
  "ok": true
}
```

GET

/enquiries

Admin

Admin: enquiries

Responses

Status	Meaning
200	Enquiries

Example response

```
[
  {
    "_id": "6a1f0c2e9b1d4c00000000dd",
    "name": "Zara",
    "email": "zara@example.com",
    "phone": "+91 90000 00000",
    "topic": "Gifting & corporate orders",
    "message": "Do you gift wrap for Eid?",
    "status": "new",
    "createdAt": "2026-09-29T09:00:00.000Z"
  }
]
```

```
]

```

PATCH

/enquiries/{id}

Admin

Admin: set enquiry status

Parameters

Parameter	In	Type	Description
id *	path	string	Enquiry id

Request body (application/json, required)

Field	Type	Rules / notes
status	string: new replied closed	

```
{
  "status": "new"
}
```

Responses

Status	Meaning
200	Enquiry
400	Invalid input. message says what to fix.
404	Not found (also returned for other people's orders).

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00000000dd",
  "name": "Zara",
  "email": "zara@example.com",
  "phone": "+91 90000 00000",
  "topic": "Gifting & corporate orders",
  "message": "Do you gift wrap for Eid?",
  "status": "replied",
  "createdAt": "2026-09-29T09:00:00.000Z"
}
```

POST

/subscribers

Public

Join the newsletter (idempotent)

Request body (application/json, required)

Field	Type	Rules / notes
email *	string	
source	string	

```
{
  "email": "mansi@example.com",
  "source": "footer"
}
```

Responses

Status	Meaning
201	Subscribed

Status	Meaning
400	Invalid input. message says what to fix.
429	Too many requests from this connection; try again later.

Example response

```
{
  "ok": true
}
```

GET	/subscribers	Admin
-----	--------------	-------

Admin: subscribers

Responses

Status	Meaning
200	Subscribers

Example response

```
[
  {
    "_id": "6a1f0c2e9b1d4c00000000ee",
    "email": "reader@example.com",
    "source": "footer",
    "createdAt": "2026-09-29T09:00:00.000Z"
  }
]
```

Admin: orders

GET	/orders	Admin
-----	---------	-------

List orders with filters

Without `paged=1`: the latest 200 as an array. With `paged=1`: { items, total, page, pages, limit }.

Parameters

Parameter	In	Type	Description
status	query	string: Order Placed Confirmed Packed Shipped Out for Delivery Delivered Cancelled	Order status
paymentStatus	query	string: pending paid refunded	Payment status
currency	query	string: INR AED	Market currency
product	query	string	Product id or slug
customer	query	string	User id: orders placed by that account or with its email
q	query	string	Search order ID, tracking ID, name, email, phone, city
period	query	string: 24h 1d 7d 1m 2m 3m custom all	Report period
from	query	string (date)	Custom period start (YYYY-MM-DD, inclusive)
to	query	string (date)	Custom period end (YYYY-MM-DD, inclusive)

Parameter	In	Type	Description
tz	query	integer	Browser offset in minutes (Date#getTimezoneOffset) for calendar periods e.g. -330
paged	query	string	1 for a paged response
page	query	integer	Page (from 1)
limit	query	integer	Per page (1–200, default 50)

Responses

Status	Meaning
200	Orders
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
[
  {
    "_id": "6a1f0c2e9b1d4c00abcdef01",
    "orderNumber": "AB-26K7Q2M",
    "trackingId": "ABLK6KWBQJBS",
    "createdAt": "2026-09-29T07:23:06.000Z",
    "updatedAt": "2026-09-29T09:10:00.000Z",
    "status": "Shipped",
    "stages": [
      "Order Placed",
      "Confirmed",
      "Packed",
      "Shipped",
      "Out for Delivery",
      "Delivered"
    ],
    "history": [
      {
        "status": "Order Placed",
        "at": "2026-09-29T07:23:06.000Z",
        "note": "We have received your order."
      },
      {
        "status": "Shipped",
        "at": "2026-09-30T10:00:00.000Z",
        "note": "Dispatched from Hyderabad."
      }
    ],
    "items": [
      {
        "slug": "zafreon",
        "name": "ZAFREON",
        "image": "/media/render-zafreon.webp",
        "qty": 1,
        "unitPrice": 2799,
        "lineTotal": 2799
      }
    ],
    "currency": "INR",
    "taxLabel": "incl. GST",
    ...
  }
]
```

POST

/orders/admin

Admin

Place an order for a customer (phone/WhatsApp orders)

Same pricing and stock rules as checkout; linked to the account with that email.

Request body (application/json, required)

Field	Type	Rules / notes
region *	string: IN AE	Delivery market; other GCC markets order by WhatsApp
paymentMethod	string: cod pay-on-confirmation	Must be allowed for the region, else the first allowed one is used
items *	array of object	max items 20
customer *	object	
giftNote	object	
paymentStatus	string: pending paid	
notes	string	

```
{
  "region": "IN",
  "paymentMethod": "cod",
  "items": [
    {
      "slug": "zafreon",
      "qty": 1
    }
  ],
  "customer": {
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010"
    }
  },
  "giftNote": {
    "enabled": false
  }
}
```

Responses

Status	Meaning
201	Order
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.
409	Conflict, e.g. out of stock, already exists, or the order can no longer be changed.

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "updatedAt": "2026-09-29T09:10:00.000Z",
  "status": "Shipped",
}
```

```
"stages": [
  "Order Placed",
  "Confirmed",
  "Packed",
  "Shipped",
  "Out for Delivery",
  "Delivered"
],
"history": [
  {
    "status": "Order Placed",
    "at": "2026-09-29T07:23:06.000Z",
    "note": "We have received your order."
  },
  {
    "status": "Shipped",
    "at": "2026-09-30T10:00:00.000Z",
    "note": "Dispatched from Hyderabad."
  }
],
"items": [
  {
    "slug": "zafreon",
    "name": "ZAFREON",
    "image": "/media/render-zafreon.webp",
    "qty": 1,
    "unitPrice": 2799,
    "lineTotal": 2799
  }
],
"currency": "INR",
"taxLabel": "incl. GST",
"subtotal": 2799,
...
```

GET

/orders/stats

Admin

Dashboard counts and order value (cancelled excluded from value)

Responses

Status	Meaning
200	Stats
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
{
  "byStatus": [
    {
      "_id": "Shipped",
      "n": 4
    }
  ],
  "revenue": [
    {
      "_id": "INR",
      "total": 152718
    }
  ],
  "count": 181,
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
```

```
"Shipped",  
"Out for Delivery",  
"Delivered"  
]  
}
```

PATCH `/orders/{id}`

Admin

Update an order (status, courier, payment, customer details)

A new `status` adds a history entry with `note`. Setting `Cancelled` returns stock; reopening reserves it again (409 if not available). For couriers in the list the customer link is built from `trackingNumber`.

Parameters

Parameter	In	Type	Description
<code>id *</code>	path	string	Order id

Request body (application/json, required)

Field	Type	Rules / notes
<code>status</code>	string: Order Placed Confirmed Packed Shipped Out for Delivery Delivered Cancelled	
<code>note</code>	string	
<code>carrier</code>	string	
<code>trackingNumber</code>	string	
<code>carrierUrl</code>	string	
<code>eta</code>	string	
<code>paymentStatus</code>	string: pending paid refunded	
<code>notes</code>	string	
<code>customer</code>	object	

```
{  
  "status": "Shipped",  
  "note": "Dispatched from Hyderabad.",  
  "carrier": "Delhivery",  
  "trackingNumber": "26554968",  
  "eta": "3 October 2026"  
}
```

Responses

Status	Meaning
200	Order
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.
404	Not found (also returned for other people's orders).
409	Conflict, e.g. out of stock, already exists, or the order can no longer be changed.

Example response

```
{  
  "_id": "6a1f0c2e9b1d4c00abcdef01",  
  "orderNumber": "AB-26K7Q2M",  
}
```

```
"trackingId": "ABLK6KWBQJBS",
"createdAt": "2026-09-29T07:23:06.000Z",
"updatedAt": "2026-09-29T09:10:00.000Z",
"status": "Shipped",
"stages": [
  "Order Placed",
  "Confirmed",
  "Packed",
  "Shipped",
  "Out for Delivery",
  "Delivered"
],
"history": [
  {
    "status": "Order Placed",
    "at": "2026-09-29T07:23:06.000Z",
    "note": "We have received your order."
  },
  {
    "status": "Shipped",
    "at": "2026-09-30T10:00:00.000Z",
    "note": "Dispatched from Hyderabad."
  }
],
"items": [
  {
    "slug": "zafreon",
    "name": "ZAFREON",
    "image": "/media/render-zafreon.webp",
    "qty": 1,
    "unitPrice": 2799,
    "lineTotal": 2799
  }
],
"currency": "INR",
"taxLabel": "incl. GST",
"subtotal": 2799,
...
```

Admin: Excel

GET

/orders/export

Admin

Export orders (.xlsx) with the list filters

Parameters

Parameter	In	Type	Description
status	query	string: Order Placed Confirmed Packed Shipped Out for Delivery Delivered Cancelled	Order status
paymentStatus	query	string: pending paid refunded	Payment status
currency	query	string: INR AED	Market currency
product	query	string	Product id or slug
customer	query	string	User id: orders placed by that account or with its email
q	query	string	Search order ID, tracking ID, name, email, phone, city
period	query	string: 24h 1d 7d 1m 2m 3m custom all	Report period

Parameter	In	Type	Description
from	query	string (date)	Custom period start (YYYY-MM-DD, inclusive)
to	query	string (date)	Custom period end (YYYY-MM-DD, inclusive)
tz	query	integer	Browser offset in minutes (Date#getTimezoneOffset) for calendar periods e.g. -330

Responses

Status	Meaning
200	Workbook: Orders, Summary, Order Items, How to edit
400	Invalid input. <code>message</code> says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

GET

/orders/template

Admin

Order update template (.xlsx)

`prefill=1` plus the list filters pre-fills one row per matching order with its Order ID and the editable columns blank.

Parameters

Parameter	In	Type	Description
prefill	query	string	1 to pre-fill with the filtered orders
status	query	string: Order Placed Confirmed Packed Shipped Out for Delivery Delivered Cancelled	Order status
paymentStatus	query	string: pending paid refunded	Payment status
currency	query	string: INR AED	Market currency
product	query	string	Product id or slug
customer	query	string	User id: orders placed by that account or with its email
q	query	string	Search order ID, tracking ID, name, email, phone, city
period	query	string: 24h 1d 7d 1m 2m 3m custom all	Report period
from	query	string (date)	Custom period start (YYYY-MM-DD, inclusive)
to	query	string (date)	Custom period end (YYYY-MM-DD, inclusive)
tz	query	integer	Browser offset in minutes (Date#getTimezoneOffset) for calendar periods e.g. -330

Responses

Status	Meaning
200	Template
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

POST

/orders/import/preview

Admin

Upload and validate an .xlsx (nothing is saved)**Request body** (multipart/form-data, required)

Field	Type	Rules / notes
file	string (binary)	.xlsx up to 4 MB, 20,000 rows

Responses

Status	Meaning
201	Preview
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.
413	File over 4 MB

Example response

```
{
  "id": "6a1f0c2e9b1d4c00000000cc",
  "fileName": "orders_last_7_days.xlsx",
  "status": "previewed",
  "totals": {
    "rows": 176,
    "updated": 0,
    "created": 0,
    "failed": 1,
    "skipped": 174,
    "warnings": 0
  },
  "errors": [
    {
      "row": 12,
      "orderId": "AB-26NOPE1",
      "field": "Order ID",
      "message": "No order has this Order ID. Check it for typos (Order IDs look like AB-26K7Q2M). New orders cannot be created from Excel; use Add Order."
    }
  ],
  "errorsTotal": 1,
  "warnings": [],
  "changes": [
    {
      "row": 5,
      "orderNumber": "AB-26K7Q2M",
      "diffs": [
        {
          "field": "Order Status",
          "from": "Confirmed",
          "to": "Shipped"
        },
        {
          "field": "Courier",
          "from": "",
          "to": "Delhivery"
        }
      ]
    }
  ]
}
```

GET

/orders/imports

Admin

Import history

Parameters

Parameter	In	Type	Description
limit	query	integer	At most (default 50, max 200)

Responses

Status	Meaning
200	Imports
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
[
  {
    "id": "6a1f0c2e9b1d4c00000000cc",
    "fileName": "orders_last_7_days.xlsx",
    "status": "previewed",
    "totals": {
      "rows": 176,
      "updated": 0,
      "created": 0,
      "failed": 1,
      "skipped": 174,
      "warnings": 0
    },
    "errors": [
      {
        "row": 12,
        "orderId": "AB-26NOPE1",
        "field": "Order ID",
        "message": "No order has this Order ID. Check it for typos (Order IDs look like AB-26K7Q2M). New orders cannot be created from Excel; use Add Order."
      }
    ],
    "errorsTotal": 1,
    "warnings": [],
    "changes": [
      {
        "row": 5,
        "orderNumber": "AB-26K7Q2M",
        "diffs": [
          {
            "field": "Order Status",
            "from": "Confirmed",
            "to": "Shipped"
          },
          {
            "field": "Courier",
            "from": "",
            "to": "Delhivery"
          }
        ]
      }
    ]
  }
]
```

GET

/orders/imports/{id}

Admin

One import with its errors, warnings and changes

Parameters

Parameter	In	Type	Description
id *	path	string	Import id

Responses

Status	Meaning
200	Import
404	Not found (also returned for other people's orders).

Example response

```
{
  "id": "6a1f0c2e9b1d4c00000000cc",
  "fileName": "orders_last_7_days.xlsx",
  "status": "previewed",
  "totals": {
    "rows": 176,
    "updated": 0,
    "created": 0,
    "failed": 1,
    "skipped": 174,
    "warnings": 0
  },
  "errors": [
    {
      "row": 12,
      "orderId": "AB-26NOPE1",
      "field": "Order ID",
      "message": "No order has this Order ID. Check it for typos (Order IDs look like AB-26K7Q2M). New orders cannot be created from Excel; use Add Order."
    }
  ],
  "errorsTotal": 1,
  "warnings": [],
  "changes": [
    {
      "row": 5,
      "orderNumber": "AB-26K7Q2M",
      "diffs": [
        {
          "field": "Order Status",
          "from": "Confirmed",
          "to": "Shipped"
        },
        {
          "field": "Courier",
          "from": "",
          "to": "Delhivery"
        }
      ]
    }
  ]
}
```

POST

/orders/imports/{id}/commit

Admin

Apply a preview (one transaction)

Only within an hour of the preview. Orders edited since the preview are reported as conflicts, not overwritten.

Parameters

Parameter	In	Type	Description
id *	path	string	Import id

Responses

Status	Meaning
200	Result
404	Not found (also returned for other people's orders).
409	Already applied or cancelled
410	Preview expired

Example response

```
{
  "id": "6a1f0c2e9b1d4c00000000cc",
  "fileName": "orders_last_7_days.xlsx",
  "status": "previewed",
  "totals": {
    "rows": 176,
    "updated": 0,
    "created": 0,
    "failed": 1,
    "skipped": 174,
    "warnings": 0
  },
  "errors": [
    {
      "row": 12,
      "orderId": "AB-26NOPE1",
      "field": "Order ID",
      "message": "No order has this Order ID. Check it for typos (Order IDs look like AB-26K7Q2M).
New orders cannot be created from Excel; use Add Order."
    }
  ],
  "errorsTotal": 1,
  "warnings": [],
  "changes": [
    {
      "row": 5,
      "orderNumber": "AB-26K7Q2M",
      "diffs": [
        {
          "field": "Order Status",
          "from": "Confirmed",
          "to": "Shipped"
        },
        {
          "field": "Courier",
          "from": "",
          "to": "Delhivery"
        }
      ]
    }
  ]
}
```

POST /orders/imports/{id}/cancel

Admin

Discard a preview

Parameters

Parameter	In	Type	Description
id *	path	string	Import id

Responses

Status	Meaning
200	Cancelled
409	Conflict, e.g. out of stock, already exists, or the order can no longer be changed.

Example response

```
{
  "id": "6a1f0c2e9b1d4c00000000cc",
  "fileName": "orders_last_7_days.xlsx",
  "status": "previewed",
  "totals": {
    "rows": 176,
    "updated": 0,
    "created": 0,
    "failed": 1,
    "skipped": 174,
    "warnings": 0
  },
  "errors": [
    {
      "row": 12,
      "orderId": "AB-26NOPE1",
      "field": "Order ID",
      "message": "No order has this Order ID. Check it for typos (Order IDs look like AB-26K7Q2M).  
New orders cannot be created from Excel; use Add Order."
    }
  ],
  "errorsTotal": 1,
  "warnings": [],
  "changes": [
    {
      "row": 5,
      "orderNumber": "AB-26K7Q2M",
      "diffs": [
        {
          "field": "Order Status",
          "from": "Confirmed",
          "to": "Shipped"
        },
        {
          "field": "Courier",
          "from": "",
          "to": "Delhivery"
        }
      ]
    }
  ]
}
```

GET

/orders/imports/{id}/report

Admin

Full import report (.xlsx)

Parameters

Parameter	In	Type	Description
id *	path	string	Import id

Responses

Status	Meaning
200	Errors, Warnings and Changes sheets
404	Not found (also returned for other people's orders).

Admin: users

GET	/users	Admin
-----	--------	-------

Registered users with lifetime and period order stats

Parameters

Parameter	In	Type	Description
q	query	string	Name, email or user id
role	query	string: customer admin	Role
activity	query	string: ordered registered none	Filter
sort	query	string: createdAt name email orders lastOrder periodOrders	Sort
dir	query	string: asc desc	Direction
page	query	integer	Page
limit	query	integer	Per page (1–100, default 25)
period	query	string	Period for the period stats
from	query	string	Custom start
to	query	string	Custom end
tz	query	integer	Offset minutes

Responses

Status	Meaning
200	Users
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
{
  "items": [
    "...",
  ],
  "total": 181,
  "page": 1,
  "pages": 4,
  "limit": 50
}
```

GET

/users/{id}

Admin

One user with all their orders

Parameters

Parameter	In	Type	Description
id *	path	string	User id

Responses

Status	Meaning
200	User and orders
404	Not found (also returned for other people's orders).

Example response

```
{
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "status": "Customer (has ordered)",
    "createdAt": "2026-09-01T10:00:00.000Z",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "country": "India"
    },
    "lifetime": {
      "orders": 3,
      "value": {
        "INR": 8395,
        "AED": 0
      },
      "first": "2026-09-02T10:00:00.000Z",
      "last": "2026-09-29T07:23:06.000Z"
    },
    "period": {
      "orders": 3,
      "value": {
        "INR": 8395,
        "AED": 0
      }
    }
  },
  "orders": [
    "... full order documents, newest first"
  ],
  "period": {
    "key": "all",
    "label": "All time"
  }
}
```

GET

/users/export/xlsx

Admin

Users report (.xlsx): Users Summary + User Orders

Parameters

Parameter	In	Type	Description
q	query	string	Search
role	query	string	Role
activity	query	string	Activity
period	query	string	Period
from	query	string	Custom start
to	query	string	Custom end
tz	query	integer	Offset minutes

Responses

Status	Meaning
200	Users report
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Admin: catalogue & content

POST

/products

Admin

Create a product

Request body (application/json, required)

Field	Type	Rules / notes
name *	string	
slug	string	Defaults to the name, slugified
price *	object	
stock	integer	min 0
images	array of object	
published	boolean	

```
{
  "name": "ZAFREON",
  "slug": "zafreon",
  "price": {
    "INR": 2799,
    "AED": 129
  },
  "stock": 42,
  "images": [
    {
      "src": "/media/render-zafreon.webp",
      "alt": "ZAFREON bottle"
    }
  ],
  "published": true
}
```

Responses

Status	Meaning
201	Created

Status	Meaning
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.
409	Slug in use

Example response

```
{
  "_id": "6a1f0c2e9b1d4c0012345678",
  "name": "ZAFREON",
  "slug": "zafreon",
  "subtitle": "Eau de Parfum",
  "family": "Oriental Woody Oud",
  "price": {
    "INR": 2799,
    "AED": 129
  },
  "stock": 42,
  "images": [
    {
      "src": "https://res.cloudinary.com/dch8n8kxm/image/upload/albarakah/zafreon.webp",
      "alt": "ZAFREON bottle"
    }
  ],
  "notes": {
    "top": [
      {
        "name": "Saffron"
      }
    ],
    "heart": [
      {
        "name": "Rose"
      }
    ],
    "base": [
      {
        "name": "Oud"
      }
    ],
    "approved": true
  },
  "published": true,
  "featured": true
}
```

PUT **/products/{id}**

Admin

Update a product (partial)

Parameters

Parameter	In	Type	Description
id *	path	string	Product id

Request body (application/json, required)

Field	Type	Rules / notes
name *	string	
slug	string	Defaults to the name, slugified
price *	object	

Field	Type	Rules / notes
stock	integer	min 0
images	array of object	
published	boolean	

```
{
  "name": "ZAFREON",
  "slug": "zafreon",
  "price": {
    "INR": 2799,
    "AED": 129
  },
  "stock": 42,
  "images": [
    {
      "src": "/media/render-zafreon.webp",
      "alt": "ZAFREON bottle"
    }
  ],
  "published": true
}
```

Responses

Status	Meaning
200	Updated
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.
404	Not found (also returned for other people's orders).

Example response

```
{
  "_id": "6a1f0c2e9b1d4c0012345678",
  "name": "ZAFREON",
  "slug": "zafreon",
  "subtitle": "Eau de Parfum",
  "family": "Oriental Woody Oud",
  "price": {
    "INR": 2799,
    "AED": 129
  },
  "stock": 42,
  "images": [
    {
      "src": "https://res.cloudinary.com/dch8n8kxm/image/upload/albarakah/zafreon.webp",
      "alt": "ZAFREON bottle"
    }
  ],
  "notes": {
    "top": [
      {
        "name": "Saffron"
      }
    ],
    "heart": [
      {
        "name": "Rose"
      }
    ]
  },
  "base": [
    {
      "name": "Oud"
    }
  ]
}
```

```
    }
  ],
  "approved": true
},
"published": true,
"featured": true
}
```

DELETE /products/{id}

Admin

Delete a product**Parameters**

Parameter	In	Type	Description
id *	path	string	Product id

Responses

Status	Meaning
200	Deleted
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
{
  "ok": true
}
```

POST /posts

Admin

Create an article**Request body** (application/json, required)

Field	Type	Rules / notes
_id	string	
title	string	
slug	string	
excerpt	string	
content	string	Markdown
category	string	
status	string: draft published	
publishedAt	string (date-time)	

```
{
  "_id": "6a1f0c2e9b1d4c00000000bb",
  "title": "The Art of Leaving a Signature",
  "slug": "the-art-of-leaving-a-signature",
  "excerpt": "Why fragrance is more than a scent.",
  "category": "Brand Stories",
  "status": "published",
  "publishedAt": "2026-09-01T08:00:00.000Z",
  "readingMinutes": 4
}
```

Responses

Status	Meaning
201	Created
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00000000bb",
  "title": "The Art of Leaving a Signature",
  "slug": "the-art-of-leaving-a-signature",
  "excerpt": "Why fragrance is more than a scent.",
  "category": "Brand Stories",
  "status": "published",
  "publishedAt": "2026-09-01T08:00:00.000Z",
  "readingMinutes": 4
}
```

GET

/posts/id/{id}

Admin

Article by id (drafts included)

Parameters

Parameter	In	Type	Description
id *	path	string	Post id

Responses

Status	Meaning
200	Post
404	Not found (also returned for other people's orders).

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00000000bb",
  "title": "The Art of Leaving a Signature",
  "slug": "the-art-of-leaving-a-signature",
  "excerpt": "Why fragrance is more than a scent.",
  "category": "Brand Stories",
  "status": "published",
  "publishedAt": "2026-09-01T08:00:00.000Z",
  "readingMinutes": 4
}
```

PUT

/posts/{id}

Admin

Update an article

Parameters

Parameter	In	Type	Description
id *	path	string	Post id

Request body (application/json, required)

Field	Type	Rules / notes
_id	string	
title	string	
slug	string	
excerpt	string	
content	string	Markdown
category	string	
status	string: draft published	
publishedAt	string (date-time)	

```
{
  "_id": "6a1f0c2e9b1d4c00000000bb",
  "title": "The Art of Leaving a Signature",
  "slug": "the-art-of-leaving-a-signature",
  "excerpt": "Why fragrance is more than a scent.",
  "category": "Brand Stories",
  "status": "published",
  "publishedAt": "2026-09-01T08:00:00.000Z",
  "readingMinutes": 4
}
```

Responses

Status	Meaning
200	Post
404	Not found (also returned for other people’s orders).

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00000000bb",
  "title": "The Art of Leaving a Signature",
  "slug": "the-art-of-leaving-a-signature",
  "excerpt": "Why fragrance is more than a scent.",
  "category": "Brand Stories",
  "status": "published",
  "publishedAt": "2026-09-01T08:00:00.000Z",
  "readingMinutes": 4
}
```

DELETE	/posts/{id}	Admin
--------	-------------	-------

Delete an article

Parameters

Parameter	In	Type	Description
id *	path	string	Post id

Responses

Status	Meaning
200	Deleted

Example response

```
{
  "ok": true
}
```

Uploads

POST

/uploads

Signed in

Upload an image (admin)

JPG, PNG, WebP or AVIF up to 4 MB. Stored on Cloudinary when configured on the server, otherwise in MongoDB (served from /uploads/{name}). Returns the URL to save on the product or article.

Request body (multipart/form-data, required)

Field	Type	Rules / notes
file	string (binary)	

Responses

Status	Meaning
201	Uploaded
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.
413	Over 4 MB
502	Cloud storage rejected the upload

Example response

```
{
  "src": "https://res.cloudinary.com/dch8n8kxm/image/upload/albarakah/zafreon-bottle-k2x9q.webp",
  "storage": "cloud"
}
```

Part 3 — Data models

Shapes returned and accepted by the API. * marks required fields in requests.

Error

Field	Type	Rules / notes
message *	string	

Example

```
{
  "message": "Please sign in to continue."
}
```

User

Field	Type	Rules / notes
id	string	
name	string	
email	string (email)	
role	string: customer admin	
phone	string	
address	object	
createdAt	string (date-time)	

Example

```
{
  "id": "6a1f0c2e9b1d4c0000000001",
  "name": "Mansi Shukla",
  "email": "mansi@example.com",
  "role": "customer",
  "phone": "+91 91259 19516",
  "address": {
    "line1": "12 Kamakhya Road",
    "line2": "",
    "city": "Lucknow",
    "state": "Uttar Pradesh",
    "postalCode": "226010",
    "region": "IN"
  },
  "createdAt": "2026-09-01T10:00:00.000Z"
}
```

AuthResult

Field	Type	Rules / notes
token	string	
user	User	

Example

```
{
  "token": "eyJhbGciOiJIUzI1NiIs... ",
  "user": {
```

```
{
  "id": "6a1f0c2e9b1d4c0000000001",
  "name": "Mansi Shukla",
  "email": "mansi@example.com",
  "role": "customer",
  "phone": "+91 91259 19516",
  "address": {
    "line1": "12 Kamakhya Road",
    "line2": "",
    "city": "Lucknow",
    "state": "Uttar Pradesh",
    "postalCode": "226010",
    "region": "IN"
  },
  "createdAt": "2026-09-01T10:00:00.000Z"
}
```

Region

Field	Type	Rules / notes
code	string	
name	string	
currency	string	
ships	boolean	
taxLabel	string	
shipping	object	
payments	array of string: cod pay-on-confirmation	
base	string	
fx	number	

Example

```
{
  "code": "IN",
  "name": "India",
  "currency": "INR",
  "ships": true,
  "taxLabel": "incl. GST",
  "shipping": {
    "flat": 99,
    "freeOver": 2999
  },
  "payments": [
    "cod",
    "pay-on-confirmation"
  ]
}
```

Product

Full product document (see `server/src/models/Product.js`). Key fields shown.

Field	Type	Rules / notes
<code>_id</code>	string	
name	string	
slug	string	

Field	Type	Rules / notes
subtitle	string	
family	string	
description	string	
price	object	
stock	integer	
images	array of object	
notes	object	
published	boolean	
featured	boolean	
sortOrder	integer	

Example

```
{
  "_id": "6a1f0c2e9b1d4c0012345678",
  "name": "ZAFREON",
  "slug": "zafreon",
  "subtitle": "Eau de Parfum",
  "family": "Oriental Woody Oud",
  "price": {
    "INR": 2799,
    "AED": 129
  },
  "stock": 42,
  "images": [
    {
      "src": "https://res.cloudinary.com/dch8n8kxm/image/upload/albarakah/zafreon.webp",
      "alt": "ZAFREON bottle"
    }
  ],
  "notes": {
    "top": [
      {
        "name": "Saffron"
      }
    ],
    "heart": [
      {
        "name": "Rose"
      }
    ],
    "base": [
      {
        "name": "Oud"
      }
    ],
    "approved": true
  },
  "published": true,
  "featured": true
}
```

ProductInput

Field	Type	Rules / notes
name *	string	
slug	string	Defaults to the name, slugified

Field	Type	Rules / notes
price *	object	
stock	integer	min 0
images	array of object	
published	boolean	

CartItem

Field	Type	Rules / notes
slug	string	
name	string	
image	string	
sizeLabel	string	
qty	integer	min 1, max 10
unitPrice	number	
lineTotal	number	
stock	integer	
available	boolean	
message	string	

Cart

Field	Type	Rules / notes
region	string	
currency	string	
estimate	boolean	True for enquiry markets (indicative prices, order on WhatsApp)
ships	boolean	
items	array of CartItem	
count	integer	
subtotal	number	
shipping	number	
total	number	
freeShippingOver	number	

Example

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
  "total": 5598,
  "freeShippingOver": 2999,
  "items": [
    {
```

```
{
  "slug": "zafreon",
  "name": "ZAFREON",
  "image": "/media/render-zafreon.webp",
  "sizeLabel": "100 ML / 3.4 FL.OZ.",
  "qty": 2,
  "unitPrice": 2799,
  "lineTotal": 5598,
  "stock": 42,
  "available": true,
  "message": null
}
```

Wishlist

Field	Type	Rules / notes
items	array of object	

Example

```
{
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "subtitle": "Eau de Parfum",
      "image": "/media/render-zafreon.webp",
      "price": {
        "INR": 2799,
        "AED": 129
      },
      "inStock": true
    }
  ]
}
```

OrderInput

Field	Type	Rules / notes
region *	string: IN AE	Delivery market; other GCC markets order by WhatsApp
paymentMethod	string: cod pay-on-confirmation	Must be allowed for the region, else the first allowed one is used
items *	array of object	max items 20
customer *	object	
giftNote	object	

Example

```
{
  "region": "IN",
  "paymentMethod": "cod",
  "items": [
    {
      "slug": "zafreon",
      "qty": 1
    }
  ],
  "customer": {
    "name": "Mansi Shukla",
    "email": "manshi@example.com",
    "phone": "+91 91259 19516",
  }
}
```

```
    "address": {
      "line1": "12 Kamakhya Road",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010"
    },
    "giftNote": {
      "enabled": false
    }
  }
}
```

Order

An order as its customer sees it (no internal notes or courier links).

Field	Type	Rules / notes
_id	string	
orderNumber	string	Immutable Order ID
trackingId	string	
status	string: Order Placed Confirmed Packed Shipped Out for Delivery Delivered Cancelled	
stages	array of string	
history	array of object	
items	array of object	
currency	string	
taxLabel	string	
subtotal	number	
shipping	number	
total	number	
paymentMethod	string	
paymentStatus	string: pending paid refunded	
customer	object	
giftNote	object	
carrier	string	
trackingNumber	string	
eta	string	
editable	object	
edits	array of object	

Example

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "updatedAt": "2026-09-29T09:10:00.000Z",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
  ]
}
```

```

    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
      "status": "Shipped",
      "at": "2026-09-30T10:00:00.000Z",
      "note": "Dispatched from Hyderabad."
    }
  ],
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "qty": 1,
      "unitPrice": 2799,
      "lineTotal": 2799
    }
  ],
  "currency": "INR",
  "taxLabel": "incl. GST",
  "subtotal": 2799,
  "shipping": 99,
  "total": 2898,
  "paymentMethod": "cod",
  "paymentStatus": "pending",
  "customer": {
    ...
  }
}

```

AdminOrder

Full order document for the team, including notes, carrierUrl, user id and edits.

Example

```

{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "updatedAt": "2026-09-29T09:10:00.000Z",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
      "status": "Shipped",
      "at": "2026-09-30T10:00:00.000Z",
      "note": "Dispatched from Hyderabad."
    }
  ],
}

```

```
"items": [
  {
    "slug": "zafreon",
    "name": "ZAFREON",
    "image": "/media/render-zafreon.webp",
    "qty": 1,
    "unitPrice": 2799,
    "lineTotal": 2799
  }
],
"currency": "INR",
"taxLabel": "incl. GST",
"subtotal": 2799,
"shipping": 99,
"total": 2898,
"paymentMethod": "cod",
"paymentStatus": "pending",
"customer": {
  ...
```

Tracking

Field	Type	Rules / notes
orderNumber	string	
trackingId	string	
status	string	
stages	array of string	
history	array of object	
carrier	string	
trackingNumber	string	
eta	string	
items	array of object	
city	string	
country	string	
createdAt	string (date-time)	

Example

```
{
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
      "status": "Shipped",
      "at": "2026-09-30T10:00:00.000Z",
      "note": "Dispatched from Hyderabad."
    }
  ]
}
```

```
{
  },
  "carrier": "Delhivery",
  "trackingNumber": "26554968",
  "eta": "3 October 2026",
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "qty": 1,
      "image": "/media/render-zafreon.webp"
    }
  ],
  "city": "Lucknow",
  "country": "India",
  "createdAt": "2026-09-29T07:23:06.000Z"
}
```

Review

Field	Type	Rules / notes
_id	string	
name	string	
city	string	
country	string	
rating	integer	min 1, max 5
title	string	
body	string	
reply	string	
createdAt	string (date-time)	
verified	boolean	

Post

Field	Type	Rules / notes
_id	string	
title	string	
slug	string	
excerpt	string	
content	string	Markdown
category	string	
status	string: draft published	
publishedAt	string (date-time)	

Example

```
{
  "_id": "6a1f0c2e9b1d4c00000000bb",
  "title": "The Art of Leaving a Signature",
  "slug": "the-art-of-leaving-a-signature",
  "excerpt": "Why fragrance is more than a scent.",
  "category": "Brand Stories",
  "status": "published",
  "publishedAt": "2026-09-01T08:00:00.000Z",
}
```

```
"readingMinutes": 4
}
```

Paged

Field	Type	Rules / notes
items	array of any	
total	integer	
page	integer	
pages	integer	
limit	integer	

Example

```
{
  "items": [
    "...",
  ],
  "total": 181,
  "page": 1,
  "pages": 4,
  "limit": 50
}
```

ImportJob

Field	Type	Rules / notes
id	string	
fileName	string	
status	string: previewed committed cancelled expired failed	
totals	object	
errors	array of object	
errorsTotal	integer	
warnings	array of object	
changes	array of object	
changesTotal	integer	
expiresAt	string (date-time)	

Example

```
{
  "id": "6a1f0c2e9b1d4c00000000cc",
  "fileName": "orders_last_7_days.xlsx",
  "status": "previewed",
  "totals": {
    "rows": 176,
    "updated": 0,
    "created": 0,
    "failed": 1,
    "skipped": 174,
    "warnings": 0
  },
  "errors": [
    {

```

```
    "row": 12,
    "orderId": "AB-26NOPE1",
    "field": "Order ID",
    "message": "No order has this Order ID. Check it for typos (Order IDs look like AB-26K7Q2M).
New orders cannot be created from Excel; use Add Order."
  }
],
"errorsTotal": 1,
"warnings": [],
"changes": [
  {
    "row": 5,
    "orderNumber": "AB-26K7Q2M",
    "diffs": [
      {
        "field": "Order Status",
        "from": "Confirmed",
        "to": "Shipped"
      },
      {
        "field": "Courier",
        "from": "",
        "to": "Delhivery"
      }
    ]
  }
],
"changesTotal": 1,
"expiresAt": "2026-09-29T08:23:06.000Z"
}
```