

AL BARAKAH LIFESTYLE

LUXURY FRAGRANCE HOUSE · HYDERABAD

REST API Reference

Website · Admin studio · Mobile app — one API, one database

Version	1.4.0 (OpenAPI 3.0.3)
Production base URL	https://perfume-tau-nine.vercel.app/api/v1
Local base URL	http://localhost:5000/api/v1
Authentication	JWT access token (7 days) + rotating refresh token (60 days)
Format	JSON; errors as { "code": "...", "message": "..." }; Excel downloads as .xlsx
Coverage	70 operations on 57 paths, 17 data models
Interactive docs	/api/docs (Swagger UI) · /api/openapi.json
Generated	29 September 2026 from the source code

The endpoint reference in this document is generated from the same OpenAPI description the server publishes, and that description is checked against the Express routes, so every documented endpoint exists and every endpoint is documented.

Contents

Part 1 — Developer guide	4
Base URL	4
Headers	4
Authentication and the token flow	4
Roles and permissions	5
Errors	5
Conventions	7
Endpoint map	7
Cart and wishlist	8
Checkout, payments and order status	8
Changelog	9
Images	9
Mobile app notes	9
Part 2 — Endpoint reference	10
Health & settings	10
Auth	11
Profile & address	16
Products	18
Cart	20
Wishlist	25
Checkout & orders	27
Order status	32
Payments	33
Reviews	35
Journal	38
Contact	40
Admin: orders	42
Admin: Excel	47
Admin: users	54
Admin: catalogue & content	56
Uploads	62
Part 3 — Data models	63
Error	63
User	63
AuthResult	64
Region	65

Product	65
ProductInput	67
CartItem	67
Cart	67
Wishlist	68
OrderInput	68
Order	69
AdminOrder	70
Tracking	72
Review	73
Post	73
Paged	74
ImportJob	74

Part 1 — Developer guide

One backend, one MongoDB database and one set of REST endpoints serve the website, the admin studio and the mobile app. A product, price, stock level or order changed in one place is immediately what every other client reads. There is no separate mobile database or mobile-only business logic.

- **Interactive reference (every endpoint, schema and example):** `GET /api/docs`
- **PDF edition:** `docs/API-Reference.pdf` (guide, every endpoint with examples, data models)
- **Machine-readable spec (OpenAPI 3.0):** `GET /api/openapi.json` — import it into Postman, Insomnia, or an OpenAPI code generator for the app.

The spec is checked against the Express routes: every route in the code is documented, and nothing documented is missing from the code.

Base URL

Environment	Base URL
Production	<code>https://perfume-tau-nine.vercel.app/api/v1</code> (Vercel; or your custom domain once it is added, see <code>SITE_URL</code>)
Local	<code>http://localhost:5000/api/v1</code> (or <code>http://localhost:5173/api/v1</code> through the Vite proxy)

All paths below are relative to the base URL. ****Use `/api/v1` in apps****: it is the versioned, stable address. `/api/...` is the same API without the version (the website uses it) and stays as an alias. Every API response carries the header `API-Version: 1`. Breaking changes, if ever needed, will go to `/api/v2` while `/api/v1` keeps working.

Headers

Header	When
<code>Content-Type: application/json</code>	Every request with a JSON body
<code>Authorization: Bearer <token></code>	Signed-in and admin endpoints
<code>Content-Type: multipart/form-data</code>	<code>POST /uploads</code> and <code>POST /orders/import/preview</code> (field name <code>file</code>)

Responses are JSON (`application/json`), except Excel downloads (`.xlsx`, with `Content-Disposition: attachment; filename="..."`).

Authentication and the token flow

1. `POST /auth/register { name, email, password }` OR `POST /auth/login { email, password }`.
2. The response is `{ token, refreshToken, user }`. Store both tokens securely (Keychain / Keystore on mobile).
3. Send `Authorization: Bearer <token>` on every request that needs a signed-in user.
4. The access token is a JWT valid for **7 days**. The `refreshToken` is valid for **60 days** and can be used **once**.
5. On a `401` from any endpoint, call `POST /auth/refresh { refreshToken }`. It returns a **new** token and a **new** `refreshToken`; save both (the old refresh token no longer works). If refresh also returns `401`, ask the customer to sign in again.
6. `GET /auth/me` returns the current user (use it on app start to check the stored token).
7. Sign out this device: `POST /auth/logout { refreshToken }`, then delete both tokens. Sign out everywhere: `POST /auth/logout-all`.

8. Changing the password (POST /auth/me/password) returns a fresh session for this device and signs out every other device. Resetting it by email does the same.

Security: refresh tokens are stored only as hashes; presenting a refresh token that was already used ends that whole sign-in (it means the token was copied). Sign-in, sign-up, refresh and password reset are rate limited (30 per 15 minutes per connection).

Forgotten password

1. POST /auth/forgot-password { email }. The answer is always the same, so it cannot reveal who has an account.
2. The customer gets an email with a link <SITE_URL>/reset-password?token=... (one hour, single use). The website has the page; an app can open it in the browser or handle the link itself.
3. POST /auth/reset-password { token, password } sets the password and returns a session (signed in).

```
POST /api/auth/login
Content-Type: application/json

{ "email": "mans@example.com", "password": "a-long-password" }

{
  "token": "eyJhbGciOiJIUzI1NiIs... ",
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mans@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": { "line1": "12 Kamakhya Road", "line2": "", "city": "Lucknow", "state": "Uttar Pradesh", "postalCode": "226010", "region": "IN" },
    "createdAt": "2026-09-01T10:00:00.000Z"
  }
}
```

Password hashes and tokens are never returned by any endpoint.

Roles and permissions

Role	Can
Guest (no token)	Browse products, journal and reviews; place an order; track an order with tracking ID + email; contact and newsletter
customer	Everything a guest can, plus profile, saved address, cart, wishlist, My orders , change or cancel own orders before they ship
admin	Everything, plus the admin endpoints (products, journal, orders, Excel, users, reviews, enquiries, uploads)

Permissions are enforced on the server for every request. A customer asking for someone else's order gets 404 (not 403), so order IDs cannot be probed. Admin accounts are created with `npm run seed` (from ADMIN_EMAIL / ADMIN_PASSWORD).

Errors

Every error is JSON with a stable, machine-readable code and a human-readable message:

```
{ "code": "OUT_OF_STOCK", "message": "Only 2 of ZAFREON left in stock." }
```

****Branch on code****, and use it to show your own (e.g. Arabic) text; message is English and safe to show as is. Codes are never renamed or removed; new ones may be added, so treat unknown codes by their HTTP status.

Code	When
VALIDATION_ERROR, INVALID_EMAIL, INVALID_PHONE, WEAK_PASSWORD	Input problems (400)
AUTH_REQUIRED, UNAUTHORIZED, INVALID_CREDENTIALS, WRONG_PASSWORD, REFRESH_TOKEN_INVALID, RESET_TOKEN_INVALID	Sign-in problems
ADMIN_ONLY, FORBIDDEN	Not allowed (403)
NOT_FOUND, ORDER_NOT_FOUND, CART_ITEM_NOT_FOUND	Not found (404)
OUT_OF_STOCK, PRODUCT_UNAVAILABLE, CART_EMPTY, CART_FULL, REGION_NOT_SUPPORTED	Bag and checkout
ORDER_NOT_EDITABLE, ORDER_ALREADY_CANCELLED, ORDER_NOT_DELIVERED, ALREADY_REVIEWED	Order rules
PAYMENT_NOT_CONFIGURED, PAYMENT_VERIFICATION_FAILED, PAYMENT_PROVIDER_ERROR, ALREADY_PAID	Online payment
ALREADY_EXISTS, CONFLICT	Duplicates and other conflicts (409)
RATE_LIMITED	Too many requests (429)
INVALID_SPREADSHEET, IMPORT_EXPIRED, IMPORT_NOT_PENDING, INVALID_UPLOAD, UPLOAD_FAILED, PAYLOAD_TOO_LARGE, GONE	Admin files and uploads
EMAIL_NOT_CONFIGURED, SERVICE_UNAVAILABLE, UPSTREAM_ERROR, SERVER_ERROR	Server side (5xx)

The full list is the `Error.code` enum in `/api/openapi.json`.

Status	Meaning
200 / 201	OK / created
400	Invalid input (missing field, bad email, bad status...)
401	Not signed in, or the token is invalid/expired
403	Signed in but not an admin
404	Not found — also a malformed id, and other people's orders
409	Conflict: out of stock, email already used, order already shipped/paid/cancelled, Excel import already applied
410	Excel preview older than one hour
413	Upload larger than 4 MB
429	Rate limit (sign-in / sign-up / refresh / reset 30 per 15 min, checkout 20 / 15 min, payments 30 / 15 min, reviews 10 / hour, contact + newsletter 10 / 15 min, email/password changes 20 / 15 min)
500	Unexpected server error ("Something went wrong on our side. Please try again.")

Status	Meaning
502	An outside service failed (image storage, email, payment provider)
503	A feature is not configured on the server (email, online payment)

Conventions

- **Money** is in whole units of the currency (2799 = ₹2,799). Products carry `price: { INR, AED }`. Carts and orders carry one `currency`.
- **Prices are always computed by the server.** Any price a client sends is ignored.
- **Markets** come from `GET /settings (regions)`: India (INR) and the UAE (AED) ship; other GCC markets show indicative prices (`estimate: true`) and order by WhatsApp.
- **Dates** are ISO 8601 UTC strings.
- **IDs**: products and articles are addressed by `slug` for reading and by `_id` for admin edits. Orders are addressed by their **Order ID** (`orderNumber`, e.g. AB-26K7Q2M, immutable) or `_id`. The **Tracking ID** (ABL...) is for public tracking.
- **Pagination**: `GET /posts`, `GET /users` and `GET /orders?paged=1` return `{ items, total, page, pages, limit }` with `page` (from 1) and `limit`. `GET /products` returns an array (the catalogue is small); use `limit` to cap it.
- **Sorting / filtering** parameters are listed per endpoint in `/api/docs` (products: `q, category, family, featured, inStock, minPrice, maxPrice, currency, sort=price-asc|price-desc|newest|name, limit`).

Endpoint map

Area	Endpoints
Health & settings	<code>GET /health</code> , <code>GET /settings</code> , <code>GET /geo</code>
Auth	<code>POST /auth/register</code> , <code>POST /auth/login</code> , <code>POST /auth/refresh</code> , <code>POST /auth/logout</code> , <code>POST /auth/logout-all</code> , <code>POST /auth/forgot-password</code> , <code>POST /auth/reset-password</code> , <code>GET /auth/me</code>
Profile & address	<code>PATCH /auth/me</code> (name, phone, saved address), <code>POST /auth/me/email</code> , <code>POST /auth/me/password</code>
Products, search & filter	<code>GET /products</code> , <code>GET /products/{slug}</code>
Cart	<code>GET /cart</code> , <code>PUT /cart</code> , <code>DELETE /cart</code> , <code>POST /cart/items</code> , <code>PATCH /cart/items/{slug}</code> , <code>DELETE /cart/items/{slug}</code>
Wishlist	<code>GET /wishlist</code> , <code>POST /wishlist/{slug}</code> , <code>DELETE /wishlist/{slug}</code>
Checkout & orders	<code>POST /orders</code> , <code>GET /orders/mine</code> , <code>GET /orders/{orderId}</code> , <code>PATCH /orders/mine/{orderId}</code> , <code>POST /orders/mine/{orderId}/cancel</code>
Order status	<code>GET /orders/{orderId}</code> (signed in), <code>GET /orders/track/{trackingId}?email=</code> (public)
Payments	<code>POST /payments/razorpay/order</code> , <code>POST /payments/razorpay/verify</code> , <code>POST /payments/razorpay/webhook</code> ; methods per market in <code>GET /settings</code>
Reviews	<code>GET /reviews/product/{slug}</code> , <code>GET /reviews/eligible/{trackingId}?email=</code> , <code>POST /reviews</code>
Journal	<code>GET /posts</code> , <code>GET /posts/categories</code> , <code>GET /posts/{slug}</code>
Contact	<code>POST /enquiries</code> , <code>POST /subscribers</code>
Admin	products, journal, orders, Excel import/export, users, reviews, enquiries, subscribers, uploads — see <code>/api/docs</code> (tags starting "Admin")

Cart and wishlist

The bag and saved fragrances are stored on the account, so the website and the app share them. The website merges its local bag into the account bag at sign-in (the larger quantity wins) and saves every change after that.

```
POST /api/cart/items?region=IN
Authorization: Bearer <token>
Content-Type: application/json

{ "slug": "zafreon", "qty": 1 }

{
  "region": "IN", "currency": "INR", "estimate": false, "ships": true,
  "items": [{ "slug": "zafreon", "name": "ZAFREON", "image": "/media/render-zafreon.webp",
    "sizeLabel": "100 ML / 3.4 FL.OZ.", "qty": 1, "unitPrice": 2799, "lineTotal": 2799, "stock":
    42, "available": true, "message": null }],
  "count": 1, "subtotal": 2799, "shipping": 99, "total": 2898, "freeShippingOver": 2999
}
```

Rules: quantities 1–10 per line, at most 20 lines; unknown or hidden products are dropped; sold-out lines stay in the bag with `available: false` and a message, and are left out of the total.

Checkout, payments and order status

1. Read the bag: `GET /cart?region=IN`.
2. Place the order: `POST /orders` with the items, customer details, `region` and `paymentMethod` (one of `regions[].payments`). The server recalculates prices, delivery (India ₹99 under ₹2,999; UAE AED 35 under AED 300) and reserves stock atomically.
3. Empty the bag: `DELETE /cart`.
4. Show the order: `GET /orders/{orderNumber}`. Poll it (every ~30 s while the screen is open) to follow the status.

Payment methods (per market in `GET /settings` → `regions[].payments`):

Method	Market	How it is paid
online	India (when Razorpay is configured)	UPI, cards, netbanking, wallets through Razorpay, right after placing the order
cod	India	Cash on delivery
pay-on-confirmation	India, UAE	The house confirms by WhatsApp/email and sends a payment link

Paying online (Razorpay):

1. Place the order with `paymentMethod: "online"` (`POST /orders`). The order is saved and stock reserved; `paymentStatus` is pending.
2. `POST /payments/razorpay/order { orderNumber, email }` (or signed in) returns `keyId`, `razorpayOrderId`, `amount` (paise), `currency` and `prefill`.
3. Open Razorpay Checkout (web: `checkout.razorpay.com/v1/checkout.js`; Android/iOS: Razorpay's SDK) with those values.
4. On success, send its `razorpay_order_id`, `razorpay_payment_id` and `razorpay_signature` to `POST /payments/razorpay/verify`. The server checks the signature and marks the order paid (and Confirmed).
5. If the customer closes the payment window, the order stays pending with `canPayOnline: true`; they can pay later from the order page (repeat steps 2–4). The Razorpay webhook also marks the order paid if the app was closed mid-payment.

The amount is always the saved order total; the key secret never leaves the server. UAE online payment is not enabled yet.

Statuses: Order Placed → Confirmed → Packed → Shipped → Out for Delivery → Delivered, Or Cancelled from any step. Each change adds a history entry { status, at, note }; the order's stages array is the timeline to draw. The customer sees the courier name, trackingNumber and eta — not a courier link.

Changing an order (PATCH /orders/mine/{orderId}): check editable first.

	When	What
details	Order Placed, Confirmed, Packed	name, phone, address, gift card
items	Order Placed, Confirmed, and unpaid	quantities (qty: 0 removes a line; at least one must remain)
cancel	Order Placed, Confirmed, Packed	POST /orders/mine/{orderId}/cancel — stock is returned

Changelog

Version	Date	Changes
1.4.0	2026-09-29	/api/v1 versioned base path (/api stays as an alias); code on every error; refresh tokens (/auth/refresh), /auth/logout, /auth/logout-all; password reset by email; a password change signs out other devices and returns a fresh session; online payment with Razorpay (/payments/razorpay/*, canPayOnline on orders, online payment method); sign-in rate limiting; fully typed Product and Order models in the spec. Additive: existing clients keep working.
1.3.0	2026-09-29	Cart and wishlist APIs; product search/filter/sort; customer order details, editing and cancelling; profile and address; Admin users, Excel import/export, order filters; OpenAPI spec and /api/docs.

Images

Admins upload with POST /uploads (multipart field file; JPG, PNG, WebP or AVIF; max 4 MB). The response { src } is the URL to save on a product (images[].src) or article (cover.src). With CLOUDINARY_* set on the server the file goes to Cloudinary (absolute https://res.cloudinary.com/... URL); otherwise it is stored in MongoDB and served at /uploads/{name}. Image URLs may be absolute or site-relative — prefix relative ones with the site origin.

Mobile app notes

- Use the same base URL and endpoints as the website; no mobile-specific backend is needed.
- CORS applies only to browsers. Native apps send no Origin, so they are unaffected. Browser clients on other domains must be listed in CLIENT_ORIGIN.
- Relative media paths (/media/..., /uploads/...) are served by the website origin.
- Handle 401 globally (sign in again) and show message from any error response.
- Use GET /settings at start-up for markets, currencies, delivery rules and payment methods instead of hard-coding them.

Part 2 — Endpoint reference

Paths are relative to the base URL (e.g. `https://perfume-tau-nine.vercel.app/api/v1`). **Access:** Public (no token), Signed in (any account), Admin (role admin). Every error response is { "code": "...", "message": "..." } (codes listed under the Error model).

Health & settings

GET /health

Public

Liveness check

Responses

Status	Meaning
200	OK

Example response

```
{
  "ok": true
}
```

GET /settings

Public

Markets, currencies, delivery rules and payment methods

Payment methods per market are in `regions[].payments: cod` (cash on delivery, India) and `pay-on-confirmation` (the house confirms and sends a payment link). There is no card gateway yet, so no payment-intent API.

Responses

Status	Meaning
200	Regions

Example response

```
{
  "regions": [
    {
      "code": "IN",
      "name": "India",
      "currency": "INR",
      "ships": true,
      "taxLabel": "incl. GST",
      "shipping": {
        "flat": 99,
        "freeOver": 2999
      },
      "payments": [
        "cod",
        "pay-on-confirmation"
      ]
    }
  ]
}
```

GET /geo**Public****Visitor country from the edge network (for the default market)**

Responses

Status	Meaning
200	Country or null

Example response

```
{
  "country": "AE"
}
```

Auth

POST /auth/register**Public****Create a customer account****Request body** (application/json, required)

Field	Type	Rules / notes
name *	string	
email *	string (email)	
password *	string	min length 8

```
{
  "name": "Mansi Shukla",
  "email": "mansi@example.com",
  "password": "a-long-password"
}
```

Responses

Status	Meaning
201	Signed in
400	Invalid input. message says what to fix.
409	Email already registered

Example response

```
{
  "token": "eyJhbGciOiJIUzI1NiIs...\"",
  "refreshToken": "q3Zb7...Xk",
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    }
  },
}
```

```
    "createdAt": "2026-09-01T10:00:00.000Z"
  }
}
```

POST

/auth/login

Public

Sign in

Request body (application/json, required)

Field	Type	Rules / notes
email *	string	
password *	string	

```
{
  "email": "mansi@example.com",
  "password": "a-long-password"
}
```

Responses

Status	Meaning
200	Signed in
401	Email and password do not match

Example response

```
{
  "token": "eyJhbGciOiJIUzI1NiIs...\"",
  "refreshToken": "q3Zb7...Xk\"",
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    },
    "createdAt": "2026-09-01T10:00:00.000Z"
  }
}
```

GET

/auth/me

Signed in

The signed-in user

Responses

Status	Meaning
200	User
401	Missing, invalid or expired token.

Example response

```
{
  "user": {
```

```
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    },
    "createdAt": "2026-09-01T10:00:00.000Z"
  }
}
```

POST

/auth/refresh

Public

Exchange a refresh token for a new access token

Returns a new access token **and a new refresh token**; the old refresh token stops working. Presenting an already-used refresh token ends that whole sign-in (theft protection). Rate limited with sign-in.

Request body (application/json, required)

Field	Type	Rules / notes
refreshToken *	string	
<pre>{ "refreshToken": "text" }</pre>		

Responses

Status	Meaning
200	New session
401	Invalid, expired or reused refresh token (REFRESH_TOKEN_INVALID)
429	Too many requests from this connection; try again later.

Example response

```
{
  "token": "eyJhbGciOiJIUzI1NiIs...\"",
  "refreshToken": "q3Zb7...Xk",
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    },
    "createdAt": "2026-09-01T10:00:00.000Z"
  }
}
```

POST

/auth/logout

Public

Sign out this device

Revokes the given refresh token. Always 200. The access token simply expires; delete it on the device.

Request body (application/json, optional)

Field	Type	Rules / notes
refreshToken	string	
<pre>{ "refreshToken": "text" }</pre>		

Responses

Status	Meaning
200	Signed out

Example response

```
{
  "ok": true
}
```

POST

/auth/logout-all

Signed in

Sign out every device

Every access and refresh token issued so far stops working, including the one used for this call.

Responses

Status	Meaning
200	Signed out everywhere
401	Missing, invalid or expired token.

Example response

```
{
  "ok": true
}
```

POST

/auth/forgot-password

Public

Email a password-reset link

Always answers the same (whether or not the email has an account). The link is <SITE_URL>/reset-password?token=..., works once and expires after one hour. Needs SMTP settings on the server (503 EMAIL_NOT_CONFIGURED otherwise).

Request body (application/json, required)

Field	Type	Rules / notes
email *	string (email)	
<pre>{ "email": "manshi@example.com" }</pre>		

Responses

Status	Meaning
200	Accepted
400	Invalid input. message says what to fix.
429	Too many requests from this connection; try again later.
502	Email could not be sent
503	Email not configured

Example response

```
{
  "ok": true,
  "message": "If an account uses this email, a link to reset the password is on its way."
}
```

POST /auth/reset-password

Public

Choose a new password with the emailed token

Signs the user in (returns a session) and signs out every other device.

Request body (application/json, required)

Field	Type	Rules / notes
token *	string	From the reset link
password *	string	min length 8

```
{
  "token": "text",
  "password": "a-long-password"
}
```

Responses

Status	Meaning
200	Signed in
400	Weak password, or invalid/expired/used token (RESET_TOKEN_INVALID)
429	Too many requests from this connection; try again later.

Example response

```
{
  "token": "eyJhbGciOiJIUzI1NiIs... ",
  "refreshToken": "q3Zb7...Xk",
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    },
    "createdAt": "2026-09-01T10:00:00.000Z"
  }
}
```

Profile & address

PATCH `/auth/me`**Signed in**

Update name, phone and the saved delivery address

This is the address API: one saved address per account, used to fill checkout. `role` and `email` are ignored here.

Request body (application/json, required)

Field	Type	Rules / notes
name	string	max length 80
phone	string	max length 40
address	object	

```
{
  "phone": "+91 91259 19516",
  "address": {
    "line1": "12 Kamakhya Road",
    "city": "Lucknow",
    "state": "Uttar Pradesh",
    "postalCode": "226010",
    "region": "IN"
  }
}
```

Responses

Status	Meaning
200	Updated user
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.

Example response

```
{
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    },
    "createdAt": "2026-09-01T10:00:00.000Z"
  }
}
```

POST `/auth/me/email`**Signed in**

Change the sign-in email

Needs the current password. Guest orders under the old email are linked to the account first.

Request body (application/json, required)

Field	Type	Rules / notes
email *	string (email)	
password *	string	
<pre>{ "email": "name@example.com", "password": "a-long-password" }</pre>		

Responses

Status	Meaning
200	Updated user
400	Invalid input. message says what to fix.
401	Wrong current password
409	Email in use
429	Too many requests from this connection; try again later.

Example response

```
{
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    },
    "createdAt": "2026-09-01T10:00:00.000Z"
  }
}
```

POST**/auth/me/password****Signed in****Change password****Request body** (application/json, required)

Field	Type	Rules / notes
current *	string	
next *	string	min length 8
<pre>{ "current": "current-password", "next": "a-new-long-password" }</pre>		

Responses

Status	Meaning
200	Changed: a fresh session for this device; every other device is signed out

Status	Meaning
400	Invalid input. message says what to fix.
401	Wrong current password
429	Too many requests from this connection; try again later.

Example response

```
{
  "token": "eyJhbGciOiJIUzI1NiIs...\"",
  "refreshToken": "q3Zb7...Xk\"",
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    },
    "createdAt": "2026-09-01T10:00:00.000Z"
  }
}
```

Products

GET	/products	Public
-----	-----------	--------

List, search, filter and sort products

Returns an array. Without parameters: every published product in shop order. Admins can add `all=1` to include hidden products.

Parameters

Parameter	In	Type	Description
q	query	string	Search name, family, tagline, description, mood, occasions and notes e.g. oud
category	query	string	Exact category
family	query	string	Olfactive family (case-insensitive)
featured	query	string	1 for featured only
inStock	query	string	1 to hide sold-out
currency	query	string: INR AED	Currency for price filters and sorting
minPrice	query	number	Minimum price
maxPrice	query	number	Maximum price
sort	query	string: price-asc price-desc newest name	Order
limit	query	integer	At most this many (1–100)
all	query	string	Admins: 1 includes hidden products

Responses

Status	Meaning
200	Products

Example response

```
[
  {
    "_id": "6a1f0c2e9b1d4c0012345678",
    "name": "ZAFREON",
    "slug": "zafreon",
    "subtitle": "Eau de Parfum",
    "family": "Oriental Woody Oud",
    "price": {
      "INR": 2799,
      "AED": 129
    },
    "stock": 42,
    "images": [
      {
        "src": "https://res.cloudinary.com/dch8n8kxm/image/upload/albarakah/zafreon.webp",
        "alt": "ZAFREON bottle"
      }
    ],
    "notes": {
      "top": [
        {
          "name": "Saffron"
        }
      ],
      "heart": [
        {
          "name": "Rose"
        }
      ],
      "base": [
        {
          "name": "Oud"
        }
      ]
    },
    "approved": true
  },
  "published": true,
  "featured": true
]
```

GET	/products/{slug}	Public
-----	------------------	--------

One product with up to three related ones

Parameters

Parameter	In	Type	Description
slug *	path	string	Product slug e.g. zafreon

Responses

Status	Meaning
200	Product
404	Not found (also returned for other people's orders).

Example response

```
{
  "product": {
```

```
{
  "_id": "6a1f0c2e9b1d4c0012345678",
  "name": "ZAFREON",
  "slug": "zafreon",
  "subtitle": "Eau de Parfum",
  "family": "Oriental Woody Oud",
  "price": {
    "INR": 2799,
    "AED": 129
  },
  "stock": 42,
  "images": [
    {
      "src": "https://res.cloudinary.com/dch8n8kxm/image/upload/albarakah/zafreon.webp",
      "alt": "ZAFREON bottle"
    }
  ],
  "notes": {
    "top": [
      {
        "name": "Saffron"
      }
    ],
    "heart": [
      {
        "name": "Rose"
      }
    ],
    "base": [
      {
        "name": "Oud"
      }
    ]
  },
  "approved": true,
  "published": true,
  "featured": true
},
"related": [
  ...
```

Cart

GET

/cart

Signed in

The signed-in customer's bag, priced by the server

Parameters

Parameter	In	Type	Description
region	query	string	Market to price in (default: saved address, else IN) e.g. IN

Responses

Status	Meaning
200	Cart
401	Missing, invalid or expired token.

Example response

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
```

```
{
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
  "total": 5598,
  "freeShippingOver": 2999,
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "sizeLabel": "100 ML / 3.4 FL.OZ.",
      "qty": 2,
      "unitPrice": 2799,
      "lineTotal": 5598,
      "stock": 42,
      "available": true,
      "message": null
    }
  ]
}
```

PUT**/cart****Signed in**

Replace the whole bag

Duplicate slugs are merged, unknown or hidden products dropped, quantities capped at 10, at most 20 lines.

Parameters

Parameter	In	Type	Description
region	query	string	Market to price in

Request body (application/json, required)

Field	Type	Rules / notes
items *	array of object	

```
{
  "items": [
    {
      "slug": "zafreon",
      "qty": 2
    }
  ]
}
```

Responses

Status	Meaning
200	Cart
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.

Example response

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
  "total": 5598,
  "freeShippingOver": 2999,
```

```
"items": [
  {
    "slug": "zafreon",
    "name": "ZAFREON",
    "image": "/media/render-zafreon.webp",
    "sizeLabel": "100 ML / 3.4 FL.OZ.",
    "qty": 2,
    "unitPrice": 2799,
    "lineTotal": 5598,
    "stock": 42,
    "available": true,
    "message": null
  }
]
```

DELETE **/cart**

Signed in

Empty the bag

Responses

Status	Meaning
200	Cart
401	Missing, invalid or expired token.

Example response

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
  "total": 5598,
  "freeShippingOver": 2999,
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "sizeLabel": "100 ML / 3.4 FL.OZ.",
      "qty": 2,
      "unitPrice": 2799,
      "lineTotal": 5598,
      "stock": 42,
      "available": true,
      "message": null
    }
  ]
}
```

POST **/cart/items**

Signed in

Add a fragrance (adds to any quantity already in the bag)

Parameters

Parameter	In	Type	Description
region	query	string	Market to price in

Request body (application/json, required)

Field	Type	Rules / notes
slug *	string	
qty	integer	default 1
{ "slug": "zafreon", "qty": 1 }		

Responses

Status	Meaning
201	Cart
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
404	Not found (also returned for other people's orders).

Example response

```
{  
  "region": "IN",  
  "currency": "INR",  
  "estimate": false,  
  "ships": true,  
  "count": 2,  
  "subtotal": 5598,  
  "shipping": 0,  
  "total": 5598,  
  "freeShippingOver": 2999,  
  "items": [  
    {  
      "slug": "zafreon",  
      "name": "ZAFREON",  
      "image": "/media/render-zafreon.webp",  
      "sizeLabel": "100 ML / 3.4 FL.OZ.",  
      "qty": 2,  
      "unitPrice": 2799,  
      "lineTotal": 5598,  
      "stock": 42,  
      "available": true,  
      "message": null  
    }  
  ]  
}
```

PATCH /cart/items/{slug}

Signed in

Set a line's quantity (0 removes it)

Parameters

Parameter	In	Type	Description
slug *	path	string	Product slug e.g. zafreon
region	query	string	Market to price in

Request body (application/json, required)

Field	Type	Rules / notes
qty *	integer	min 0, max 10

```
{
  "qty": 2
}
```

Responses

Status	Meaning
200	Cart
401	Missing, invalid or expired token.
404	Not found (also returned for other people's orders).

Example response

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
  "total": 5598,
  "freeShippingOver": 2999,
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "sizeLabel": "100 ML / 3.4 FL.OZ.",
      "qty": 2,
      "unitPrice": 2799,
      "lineTotal": 5598,
      "stock": 42,
      "available": true,
      "message": null
    }
  ]
}
```

DELETE

/cart/items/{slug}

Signed in

Remove a line

Parameters

Parameter	In	Type	Description
slug *	path	string	Product slug

Responses

Status	Meaning
200	Cart
401	Missing, invalid or expired token.

Example response

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
```



```
{
  "total": 5598,
  "freeShippingOver": 2999,
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "sizeLabel": "100 ML / 3.4 FL.OZ.",
      "qty": 2,
      "unitPrice": 2799,
      "lineTotal": 5598,
      "stock": 42,
      "available": true,
      "message": null
    }
  ]
}
```

Wishlist

GET

/wishlist

Signed in

Saved fragrances

Responses

Status	Meaning
200	Wishlist
401	Missing, invalid or expired token.

Example response

```
{
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "subtitle": "Eau de Parfum",
      "image": "/media/render-zafreon.webp",
      "price": {
        "INR": 2799,
        "AED": 129
      },
      "inStock": true
    }
  ]
}
```

POST

/wishlist/{slug}

Signed in

Save a fragrance

Parameters

Parameter	In	Type	Description
slug *	path	string	Product slug e.g. zafreon

Responses

Status	Meaning
201	Wishlist

Status	Meaning
401	Missing, invalid or expired token.
404	Not found (also returned for other people's orders).

Example response

```
{
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "subtitle": "Eau de Parfum",
      "image": "/media/render-zafreon.webp",
      "price": {
        "INR": 2799,
        "AED": 129
      },
      "inStock": true
    }
  ]
}
```

DELETE	/wishlist/{slug}	Signed in
--------	------------------	-----------

Remove a fragrance

Parameters

Parameter	In	Type	Description
slug *	path	string	Product slug

Responses

Status	Meaning
200	Wishlist
401	Missing, invalid or expired token.

Example response

```
{
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "subtitle": "Eau de Parfum",
      "image": "/media/render-zafreon.webp",
      "price": {
        "INR": 2799,
        "AED": 129
      },
      "inStock": true
    }
  ]
}
```

Checkout & orders

POST

/orders

Public or signed in

Place an order (checkout)

Works signed in (the order is linked to the account) or as a guest. Prices, delivery and totals are recalculated from the catalogue; stock is reserved atomically. Rate limited to 20 orders per 15 minutes per connection. A signed-in client should empty its cart afterwards (DELETE /cart).

Request body (application/json, required)

Field	Type	Rules / notes
region *	string: IN AE	Delivery market; other GCC markets order by WhatsApp
paymentMethod	string: cod pay-on-confirmation online	One of the region's `payments` in /settings, else the first allowed one is used. `online` = pay with Razorpay right after placing (see Payments).
items *	array of object	max items 20
customer *	object	
giftNote	object	

```
{
  "region": "IN",
  "paymentMethod": "cod",
  "items": [
    {
      "slug": "zafreon",
      "qty": 1
    }
  ],
  "customer": {
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010"
    }
  },
  "giftNote": {
    "enabled": false
  }
}
```

Responses

Status	Meaning
201	Placed
400	Invalid input. message says what to fix.
409	Not enough stock
429	Too many requests from this connection; try again later.

Example response

```
{
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "total": 2898,
  "currency": "INR"
}
```

GET

/orders/mine

Signed in

My orders, newest first

Orders placed while signed in, plus orders placed with the account's email.

Responses

Status	Meaning
200	Orders
401	Missing, invalid or expired token.

Example response

```
[
  {
    "_id": "6a1f0c2e9b1d4c00abcdef01",
    "orderNumber": "AB-26K7Q2M",
    "trackingId": "ABLK6KWBQJBS",
    "createdAt": "2026-09-29T07:23:06.000Z",
    "updatedAt": "2026-09-29T09:10:00.000Z",
    "status": "Shipped",
    "stages": [
      "Order Placed",
      "Confirmed",
      "Packed",
      "Shipped",
      "Out for Delivery",
      "Delivered"
    ],
    "history": [
      {
        "status": "Order Placed",
        "at": "2026-09-29T07:23:06.000Z",
        "note": "We have received your order."
      },
      {
        "status": "Shipped",
        "at": "2026-09-30T10:00:00.000Z",
        "note": "Dispatched from Hyderabad."
      }
    ],
    "items": [
      {
        "slug": "zafreon",
        "name": "ZAFREON",
        "image": "/media/render-zafreon.webp",
        "qty": 1,
        "unitPrice": 2799,
        "lineTotal": 2799
      }
    ],
    "currency": "INR",
    "taxLabel": "incl. GST",
    ...
  }
]
```

GET

/orders/{orderId}

Signed in

One of my orders (details and live status)

By Order ID (any case) or id. Poll this for status changes. Someone else's order returns 404. Admins can open any order.

Parameters

Parameter	In	Type	Description
orderId *	path	string	Order ID or id e.g. AB-26K7Q2M

Responses

Status	Meaning
200	Order
401	Missing, invalid or expired token.
404	Not found (also returned for other people's orders).

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "updatedAt": "2026-09-29T09:10:00.000Z",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
      "status": "Shipped",
      "at": "2026-09-30T10:00:00.000Z",
      "note": "Dispatched from Hyderabad."
    }
  ],
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "qty": 1,
      "unitPrice": 2799,
      "lineTotal": 2799
    }
  ],
  "currency": "INR",
  "taxLabel": "incl. GST",
  "subtotal": 2799,
  ...
}
```

PATCH **/orders/mine/{orderId}****Signed in**

Change my order before it ships

Delivery details and the gift card: while `editable.details` (Order Placed, Confirmed, Packed). Quantities: while `editable.items` (Order Placed or Confirmed, and unpaid); `qty: 0` removes a line, at least one item must remain. Stock and totals are recalculated.

Parameters

Parameter	In	Type	Description
orderId *	path	string	Order ID or id

Request body (application/json, required)

Field	Type	Rules / notes
customer	object	
giftNote	object	
items	array of object	

```
{
  "customer": {
    "address": {
      "line2": "Gate 2"
    }
  },
  "items": [
    {
      "slug": "zafreon",
      "qty": 2
    }
  ]
}
```

Responses

Status	Meaning
200	Updated order
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
404	Not found (also returned for other people's orders).
409	Shipped, paid (items) or not enough stock

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "updatedAt": "2026-09-29T09:10:00.000Z",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
      "status": "Shipped",
      "at": "2026-09-30T10:00:00.000Z",
      "note": "Dispatched from Hyderabad."
    }
  ],
  "items": [
```

```
{
  "slug": "zafreon",
  "name": "ZAFREON",
  "image": "/media/render-zafreon.webp",
  "qty": 1,
  "unitPrice": 2799,
  "lineTotal": 2799
}
],
"currency": "INR",
"taxLabel": "incl. GST",
"subtotal": 2799,
...
```

POST**/orders/mine/{orderId}/cancel****Signed in**

Cancel my order before it ships

Items go back into stock. For a paid order the note says a refund will be arranged.

Parameters

Parameter	In	Type	Description
orderId *	path	string	Order ID or id

Request body (application/json, optional)

Field	Type	Rules / notes
reason	string	max length 200

```
{
  "reason": "I ordered by mistake"
}
```

Responses

Status	Meaning
200	Cancelled order
401	Missing, invalid or expired token.
404	Not found (also returned for other people's orders).
409	Already shipped or cancelled

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "updatedAt": "2026-09-29T09:10:00.000Z",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    }
  ]
}
```

```
{
  },
  {
    "status": "Shipped",
    "at": "2026-09-30T10:00:00.000Z",
    "note": "Dispatched from Hyderabad."
  }
],
"items": [
  {
    "slug": "zafreon",
    "name": "ZAFREON",
    "image": "/media/render-zafreon.webp",
    "qty": 1,
    "unitPrice": 2799,
    "lineTotal": 2799
  }
],
"currency": "INR",
"taxLabel": "incl. GST",
"subtotal": 2799,
...
```

Order status

GET `/orders/track/{trackingId}`**Public**

Public tracking with tracking ID and checkout email

Parameters

Parameter	In	Type	Description
trackingId *	path	string	Tracking ID (any case) e.g. ABLK6KWBQJBS
email *	query	string (email)	

Responses

Status	Meaning
200	Tracking
404	No order matches that tracking ID and email

Example response

```
{
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
      "status": "Shipped",
      "at": "2026-09-30T10:00:00.000Z",
      "note": "Dispatched from Hyderabad."
    }
  ]
}
```



```
{
  },
  "carrier": "Delhivery",
  "trackingNumber": "26554968",
  "eta": "3 October 2026",
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "qty": 1,
      "image": "/media/render-zafreon.webp"
    }
  ],
  "city": "Lucknow",
  "country": "India",
  "createdAt": "2026-09-29T07:23:06.000Z"
}
```

Payments

POST**/payments/razorpay/order****Public or signed in**

Start an online payment (Razorpay) for a placed order

Enabled when the server has Razorpay keys (online then appears in `/settings` payments for India). Prove the order is yours by signing in, or with the checkout `email`. Open Razorpay Checkout with the returned `keyId`, `razorpayOrderId` and amount (paise), then call `/payments/razorpay/verify` with its result. Re-uses the Razorpay order unless the total changed.

Request body (application/json, required)

Field	Type	Rules / notes
orderNumber *	string	
email	string (email)	Required when not signed in

```
{
  "orderNumber": "AB-26K7Q2M",
  "email": "mansi@example.com"
}
```

Responses

Status	Meaning
200	Checkout details
400	Invalid input. <code>message</code> says what to fix.
404	Not found (also returned for other people's orders).
409	Already paid (<code>ALREADY_PAID</code>) or cancelled
429	Too many requests from this connection; try again later.
502	Razorpay not responding
503	Online payment not configured

Example response

```
{
  "provider": "razorpay",
  "keyId": "rzp_live_XXXXXXX",
  "razorpayOrderId": "order_NbX7Tq9",
  "amount": 289800,
  "currency": "INR",
  "orderNumber": "AB-26K7Q2M",
  "name": "AL BARAKAH LIFESTYLE",
}
```

```
{
  "description": "Order AB-26K7Q2M",
  "prefill": {
    "name": "Mansi Shukla",
    "email": "mans@example.com",
    "contact": "+91 91259 19516"
  }
}
```

POST**/payments/razorpay/verify****Public or signed in**

Confirm a completed Razorpay payment

Send the three values Razorpay Checkout returns. The signature is checked on the server; on success the order is paid (and moves from Order Placed to Confirmed). Idempotent.

Request body (application/json, required)

Field	Type	Rules / notes
orderNumber *	string	
email	string	
razorpay_order_id *	string	
razorpay_payment_id *	string	
razorpay_signature *	string	

```
{
  "orderNumber": "AB-26K7Q2M",
  "email": "mans@example.com",
  "razorpay_order_id": "text",
  "razorpay_payment_id": "text",
  "razorpay_signature": "text"
}
```

Responses

Status	Meaning
200	Paid
400	Signature does not match (PAYMENT_VERIFICATION_FAILED)
404	Not found (also returned for other people's orders).
503	Online payment not configured

Example response

```
{
  "ok": true,
  "orderNumber": "AB-26K7Q2M",
  "paymentStatus": "paid",
  "status": "Confirmed"
}
```

POST**/payments/razorpay/webhook****Public**

Razorpay webhook (server to server)

Set in Razorpay Dashboard → Webhooks with the events `payment.captured` and `order.paid` and the secret in `RAZORPAY_WEBHOOK_SECRET`. Marks the order paid if the customer closed the page before `/verify`. Signature header: `X-Razorpay-Signature`.

Request body (application/json, required)

```
{}
```

Responses

Status	Meaning
200	Processed
400	Invalid signature

Example response

```
{  
  "ok": true  
}
```

Reviews

POST**/reviews****Public****Review a delivered fragrance**

Proven by tracking ID + checkout email. One review per product per order; published after the house approves it. Rate limited (10/hour).

Request body (application/json, required)

Field	Type	Rules / notes
trackingId *	string	
email *	string	
slug *	string	
rating *	integer	min 1, max 5
title	string	max length 80
body *	string	min length 20, max length 1200

```
{  
  "trackingId": "ABLK6KWBQJBS",  
  "email": "mansi@example.com",  
  "slug": "zafreon",  
  "rating": 5,  
  "title": "Wonderful",  
  "body": "Rich saffron opening, lasts all day."  
}
```

Responses

Status	Meaning
201	Received
400	Invalid input. message says what to fix.
404	Not found (also returned for other people's orders).
409	Already reviewed
429	Too many requests from this connection; try again later.

Example response

```
{  
  "ok": true,  
}
```

```
"message": "Thank you. Your review will appear once the house has read it."
}
```

GET

/reviews

Admin

Admin: reviews to moderate

Parameters

Parameter	In	Type	Description
status	query	string: pending approved rejected	Status

Responses

Status	Meaning
200	Reviews
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
[
  {
    "_id": "6a1f0c2e9b1d4c00000000aa",
    "product": "6a1f0c2e9b1d4c0012345678",
    "slug": "zafreon",
    "order": "6a1f0c2e9b1d4c00abcdef01",
    "orderNumber": "AB-26K7Q2M",
    "name": "Mansi S.",
    "city": "Lucknow",
    "country": "India",
    "rating": 5,
    "title": "Wonderful",
    "body": "Rich saffron opening, lasts all day.",
    "status": "pending",
    "reply": "",
    "createdAt": "2026-10-05T09:00:00.000Z"
  }
]
```

GET

/reviews/product/{slug}

Public

Approved reviews and rating for a product

Parameters

Parameter	In	Type	Description
slug *	path	string	Product slug

Responses

Status	Meaning
200	Reviews

Example response

```
{
  "average": 0,
  "count": 2,
  "items": [
```

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "name": "Mansi S.",
  "city": "Lucknow",
  "country": "India",
  "rating": 5,
  "title": "Wonderful",
  "body": "Rich saffron opening, lasts all day.",
  "reply": "Thank you!",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "verified": true
}
```

GET**/reviews/eligible/{trackingId}****Public****Which fragrances of a delivered order can still be reviewed**

Parameters

Parameter	In	Type	Description
trackingId *	path	string	Tracking ID
email *	query	string	

Responses

Status	Meaning
200	Eligibility
404	Not found (also returned for other people's orders).

Example response

```
{
  "delivered": true,
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "reviewed": false
    }
  ]
}
```

PATCH**/reviews/{id}****Admin****Admin: approve / hide / reply**

Parameters

Parameter	In	Type	Description
id *	path	string	Review id

Request body (application/json, required)

Field	Type	Rules / notes
status	string: pending approved rejected	
reply	string	max length 600

```
{
  "status": "pending",
  "reply": "Thank you!"
}
```

Responses

Status	Meaning
200	Review
404	Not found (also returned for other people's orders).

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00000000aa",
  "product": "6a1f0c2e9b1d4c0012345678",
  "slug": "zafreon",
  "order": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "name": "Mansi S.",
  "city": "Lucknow",
  "country": "India",
  "rating": 5,
  "title": "Wonderful",
  "body": "Rich saffron opening, lasts all day.",
  "status": "approved",
  "reply": "Thank you, Mansi.",
  "createdAt": "2026-10-05T09:00:00.000Z"
}
```

Journal

GET	/posts	Public
-----	--------	--------

Published articles (paged)

Parameters

Parameter	In	Type	Description
category	query	string	Category
q	query	string	Search title, excerpt, tags
page	query	integer	Page
limit	query	integer	Per page (max 50)
all	query	string	Admins: 1 includes drafts

Responses

Status	Meaning
200	Posts

Example response

```
{
  "items": [
    ""
  ],
  "total": 181,
  "page": 1,
  "pages": 4,
  "limit": 50
}
```

```
}
```

GET **/posts/categories****Public****Categories with published articles**

Responses

Status	Meaning
200	Categories

Example response

```
[  
  "text"  
]
```

GET **/posts/{slug}****Public****Article with related articles and products**

Parameters

Parameter	In	Type	Description
slug *	path	string	Article slug

Responses

Status	Meaning
200	Article
404	Not found (also returned for other people's orders).

Example response

```
{  
  "post": {  
    "_id": "6a1f0c2e9b1d4c00000000bb",  
    "title": "The Art of Leaving a Signature",  
    "slug": "the-art-of-leaving-a-signature",  
    "excerpt": "Why fragrance is more than a scent.",  
    "content": "## A signature...",  
    "category": "Brand Stories",  
    "status": "published",  
    "publishedAt": "2026-09-01T08:00:00.000Z",  
    "readingMinutes": 4  
  },  
  "related": [  
    {  
      "_id": "6a1f0c2e9b1d4c00000000be",  
      "title": "From Passion to Perfume House",  
      "slug": "from-passion-to-perfume-house",  
      "excerpt": "Why fragrance is more than a scent.",  
      "category": "Brand Stories",  
      "status": "published",  
      "publishedAt": "2026-09-01T08:00:00.000Z",  
      "readingMinutes": 4  
    }  
  ],  
  "products": [  
    "... related product documents"  
  ]  
}
```

Contact

POST

/enquiries

Public

Send a message to the house

Shares a limit of 10 per 15 minutes with /subscribers.

Request body (application/json, required)

Field	Type	Rules / notes
name *	string	
email *	string	
phone	string	
topic	string	
message *	string	max length 3000

```
{
  "name": "ZAFREON",
  "email": "mansi@example.com",
  "phone": "+91 91259 19516",
  "topic": "Gifting",
  "message": "Do you gift wrap for Eid?"
}
```

Responses

Status	Meaning
201	Sent
400	Invalid input. message says what to fix.
429	Too many requests from this connection; try again later.

Example response

```
{
  "ok": true
}
```

GET

/enquiries

Admin

Admin: enquiries

Responses

Status	Meaning
200	Enquiries

Example response

```
[
  {
    "_id": "6a1f0c2e9b1d4c00000000dd",
    "name": "Zara",
    "email": "zara@example.com",
    "phone": "+91 90000 00000",
    "topic": "Gifting & corporate orders",
    "message": "Do you gift wrap for Eid?",
    "status": "new",
    "createdAt": "2026-09-29T09:00:00.000Z"
  }
]
```



```
]

```

PATCH

/enquiries/{id}

Admin

Admin: set enquiry status

Parameters

Parameter	In	Type	Description
id *	path	string	Enquiry id

Request body (application/json, required)

Field	Type	Rules / notes
status	string: new replied closed	

```
{
  "status": "new"
}
```

Responses

Status	Meaning
200	Enquiry
400	Invalid input. message says what to fix.
404	Not found (also returned for other people's orders).

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00000000dd",
  "name": "Zara",
  "email": "zara@example.com",
  "phone": "+91 90000 00000",
  "topic": "Gifting & corporate orders",
  "message": "Do you gift wrap for Eid?",
  "status": "replied",
  "createdAt": "2026-09-29T09:00:00.000Z"
}
```

POST

/subscribers

Public

Join the newsletter (idempotent)

Request body (application/json, required)

Field	Type	Rules / notes
email *	string	
source	string	

```
{
  "email": "mans@example.com",
  "source": "footer"
}
```

Responses

Status	Meaning
201	Subscribed

Status	Meaning
400	Invalid input. message says what to fix.
429	Too many requests from this connection; try again later.

Example response

```
{
  "ok": true
}
```

GET	/subscribers	Admin
-----	--------------	-------

Admin: subscribers

Responses

Status	Meaning
200	Subscribers

Example response

```
[
  {
    "_id": "6a1f0c2e9b1d4c00000000ee",
    "email": "reader@example.com",
    "source": "footer",
    "createdAt": "2026-09-29T09:00:00.000Z"
  }
]
```

Admin: orders

GET	/orders	Admin
-----	---------	-------

List orders with filters

Without `paged=1`: the latest 200 as an array. With `paged=1`: { items, total, page, pages, limit }.

Parameters

Parameter	In	Type	Description
status	query	string: Order Placed Confirmed Packed Shipped Out for Delivery Delivered Cancelled	Order status
paymentStatus	query	string: pending paid refunded	Payment status
currency	query	string: INR AED	Market currency
product	query	string	Product id or slug
customer	query	string	User id: orders placed by that account or with its email
q	query	string	Search order ID, tracking ID, name, email, phone, city
period	query	string: 24h 1d 7d 1m 2m 3m custom all	Report period
from	query	string (date)	Custom period start (YYYY-MM-DD, inclusive)
to	query	string (date)	Custom period end (YYYY-MM-DD, inclusive)

Parameter	In	Type	Description
tz	query	integer	Browser offset in minutes (Date#getTimezoneOffset) for calendar periods e.g. - 330
paged	query	string	1 for a paged response
page	query	integer	Page (from 1)
limit	query	integer	Per page (1–200, default 50)

Responses

Status	Meaning
200	Orders
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
[
  {
    "_id": "6a1f0c2e9b1d4c00abcdef01",
    "orderNumber": "AB-26K7Q2M",
    "trackingId": "ABLK6KWBQJBS",
    "createdAt": "2026-09-29T07:23:06.000Z",
    "updatedAt": "2026-09-29T09:10:00.000Z",
    "status": "Shipped",
    "stages": [
      "Order Placed",
      "Confirmed",
      "Packed",
      "Shipped",
      "Out for Delivery",
      "Delivered"
    ],
    "history": [
      {
        "status": "Order Placed",
        "at": "2026-09-29T07:23:06.000Z",
        "note": "We have received your order."
      },
      {
        "status": "Shipped",
        "at": "2026-09-30T10:00:00.000Z",
        "note": "Dispatched from Hyderabad."
      }
    ],
    "items": [
      {
        "slug": "zafreon",
        "name": "ZAFREON",
        "image": "/media/render-zafreon.webp",
        "qty": 1,
        "unitPrice": 2799,
        "lineTotal": 2799
      }
    ],
    "currency": "INR",
    "taxLabel": "incl. GST",
    ...
  }
]
```

POST

/orders/admin

Admin

Place an order for a customer (phone/WhatsApp orders)

Same pricing and stock rules as checkout; linked to the account with that email.

Request body (application/json, required)

Field	Type	Rules / notes
region *	string: IN AE	Delivery market; other GCC markets order by WhatsApp
paymentMethod	string: cod pay-on-confirmation online	One of the region's `payments` in /settings, else the first allowed one is used. `online` = pay with Razorpay right after placing (see Payments).
items *	array of object	max items 20
customer *	object	
giftNote	object	
paymentStatus	string: pending paid	
notes	string	

```
{
  "region": "IN",
  "paymentMethod": "cod",
  "items": [
    {
      "slug": "zafreon",
      "qty": 1
    }
  ],
  "customer": {
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010"
    }
  },
  "giftNote": {
    "enabled": false
  }
}
```

Responses

Status	Meaning
201	Order
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.
409	Conflict, e.g. out of stock, already exists, or the order can no longer be changed.

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
}
```

```
"updatedAt": "2026-09-29T09:10:00.000Z",
"status": "Shipped",
"stages": [
  "Order Placed",
  "Confirmed",
  "Packed",
  "Shipped",
  "Out for Delivery",
  "Delivered"
],
"history": [
  {
    "status": "Order Placed",
    "at": "2026-09-29T07:23:06.000Z",
    "note": "We have received your order."
  },
  {
    "status": "Shipped",
    "at": "2026-09-30T10:00:00.000Z",
    "note": "Dispatched from Hyderabad."
  }
],
"items": [
  {
    "slug": "zafreon",
    "name": "ZAFREON",
    "image": "/media/render-zafreon.webp",
    "qty": 1,
    "unitPrice": 2799,
    "lineTotal": 2799
  }
],
"currency": "INR",
"taxLabel": "incl. GST",
"subtotal": 2799,
...
```

GET

/orders/stats

Admin

Dashboard counts and order value (cancelled excluded from value)

Responses

Status	Meaning
200	Stats
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
{
  "byStatus": [
    {
      "_id": "Shipped",
      "n": 4
    }
  ],
  "revenue": [
    {
      "_id": "INR",
      "total": 152718
    }
  ],
  "count": 181,
  "stages": [
    "Order Placed",
```

```
"Confirmed",  
"Packed",  
"Shipped",  
"Out for Delivery",  
"Delivered"  
]  
}
```

PATCH**/orders/{id}****Admin**

Update an order (status, courier, payment, customer details)

A new status adds a history entry with note. Setting Cancelled returns stock; reopening reserves it again (409 if not available). For couriers in the list the customer link is built from trackingNumber.

Parameters

Parameter	In	Type	Description
id *	path	string	Order id

Request body (application/json, required)

Field	Type	Rules / notes
status	string: Order Placed Confirmed Packed Shipped Out for Delivery Delivered Cancelled	
note	string	
carrier	string	
trackingNumber	string	
carrierUrl	string	
eta	string	
paymentStatus	string: pending paid refunded	
notes	string	
customer	object	

```
{  
  "status": "Shipped",  
  "note": "Dispatched from Hyderabad.",  
  "carrier": "Delhivery",  
  "trackingNumber": "26554968",  
  "eta": "3 October 2026"  
}
```

Responses

Status	Meaning
200	Order
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.
404	Not found (also returned for other people's orders).
409	Conflict, e.g. out of stock, already exists, or the order can no longer be changed.

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "updatedAt": "2026-09-29T09:10:00.000Z",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
      "status": "Shipped",
      "at": "2026-09-30T10:00:00.000Z",
      "note": "Dispatched from Hyderabad."
    }
  ],
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "qty": 1,
      "unitPrice": 2799,
      "lineTotal": 2799
    }
  ],
  "currency": "INR",
  "taxLabel": "incl. GST",
  "subtotal": 2799,
  ...
}
```

Admin: Excel

GET

/orders/export

Admin

Export orders (.xlsx) with the list filters

Parameters

Parameter	In	Type	Description
status	query	string: Order Placed Confirmed Packed Shipped Out for Delivery Delivered Cancelled	Order status
paymentStatus	query	string: pending paid refunded	Payment status
currency	query	string: INR AED	Market currency
product	query	string	Product id or slug
customer	query	string	User id: orders placed by that account or with its email
q	query	string	Search order ID, tracking ID, name, email, phone, city

Parameter	In	Type	Description
period	query	string: 24h 1d 7d 1m 2m 3m custom all	Report period
from	query	string (date)	Custom period start (YYYY-MM-DD, inclusive)
to	query	string (date)	Custom period end (YYYY-MM-DD, inclusive)
tz	query	integer	Browser offset in minutes (Date#getTimezoneOffset) for calendar periods e.g. -330

Responses

Status	Meaning
200	Workbook: Orders, Summary, Order Items, How to edit
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

GET	/orders/template	Admin
-----	------------------	-------

Order update template (.xlsx)

prefill=1 plus the list filters pre-fills one row per matching order with its Order ID and the editable columns blank.

Parameters

Parameter	In	Type	Description
prefill	query	string	1 to pre-fill with the filtered orders
status	query	string: Order Placed Confirmed Packed Shipped Out for Delivery Delivered Cancelled	Order status
paymentStatus	query	string: pending paid refunded	Payment status
currency	query	string: INR AED	Market currency
product	query	string	Product id or slug
customer	query	string	User id: orders placed by that account or with its email
q	query	string	Search order ID, tracking ID, name, email, phone, city
period	query	string: 24h 1d 7d 1m 2m 3m custom all	Report period
from	query	string (date)	Custom period start (YYYY-MM-DD, inclusive)
to	query	string (date)	Custom period end (YYYY-MM-DD, inclusive)
tz	query	integer	Browser offset in minutes (Date#getTimezoneOffset) for calendar periods e.g. -330

Responses

Status	Meaning
200	Template
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

POST

/orders/import/preview

Admin

Upload and validate an .xlsx (nothing is saved)

Request body (multipart/form-data, required)

Field	Type	Rules / notes
file	string (binary)	.xlsx up to 4 MB, 20,000 rows

Responses

Status	Meaning
201	Preview
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.
413	File over 4 MB

Example response

```
{
  "id": "6a1f0c2e9b1d4c00000000cc",
  "fileName": "orders_last_7_days.xlsx",
  "status": "previewed",
  "totals": {
    "rows": 176,
    "updated": 0,
    "created": 0,
    "failed": 1,
    "skipped": 174,
    "warnings": 0
  },
  "errors": [
    {
      "row": 12,
      "orderId": "AB-26NOPE1",
      "field": "Order ID",
      "message": "No order has this Order ID. Check it for typos (Order IDs look like AB-26K7Q2M). New orders cannot be created from Excel; use Add Order."
    }
  ],
  "errorsTotal": 1,
  "warnings": [],
  "changes": [
    {
      "row": 5,
      "orderNumber": "AB-26K7Q2M",
      "diffs": [
        {
          "field": "Order Status",
          "from": "Confirmed",
          "to": "Shipped"
        },
        {
          "field": "Courier",
          "from": "",
          "to": "Delhivery"
        }
      ]
    }
  ]
}
```

GET

/orders/imports

Admin

Import history

Parameters

Parameter	In	Type	Description
limit	query	integer	At most (default 50, max 200)

Responses

Status	Meaning
200	Imports
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
[
  {
    "id": "6a1f0c2e9b1d4c00000000cc",
    "fileName": "orders_last_7_days.xlsx",
    "status": "previewed",
    "totals": {
      "rows": 176,
      "updated": 0,
      "created": 0,
      "failed": 1,
      "skipped": 174,
      "warnings": 0
    },
    "errors": [
      {
        "row": 12,
        "orderId": "AB-26NOPE1",
        "field": "Order ID",
        "message": "No order has this Order ID. Check it for typos (Order IDs look like AB-26K7Q2M). New orders cannot be created from Excel; use Add Order."
      }
    ],
    "errorsTotal": 1,
    "warnings": [],
    "changes": [
      {
        "row": 5,
        "orderNumber": "AB-26K7Q2M",
        "diffs": [
          {
            "field": "Order Status",
            "from": "Confirmed",
            "to": "Shipped"
          },
          {
            "field": "Courier",
            "from": "",
            "to": "Delhivery"
          }
        ]
      }
    ]
  }
]
...
```

GET

/orders/imports/{id}

Admin

One import with its errors, warnings and changes

Parameters

Parameter	In	Type	Description
id *	path	string	Import id

Responses

Status	Meaning
200	Import
404	Not found (also returned for other people's orders).

Example response

```
{
  "id": "6a1f0c2e9b1d4c00000000cc",
  "fileName": "orders_last_7_days.xlsx",
  "status": "previewed",
  "totals": {
    "rows": 176,
    "updated": 0,
    "created": 0,
    "failed": 1,
    "skipped": 174,
    "warnings": 0
  },
  "errors": [
    {
      "row": 12,
      "orderId": "AB-26NOPE1",
      "field": "Order ID",
      "message": "No order has this Order ID. Check it for typos (Order IDs look like AB-26K7Q2M). New orders cannot be created from Excel; use Add Order."
    }
  ],
  "errorsTotal": 1,
  "warnings": [],
  "changes": [
    {
      "row": 5,
      "orderNumber": "AB-26K7Q2M",
      "diffs": [
        {
          "field": "Order Status",
          "from": "Confirmed",
          "to": "Shipped"
        },
        {
          "field": "Courier",
          "from": "",
          "to": "Delhivery"
        }
      ]
    }
  ]
}
```

POST

/orders/imports/{id}/commit

Admin

Apply a preview (one transaction)

Only within an hour of the preview. Orders edited since the preview are reported as conflicts, not overwritten.

Parameters

Parameter	In	Type	Description
id *	path	string	Import id

Responses

Status	Meaning
200	Result
404	Not found (also returned for other people's orders).
409	Already applied or cancelled
410	Preview expired

Example response

```
{
  "id": "6a1f0c2e9b1d4c00000000cc",
  "fileName": "orders_last_7_days.xlsx",
  "status": "previewed",
  "totals": {
    "rows": 176,
    "updated": 0,
    "created": 0,
    "failed": 1,
    "skipped": 174,
    "warnings": 0
  },
  "errors": [
    {
      "row": 12,
      "orderId": "AB-26NOPE1",
      "field": "Order ID",
      "message": "No order has this Order ID. Check it for typos (Order IDs look like AB-26K7Q2M). New orders cannot be created from Excel; use Add Order."
    }
  ],
  "errorsTotal": 1,
  "warnings": [],
  "changes": [
    {
      "row": 5,
      "orderNumber": "AB-26K7Q2M",
      "diffs": [
        {
          "field": "Order Status",
          "from": "Confirmed",
          "to": "Shipped"
        },
        {
          "field": "Courier",
          "from": "",
          "to": "Delhivery"
        }
      ]
    }
  ]
}
```

POST /orders/imports/{id}/cancel

Admin

Discard a preview

Parameters

Parameter	In	Type	Description
id *	path	string	Import id

Responses

Status	Meaning
200	Cancelled
409	Conflict, e.g. out of stock, already exists, or the order can no longer be changed.

Example response

```
{
  "id": "6a1f0c2e9b1d4c00000000cc",
  "fileName": "orders_last_7_days.xlsx",
  "status": "previewed",
  "totals": {
    "rows": 176,
    "updated": 0,
    "created": 0,
    "failed": 1,
    "skipped": 174,
    "warnings": 0
  },
  "errors": [
    {
      "row": 12,
      "orderId": "AB-26NOPE1",
      "field": "Order ID",
      "message": "No order has this Order ID. Check it for typos (Order IDs look like AB-26K7Q2M).  
New orders cannot be created from Excel; use Add Order."
    }
  ],
  "errorsTotal": 1,
  "warnings": [],
  "changes": [
    {
      "row": 5,
      "orderNumber": "AB-26K7Q2M",
      "diffs": [
        {
          "field": "Order Status",
          "from": "Confirmed",
          "to": "Shipped"
        },
        {
          "field": "Courier",
          "from": "",
          "to": "Delhivery"
        }
      ]
    }
  ]
}
```

GET

/orders/imports/{id}/report

Admin

Full import report (.xlsx)

Parameters

Parameter	In	Type	Description
id *	path	string	Import id

Responses

Status	Meaning
200	Errors, Warnings and Changes sheets
404	Not found (also returned for other people's orders).

Admin: users

GET	/users	Admin
-----	--------	-------

Registered users with lifetime and period order stats

Parameters

Parameter	In	Type	Description
q	query	string	Name, email or user id
role	query	string: customer admin	Role
activity	query	string: ordered registered none	Filter
sort	query	string: createdAt name email orders lastOrder periodOrders	Sort
dir	query	string: asc desc	Direction
page	query	integer	Page
limit	query	integer	Per page (1–100, default 25)
period	query	string	Period for the period stats
from	query	string	Custom start
to	query	string	Custom end
tz	query	integer	Offset minutes

Responses

Status	Meaning
200	Users
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
{
  "items": [
    "...",
  ],
  "total": 181,
  "page": 1,
  "pages": 4,
  "limit": 50
}
```

GET

/users/{id}

Admin

One user with all their orders

Parameters

Parameter	In	Type	Description
id *	path	string	User id

Responses

Status	Meaning
200	User and orders
404	Not found (also returned for other people's orders).

Example response

```
{
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mans@example.com",
    "role": "customer",
    "status": "Customer (has ordered)",
    "createdAt": "2026-09-01T10:00:00.000Z",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "country": "India"
    },
    "lifetime": {
      "orders": 3,
      "value": {
        "INR": 8395,
        "AED": 0
      },
      "first": "2026-09-02T10:00:00.000Z",
      "last": "2026-09-29T07:23:06.000Z"
    },
    "period": {
      "orders": 3,
      "value": {
        "INR": 8395,
        "AED": 0
      }
    }
  },
  "orders": [
    "... full order documents, newest first"
  ],
  "period": {
    "key": "all",
    "label": "All time"
  }
}
```

GET

/users/export/xlsx

Admin

Users report (.xlsx): Users Summary + User Orders

Parameters

Parameter	In	Type	Description
q	query	string	Search
role	query	string	Role
activity	query	string	Activity
period	query	string	Period
from	query	string	Custom start
to	query	string	Custom end
tz	query	integer	Offset minutes

Responses

Status	Meaning
200	Users report
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Admin: catalogue & content

POST

/products

Admin

Create a product

Request body (application/json, required)

Field	Type	Rules / notes
name *	string	
slug	string	Defaults to the name, slugified
price *	object	
stock	integer	min 0
images	array of object	
published	boolean	

```
{
  "name": "ZAFREON",
  "slug": "zafreon",
  "price": {
    "INR": 2799,
    "AED": 129
  },
  "stock": 42,
  "images": [
    {
      "src": "/media/render-zafreon.webp",
      "alt": "ZAFREON bottle"
    }
  ],
  "published": true
}
```

Responses

Status	Meaning
201	Created

Status	Meaning
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.
409	Slug in use

Example response

```
{
  "_id": "6a1f0c2e9b1d4c0012345678",
  "name": "ZAFREON",
  "slug": "zafreon",
  "subtitle": "Eau de Parfum",
  "family": "Oriental Woody Oud",
  "price": {
    "INR": 2799,
    "AED": 129
  },
  "stock": 42,
  "images": [
    {
      "src": "https://res.cloudinary.com/dch8n8kxm/image/upload/albarakah/zafreon.webp",
      "alt": "ZAFREON bottle"
    }
  ],
  "notes": {
    "top": [
      {
        "name": "Saffron"
      }
    ],
    "heart": [
      {
        "name": "Rose"
      }
    ],
    "base": [
      {
        "name": "Oud"
      }
    ]
  },
  "approved": true,
  "published": true,
  "featured": true
}
```

PUT **/products/{id}**

Admin

Update a product (partial)

Parameters

Parameter	In	Type	Description
id *	path	string	Product id

Request body (application/json, required)

Field	Type	Rules / notes
name *	string	
slug	string	Defaults to the name, slugified
price *	object	

Field	Type	Rules / notes
stock	integer	min 0
images	array of object	
published	boolean	

```
{
  "name": "ZAFREON",
  "slug": "zafreon",
  "price": {
    "INR": 2799,
    "AED": 129
  },
  "stock": 42,
  "images": [
    {
      "src": "/media/render-zafreon.webp",
      "alt": "ZAFREON bottle"
    }
  ],
  "published": true
}
```

Responses

Status	Meaning
200	Updated
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.
404	Not found (also returned for other people's orders).

Example response

```
{
  "_id": "6a1f0c2e9b1d4c0012345678",
  "name": "ZAFREON",
  "slug": "zafreon",
  "subtitle": "Eau de Parfum",
  "family": "Oriental Woody Oud",
  "price": {
    "INR": 2799,
    "AED": 129
  },
  "stock": 42,
  "images": [
    {
      "src": "https://res.cloudinary.com/dch8n8kxm/image/upload/albarakah/zafreon.webp",
      "alt": "ZAFREON bottle"
    }
  ],
  "notes": {
    "top": [
      {
        "name": "Saffron"
      }
    ],
    "heart": [
      {
        "name": "Rose"
      }
    ]
  },
  "base": [
    {
      "name": "Oud"
    }
  ]
}
```

```
    }
  ],
  "approved": true
},
"published": true,
"featured": true
}
```

DELETE /products/{id}

Admin

Delete a product**Parameters**

Parameter	In	Type	Description
id *	path	string	Product id

Responses

Status	Meaning
200	Deleted
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
{
  "ok": true
}
```

POST /posts

Admin

Create an article**Request body** (application/json, required)

Field	Type	Rules / notes
_id	string	
title	string	
slug	string	
excerpt	string	
content	string	Markdown
category	string	
status	string: draft published	
publishedAt	string (date-time)	

```
{
  "_id": "6a1f0c2e9b1d4c00000000bb",
  "title": "The Art of Leaving a Signature",
  "slug": "the-art-of-leaving-a-signature",
  "excerpt": "Why fragrance is more than a scent.",
  "category": "Brand Stories",
  "status": "published",
  "publishedAt": "2026-09-01T08:00:00.000Z",
  "readingMinutes": 4
}
```

Responses

Status	Meaning
201	Created
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00000000bb",
  "title": "The Art of Leaving a Signature",
  "slug": "the-art-of-leaving-a-signature",
  "excerpt": "Why fragrance is more than a scent.",
  "category": "Brand Stories",
  "status": "published",
  "publishedAt": "2026-09-01T08:00:00.000Z",
  "readingMinutes": 4
}
```

GET

/posts/id/{id}

Admin

Article by id (drafts included)

Parameters

Parameter	In	Type	Description
id *	path	string	Post id

Responses

Status	Meaning
200	Post
404	Not found (also returned for other people's orders).

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00000000bb",
  "title": "The Art of Leaving a Signature",
  "slug": "the-art-of-leaving-a-signature",
  "excerpt": "Why fragrance is more than a scent.",
  "category": "Brand Stories",
  "status": "published",
  "publishedAt": "2026-09-01T08:00:00.000Z",
  "readingMinutes": 4
}
```

PUT

/posts/{id}

Admin

Update an article

Parameters

Parameter	In	Type	Description
id *	path	string	Post id

Request body (application/json, required)

Field	Type	Rules / notes
_id	string	
title	string	
slug	string	
excerpt	string	
content	string	Markdown
category	string	
status	string: draft published	
publishedAt	string (date-time)	

```
{
  "_id": "6a1f0c2e9b1d4c00000000bb",
  "title": "The Art of Leaving a Signature",
  "slug": "the-art-of-leaving-a-signature",
  "excerpt": "Why fragrance is more than a scent.",
  "category": "Brand Stories",
  "status": "published",
  "publishedAt": "2026-09-01T08:00:00.000Z",
  "readingMinutes": 4
}
```

Responses

Status	Meaning
200	Post
404	Not found (also returned for other people's orders).

Example response

```
{
  "_id": "6a1f0c2e9b1d4c00000000bb",
  "title": "The Art of Leaving a Signature",
  "slug": "the-art-of-leaving-a-signature",
  "excerpt": "Why fragrance is more than a scent.",
  "category": "Brand Stories",
  "status": "published",
  "publishedAt": "2026-09-01T08:00:00.000Z",
  "readingMinutes": 4
}
```

DELETE /posts/{id}

Admin

Delete an article

Parameters

Parameter	In	Type	Description
id *	path	string	Post id

Responses

Status	Meaning
200	Deleted

Example response

```
{
  "ok": true
}
```

Uploads

POST

/uploads

Signed in

Upload an image (admin)

JPG, PNG, WebP or AVIF up to 4 MB. Stored on Cloudinary when configured on the server, otherwise in MongoDB (served from /uploads/{name}). Returns the URL to save on the product or article.

Request body (multipart/form-data, required)

Field	Type	Rules / notes
file	string (binary)	

Responses

Status	Meaning
201	Uploaded
400	Invalid input. message says what to fix.
401	Missing, invalid or expired token.
403	Signed in, but not an admin.
413	Over 4 MB
502	Cloud storage rejected the upload

Example response

```
{
  "src": "https://res.cloudinary.com/dch8n8kxm/image/upload/albarakah/zafreon-bottle-k2x9q.webp",
  "storage": "cloud"
}
```

Part 3 — Data models

Shapes returned and accepted by the API. * marks required fields in requests.

Error

Field	Type	Rules / notes
code *	string: ADMIN_ONLY ALREADY_EXISTS ALREADY_PAID ALREADY_REVIEWED AUTH_REQUIRED CART_EMPTY CART_FULL CART_ITEM_NOT_FOUND CONFLICT EMAIL_NOT_CONFIGURED ERROR FORBIDDEN GONE IMPORT_EXPIRED IMPORT_NOT_PENDING INVALID_CREDENTIALS INVALID_EMAIL INVALID_PHONE INVALID_SPREADSHEET INVALID_UPLOAD NOT_FOUND ORDER_ALREADY_CANCELLED ORDER_NOT_DELIVERED ORDER_NOT_EDITABLE ORDER_NOT_FOUND OUT_OF_STOCK PAYLOAD_TOO_LARGE PAYMENT_NOT_CONFIGURED PAYMENT_PROVIDER_ERROR PAYMENT_VERIFICATION_FAILED PRODUCT_UNAVAILABLE RATE_LIMITED REFRESH_TOKEN_INVALID REGION_NOT_SUPPORTED RESET_TOKEN_INVALID SERVER_ERROR SERVICE_UNAVAILABLE UNAUTHORIZED UPLOAD_FAILED UPSTREAM_ERROR VALIDATION_ERROR WEAK_PASSWORD WRONG_PASSWORD	Stable, machine-readable. New codes may be added; existing ones never change.
message *	string	Human-readable, safe to show to the customer (English).

Example

```
{  
  "code": "OUT_OF_STOCK",  
  "message": "Only 2 of ZAFREON left in stock."  
}
```

User

Field	Type	Rules / notes
id	string	
name	string	
email	string (email)	

Field	Type	Rules / notes
role	string: customer admin	
phone	string	
address	object	
createdAt	string (date-time)	

Example

```
{
  "id": "6a1f0c2e9b1d4c0000000001",
  "name": "Mansi Shukla",
  "email": "mansi@example.com",
  "role": "customer",
  "phone": "+91 91259 19516",
  "address": {
    "line1": "12 Kamakhya Road",
    "line2": "",
    "city": "Lucknow",
    "state": "Uttar Pradesh",
    "postalCode": "226010",
    "region": "IN"
  },
  "createdAt": "2026-09-01T10:00:00.000Z"
}
```

AuthResult

Field	Type	Rules / notes
token	string	Access token (JWT), 7 days
refreshToken	string	Opaque, 60 days, single use: every refresh returns a new one
user	User	

Example

```
{
  "token": "eyJhbGciOiJIUzI1NiIs...\"",
  "refreshToken": "q3Zb7...Xk",
  "user": {
    "id": "6a1f0c2e9b1d4c0000000001",
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "role": "customer",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "line2": "",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010",
      "region": "IN"
    }
  },
  "createdAt": "2026-09-01T10:00:00.000Z"
}
```


Region

Field	Type	Rules / notes
code	string	
name	string	
currency	string	
ships	boolean	
taxLabel	string	
shipping	object	
payments	array of string: cod pay-on-confirmation online	
base	string	
fx	number	

Example

```
{
  "code": "IN",
  "name": "India",
  "currency": "INR",
  "ships": true,
  "taxLabel": "incl. GST",
  "shipping": {
    "flat": 99,
    "freeOver": 2999
  },
  "payments": [
    "cod",
    "pay-on-confirmation"
  ]
}
```

Product

A product as stored and returned.

Field	Type	Rules / notes
_id	string	
name	string	
slug	string	
subtitle	string	
tagline	string	
family	string	
description	string	
story	string	
sizeMl	number	
sizeLabel	string	
price	object	
compareAt	object	
stock	integer	min 0
category	string	

Field	Type	Rules / notes
badge	string	
theme	string: ivory onyx duo	
images	array of object	
video	object	
render	object	Cut-out bottle image
ar	object	Arabic copy (empty fields fall back to English)
notes	object	
wear	array of object	
mood	array of string	
occasions	array of string	
howToWear	string	
howToStore	string	
faq	array of object	
includes	array of string	
featured	boolean	
published	boolean	
sortOrder	integer	
seo	object	
createdAt	string (date-time)	
updatedAt	string (date-time)	

Example

```
{
  "_id": "6a1f0c2e9b1d4c0012345678",
  "name": "ZAFREON",
  "slug": "zafreon",
  "subtitle": "Eau de Parfum",
  "family": "Oriental Woody Oud",
  "price": {
    "INR": 2799,
    "AED": 129
  },
  "stock": 42,
  "images": [
    {
      "src": "https://res.cloudinary.com/dch8n8kxm/image/upload/albarakah/zafreon.webp",
      "alt": "ZAFREON bottle"
    }
  ],
  "notes": {
    "top": [
      {
        "name": "Saffron"
      }
    ],
    "heart": [
      {
        "name": "Rose"
      }
    ]
  },
  "base": [
    {
      "name": "Oud"
    }
  ]
}
```

```
    }  
  ],  
  "approved": true  
},  
"published": true,  
"featured": true  
}
```

ProductInput

Field	Type	Rules / notes
name *	string	
slug	string	Defaults to the name, slugified
price *	object	
stock	integer	min 0
images	array of object	
published	boolean	

CartItem

Field	Type	Rules / notes
slug	string	
name	string	
image	string	
sizeLabel	string	
qty	integer	min 1, max 10
unitPrice	number	
lineTotal	number	
stock	integer	
available	boolean	
message	string	

Cart

Field	Type	Rules / notes
region	string	
currency	string	
estimate	boolean	True for enquiry markets (indicative prices, order on WhatsApp)
ships	boolean	
items	array of CartItem	
count	integer	
subtotal	number	
shipping	number	
total	number	
freeShippingOver	number	

Example

```
{
  "region": "IN",
  "currency": "INR",
  "estimate": false,
  "ships": true,
  "count": 2,
  "subtotal": 5598,
  "shipping": 0,
  "total": 5598,
  "freeShippingOver": 2999,
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "sizeLabel": "100 ML / 3.4 FL.OZ.",
      "qty": 2,
      "unitPrice": 2799,
      "lineTotal": 5598,
      "stock": 42,
      "available": true,
      "message": null
    }
  ]
}
```

Wishlist

Field	Type	Rules / notes
items	array of object	

Example

```
{
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "subtitle": "Eau de Parfum",
      "image": "/media/render-zafreon.webp",
      "price": {
        "INR": 2799,
        "AED": 129
      },
      "inStock": true
    }
  ]
}
```

OrderInput

Field	Type	Rules / notes
region *	string: IN AE	Delivery market; other GCC markets order by WhatsApp
paymentMethod	string: cod pay-on-confirmation online	One of the region's `payments` in /settings, else the first allowed one is used. `online` = pay with Razorpay right after placing (see Payments).
items *	array of object	max items 20
customer *	object	
giftNote	object	

Example

```
{
  "region": "IN",
  "paymentMethod": "cod",
  "items": [
    {
      "slug": "zafreon",
      "qty": 1
    }
  ],
  "customer": {
    "name": "Mansi Shukla",
    "email": "mansi@example.com",
    "phone": "+91 91259 19516",
    "address": {
      "line1": "12 Kamakhya Road",
      "city": "Lucknow",
      "state": "Uttar Pradesh",
      "postalCode": "226010"
    }
  },
  "giftNote": {
    "enabled": false
  }
}
```

Order

An order as its customer sees it (no internal notes, courier links or account id).

Field	Type	Rules / notes
_id	string	
orderNumber	string	Immutable Order ID
trackingId	string	
status	string: Order Placed Confirmed Packed Shipped Out for Delivery Delivered Cancelled	
history	array of object	
currency	string: INR AED	
subtotal	number	
shipping	number	
total	number	
paymentMethod	string: cod pay-on-confirmation online	
paymentStatus	string: pending paid refunded	
customer	object	
giftNote	object	
carrier	string	
trackingNumber	string	
eta	string	Human date, e.g. 3 October 2026
createdAt	string (date-time)	
updatedAt	string (date-time)	
stages	array of string	The timeline to draw

Field	Type	Rules / notes
items	array of object	
taxLabel	string	
editable	object	
canPayOnline	boolean	True when POST /payments/razorpay/order can be started
edits	array of object	

Example

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "updatedAt": "2026-09-29T09:10:00.000Z",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
      "status": "Shipped",
      "at": "2026-09-30T10:00:00.000Z",
      "note": "Dispatched from Hyderabad."
    }
  ],
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "image": "/media/render-zafreon.webp",
      "qty": 1,
      "unitPrice": 2799,
      "lineTotal": 2799
    }
  ],
  "currency": "INR",
  "taxLabel": "incl. GST",
  "subtotal": 2799,
  "shipping": 99,
  "total": 2898,
  "paymentMethod": "cod",
  "paymentStatus": "pending",
  "customer": {
    ...
  }
}
```

AdminOrder

The full order document, for the team.

Field	Type	Rules / notes
_id	string	
user	string	Account id when placed signed in

Field	Type	Rules / notes
orderNumber	string	Immutable Order ID
trackingId	string	
status	string: Order Placed Confirmed Packed Shipped Out for Delivery Delivered Cancelled	
history	array of object	
currency	string: INR AED	
subtotal	number	
shipping	number	
total	number	
paymentMethod	string: cod pay-on-confirmation online	
paymentStatus	string: pending paid refunded	
customer	object	
giftNote	object	
carrier	string	
trackingNumber	string	
eta	string	Human date, e.g. 3 October 2026
createdAt	string (date-time)	
updatedAt	string (date-time)	
items	array of object	
carrierUrl	string	Customer tracking link (admin only)
notes	string	Internal notes
payment	object	
edits	array of object	

Example

```
{
  "_id": "6a1f0c2e9b1d4c00abcdef01",
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "createdAt": "2026-09-29T07:23:06.000Z",
  "updatedAt": "2026-09-29T09:10:00.000Z",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
      "status": "Shipped",
      "at": "2026-09-30T10:00:00.000Z",

```

```
    "note": "Dispatched from Hyderabad."
  },
],
"items": [
  {
    "slug": "zafreon",
    "name": "ZAFREON",
    "image": "/media/render-zafreon.webp",
    "qty": 1,
    "unitPrice": 2799,
    "lineTotal": 2799
  }
],
"currency": "INR",
"taxLabel": "incl. GST",
"subtotal": 2799,
"shipping": 99,
"total": 2898,
"paymentMethod": "cod",
"paymentStatus": "pending",
"customer": {
  ...
```

Tracking

Field	Type	Rules / notes
orderNumber	string	
trackingId	string	
status	string	
stages	array of string	
history	array of object	
carrier	string	
trackingNumber	string	
eta	string	
items	array of object	
city	string	
country	string	
createdAt	string (date-time)	

Example

```
{
  "orderNumber": "AB-26K7Q2M",
  "trackingId": "ABLK6KWBQJBS",
  "status": "Shipped",
  "stages": [
    "Order Placed",
    "Confirmed",
    "Packed",
    "Shipped",
    "Out for Delivery",
    "Delivered"
  ],
  "history": [
    {
      "status": "Order Placed",
      "at": "2026-09-29T07:23:06.000Z",
      "note": "We have received your order."
    },
    {
```



```
{
  "status": "Shipped",
  "at": "2026-09-30T10:00:00.000Z",
  "note": "Dispatched from Hyderabad."
},
{
  "carrier": "Delhivery",
  "trackingNumber": "26554968",
  "eta": "3 October 2026",
  "items": [
    {
      "slug": "zafreon",
      "name": "ZAFREON",
      "qty": 1,
      "image": "/media/render-zafreon.webp"
    }
  ],
  "city": "Lucknow",
  "country": "India",
  "createdAt": "2026-09-29T07:23:06.000Z"
}
```

Review

Field	Type	Rules / notes
_id	string	
name	string	
city	string	
country	string	
rating	integer	min 1, max 5
title	string	
body	string	
reply	string	
createdAt	string (date-time)	
verified	boolean	

Post

Field	Type	Rules / notes
_id	string	
title	string	
slug	string	
excerpt	string	
content	string	Markdown
category	string	
status	string: draft published	
publishedAt	string (date-time)	

Example

```
{
  "_id": "6a1f0c2e9b1d4c00000000bb",
  "title": "The Art of Leaving a Signature",
  "slug": "the-art-of-leaving-a-signature",
  "excerpt": "Why fragrance is more than a scent.",
}
```

```
{
  "category": "Brand Stories",
  "status": "published",
  "publishedAt": "2026-09-01T08:00:00.000Z",
  "readingMinutes": 4
}
```

Paged

Field	Type	Rules / notes
items	array of any	
total	integer	
page	integer	
pages	integer	
limit	integer	

Example

```
{
  "items": [
    "...",
  ],
  "total": 181,
  "page": 1,
  "pages": 4,
  "limit": 50
}
```

ImportJob

Field	Type	Rules / notes
id	string	
fileName	string	
status	string: previewed committed cancelled expired failed	
totals	object	
errors	array of object	
errorsTotal	integer	
warnings	array of object	
changes	array of object	
changesTotal	integer	
expiresAt	string (date-time)	

Example

```
{
  "id": "6a1f0c2e9b1d4c00000000cc",
  "fileName": "orders_last_7_days.xlsx",
  "status": "previewed",
  "totals": {
    "rows": 176,
    "updated": 0,
    "created": 0,
    "failed": 1,
    "skipped": 174,
    "warnings": 0
  }
}
```

```
{
  "errors": [
    {
      "row": 12,
      "orderId": "AB-26NOPE1",
      "field": "Order ID",
      "message": "No order has this Order ID. Check it for typos (Order IDs look like AB-26K7Q2M).  
New orders cannot be created from Excel; use Add Order."
    }
  ],
  "errorsTotal": 1,
  "warnings": [],
  "changes": [
    {
      "row": 5,
      "orderNumber": "AB-26K7Q2M",
      "diffs": [
        {
          "field": "Order Status",
          "from": "Confirmed",
          "to": "Shipped"
        },
        {
          "field": "Courier",
          "from": "",
          "to": "Delhivery"
        }
      ]
    }
  ],
  "changesTotal": 1,
  "expiresAt": "2026-09-29T08:23:06.000Z"
}
```