

# MantaPay Trusted Setup Protocol Specification

## v0.0.0

Francisco Hernandez, Todd Norton \*

September 21, 2022

### Abstract

We describe the protocol for the MantaPay trusted setup ceremony to generate prover and verifier keys for Groth16 ZK-SNARK proofs.

## Contents

<b>1</b>	<b>Context</b>	<b>2</b>
1.1	Groth16 Protocol . . . . .	2
1.2	MPC Parameter Generation . . . . .	2
1.3	Phase Structure . . . . .	2
<b>2</b>	<b>Scope</b>	<b>2</b>
<b>3</b>	<b>Definitions</b>	<b>2</b>
<b>4</b>	<b>Requirements</b>	<b>2</b>
4.1	Goals . . . . .	2
4.2	Non-Goals . . . . .	2
<b>5</b>	<b>Design</b>	<b>2</b>
5.1	Ceremony Protocol . . . . .	2
5.2	Server State Machine . . . . .	2
5.3	Client State Machine . . . . .	2
<b>6</b>	<b>References</b>	<b>2</b>

---

\*ordered alphabetically.

# 1 Context

The context is this. Definitely gonna cite Groth16 [1] at some point.

## 1.1 Groth16 Protocol

## 1.2 MPC Parameter Generation

## 1.3 Phase Structure

# 2 Scope

The scope is this

# 3 Definitions

**Definition 3.0.1** (Circuit). A circuit is ...

# 4 Requirements

## 4.1 Goals

## 4.2 Non-Goals

# 5 Design

## 5.1 Ceremony Protocol

## 5.2 Server State Machine

## 5.3 Client State Machine

# 6 References

## References

- [1] Jens Groth. On the size of pairing-based non-interactive arguments. In *EUROCRYPT (2)*, volume 9666 of *Lecture Notes in Computer Science*, pages 305–326. Springer, 2016.