

Code – Lab 5

```
<!DOCTYPE html>

<html>

<head>

<title>Lab 5 - String Validation</title>

<style>

*{margin:0;padding:0;box-sizing:border-box}

body{font-family:Arial;background:linear-gradient(135deg,#f4e4d7,#faf0e6);padding:2rem}

.h{background:linear-
gradient(135deg,#8B4513,#D2691E);color:white;padding:2rem;border-
radius:12px;margin-bottom:2rem;text-align:center}

.fs{background:white;padding:2rem;border-radius:12px;box-shadow:0 5px 20px
rgba(0,0,0,.1);max-width:800px;margin:0 auto}

h2{color:#8B4513;margin:1.5rem 0 1rem 0;font-size:1.1rem}

input,textarea{width:100%;padding:.8rem;border:2px solid #ddd;border-radius:6px;font-
size:1rem;font-family:Arial;margin-bottom:1rem}

input:focus,textarea:focus{outline:none;border-color:#D2691E;box-shadow:0 0 0 3px
rgba(210,105,30,.1)}

button{background:linear-
gradient(135deg,#D2691E,#8B4513);color:white;border:none;padding:.8rem 2rem;border-
radius:6px;cursor:pointer;font-weight:bold;width:100%;font-size:1rem}

button:hover{transform:translateY(-2px);box-shadow:0 5px 15px rgba(210,105,30,.3)}

.vr{padding:1rem;margin-top:1rem;border-radius:6px;display:none}

.vs{background:#d4edda;border:2px solid #28a745;color:#155724;display:block}

.ve{background:#f8d7da;border:2px solid #dc3545;color:#721c24;display:block}

.vc{list-style:none;padding-left:1rem}

.vc li{margin:.5rem 0}

</style>
```

```
</head>
```

```
<body>
```

```
<div class="h"><h1>🍌 String Validation</h1><p>String Methods & Type  
Conversion</p></div>
```

```
<div class="container" style="max-width:800px;margin:0 auto">
```

```
<div class="fs">
```

```
<h2>Order Information</h2>
```

```
<input type="text" id="n" placeholder="Full Name" required>
```

```
<input type="text" id="e" placeholder="Email" required>
```

```
<input type="text" id="p" placeholder="Phone (10 digits)" required>
```

```
<input type="text" id="a" placeholder="Address" required>
```

```
<input type="text" id="z" placeholder="Zipcode (5 digits)" required>
```

```
<input type="text" id="q" placeholder="Quantity (1-50)" required>
```

```
<textarea id="sr" placeholder="Special Requests" rows="3"></textarea>
```

```
<button onclick="val()">Validate Order</button>
```

```
<div id="res" class="vr"></div>
```

```
</div>
```

```
</div>
```

```
<script>
```

```
function val(){const r=document.getElementById('res'),err=[],suc=[];
```

```
const
```

```
n=document.getElementById('n').value.trim(),e=document.getElementById('e').value.trim(),
```

```
p=document.getElementById('p').value.trim(),a=document.getElementById('a').value.trim()
```

```
,z=document.getElementById('z').value.trim(),q=document.getElementById('q').value.trim()
```

```
;
```

```

if(n.length<3||n.length>50)err.push('Name: 3-50 chars');else if(!/^[a-zA-Z\s]+$/.test(n))err.push('Name: letters only');else suc.push('Name valid: '+n);

if(!e.includes('@')||!e.includes('.'))err.push('Email: @ and . required');else suc.push('Email
valid: '+e);

const ph=p.replace(/\D/g,"");if(ph.length!==10||isNaN(parseInt(ph)))err.push('Phone: 10
digits required');else suc.push('Phone valid: '+ph);

if(a.length<5)err.push('Address: min 5 chars');else suc.push('Address valid');

const zc=z.replace(/\D/g,"");if(zc.length!==5||isNaN(parseInt(zc)))err.push('Zipcode: 5
digits');else suc.push('Zipcode valid: '+zc);

const qn=parseInt(q);if(isNaN(qn)||qn<1||qn>50)err.push('Quantity: 1-50 range');else
suc.push('Quantity valid: '+qn);

let h="";if(err.length===0&&suc.length>0){h='<strong>✓ Form Valid!</strong><ul
class="vc">';suc.forEach(s=>h+='<li>'+s+'</li>');h+='</ul>';r.className='vr
vs'}else{h='<strong>X Errors:</strong><ul
class="vc">';err.forEach(e=>h+='<li>'+e+'</li>');h+='</ul>';r.className='vr ve'}

r.innerHTML=h;

}

</script>

</body>

</html>

```

Output –

 **String Validation**
String Methods & Type Conversion

Order Information

Full Name

Email

Phone (10 digits)

Address

Zipcode (5 digits)

Quantity (1-50)

Special Requests

Validate Order