

Maintenance Standard Operating Procedure (SOP)

Document ID: SOP-003 | Version: 3.1 | Effective Date: February 1, 2024 | Owner: Facilities & IT

1. Objective

This SOP provides standardized procedures for the preventive and corrective maintenance of all company assets including IT equipment, office facilities, and specialized machinery to minimize downtime and extend asset lifespan.

2. Definitions

Preventive Maintenance (PM): Scheduled, routine maintenance performed to prevent failures before they occur.

Corrective Maintenance (CM): Unplanned maintenance to repair a failed or malfunctioning asset.

Mean Time Between Failures (MTBF): Average time elapsed between asset failures; used to schedule PM intervals.

3. Preventive Maintenance Schedule

Frequency	Asset Type	Tasks
Daily	Servers & Network Gear	Check error logs, verify backup completion, review bandwidth utilization
Weekly	All Workstations	Run antivirus scans, clear temp files, check for OS updates
Monthly	Office HVAC & UPS	Filter cleaning, battery health check, voltage testing
Quarterly	All IT Assets	Full hardware diagnostic, firmware updates, cable management review
Annually	Building Facilities	Full electrical inspection, plumbing check, fire suppression test

4. Corrective Maintenance Procedure

Step 1 – Report: Employee reports the issue via the Help Desk portal (tickets@acmecorp.com) or calls ext. 5500.

Step 2 – Triage: Help Desk classifies the ticket by severity: Critical (P1), High (P2), Medium (P3), Low (P4).

Step 3 – Assignment: Ticket is assigned to the appropriate team (IT, Facilities, or third-party vendor).

Step 4 – Resolution: Technician diagnoses and repairs the asset, documenting all actions taken.

Step 5 – Testing: Repaired asset is tested and confirmed operational before returning to service.

Step 6 – Closure: Ticket is closed, and the maintenance log in AMS is updated with parts used, labor hours, and root cause.

5. Priority Response Times

Priority	Description	Response Time	Resolution Time
P1 – Critical	Full system outage	15 minutes	4 hours
P2 – High	Major function degraded	1 hour	8 hours
P3 – Medium	Minor function impacted	4 hours	48 hours
P4 – Low	Cosmetic/non-critical	1 business day	5 business days

6. Safety Requirements

All maintenance personnel must:

- Wear appropriate PPE (gloves, anti-static wrist straps for electronics)
- Lock out / tag out (LOTO) electrical systems before servicing
- Follow chemical handling protocols for cleaning agents
- Never work alone on high-voltage systems
- Report any safety incidents immediately to the Facilities Manager