

KATASHI

Impact Wrenches
Screw Drivers
Drills
Ratchets
Die Grinders
Angle Grinders

Sanders & Polishers
Hammers
Riveters
Torque Wrenches
Electrical Screw Drivers
Airline Accessories

Innovative Performance



Hi-Performance Industrial Tools



www.katashiinternational.com



Welcome to
KATASHI INTERNATIONAL

We believe that "Innovation is the key to technical & economic development."

This has helped us to develop katashi, offering supreme quality for unmatched pricing. We are professional techno-commercial managers aiming to empower industries by reducing cost.

With over 27 years of industrial application experience, we have successfully introduced a wide range of products which are best suitable for various applications at the most affordable prices.

Our past experience has taught us to keep innovating while making our products cost-effective. We keep our products strong and tough, more like ourselves!





IW-381S

Bolt Size (MM): 6-8
Free Speed (RPM): 8500
Max Torque NM(FT-LB): 85 (62)
Overall Length: 200
Weight (KG): 1.1
Air Inlet: 1/4"



IW-382S

Bolt Size (MM): 10-12
Free Speed (RPM): 7700
Max Torque NM(FT-LB): 125 (92)
Overall Length: 225
Weight (KG): 1.2
Air Inlet: 1/4"



IW-383S

Bolt Size (MM): 10-14
Free Speed (RPM): 8200
Max Torque NM(FT-LB): 150 (110)
Overall Length: 220
Weight (KG): 1.3
Air Inlet: 1/4"



IW-384S (Butterfly)

Bolt Size (MM): 6-6
Free Speed (RPM): 11000
Max Torque NM(FT-LB): 90 (66)
Overall Length: 160
Weight (KG): 0.9
Air Inlet: 1/4"



IW-385P

Bolt Size (MM): 6-10
Free Speed (RPM): 10000
Max Torque NM(FT-LB): 100 (74)
Overall Length: 127
Weight (KG): 1.1
Air Inlet: 1/4"



IW-386P

Bolt Size (MM): 6-12
Free Speed (RPM): 10000
Max Torque NM(FT-LB): 220 (162)
Overall Length: 166
Weight (KG): 1.3
Air Inlet: 1/4"



IW-3810P

Bolt Size (MM): 8-12
Free Speed (RPM): 8800
Max Torque NM(FT-LB): 120 (89)
Overall Length: 200
Weight (KG): 1.1
Air Inlet: 1/4"



IW-3811P

Bolt Size (MM): 8-12
Free Speed (RPM): 10000
Max Torque NM(FT-LB): 270 (200)
Overall Length: 165
Weight (KG): 1.6
Air Inlet: 1/4"



IW-388A

Bolt Size (MM): 6-8
Free Speed (RPM): 5200
Max Torque NM(FT-LB): 55 (41)
Overall Length: 200
Weight (KG): 1.1
Air Inlet: 1/4"



IW-3881CP

Bolt Size (MM): 8-14
Free Speed (RPM): 9500
Max Torque NM(FT-LB): 580 (428)
Overall Length: 121
Weight (KG): 1.3
Air Inlet: 1/4"



IW-3803P

Bolt Capacity : 6~12 mm.
RPM : 11000
Max Torque NM(FT-LB): 475(350)
Length : 126 mm
Weight : 1.4 Kg
Air Inlet : 1/4"



IW-3809P

Bolt Capacity : 16 mm
RPM : 9000
Max Torque NM(FT-LB): 450 (330)
Length : 150 mm
Weight : 1.7 kg.

KATASHI | IMPACT WRENCH - 1/2"



IW-1221CP

Bolt Size (MM): 10-16
Free Speed (RPM): 7200
Max Torque NM(FT-LB): 720 (531)
Overall Length: 150
Weight (KG): 1.6
Air Inlet: 1/4"



IW-1231P

Bolt Size (MM): 10-16
Free Speed (RPM): 8400
Max Torque NM(FT-LB): 520 (384)
Overall Length: 190
Weight (KG): 2.0
Air Inlet: 1/4"



IW-1236CP

Bolt Size (MM): 8~16 mm.
Free Speed (RPM): 10500
Max Torque NM(FT-LB): 575 (425)
Overall Length: 190
Weight (KG): 1.3
Air Inlet: 1/4"



IW-124P

Bolt Size (MM): 10-16
Free Speed (RPM): 8000
Max Torque NM(FT-LB): 670 (495)
Overall Length: 195
Weight (KG): 2.6
Air Inlet: 1/4"



IW-125CP

Bolt Size (MM): 12-20
Free Speed (RPM): 10000
Max Torque NM(LB-FT): 750(550)
Overall Length: 193
Weight (KG): 2.0
Air Inlet: 1/4"



IW-128CP

Bolt Size (MM): 28 mm
Free Speed (RPM): 8700
Max Torque NM(FT-LB): 1500 (1100)
Overall Length: 148
Weight (KG): 1.55



IW-1209P

Bolt Size (MM): 18
Free Speed (RPM): 7200
Max Torque NM(LB-FT): 850 (625)
Overall Length: 190
Weight (KG): 2.7



IW-344P

Bolt Size (MM): 14~30
 Free Speed (RPM): 4700
 Max Torque NM(FT-LB): 1450 (1070)
 Overall Length: 210
 Weight (KG): 4.2
 Air Inlet: 3/8"



IW-345CP

Bolt Size (MM): 16-30
 Free Speed (RPM): 4600
 Max Torque NM(FT-LB): 1600 (1180)
 Overall Length: 240
 Weight (KG): 3.6
 Air Inlet: 3/8"



IW-3409P

Bolt Size (MM): 16-30
 Free Speed (RPM) : 5100
 Max Torque NM(LB-FT): 1500 (1100)
 Overall Length (mm): 230
 Weight (KG): 4.9



IW-3461P

Bolt Size (MM): 16-28
 Free Speed (RPM): 5200
 Max Torque NM(FT-LB): 1250 (922)
 Overall Length: 255
 Weight (KG): 4.6
 Air Inlet: 1/4"

KATASHI | IMPACT WRENCH - 1"



IW-112P

Bolt Size (MM): 24-44
 Free Speed (RPM): 3500
 Max Torque NM(FT-LB): 3250 (2398)
 Overall Length: 305
 Weight (KG): 11.8
 Air Inlet: 1/2"



IW-115-6S

Bolt Size (MM): 45
 Free Speed (RPM): 3500
 Max Torque NM(FT-LB): 3300(2430)
 Overall Length: 625
 Weight (KG): 14.5



IW-116-6S

Bolt Size (MM): 24-44
 Free Speed (RPM): 3200
 Max Torque NM(FT-LB): 3250 (2398)
 Overall Length: 620
 Weight (KG): 14.5
 Air Inlet: 1/2"



IW-1109P

Bolt Size (MM): 32
 Free Speed (RPM): 5100
 Max Torque NM(FT-LB): 2400(1770)
 Overall Length (MM) : 290
 Weight (KG) : 9.5

KATASHI | SCREW DRIVERS



SD-04SQC

Capacity (MM): M5-8
 Free Speed (RPM): 9000
 Max Torque (NM): 80
 Overall Length: 210
 Weight (KG): 1.0
 Hex Shank: 1/4"



SD-05SQC

Capacity (MM): M 5-6
 Free Speed (RPM): 9500
 Max Torque (NM): 35
 Overall Length: 185
 Weight (KG): 0.7
 Hex Shank: 1/4"



SD-06PQC

Capacity (MM): M5-8
 Free Speed (RPM): 8500
 Max Torque (NM): 55
 Overall Length: 165
 Weight (KG): 0.85
 Hex Shank: 1/4"



SD-09PQC

Capacity (MM): M 6-10
Free Speed (RPM): 7500
Max Torque (NM): 100
Overall Length: 175
Weight (KG): 1.2
Hex Shank: 1/4"



SD-10PQC

Capacity (MM): M5-8
Free Speed (RPM): 9000
Max Torque (NM): 90
Overall Length: 185
Weight (KG): 1.1
Hex Shank: 1/4"



SD-11PQCC

Capacity (MM): M4-6
Free Speed (RPM): 1800
Max Torque (NM): 3-12
Overall Length: 215
Weight (KG): 1.2
Hex Shank: 1/4"



SD-14SCQC

Capacity (MM): 2-6
Free Speed (RPM): 2000
Max Torque (NM): 0.5-7.5
Overall Length : 245
Weight (KG): 0.9
Hex Shank: 1/4"



SD-15SQC

Capacity (MM): 6-12
Free Speed (RPM): 8500
Max Torque (NM): 30-110
Overall Length: 200
Weight (KG): 1.1
Hex Shank: 1/4"



SD-41SQC

Capacity (MM): 8
Free Speed (RPM): 10500
Max Torque (NM): 45
Overall Length: 205
Weight (KG): 1.1
Hex Shank: 1/4"



SD-90PQC

Capacity (MM): 6-10
Free Speed (RPM): 10500
Max Torque (NM): 10-40
Overall Length: 140
Weight (KG): 0.8
Hex Shank: 1/4"



SD-91PQC

Capacity (MM): 6-12
Free Speed (RPM): 9000
Max Torque (NM): 30-110
Overall Length: 185
Weight (KG): 1.2
Hex Shank: 1/4"



SD-92AQC

Capacity (MM): 6-10
Free Speed (RPM): 5200
Max Torque (NM): 15-50
Overall Length: 225
Weight (KG): 1.3
Hex Shank: 1/4"



SD-93PQC

Capacity (MM): 6-10
Free Speed (RPM): 9000
Max Torque (NM): 25-135
Overall Length: 160
Weight (KG): 1.2
Hex Shank: 1/4"



DM-102SHL (Tire Buffer)

Drive/Shank: 3/8"
Power (HP): 0.8
Free Speed (RPM): 22000
Overall Length: 180
Weight (KG): 0.7
Air Inlet: 1/4"



DM-104SLR

Drive/Shank: 3/8"
Capacity (MM): 10
Free Speed (RPM): 1800
Overall Length: 203
Weight (KG): 1.1
Air Inlet: 1/4"



DM-105PR (Reversible)

Drive/Shank: 3/8"
Capacity (MM): 10
Free Speed (RPM): 1800
Overall Length: 190
Weight (KG): 1.1
Air Inlet: 1/4"



DM-106AR

Drive/Shank: 3/8"
Power (HP): 1.0
Free Speed (RPM): 500
Overall Length: 180
Weight (KG): 1.1
Air Inlet: 1/4"



DM-108PR

Drive/Shank: 3/8"
Power (HP): 0.8
Free Speed (RPM): 3500
Overall Length: 190
Weight (KG): 1.1
Air Inlet: 1/4"



DM-134PR (Reversible)

Drive/Shank: 1/2"
Capacity (MM): 12
Free Speed (RPM): 800
Overall Length: 230
Weight (KG): 1.8
Air Inlet: 1/4"



DM-138PR (Air Tapping/Drill)

Drive/Shank: 1/2"
Power (HP): 1.0
Free Speed (RPM): 500
Overall Length: 180
Weight (KG): 1.1
Air Inlet: 1/4"



DM-135PRT (Air Tapping/Drill)

Drive/Shank: 1/2"
Capacity (MM): 12
Free Speed (RPM): 700
Overall Length: 205
Weight (KG): 1.6
Air Inlet: 1/4"



RW-389HS ((High Speed))

Drive/Shank: 3/8"
Capacity (NM): 180
Free Speed (RPM): 7000
Overall Length: 340
Weight (KG): 1.8
Air Inlet: 1/4"



RW-387

Drive/Shank: 3/8"
Capacity (NM): 68
Free Speed (RPM): 170
Overall Length: 230
Weight (KG): 1.8
Air Inlet: 1/4"



RW-122C

Drive/Shank: 1/2"
Capacity (NM): 120
Free Speed (RPM): 280
Overall Length: 275
Weight (KG): 1.2
Air Inlet: 1/4"

KATASHI | DIE GRINDERS

MDG-03S



Free Speed (RPM): 60000
Collet Size (MM) : 3
Overall Length (MM): 130
Weight (KG): 0.2
Air Inlet: 1/4"

MDG-036S



Free Speed (RPM): 32000
Collet Size (MM) : 3
Overall Length (MM): 140
Weight (KG): 0.3
Air Inlet: 1/4"

DG-060S



Free Speed (RPM): 35000
Collet Size (MM) : 6
Overall Length (MM): 124
Weight (KG): 0.45
Air Inlet: 1/4"

DG-061S



Free Speed (RPM): 20000
Collet Size (MM) : 6
Overall Length (MM): 147
Weight (KG): 0.65
Air Inlet: 1/4"

DG-062S



Free Speed (RPM): 35000
Collet Size (MM) : 6
Overall Length (MM): 145
Weight (KG): 0.6
Air Inlet: 1/4"

DG-063S SL-RH



Free Speed (RPM): 15000
Collet Size (MM) : 6
Overall Length (MM): 340
Weight (KG): 1.55
Air Inlet: 1/4"



DG-064S

Free Speed (RPM): 22000
Collet Size (MM) : 6
Overall Length (MM): 165
Weight (KG): 0.6
Air Inlet: 1/4"



DG-065S

Free Speed (RPM): 20000
Collet Size (MM) : 6
Overall Length (MM): 170
Weight (KG): 0.7
Air Inlet: 1/4"



DG-066S-RH

Free Speed (RPM): 24000
Collet Size (MM) : 6
Overall Length (MM): 170
Weight (KG): 0.7
Air Inlet: 1/4"



DG-067 SL-RH

Free Speed (RPM): 18000/21000
Collet Size (MM) : 6
Overall Length (MM): 317
Weight (KG): 2.45
Air Inlet: 1/4"



DG-068A

Free Speed (RPM): 20000
Collet Size (MM) : 6
Overall Length (MM): 160
Weight (KG): 0.5
Air Inlet: 1/4"



DG-069A-HD

Free Speed (RPM): 15000
Collet Size (MM) : 6
Overall Length (MM): 188
Weight (KG): 0.7
Air Inlet: 1/4"



DG-610S

Free Speed (RPM): 21000
Collet Size (MM) : 6
Overall Length (MM): 140
Weight (KG): 0.4
Air Inlet: 1/4"



DG-661S

Free Speed (RPM): 24000
Collet Size (MM) : 6
Overall Length (MM): 180
Weight (KG): 0.6
Air Inlet: 1/4"



DG-662SHD

Free Speed (RPM): 22000
Collet Size (MM) : 6
Overall Length (MM): 170
Weight (KG): 0.55
Air Inlet: 1/4"



DG-668AC

Free Speed (RPM): 18000
Collet Size (MM) : 6
Overall Length (MM): 175
Weight (KG): 0.7
Air Inlet: 1/4"



DG-669SLL

Free Speed (RPM): 22000
Collet Size (MM): 6
Overall Length (MM): 205
Weight (KG): 0.66
Air Inlet: 1/4"



SDG-7140

Free Speed (RPM): 6000
Overall Length (MM): 535
Weight (KG): 5.2
Air Inlet: 1/4"

KATASHI | ANGLE GRINDERS



AG-25L

Capacity MM (Inch): 52 (2")
Free Speed (RPM): 15000
Overall Length (MM): 175
Weight (KG): 0.6
Air Hose ID (MM): 8



AG-27R

Capacity MM (Inch): 52 (2")
Free Speed (RPM): 15000
Overall Length (MM): 155
Weight (KG): 0.6
Air Hose ID (MM): 8




AG-42L

Capacity MM (Inch): 102 (4")
Free Speed (RPM): 12000
Overall Length (MM): 242
Weight (KG): 1.9
Air Hose ID (MM): 8



AG-44R

Capacity MM (Inch): 102 (4")
Free Speed (RPM): 13500
Overall Length (MM): 246
Weight (KG): 1.3
Air Hose ID (MM): 8



AG-45L

Capacity MM (Inch): 102 (4")
Free Speed (RPM): 13500
Overall Length (MM): 246
Weight (KG): 1.3
Air Hose ID (MM): 8



AG-46R

Capacity MM (Inch): 102 (4")
Free Speed (RPM): 13500
Overall Length (MM): 215
Weight (KG): 1.7
Air Hose ID (MM): 8



AG-47CL

Capacity MM (Inch): 102(4")
Free Speed (RPM): 12000
Overall Length (MM): 247
Weight (KG): 1.6
Air Hose ID (MM): 8



AG-52L

Capacity MM (Inch): 127 (5")
Free Speed (RPM): 12000
Overall Length (MM): 242
Weight (KG): 1.9
Air Hose ID (MM): 8



AG-57CL

Capacity MM (Inch): 127(5")
Free Speed (RPM): 12000
Overall Length (MM): 247
Weight (KG): 1.6
Air Hose ID (MM): 8

KATASHI | SANDERS & POLISHERS



HS-06

Pad Size (inch-mm): 3", 4", 5"
Free Speed (RPM): 16000
Overall Length (NM): 160
Weight (KG): 1.1
Air Inlet: 1/4"



ROS-039P

Pad Size (inch-mm): 3"
Free Speed (RPM): 16000
Overall Length (NM): 86
Weight (KG): .0.7
Air Inlet: 1/4"



ROS-050

Pad Size (inch-mm): 5" (127 mm)
Free Speed (RPM): 10000
Weight (KG): 0.9
Air Inlet: 1/4"



ROS-051

Pad Size (inch-mm): 5" (127 mm)
Free Speed (RPM): 10000
Weight (KG): 0.95
Air Inlet: 1/4"



ROS-052

Pad Size (inch-mm): 5" (127 mm)
Free Speed (RPM): 11000
Weight (KG): 1
Air Inlet: 1/4"



ROS-055

Pad Size (inch-mm): 5" (127 mm)
Free Speed (RPM): 12000
Overall Length (NM): 150 mm
Weight (KG): 0.75
Air Inlet: 1/4"




BS-10S

Belt Size (inch-mm): 10x330
 Free Speed (RPM): 16000
 Overall Length (NM): 290
 Weight (KG): 0.8
 Air Inlet: 1/4"



BS-20S

Belt Size (inch-mm): 20x520
 Free Speed (RPM): 16000
 Overall Length (NM): 375
 Weight (KG): 1.3
 Air Inlet: 1/4"



AP-35P

Pad Size (inch-mm): 3" (76 mm)
 Free Speed (RPM): 3200
 Overall Length (NM): 160
 Weight (KG): 0.9
 Air Inlet: 1/4"



AP-36P

Pad Size (inch-mm): 3" (76 mm)
 Free Speed (RPM): 2500
 Overall Length (NM): 115
 Weight (KG): .8
 Air Inlet: 1/4"

KATASHI | AIR HAMMERS



AH-75RH

Shank Size: 0.401"
 Piston Stroke (MM): 70
 Blows Per Minute: 2800
 Overall Length (NM): 160
 Net Weight (KG): 1.6



AH-76RC

Shank Size: 0.401"
 Piston Stroke (MM): 80
 Blows Per Minute: 3000
 Overall Length (NM): 215
 Net Weight (KG): 1.6



CH-78-3H

Shank Size: 14.7 MM
 Piston Stroke (MM): 76
 Blows Per Minute: 1950
 Overall Length (NM): 380
 Net Weight (KG): 6.5



DH-79

Shank Size: 1-1.4" x 6"
 Piston Stroke (MM): 165
 Blows Per Minute: 1200
 Overall Length (NM): 710
 Net Weight (KG): 3.7



AH-71L

Blows Per Minute: 4200
 Overall Length (NM): 257
 Net Weight (KG): 2



AH-72LNS

Blows Per Minute: 4200
 Overall Length (NM): 450
 Net Weight (KG): 3.1



AR-7711

Blows Per Minute: 800
 Overall Length (NM): 460
 Net Weight (KG): 4.2



HR-3164K

Rivet Capacity (mm):

3/32" (2.4), 1/8" (3.2)

5/32" (4.0), 3/16" (4.8)

Stroke Length (mm) : 16

Traction Power (LBS/KG): 1888/855

Overall Length (mm): 270

Weight (KG): 1.4



HR-3166HD

Rivet Capacity (mm):

3/32" (2.4), 1/8" (3.2)

5/32" (4.0), 3/16" (4.8)

Stroke Length (mm) : 16

Traction Power (LBS/KG): 1987/900

Overall Length (mm): 295

Weight (KG): 1.4



HR-147HD

Rivet Capacity (mm):

3/32" (2.4), 1/8" (3.2)

5/32" (4.0), 3/16" (4.8)


1/4" (6.4)

Stroke Length (mm) : 15

Traction Power (LBS/KG): 3577/1620

Overall Length (mm): 275

Weight (KG): 1.8



HR-3168Y

Rivet Capacity (mm):

3/32" (2.4), 1/8" (3.2)


5/32" (4.0), 3/16" (4.8)

Stroke Length (mm) : 16

Traction Power (LBS/KG): 2600/1180

Overall Length (mm): 250

Weight (KG): 1.4



RNT-08P

Rivet Capacity (mm): 8 & 10

RPM : 600

Overall Length (mm): 185

Weight (KG): 1.3

KATASHI | TORQUE WRENCHES



TW-25

Square Drive: 3/8"

Torque Range (NM): 5-25

Accuracy: +-3%

Overall Length (mm): 280

Weight (KG): 0.55



TW-110

Square Drive: 3/8"

Torque Range (NM): 20-110

Accuracy: +-3%

Overall Length (mm): 365

Weight (KG): 0.85



TW-210

Square Drive: 1/2"

Torque Range (NM): 42-210

Accuracy: +-3%

Overall Length (mm): 470

Weight (KG): 1.35



DTW-141

Square Drive: 1/4"
Torque Range (NM): 1.5-30
Accuracy: +-2%
Overall Length (mm): 390
Weight (KG): 0.75



DTW-381

Square Drive: 3/8"
Torque Range (NM): 7-135
Accuracy: +-2%
Overall Length (mm): 415
Weight (KG): 1



DTW-121

Square Drive: 1/2"
Torque Range (NM): 10-200
Accuracy: +-2%
Overall Length (mm): 530
Weight (KG): 1.35

KATASHI | ELECTRICAL SCREWDRIVERS



ESS145-DC

Free Speed (RPM): 1150
Input (Volt): 36
Torque (KGF.CM): 3-35
Clutch Accuracy: 3%
Weight (KG): 0.5
Noise Label (DBA): 55



ESS146-AC

Free Speed (RPM): 1000
Input (Volt): 200-240
Torque (KGF.CM): 3-30
Clutch Accuracy: 3%
Weight (KG): 0.5
Noise Label (DBA): 65



ESS147-AC

Free Speed (RPM): 1000
Input (Volt): 200-240
Torque (KGF.CM): 5-60
Clutch Accuracy: 3%
Weight (KG): 0.6
Noise Label (DBA): 65



ESP148-AC

Free Speed (RPM): 1000
Input (Volt): 200-240
Torque (KGF.CM): 5-60
Clutch Accuracy: 3%
Weight (KG): 0.6
Noise Label (DBA): 65



ESA149-AC

Free Speed (RPM): 900
Input (Volt): 200-240
Torque (KGF.CM): 5-60
Clutch Accuracy: 3%
Weight (KG): 0.7
Noise Label (DBA): 65

AIR BODY SAW



AS-6900

Cutting Capacity: 1.5 mm Steel/
2.8 mm Aluminium
Strokes per minute: 10000 bpm
Stroke Length: 10mm
Length: 220 mm
Weight: 0.45 kg.

RUST AND PAINT REMOVER KIT



RPR-09

RPM: 4000
Length: 254mm
Weight: 1.2 kg.

ENGRAVING PEN



EP-9311

Blows (Per Minute) : 3600 rpm
Diameter : 16mm
Length : 170mm
Weight : 0.2 kg.

ACCESSORIES



FRL Oil



RECOIL HOSE & BRAIDED HOSE

BALANCER

Katashi International Pvt. Ltd.

D-12, Sector-1, HSIIDC Complex, IMT Manesar

Gurgaon, Haryana-122050, INDIA.

Web : www.katashiinternational.com

Authorised Distributor :

