

# Ralli Wolf

Power Tools | Welding Equipment | Air Tools | Motors | Farm Equipment



**Ralli Wolf®**

[www.ralliwolf.com](http://www.ralliwolf.com)

## DRILL

**Ratti Wolf**

### COMPACT DRILL 12110 10mm

235V - 50Hz

550 Watts, 0-2500 r.p.m.,  
Variable / Reversible, 1.9 Kg.



### PLAIN DRILL RD-10 10mm

235V - 50HZ

500 Watts, Variable & Reversible,  
0-2800 r.p.m., 1.3 kg.



### ROTARY DRILL RW10 10mm

235V - 50HZ

650 Watts, 1250 r.p.m.,  
1.7 kg. (Supply is without chuck)



### SCREW DRIVER DRILL RW-SD10 10mm

235V - 50HZ

400W, 0-750r/min,  
1.7Amps., 20+1, 1.3kg



### IMPACT DRILL RW13 13mm

235V - 50HZ

650 Watts, 1800 r.p.m., 2 kg.  
*Also suitable for skirt polisher.*



### IMPACT DRILL 16130 13mm / 18130 13mm

235V - 50HZ

550 Watts / 700 Watts, Variable / Reversible  
0-2650 r.p.m. / 0-2800 r.p.m.,  
1.8 kg./ 2 kg.



### PROFESSIONAL IMPACT DRILL KIT RDK-13 13mm

235V - 50HZ

Variable & Reversible,  
500 Watts, 0-3000 r.p.m.,  
0-48000 BPM, 4 kg.



### CONCRETE VIBRATOR RW-CV35-3

235V - 50HZ

1100W, 4400r/min, 35mm,  
3M, 5Amps., Double insulated, 2.4kg



**NEW**



### CONCRETE VIBRATOR RW-CV35

235V

850W, 4000 r.p.m., 35mm,  
1.5M, 3.7 Amps, 2kg.



### ELECTRIC MIXER RPM-16 160mm

235V - 50HZ

1000W, 1000r/min,  
M12, 4.5Amps., 3.5kg



### 12V CORDLESS DRIVER DRILL RCD 12V

**NEW**

12V, 1500Mah, 10mm/15mm  
0-400/0-1450r/min, 25Nm, 0.8 kg.



### 18V CORDLESS DRIVER DRILL RCD 18V

**NEW**

18V, 1500Mah, 10mm/15mm  
0-400/0-1450r/min, 30Nm, 1.1 kg.



### DIAMOND CORE DRILL RDD110

**NEW**

12-110mm, 230V,  
2080W, 2100 r.p.m.



### DIAMOND CORE DRILL RDD200

**NEW**

15-205mm, 230V,  
3900W, 580 r.p.m.



## DRILLS

### 300N.m PROFESSIONAL IMPACT WRENCH RW300-I

235V - 50Hz



450W, 2600r.p.m.  
300N.m, 1/2" 2 Amps, 3.3kg.

NEW



### PROFESSIONAL ROTARY HAMMER RW-22H 22mm / RW-22-3M 22mm

235VAC - 50Hz

650/800W, 0-850/0-1400 RPM,  
0-3900/0-4400 BPM, 1.5J/2.2 J,  
22mm, 2.9/2.6 Amps., 2.7kg./ 2.5kg

NEW



### DEMOLITION HAMMER RW-11EH 11kg

235VAC - 50Hz

1500 Watts, 1300 BPM  
120-250 / min, 6-25J, 10.1 kg.



## GRINDER

### DIE GRINDER RDG25 6mm

235V / 115V - 50Hz

6mm (collet), 420 Watts  
25000 r.p.m., 1.9kg.



### DIE GRINDER RDG600 6mm

235V - 50Hz

6mm (collet), 550 Watts  
27000 r.p.m., 1.8kg.



### LIGHT DUTY ANGLE GRINDER 25100 100mm

235V - 50Hz

ø100xø16x5.5mm, 650 Watts  
M10, 11000 r.p.m., 1.6kg.



### ANGLE GRINDER RG8-100 100mm

235V / 115V-50Hz

ø100xø16x6mm, 850 Watts,  
M10, 10500 r.p.m., 1.7kg.



### ANGLE GRINDER RF9-100 100mm

235V

ø100xø16x5.5mm, 900 Watts,  
M10, 11000 r.p.m., 3.6A, 1.7kg.



NEW

### ANGLE GRINDER RWG610E 100mm

235V

ø100xø16x5.5mm, 750 Watts,  
M10, 11000 r.p.m., 3.2A, 1.5kg.



NEW

### ANGLE GRINDER AG100 100mm

235V / 115V - 50Hz

ø100xø16x6mm, 1020 Watts,  
M10, 10500 r.p.m., 2kg.



### ANGLE GRINDER 45100 100mm

235V - 50Hz

ø100xø16x5mm, 850 Watts  
M10, 11000 r.p.m., 1.7kg.



## HAMMERS

**Ratti Wolf**

### PROFESSIONAL ROTARY HAMMER RW-26H 26mm, SPS Plus

235VAC - 50Hz

800W, 3.4Amps  
0-4900 BPM, 3J  
Variable & Reversible  
0-1100 /min, 3.1kg.



### DEMOLITION HAMMER RW15H 15kg

235VAC - 50Hz

1500W, 1850 BPM  
45 J, 6.38A, 15kg



### DEMOLITION HAMMER RW-5EH 5kg

235VAC - 50Hz

1200 Watts, 1400 BPM  
4100 / min-1, 10J, 6.07kg.



## GRINDERS

**Ratti Wolf**

### LIGHT DUTY ANGLE GRINDER

35135 125mm

235V / 115V-50Hz



ø125xø22x5.5mm, 1350 Watts  
M14, 9000 r.p.m., 3.1 kg.



### LIGHT DUTY ANGLE GRINDER

AG125 125mm

235V AC -50Hz



ø125xø22x6mm, 1020 Watts  
M14, 10500 r.p.m., 4.8A, 2kg.



### ANGLE GRINDER

60145 125mm

235V - 50Hz



Electronic overload protection, Soft start feature,  
1400W, 3000-11000r/min, 22.2mm,  
M14, 7.6Amps., 2.8kg



### ANGLE GRINDER

45125H 125mm

235V - 50Hz



ø125xø22.23x6mm, 850 Watts  
M14, 11000 r.p.m., 1.8 kg.



### ANGLE GRINDER

55145 125mm

235V - 50Hz



ø125xø22.0x5.5mm, 1400Watts,  
M14, 10000 r.p.m., 3.2 kg



### ANGLE GRINDER

22180 180mm /  
24180 180mm

235V - 50Hz



ø180xø22x5.5mm, 2200 Watts / 2400 Watts,  
M14, 8500 r.p.m., 4.62 kg./ 5.91 kg.



### ANGLE GRINDER

AG180 180mm /  
AG230 230mm

235V - 50Hz



ø180xø22x5.5mm / ø230xø22x5.5mm, m14  
2400 Watts, 8500 r.p.m. / 6800 r.p.m., 5.1 kg.



### ANGLE GRINDER

55180 180mm

235V - 50Hz



ø180xø22x5.5 mm, 2200 Watts  
M14, 8400 r.p.m., 5.1 kg.



### ANGLE GRINDER

77180 180mm /  
77230 230mm

235V - 50Hz



ø180xø22x5.5 mm / ø230xø22x5.5 mm, M14  
2500 Watts, 8200 r.p.m. / 6500 r.p.m., 5.4 kg.



### ANGLE GRINDER

77180M 180mm /  
77230M 230mm

220V / 235V



ø180xø22x5.5 mm / ø230xø22x5.5 mm, M14  
2500 Watts, 8000 r.p.m. / 6500 r.p.m., 5.9 kg.



## CHOP SAW

RW14E 355mm /  
23355 355mm

235V / 115V - 50Hz

355 mm, 2300 Watts  
3900 r.p.m., 17.2 kg./  
17kg./15.9 kg.



CUT-OFF SAW  
RC14D

235V - 50Hz

D handle and soft start  
355 mm, 2600 Watts  
3900 r.p.m., 11A, 18 kg.



## BLOWER

ELECTRIC BLOWER  
RB60V / RB500

235V AC



3.8 m³/min, 600 Watts, 2.55A  
6000-16000 r.p.m., 1.8kg./1.3 kg.



ELECTRIC BLOWER  
RB500 PRO

235V AC



3.8 m³/min, 600 Watts, 2.55A  
6000-16000 r.p.m., 1.6 kg.



## WOOD WORKING

**Ratti Wolf**

### CIRCULAR SAW RS180 NEW 180mm

235V - 50Hz



1300 Watts, 5000 r.p.m., 4.2 kg.



### CIRCULAR SAW RCS180 180mm

235V - 50Hz



1400 Watts, 5800 r.p.m., 5.5 kg.



### PLANER RW2-82 2-82mm 28200 82X2mm

235V

82mmX2mm, 710 W /  
500 W, 15000 r.p.m., 4 kg. / 2.6 kg.

### ROUTER RW8-12 6mm, 8mm, 12mm RW-RT12 12mm

235V / 115V

1600 Watts / 1800Watts  
23000 r.p.m., 6.1 kg. / 4.1 kg.

### TRIMMER RT6 6mm / 6.35mm

235V - 50Hz

600W, 30000 RPM  
6mm/6.35mm, 2.6Amps., 1.8kg

### JIG SAW RW-JS60 60mm

235V AC50HZ

600W, 26mm (1"), 500-3000 spm  
2.55A, 2.5kg

## MARBLE CUTTER

### MARBLE CUTTER RW4-SB 110mm

235V - 50Hz



1200 Watts, 11000 r.p.m., 3 kg.



### MARBLE CUTTER RW4 110mm

235V - 50Hz

Double Insulated, 235V AC, 1050 Watts,  
13000 r.p.m., 4.5A, 3.2 kg.

### MARBLE CUTTER RW110 110mm

235V - 50Hz



1050 Watts, 14000 r.p.m., 3 kg.



### MARBLE CUTTER RW125-FB 125mm / RW125-TB 125mm

235V - 50Hz

1300 Watts, 13000 r.p.m., 3.4 kg.  
Options: Fixed / Tilted type base plate

## OTHERS

### HEAT GUN RG2100 2000W

235V - 50Hz

2000W, 8.5 A  
1-2, 1- 350°C / 2-550°C, 0.6 kg

### HIGH PRESSURE WASHER RHP100

235V

1400 Watts, 100 Bar  
330 l/h, 4 kg

### 1300W INDUSTRIAL QUALITY HIGH PRESSURE WASHER RHP130

Induction Motor, 130 Bar, 390 L/H  
230V AC, 1300W, 10 kg.

**LIGHT DUTY DRILL**

**EG2C** 6mm /  
**EJ3C** 10mm

235V / 115V -50Hz

6mm / 10mm, 235 Watts,  
2800 r.p.m. / 700 r.p.m., 2 kg. / 2.3 kg.



**HEAVY DUTY DRILL**

**WD2C** 6mm /  
**WD3C** 10mm /  
**WD34C** 13mm

235V / 115V -50Hz

6mm / 10mm / 13mm, 475 Watts / 550 Watts /  
500 Watts, 2400 r.p.m. / 1000 r.p.m. / 550 rpm,  
3.1 kg. / 3.6 kg / 3.9 kg



**LIGHT DUTY DRILL**

**SD4C** 13mm

235V / 115V -50Hz

13mm, 435 Watts  
700 r.p.m., 4.4 kg.



**HEAVY DUTY DRILL**

**14130** 13mm

235V / 115V -50Hz

750 Watts, 750 r.p.m., 4.4 kg.



**TWO SPEED DRILL**

**TS35C** 10mm/16mm

235V / 115V -50Hz

10mm / 16mm, 600 Watts  
1380 r.p.m. / 560 r.p.m., 5.4 kg.



**HEAVY DUTY DRILL**

**WDH / WDH12**  
13mm to 23mm

235V / 115V -50Hz

13mm to 23mm, 595/1200 Watts  
560 r.p.m./450 r.p.m., 7 kg./ 7.2 kg.



**HEAVY DUTY DRILL**

**WDHC /**  
**WDHC12** 20mm  
(Chuck Model)

235V-50Hz

20mm, 595 Watts/1200 Watts  
560 r.p.m./ 450 r.p.m., 8.2 kg./ 8.4 kg



**HEAVY DUTY DRILL**

**NW8** 25mm /  
**NW10** 31mm

235V -50Hz

25mm/31mm, 660 Watts/850 Watts  
380 r.p.m./280 r.p.m., 9.9 kg / 10 kg.



**HIGH SPEED GRINDER**

**HSG / HSG BR** 6mm

235V / 115V-50Hz

6mm (collet), 300 Watts/500 Watts  
16000 r.p.m./20000 r.p.m., 1.9 kg



**FLEXIBLE SHAFT GRINDER**

**FF2** Two Speed /  
**FSG2** Single Speed

- 235V / 115V-50Hz

6mm (collet), 370 Watts  
1200/11500 r.p.m./ 12800 r.p.m.  
5.4 kg./4.9 kg



**STRAIGHT GRINDER**

**GQ4 / GQ4 BR11 /**  
**36100 / GQ6**

235V / 115V

ø100xø20x12.7mm, 775W / 1100W  
5000 r.p.m. / 5600 r.p.m., 5.6 kg. / 6.5kg  
ø100xø20x12.7mm, 1000W, 5800 r.p.m., 5.1kg.  
ø150xø25x15.9mm, 1200W, 5600 r.p.m., 9.2kg.



**LATHE GRINDER**

**GL3** 75mm

235V / 115V

ø75xø13 x19mm, 400 Watts, 8000 r.p.m.  
(ext grinding) / 19000 r.p.m., (int grinding), 9.8 kg.



**ANGLE GRINDER**

**AG7** 180mm /  
**AG9** 230mm

235V

ø180xø22x6mm / ø230xø22x6mm, 2200 Watts,  
M14, 7000 r.p.m. / 5600 r.p.m., 9.5 kg.



**BENCH GRINDER**

**TG6** 1ph & 3ph

235V (1ph) /  
440V (3ph)

ø150xø16x12.7 mm, 265 Watts / 285 Watts  
2950 r.p.m., 12.2 kg. / 12 kg





**SINGLE SPEED AIR BLOWER  
NWB**

235V

1.5 m³/min, 350 Watts  
308 kmph, 4.5 kg.



**TWO SPEED AIR BLOWER  
77750**

235V

2.0 m³/min / 1.6 m³/min, 750 Watts /  
450 Watts, 400 kmph / 315 kmph, 3.4 kg.



**VERTICAL SANDER  
VSM 180mm**

235V

180mm, 500 Watts  
2200 r.p.m., 5.4 kg.



**HORIZONTAL SANDER  
HS7AR / HS7BR 180mm**

235V

180mm, 600 Watts/1000 Watts  
4200 r.p.m./ 5200 r.p.m., 5.2 kg./ 5.7 kg.



**MAGNETIC CORE DRILL**

**PORTABLE TAPPING MACHINE  
TP8 3mm-10mm**

235V

3mm to 10mm, 450 Watts  
550 r.p.m., 3 kg.



**MAGNETIC CORE DRILL**

**YUVA 38**  
38mmx50mm

220 / 230 V

1300W, 700r/min, 12000N, 8Amps.  
38mm dia x 50mm depth  
13mm, Grounding (to earth), 13 kg



**MAGNETIC CORE DRILL  
ENOVA 40 40mmx50mm**

235V

40mm dia x 50mm depth,  
1200 Watts, 400 r.p.m.,  
1100 KGF, 165mmx80mm, 13.2 kg.



**MAGNETIC CORE DRILL  
COMMANDO 40S  
40mmx50mm**

235V

40mm dia x 50mm depth,  
1100 Watts, 270-610 r.p.m.,  
8000N, 165mmx80mm, 13.6 kg.



**MAGNETIC CORE DRILL  
MEGA - 45  
45mmx50mm**

220V

Core Drill 12mm-45mm  
Cutting Depth 50mm,  
1400 Watts, 100-490 r.p.m.,  
16500 N, Moser Taper - MT2  
Stroke - 210mm, 19 kg.



**MAGNETIC CORE DRILL  
COMMANDO 50  
50mmx50mm**

235V

50mm Dia x 50mm depth,  
1500 Watts, 100-265 r.p.m.,  
200-500 r.p.m., 13500 N,  
200mmx98mm, 15.8 kg.



**PERMANENT MAGNET CORE  
CUTTING DRILL 50mm  
COMMANDO 50PM**

235V

50mm dia x 50mm depth,  
1500 Watts, 100-265 RPM,  
200-500 RPM, 8430 N  
2770mm x 190mm  
110V/18kg / 230V/17.7kg



**LOW PROFILE MAGNETIC  
DRILL 50mm  
COMMANDO 50LP**

235V

50mmX 50mm, 30mm\*  
250-500RPM, 1200W, 10000N  
L-334mm, H-179mm, W-100mm  
192mm x 82mm, 11kg, 62mm



**MAGNETIC CORE DRILL  
NW 50S 50mmx50mm**

235V

50mm dia x 50mm depth  
1600 Watts, 450 r.p.m.,  
1500 KGF, 200mmx100mm, 31 kg.



**MAGNETIC CORE DRILL  
COMMANDO 75  
75mmx75mm**

235V

75mm dia x 75mm depth  
1800 Watts, 70-180 r.p.m.,  
200-500 r.p.m., 18500 N,  
220mmx114mm, 23 kg.



## MAGNETIC CORE DRILLS

### MAGNETIC CORE DRILL COMMANDO 100 (NEW)

100mmx100mm

235V

100mm dia x 100mm depth  
2000 Watts, 45-129 r.p.m.,  
70-208 r.p.m., 140-434 r.p.m.,  
240-700 r.p.m., 20000 N,  
228mmx114mm, 24.8 kg.



### MULTIFUNCTION MAGNETIC DRILL MEGA-150

150mmx150mm

235V

150mm, 57mm ,M50  
3080W, 40-100rpm(1),  
70-180rpm(2), 180-450rpm(3),  
290-720rpm (4), 24500N  
30.5Kg.



## CUTTERS



### TCT SERIES CUTTER



35mm, Dia- 14 to 50mm



50 mm, Dia- 14 to 66mm.

### M2 HIGH SPEED STEEL CUTTERS



25mm, Dia- 11 to 52mm



50mm, Dia- 12 to 65mm.

## WELDING EQUIPMENTS

### ARC WELDER - ARC200 (ECO200N) (IGBT Series)

AC230V±15%, 6KVA, 58V  
10-200A, 43.6A, 0.73  
60%, 15.5x6x11.5 inch, 6kg



NEW

### ARC SERIES - ARC250 (ECO-250) (IGBT Technology, Single PCB Design)

230V ± 15%, 1Ph, 50/60, 36  
8.3, 66, 20 - 250, 60  
0.93, 85%, IP21, 6, 450x160x303



### ARC SERIES - ARC200 (RA20) (with MOSFET)

220V ± 15% 1ph, 30-200A  
0.73, 80%, 8 kg



### ARC SERIES - ARC200 (WA-20) (Light weight)

230V±15%, 1Ph, 50Hz,  
34, 7.9, 20-200, 63, 60, 85, 0.7,  
IP21S, F, 282 x 113 x 200, 4.1 kg



### MIG/MAG SERIES (with MMA) MIG250 (RM25)

415V ± 15% 3ph,  
50-250A  
0.93, 85%, 18 kg



### AIR PLASMA CUTTING CUT60G (RC60)

415V± 15% 3ph,  
20-60A, 0.93, 85%,  
1-15 mm, 19 kg



\* For complete range please refer separate catalogue for WELDING EQUIPMENT or visit our website.

## PNEUMATIC TOOLS

### Air Die Grinder PG-1101H

1/4", 28000 r.p.m., 6.3 mm,  
3.5 cfm, 160mm, 0.4 kg



### Air Screw Driver SD-5MA

5 - 7 mm, 9000 r.p.m. 25-30 N. m.,  
2.0 cfm, 190mm, 0.7 kg



### Air Micro Die Grinder DG-56

3 mm, 56000 r.p.m., 1/4", 7.0 cfm  
5 mm, 156 mm, 0.2 kg



### Composite Impact Wrench IW-1281 (1/2" Sq. Drive)

1/2", 5/8" (16mm), 1000FT-LB, 10000 r.p.m.,  
5.4 cfm, 1/4", 10mm, 193 mm, 2.2 kg





## PNEUMATIC TOOLS

### Dust Free Orbital Sander OS-303

5" velcro type,  
10,000 r.p.m.  
1/4", 3/8", 12 cfm  
5 mm, 0.9 kg



### Pneumatic Concrete Breaker CB 117 / CB1210

540mm / 740mm,  
1400BPM / 1200 BPM  
6BAR, 25x108mm / 32x160mm,  
22Kg./ 37kg



### Industrial Aie Die Grinder DG 6-35

6mm, 35000 r.p.m., 165mm  
1/4" NPT, 0.45 Kg.



### Pneumatic Chipping Hammer CH3

Blower 2100 per min.,  
Length of Stroke 76.2  
1.2 BSP, 6.5 Kg.



### Pneumatic Bench Sand Rammer BSR1

Blows 850 per min.,  
Length 530mm  
Stroke 102mm,  
3/8" NPT, 5.7Kg.



### Pneumatic Heavy Duty Straight Grinder SG 150

150mmx25mm  
6000 r.p.m., 1/2" BSP  
5.5 Kg.



*\* For complete range please refer separate catalogue for AIR TOOLS or visit our website.*

## FARM EQUIPMENT

### GASOLINE WATER PUMP RP30 3"

6.5HP, 76mm,  
7M, 28M, 3600 r.p.m.



### GASOLINE EARTH AUGER ED52D / ED63D

1E44F / 1E48F,  
1.45KW/2.2KW,  
52CC/63CC, 6500 r.p.m.



### CHAIN SAW RS58

2 stroke, single cylinder, 50.8 CC, 2.2 kwx,  
9000 r/min, 16"/ 18" / 20", 5.8 kg



### GASOLINE BRUSH CUTTER BC-52 (2 STROKE) BC-38BP / BC-43SP (4 STROKE)

1E44F 2 Stoke, 1.45 KW  
51.7CC, 6500 r.p.m.  
G35 4 Stoke, 0.85 KW,  
35.8CC, 6500 r.p.m.



### HORIZONTAL TRIPLEX PUMP RTP-16 / RTP-22A, RTP-30 RTP-50 / RTP-50B, RTP-70

13.5-16 L / 13.5-20 L / 32-40 L /  
45-46 L / 70 L, 1000 rpm, 400 psi



### THERMAL FOGGER RF01 MINI / RF02 AUTO

2 Ltr., Butane Gas, 5-30 Microns, 1.4 kg /  
6 Ltr., 10-50 Microns, 9 kg., 18.5 KW



*\* For complete range please refer separate catalogue for AGRI EQUIPMENT or visit our website.*

## STANDS & ATTACHMENT

### MAGNETIC DRILL STANDS

Suitable for Mounting  
WDH / WDHC / WDH12/WDHC12 /  
NW8/NW10

### MECHANICAL STANDS

ES 1 For EG2C/EJ3C,  
ES 3 for NW8 / NW10

ES 14 For WD2C, WD3C,  
WD34C, SD4C & TS35C  
ES 23 for WDH / WDHC



## MOTORS

### ATTACHMENT



Internal Grinding Attachment,  
IGA, Suitable for GL3



Flexible Shaft 10 FD  
Suitable for FF2/FSG2

### UMG 5



### PMDC 58 / 59



### UMG 27



### PMG 20



*\* For complete range please refer separate catalogue for MOTORS or visit our website.*

# Ralli Wolf Industries Ltd.

An ISO 9001 : 2015 certified Organisation

**Regd Office :** 4 Fairlie Place, Kolkata – 700 001, India,  
**E :** info@ralliwolf.com

**Works :** G-104, MIDC Area, Ahmednagar - 414 111, Maharashtra, India,  
**P :** +91 24127 79887 **E :** works@ralliwolf.com

**Customer Care : P : +91 81000 80353 | E : customercare@ralliwolf.com**

**Sales Network :** Ahmedabad, Bangalore, Baroda, Bhopal, Bhilai, Chennai, Coimbatore, Cuttack, Delhi, Gurgaon, Guwahati, Indore, Jaipur, Jamshedpur, Kolkata, Ludhiana, Lucknow, Mumbai, Nagpur, Pune, Raipur, Secunderabad, Siliguri, Trichy, Vishakhapatnam



follow us :



\*The pictures and specification are only for reference.

**Notes :** \*110V can be made available on select models for MOQ

- \* Machines with Deadman switch are available on request for certain models.
- \* For pneumatic tools - Air pressure required is 90 Bars.
- \* Oil lubrication is must for all the tools before starting the operation.



Double  
Insulation



Side  
Handle



Adjustable  
Speed



Reversible  
Operation



Impact



SDS  
PLUS



Light  
Weight



Soft  
Start



Auto Stop  
C/B



SP  
Lock



SDS  
MAX

Due to continuous R & D, actual product supplied may differ the data shape and colour contained herein. The catalogue supersedes all earlier catalogues.