

FleetEdge Basic Pull API

Table of Contents

1. Access	2
2. Endpoints	2
2.1. Authentication	2
2.1.1. getAuthToken	2
Description	2
Parameters	2
Return Type	2
Content Type	2
Responses	2
Samples	3
2.2. VehicleSnapshot	3
2.2.1. getAllVehicleSnapshot	3
Description	3
Parameters	3
Return Type	3
Content Type	3
Responses	3
Samples	4
2.2.2. getVehicleSnapshot	4
Description	4
Parameters	4
Return Type	4
Content Type	4
Responses	4
Samples	4
3. Models	5
3.1. AllVehicleTelemetryResponse	5
3.2. AllVehicleTelemetryResponseFailuresInner	5
3.3. AllVehicleTelemetryResponsePageable	5
3.4. AuthErrorResponse	5
3.5. ErrorResponse	6
3.6. ErrorResponseErrorsInner	6
3.7. MixedVehicleTelemetryResponse	6
3.8. TokenResponse	6
3.9. VehicleTelemetry	7

Abstract

API specification for Basic Pull API

1. Access

- **Bearer** Authentication

2. Endpoints

2.1. Authentication

2.1.1. getAuthToken

POST /auth/realms/external/protocol/openid-connect/token

All APIs will need token authentication which needs to be passed in order to access the API, and this API provides the token

Description

Returns authentication credentials upon passing correct credentials

Parameters

Form Parameters

Name	Description	Required	Default	Pattern
client_id	[string]	X	null	
client_secret	[string]	X	null	
grant_type	[string]	X	client_credentials	

Return Type

TokenResponse

Content Type

- application/json

Responses

Table 1. HTTP Response Codes

Code	Message	Datatype
200	successful operation	TokenResponse
400	Invalid client credentials	AuthErrorResponse
401	Incorrect client credentials	AuthErrorResponse

Samples

2.2. VehicleSnapshot

2.2.1. getAllVehicleSnapshot

GET /api/vehicle-snapshots

All Vehicle Snapshot

Description

Returns snapshot for all vehicles in the subscription

Parameters

Query Parameters

Name	Description	Required	Default	Pattern
pageNumber	Page number which needs to be accessed	-	0	
pageSize	number of records to be returned in single page	-	100	

Return Type

[AllVehicleTelemetryResponse](#)

Content Type

- application/json

Responses

Table 2. HTTP Response Codes

Code	Message	Datatype
200	successful operation	AllVehicleTelemetryResponse

Code	Message	Datatype
207	Mixed Response	MixedVehicleTelemetryResponse
429	Rate limit exceeded	ErrorResponse

Samples

2.2.2. getVehicleSnapshot

GET /api/vehicle-snapshots/{vehicleRegistrationNumber}

Vehicle Snapshot

Description

Returns latest vehicle snapshot

Parameters

Path Parameters

Name	Description	Required	Default	Pattern
vehicleRegistrationNumber	Vehicle Registration Number, eg MH12GH1234	X	null	

Return Type

[VehicleTelemetry](#)

Content Type

- application/json

Responses

Table 3. HTTP Response Codes

Code	Message	Datatype
200	successful operation	VehicleTelemetry
400	Invalid Registration Number supplied	ErrorResponse
403	Not Authorized to access the vehicle information	ErrorResponse
404	No data found for given registration number	ErrorResponse
429	Rate limit exceeded	ErrorResponse

Samples

3. Models

3.1. *AllVehicleTelemetryResponse*

Field Name	Required	Nullable	Type	Description	Format
vehicles			List of VehicleTelemetry		
failures			List of [AllVehicleTelemetryResponse_failures_inner]		
pageable			[AllVehicleTelemetryResponse_pageable]		

3.2. *AllVehicleTelemetryResponseFailuresInner*

Field Name	Required	Nullable	Type	Description	Format
vehicleNumber			String		
code			String		
message			String		

3.3. *AllVehicleTelemetryResponsePageable*

Field Name	Required	Nullable	Type	Description	Format
pageNumber			Integer		int32
pageSize			Integer		int32
totalPages			Integer		int32
totalElements			Integer		int32

3.4. *AuthErrorResponse*

Field Name	Required	Nullable	Type	Description	Format
error			String		

Field Name	Required	Nullable	Type	Description	Format
error_description			String		

3.5. *ErrorResponse*

Field Name	Required	Nullable	Type	Description	Format
errors			List of [ErrorResponse_errors_inner]		

3.6. *ErrorResponseErrorsInner*

Field Name	Required	Nullable	Type	Description	Format
code			String		
message			String		

3.7. *MixedVehicleTelemetryResponse*

Field Name	Required	Nullable	Type	Description	Format
vehicles			List of VehicleTelemetry		
failures			List of [AllVehicleTelemetryResponse_failures_inner]		

3.8. *TokenResponse*

Field Name	Required	Nullable	Type	Description	Format
access_token			String	Access token to be used in the subsequent API calls	
expires_in			Integer	number of minutes the access token is valid	int32
token_type			String		

Field Name	Required	Nullable	Type	Description	Format
not-before-policy			Integer		int32
scope			String		

3.9. VehicleTelemetry

Some fields are applicable only for certain vehicle models

Field Name	Required	Nullable	Type	Description	Format
vehicleId			String	Chassis Number of the vehicle	
gpsLatitude			Double		double
gpsLongitude			Double		double
gpsAltitude			Integer		int32
gpsCourseInDegrees			Integer		int32
gpsSignalQuality			Integer		int32
gpsFix			Boolean		
ignitionOn			Boolean		
crankOn			Boolean		
speed			Double		double
odometer			Integer		int32
noOfFuelTanks			Integer		int32
PrimaryFuelLevel			Integer		int32
primaryFuelTankCapacity			Integer		int32
SecondaryFuelLevel1			Integer		int32
secondaryFuelTankCapacity1			Integer		int32
defLevel			Integer		int32
backupBatteryVoltage			Double		double
vehicleBatteryVoltage			Double		double

Field Name	Required	Nullable	Type	Description	Format
accelX			Double		double
accelY			Double		double
accelZ			Double		double
gyroX			Double		double
gyroY			Double		double
gyroZ			Double		double
noOfSatForFix			Integer		int32
acStatus			Boolean		
vehicleStatus			String		
engineRunHour			Double		double
currentGear			Double		double
fuelLevelPercent			Double		double
batterySOC			List of [double]		double
noOfBatteryPacks			Integer		int32
imei			String		
registrationNumber			String		
eventDateTime			String	example: 2023-09-14T12:11:38.0000009	yyyy-MM-dd'T'HH:mm:ss.SSSXXX