

1. Inner Join

The screenshot displays the SQL Server Enterprise Manager interface. The main window shows a SQL query script with the following content:

```
3 • CREATE TABLE Student (  
4     Student_id INT,  
5     Name VARCHAR(50),  
6     Marks INT,  
7     Dept_ID INT  
8 );  
9 • CREATE TABLE Department (  
10     Dept_ID INT,  
11     Department_Name VARCHAR(50)  
12 );  
13 • INSERT INTO Student VALUES  
14 (1, 'Manu.R', 90, 101),  
15 (2, 'Varun', 80, 102),  
16 (3, 'Raghavendra', 70, 101),  
17 (4, 'Vaibhav', 60, 102);  
18 • INSERT INTO Department VALUES  
19 (101, 'SOCSE'),  
20 (102, 'SOB'),  
21 (103, 'SOL');  
22 • SELECT Student.Name,  
23     Student.Marks,  
24     Department.Department_Name  
25 FROM Student  
26 INNER JOIN Department  
27 ON Student.Dept_ID = Department.Dept_ID;
```

Below the query editor, the 'Result Grid' tab is active, showing the results of the inner join query:

Name	Marks	Department_Name
Manu.R	90	SOCSE
Varun	80	SOB
Raghavendra	70	SOCSE
Vaibhav	60	SOB

2. Left Join

The screenshot displays the SQL Server Enterprise Manager interface. The main window shows a SQL query script with the following content:

```
3 • CREATE TABLE Student (  
4     Student_id INT,  
5     Name VARCHAR(50),  
6     Marks INT,  
7     Dept_ID INT  
8 );  
9 • CREATE TABLE Department (  
10     Dept_ID INT,  
11     Department_Name VARCHAR(50)  
12 );  
13 • INSERT INTO Student VALUES  
14 (1, 'Manu.R', 90, 101),  
15 (2, 'Varun', 80, 102),  
16 (3, 'Raghavendra', 70, 101),  
17 (4, 'Vaibhav', 60, 102);  
18 • INSERT INTO Department VALUES  
19 (101, 'SOCSE'),  
20 (102, 'SOB'),  
21 (103, 'SOL');  
22 • SELECT Student.Name,  
23     Student.Marks,  
24     Department.Department_Name  
25 FROM Student  
26 LEFT JOIN Department  
27 ON Student.Dept_ID = Department.Dept_ID;
```

Below the query editor, the 'Result Grid' tab is active, showing the results of the left join query:

Name	Marks	Department_Name
Manu.R	90	SOCSE
Varun	80	SOB
Raghavendra	70	SOCSE
Vaibhav	60	SOB

On the right side of the interface, there is a message: "Automatic disabled. Use manually current can toggle au".

3. Right Join

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'Administration' tree with 'Schemas' selected. The main pane shows a query window with the following SQL code:

```
3 • CREATE TABLE Student (  
4     Student_id INT,  
5     Name VARCHAR(50),  
6     Marks INT,  
7     Dept_ID INT  
8 );  
9 • CREATE TABLE Department (  
10     Dept_ID INT,  
11     Department_Name VARCHAR(50)  
12 );  
13 • INSERT INTO Student VALUES  
14 (1, 'Manu.R', 90, 101),  
15 (2, 'Varun', 80, 102),  
16 (3, 'Raghavendra', 70, 101),  
17 (4, 'Vaibhav', 60, 102);  
18 • INSERT INTO Department VALUES  
19 (101, 'SOCSE'),  
20 (102, 'SOB'),  
21 (103, 'SOL');  
22 • SELECT Student.Name,  
23     Student.Marks,  
24     Department.Department_Name  
25 FROM Student  
26 RIGHT JOIN Department  
27 ON Student.Dept_ID = Department.Dept_ID;
```

The 'Result Grid' at the bottom shows the following data:

Name	Marks	Department_Name
Raghavendra	70	SOCSE
Manu.R	90	SOCSE
Vaibhav	60	SOB
Varun	80	SOB
		SOL

On the right side, there is a vertical toolbar with buttons for 'Auto disable', 'man', 'curre', and 'tog'.

4. Fully outer join

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'Administration' tree with 'Schemas' selected. The main pane shows a query window with the following SQL code:

```
3 • CREATE TABLE Student (  
4     Student_id INT,  
5     Name VARCHAR(50),  
6     Marks INT,  
7     Dept_ID INT  
8 );  
9 • CREATE TABLE Department (  
10     Dept_ID INT,  
11     Department_Name VARCHAR(50)  
12 );  
13 • INSERT INTO Student VALUES  
14 (1, 'Manu.R', 90, 101),  
15 (2, 'Varun', 80, 102),  
16 (3, 'Raghavendra', 70, 101),  
17 (4, 'Vaibhav', 60, 102);  
18 • INSERT INTO Department VALUES  
19 (101, 'SOCSE'),  
20 (102, 'SOB'),  
21 (103, 'SOL');  
22 • SELECT Student.Name,  
23     Student.Marks,  
24     Department.Department_Name  
25 FROM Student  
26 FULL JOIN Department  
27 ON Student.Dept_ID = Department.Dept_ID;
```

The 'Result Grid' at the bottom shows the following data:

Name	Marks	Department_Name
Manu.R	90	SOCSE
Varun	80	SOB
Raghavendra	70	SOCSE
Vaibhav	60	SOB
		SOL

On the right side, there is a vertical toolbar with buttons for 'Automatic con', 'disab', 'Use the', 'manually get', 'current caret po', and 'toggle automa'.

5. Cross Join

CREATE DATABASE CollegeRB;

```
USE CollegeRB;
CREATE TABLE Student (
    Student_ID INT,
    Name VARCHAR(50),
    Department VARCHAR(20)
);
INSERT INTO Student VALUES
(101, 'Manu', 'SOCSE'),
(102, 'Varun', 'SOCSE'),
(103, 'Vaibhav', 'SOB'),
(104, 'Raghavendra', 'SOCSE');
CREATE TABLE Course (
    Course_ID INT,
    Course_Name VARCHAR(50)
);
INSERT INTO Course VALUES
(1, 'DBMS'),
(2, 'Java'),
(3, 'Computer Networks');
SELECT Student.Name, Course.Course_Name
FROM Student
CROSS JOIN Course;
```

Output:

	Name	Course_Name
►	Manu	Computer Networks
	Manu	Java
	Manu	DBMS
	Varun	Computer Networks
	Varun	Java
	Varun	DBMS
	Vaibhav	Computer Networks
	Vaibhav	Java
	Vaibhav	DBMS
	Raghavendra	Computer Networks
	Raghavendra	Java
	Raghavendra	DBMS

6. Self Join

```

CREATE DATABASE IF NOT EXISTS SB;
USE SB;
DROP TABLE IF EXISTS Student;
CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(50),
    Manager_ID INT
);
INSERT INTO Student VALUES
(101, 'Manu', NULL),
(102, 'Varun', 101),
(103, 'Vaibhav', 101),
(104, 'Raghavendra', 102);
SELECT
    S.Student_Name AS Student,
    M.Student_Name AS Manager
FROM Student S
JOIN Student M

```

ON S.Manager_ID = M.Student_ID;

Output:

Result Grid			Filter Rows:	
	Student	Manager		
▶	Vaibhav	Manu		
	Varun	Manu		
	Raghavendra	Varun		