

IP LOCAL: 192.168.129.216/24

Agrego el puerto 80

Reglas de entrada (2)									
Buscar									
☐	Name	ID de la regla del gr...	Versión de IP	Tipo	Protocolo	Intervalo de puertos	Origen	Descripción	
☐	-	sgr-00f389f92f344d170	IPv4	SSH	TCP	22	0.0.0.0/0	-	
☐	-	sgr-0db377d4460cf461b	IPv4	HTTP	TCP	80	0.0.0.0/0	-	

Instalo docker

```
ubuntu@ip-172-31-73-84:~$ #!/bin/bash
# Actualizar e instalar dependencias
sudo apt update && \
sudo apt install -y ca-certificates curl && \
sudo install -m 0755 -d /etc/apt/keyrings && \
sudo curl -fsSL https://download.docker.com/linux/ubuntu/gpg -o /etc/apt/keyrings/docker.asc && \
sudo chmod a+r /etc/apt/keyrings/docker.asc && \
# Añadir repositorio oficial de Docker
sudo tee /etc/apt/sources.list.d/docker.sources > /dev/null <<EOF
Types: deb
URIs: https://download.docker.com/linux/ubuntu
Suites: $(. /etc/os-release && echo "${UBUNTU_CODENAME:-$VERSION_CODENAME}")
Components: stable
Signed-By: /etc/apt/keyrings/docker.asc
EOF
# Instalar Docker
sudo apt update && \
sudo apt install -y docker-ce docker-ce-cli containerd.io docker-buildx-plugin docker-compose-plugin && \

# Añadir usuario al grupo docker
sudo usermod -aG docker ${USER}
echo "🚀 Docker instalado. Cierra sesión y vuelve a entrar para aplicar los cambios."
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Hit:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu noble-security InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
40 packages can be upgraded. Run 'apt list --upgradable' to see them.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
ca-certificates is already the newest version (20240203).
ca-certificates set to manually installed.
curl is already the newest version (8.5.0-2ubuntu10.6).
curl set to manually installed.
0 upgraded, 0 newly installed, 0 to remove and 40 not upgraded.
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Hit:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Get:4 https://download.docker.com/linux/ubuntu noble InRelease [48.5 kB]
Hit:5 http://security.ubuntu.com/ubuntu noble-security InRelease
Get:6 https://download.docker.com/linux/ubuntu noble/stable amd64 Packages [40.0 kB]
0% [Working]
```

Tenemos docker sin usar sudo

```
ubuntu@ip-172-31-73-84:~$ docker ps -a
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS          NAMES
ubuntu@ip-172-31-73-84:~$
```

Creo el docker para moodle

```
ubuntu@ip-172-31-73-84:~$ docker run -it --name AntonioMoodle -p 80:80 ubuntu:24.04 /bin/bash
Unable to find image 'ubuntu:24.04' locally
24.04: Pulling from library/ubuntu
20043066d3d5: Pull complete
06808451f0d6: Download complete
Digest: sha256:c35e29c9450151419d9448b0fd75374fec4fff364a27f176fb458d472dfc9e54
Status: Downloaded newer image for ubuntu:24.04
root@0a90e4c77c3c:/#
```

Instalaciones básicas:

```
apt update
apt install vim
apt install wget
apt install unzip
```

Instalamos apache2:

```
root@0a90e4c77c3c:/# apt install apache2
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  adduser apache2-bin apache2-data apache2-utils krb5-locales libapr1t64 libaprutil1-dbd-sqlite3
  libaprutil1-ldap libaprutil1t64 libbrotli1 libcurl4t64 libgdbm-compat4t64 libgdbm6t64
  libgssapi-krb5-2 libicu74 libjansson4 libk5crypto3 libkeyutils1 libkrb5-3 libkrb5support0
  libldap-common libldap2 liblua5.4-0 libnghttp2-14 libperl5.38t64 librtmp1 libsasl2-2 libsasl2-modules
  libsasl2-modules-db libssh-4 libxml2 perl perl-modules-5.38 ssl-cert
Suggested packages:
  liblocale-gettext-perl cron quota ecryptfs-utils apache2-doc apache2-suexec-pristine
  | apache2-suexec-custom www-browser ufw gdbm-l10n krb5-doc krb5-user libsasl2-modules-gssapi-mit
  | libsasl2-modules-gssapi-heimdal libsasl2-modules-ldap libsasl2-modules-otp libsasl2-modules-sql
  perl-doc libterm-readline-gnu-perl | libterm-readline-perl-perl make libtap-harness-archive-perl
The following NEW packages will be installed:
  adduser apache2 apache2-bin apache2-data apache2-utils krb5-locales libapr1t64
  libaprutil1-dbd-sqlite3 libaprutil1-ldap libaprutil1t64 libbrotli1 libcurl4t64 libgdbm-compat4t64
  libgdbm6t64 libgssapi-krb5-2 libicu74 libjansson4 libk5crypto3 libkeyutils1 libkrb5-3 libkrb5support0
  libldap-common libldap2 liblua5.4-0 libnghttp2-14 libperl5.38t64 librtmp1 libsasl2-2 libsasl2-modules
  libsasl2-modules-db libssh-4 libxml2 perl perl-modules-5.38 ssl-cert
0 upgraded, 35 newly installed, 0 to remove and 0 not upgraded.
Need to get 24.1 MB of archives.
After this operation, 104 MB of additional disk space will be used.
Do you want to continue? [Y/n]
```

Lo arrancamos:

```
root@0a90e4c77c3c:/# service apache2 start
* Starting Apache httpd web server apache2
*
root@0a90e4c77c3c:/# service apache2 status
* apache2 is running
root@0a90e4c77c3c:/#
```

Instalamos php con sus dependencias para moodle con el siguiente comando:

```
apt install php php-cli php-fpm php-mysql php-xml php-xmlrpc \
php-gd php-curl php-zip php-intl php-mbstring php-soap php-bcmath \
```

php-ldap php-readline php-tokenizer php-common php-opcache libapache2-mod-php -y

Instalamos y configuramos mariadb:

```
root@0a90e4c77c3c:/# apt install mariadb-server
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  galera-4 gawk iproute2 libatm1t64 libbpf1 libcap2-bin libcgi-fast-perl libcgi-pm-perl libclone-perl
  libconfig-inifiles-perl libdbd-mysql-perl libdbi-perl libelf1t64 libencode-locale-perl libfcgi-bin
  libfcgi-perl libfcgi0t64 libhtml-parser-perl libhtml-tagset-perl libhtml-template-perl
  libhttp-date-perl libhttp-message-perl libio-html-perl liblwp-mediatypes-perl liblzo2-2 libmariadb3
  libmnl0 libmpfr6 libmysqlclient21 libncurses6 libnuma1 libpam-cap libpopt0 libsigsegv2 libsnappy1v5
  libterm-readkey-perl libtimedate-perl libtirpc-common libtirpc3t64 liburi-perl liburing2 libwrap0
  libxtables12 lsuf mariadb-client mariadb-client-core mariadb-common mariadb-plugin-provider-bzip2
  mariadb-plugin-provider-lz4 mariadb-plugin-provider-lzma mariadb-plugin-provider-lzo
  mariadb-plugin-provider-snappy mariadb-server-core mysql-common pv rsync socat
Suggested packages:
  gawk-doc iproute2-doc libmldbm-perl libnet-daemon-perl libsql-statement-perl libdata-dump-perl
  libipc-sharedcache-perl libio-compress-brotli-perl libbusiness-isbn-perl libregexp-ipv6-perl
  libwww-perl mailx mariadb-test netcat-openbsd doc-base openssh-client openssh-server
  python3-braceexpand
The following NEW packages will be installed:
  galera-4 gawk iproute2 libatm1t64 libbpf1 libcap2-bin libcgi-fast-perl libcgi-pm-perl libclone-perl
  libconfig-inifiles-perl libdbd-mysql-perl libdbi-perl libelf1t64 libencode-locale-perl libfcgi-bin
  libfcgi-perl libfcgi0t64 libhtml-parser-perl libhtml-tagset-perl libhtml-template-perl
  libhttp-date-perl libhttp-message-perl libio-html-perl liblwp-mediatypes-perl liblzo2-2 libmariadb3
  libmnl0 libmpfr6 libmysqlclient21 libncurses6 libnuma1 libpam-cap libpopt0 libsigsegv2 libsnappy1v5
  libterm-readkey-perl libtimedate-perl libtirpc-common libtirpc3t64 liburi-perl liburing2 libwrap0
  libxtables12 lsuf mariadb-client mariadb-client-core mariadb-common mariadb-plugin-provider-bzip2
  mariadb-plugin-provider-lz4 mariadb-plugin-provider-lzma mariadb-plugin-provider-lzo
  mariadb-plugin-provider-snappy mariadb-server-core mysql-common pv rsync socat
0 upgraded, 58 newly installed, 0 to remove and 0 not upgraded.
Need to get 23.1 MB of archives.
After this operation, 211 MB of additional disk space will be used.
Do you want to continue? [Y/n] ☐
```

```
root@0a90e4c77c3c:/# service mariadb start
* Starting MariaDB database server mariabdd
```

```
root@0a90e4c77c3c:/# mariadb
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 35
Server version: 10.11.13-MariaDB-0ubuntu0.24.04.1 Ubuntu 24.04

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> CREATE DATABASE bbddamd;
Query OK, 1 row affected (0.000 sec)

MariaDB [(none)]> CREATE USER 'usuarioamd'@'localhost' IDENTIFIED BY 'usuarioamd1234';
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> GRANT ALL PRIVILEGES ON bbddamd.* TO 'usuarioamd'@'localhost';
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.000 sec)

MariaDB [(none)]> EXIT;
Bye
root@0a90e4c77c3c:/# ☐
```

Ya queda la lamp instalada, vamos a instalar moodle:

```
root@0a90e4c77c3c:/# cd /var/www/html/
root@0a90e4c77c3c:/var/www/html# wget https://download.moodle.org/download.php/direct/stable501/moodle-latest-501.zip
--2025-12-10 12:34:28-- https://download.moodle.org/download.php/direct/stable501/moodle-latest-501.zip
Resolving download.moodle.org (download.moodle.org)... 104.20.33.175, 172.66.175.83, 2606:4700:10::6814:21af, ...
Connecting to download.moodle.org (download.moodle.org)|104.20.33.175|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://packaging.moodle.org/stable501/moodle-latest-501.zip [following]
--2025-12-10 12:34:28-- https://packaging.moodle.org/stable501/moodle-latest-501.zip
Resolving packaging.moodle.org (packaging.moodle.org)... 172.66.175.83, 104.20.33.175, 2606:4700:10::6814:21af, ...
Connecting to packaging.moodle.org (packaging.moodle.org)|172.66.175.83|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 98632905 (94M) [application/zip]
Saving to: 'moodle-latest-501.zip'

moodle-latest-501.zip  100%[=====] 94.06M  380MB/s  in 0.2s

2025-12-10 12:34:29 (380 MB/s) - 'moodle-latest-501.zip' saved [98632905/98632905]

root@0a90e4c77c3c:/var/www/html#
```

Le hacemos un unzip, comprobamos y borramos el index y el zip:

```
root@0a90e4c77c3c:/var/www/html# ls
index.html  moodle  moodle-latest-501.zip
root@0a90e4c77c3c:/var/www/html# rm index.html
root@0a90e4c77c3c:/var/www/html# rm moodle-latest-501.zip
root@0a90e4c77c3c:/var/www/html# ls
moodle
root@0a90e4c77c3c:/var/www/html#
```

Movemos los archivos a la ruta correspondiente:

```
root@0a90e4c77c3c:/var/www/html# mv moodle/* .
root@0a90e4c77c3c:/var/www/html# rm -rf moodle
root@0a90e4c77c3c:/var/www/html# ls
CONTRIBUTING.md  README.md      composer.json  index.php      phpcs.xml.dist
COPYING.txt      TRADEMARK.txt  composer.lock  lib            phpunit.xml.dist
Gruntfile.js     UPGRADING.md   config-dist.php  npm-shrinkwrap.json  public
INSTALL.txt      admin          githash.php     package.json

root@0a90e4c77c3c:/var/www/html#
```

Pasamos con la configuración de moodle:

```
root@0a90e4c77c3c:/var/www/html# cp config-dist.php config.php
root@0a90e4c77c3c:/var/www/html# vim config.php
root@0a90e4c77c3c:/var/www/html#
```

```
$CFG->dbtype      = 'mariadb';
$CFG->dblibrary    = 'native';
$CFG->dbhost       = 'localhost';
$CFG->dbname       = 'bbddamd';
$CFG->dbuser       = 'usuarioamd';
$CFG->dbpass       = 'usuarioamd1234';
$CFG->prefix       = 'mdl_';
$CFG->dboptions    = [
    'dbpersist' => false,
```

```
$CFG->wwwroot      = 'http://3.236.81.163';

//=====
// 3. DATA FILES LOCATION
//=====
// Now you need a place where Moodle can save uploads.
// directory should be readable AND WRITEABLE by the web server
// (usually 'nobody' or 'apache'), but it should not be accessible
// directly via the web.
//
// - On hosting systems you might need to make sure that the directory has
//   no permissions at all, but that "others" have write permissions.
//
// - On Windows systems you might specify something like 'C:\moodledata'.
```

```
$CFG->dataroot     = '/var/moodledata';
```

Configuración del php:

```
;; How many GET/POST/COOKIE
max_input_vars = 5000
```

Dar permisos:

```
root@0a90e4c77c3c:/var/www/html# chown -R www-data:www-data /var/www/html
root@0a90e4c77c3c:/var/www/html# chmod -R 755 /var/www/html
root@0a90e4c77c3c:/var/www/html# mkdir /var/moodledata
root@0a90e4c77c3c:/var/www/html# chown -R www-data:www-data /var/moodledata
root@0a90e4c77c3c:/var/www/html# chmod -R 755 /var/moodledata
root@0a90e4c77c3c:/var/www/html#
```



Configuración de apache:

```
root@0a90e4c77c3c:/var/www/html# a2ensite 000-default.conf
Site 000-default already enabled
root@0a90e4c77c3c:/var/www/html# a2enmod rewrite
Enabling module rewrite.
To activate the new configuration, you need to run:
    service apache2 restart
root@0a90e4c77c3c:/var/www/html# service apache2 restart
* Restarting Apache httpd web server apache2
AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.17.0.2
. Set the 'ServerName' directive globally to suppress this message

[ OK ]
root@0a90e4c77c3c:/var/www/html#
```

DocumentRoot /var/www/html/public

Ponemos en el navegador: http://IP-INSTANCIA



← → ↻ No es seguro 3.236.81.163/admin/upgrade/settings.php?return=site

Centro educativo Reinicia para actualizar

Classroom Gmail Drive AWS WhatsApp YouTube GitHub ChatGPT Timer Slack Proyecto 2º D... Calendario Google Gemini

Installation

New settings - Site home settings

Full site name
Full name

antonio mateos examen

Short name for site (eg single word)
Short name

antonio

Site home summary
Summary

Edit View Insert Format Tools Table Help

↶ ↷ B I H2 H3 Link Image Table List Link List Link List

p

0 words Build with tinyMCE

This summary can be displayed on the site home using the course/site summary block.

New settings - Location settings

Default timezone
Timezone

Europe/London

Default: Europe/London

This is the default timezone for displaying dates - each user can override this setting in their profile. Cron tasks and other server settings are specified in this timezone. You should change the setting if it shows as "Invalid timezone"

New settings - Manage authentication

← → ↻ No es seguro 3.236.81.163/my/

Centro educativo Reinicia para actualizar

Classroom Gmail Drive AWS WhatsApp YouTube GitHub ChatGPT Timer Slack Proyecto 2º D... Calendario Google Gemini

antonio Home Dashboard My courses Site administration

ua Edit mode

Dashboard

Welcome, usuario! 🖐️

Timeline

Next 7 days Sort by dates Search by activity type or name

No in-progress courses

Calendar

All courses New event

◀ November December 2025 January ▶

Mon	Tue	Wed	Thu	Fri	Sat	Sun
1	2	3	4	5	6	7
8	9	10	11	12	13	14

INSTALACIÓN DE MAGENTO:

Añadimos una nueva regla de entrada

Reglas de entrada Información

ID de la regla del grupo de seguridad Tipo Información Protocolo Información Intervalo de puertos Información Origen Información Descripción: opcional Información

sgr-00f389f92f344d170	SSH	TCP	22	Persona...	0.0.0.0/0		Eliminar
sgr-0db377d4460cf461b	HTTP	TCP	80	Persona...	0.0.0.0/0		Eliminar
-	TCP personalizado	TCP	1080	Anywhe...	0.0.0.0/0		Eliminar

Agregar regla

⚠ Las reglas cuyo origen es 0.0.0.0/0 o ::/0 permiten a todas las direcciones IP acceder a la instancia. Recomendamos configurar reglas de grupo de seguridad para permitir el acceso únicamente desde direcciones IP conocidas.

Cancelar Previsualizar los cambios Guardar reglas

Añadimos el repositorio de php:

```
apt install -y software-properties-common
add-apt-repository ppa:ondrej/php -y
apt update
```

Instalar PHP y sus extensiones necesarias para el gestor Magento

```
apt install -y php5.6 php5.6-common php5.6-cli php5.6-fpm \
php5.6-mysql php5.6-curl php5.6-xml php5.6-intl php5.6-gd \
php5.6-mbstring php5.6-zip libapache2-mod-php5.6 \
php5.6-mcrypt php5.6-soap
```

```
php5.6-fpm.service.
invoke-rc.d: could not determine current runlevel
invoke-rc.d: policy-rc.d denied execution of start.
Setting up php5.6 (5.6.40-86+ubuntu24.04.1+deb.sury.org+1) ...
Setting up libapache2-mod-php5.6 (5.6.40-86+ubuntu24.04.1+deb.sury.org+1) ...
debconf: unable to initialize frontend: Dialog
debconf: (No usable dialog-like program is installed, so the dialog based frontend cannot be used. at /usr/share/perl5/Debconf/FrontEnd/Dialog.pm line 79.)
debconf: falling back to frontend: Readline

Creating config file /etc/php/5.6/apache2/php.ini with new version
Module mpm_event disabled.
Enabling module mpm_prefork.
apache2_switch_mpm Switch to prefork
invoke-rc.d: could not determine current runlevel
invoke-rc.d: policy-rc.d denied execution of restart.
apache2_invoke: Enable module php5.6
invoke-rc.d: could not determine current runlevel
invoke-rc.d: policy-rc.d denied execution of restart.
Setting up libheif-plugin-aomdec:amd64 (1.17.6-1ubuntu4.1) ...
Setting up libheif-plugin-libde265:amd64 (1.17.6-1ubuntu4.1) ...
Setting up libheif1:amd64 (1.17.6-1ubuntu4.1) ...
Setting up libheif-plugin-aomenc:amd64 (1.17.6-1ubuntu4.1) ...
Processing triggers for libc-bin (2.39-0ubuntu8.6) ...
Processing triggers for sgml-base (1.31) ...
Setting up libfontconfig1:amd64 (2.15.0-1.1ubuntu2) ...
Setting up libgd3:amd64 (2.3.3-13+ubuntu24.04.1+deb.sury.org+1) ...
Setting up php5.6-gd (5.6.40-86+ubuntu24.04.1+deb.sury.org+1) ...
debconf: unable to initialize frontend: Dialog
debconf: (No usable dialog-like program is installed, so the dialog based frontend cannot be used. at /usr/share/perl5/Debconf/FrontEnd/Dialog.pm line 79.)
debconf: falling back to frontend: Readline

Creating config file /etc/php/5.6/mods-available/gd.ini with new version
Processing triggers for php5.6-cli (5.6.40-86+ubuntu24.04.1+deb.sury.org+1) ...
Processing triggers for php5.6-fpm (5.6.40-86+ubuntu24.04.1+deb.sury.org+1) ...
invoke-rc.d: could not determine current runlevel
invoke-rc.d: policy-rc.d denied execution of restart.
NOTICE: Not enabling PHP 5.6 FPM by default.
NOTICE: To enable PHP 5.6 FPM in Apache2 do:
NOTICE: a2enmod proxy_fcgi setenvif
NOTICE: a2enconf php5.6-fpm
NOTICE: You are seeing this message because you have apache2 package installed.
Processing triggers for libapache2-mod-php5.6 (5.6.40-86+ubuntu24.04.1+deb.sury.org+1) ...
invoke-rc.d: could not determine current runlevel
invoke-rc.d: policy-rc.d denied execution of restart.
Processing triggers for libc-bin (2.39-0ubuntu8.6) ...
root@51708548102b:/#
```

Instalamos y configuramos la lamp y desplegamos (ponemos el puerto que añadimos)

