

Marcamos las casillas de permitir tráfico **HTTP** y **HTTPS** al crear la instancia

▼ Configuraciones de red [Información](#)

Editar

Red [Información](#)

vpc-0c4904ec707d08d01

Subred [Información](#)

No hay preferencia (subred predeterminada en cualquier zona de disponibilidad)

Asignación automática de IP pública [Información](#)

Habilitar

Firewall (grupos de seguridad) [Información](#)

Un grupo de seguridad es un conjunto de reglas de firewall que controlan el tráfico de la instancia. Agregue reglas para permitir que un tráfico específico llegue a la instancia.

☒ Crear un grupo de seguridad

☐ Seleccionar un grupo de seguridad existente

Crearemos un nuevo grupo de seguridad denominado **"launch-wizard-1"** con las siguientes reglas:

☒ Permitir el tráfico de SSH desde

Ayuda a establecer conexión con la instancia

Cualquier lugar
0.0.0.0/0

☒ Permitir el tráfico de HTTPS desde Internet

Para configurar un punto de enlace, por ejemplo, al crear un servidor web

☒ Permitir el tráfico de HTTP desde Internet

Para configurar un punto de enlace, por ejemplo, al crear un servidor web

⚠ Las reglas con origen 0.0.0.0/0 permiten que todas las direcciones IP tengan acceso a la instancia. Le recomendamos que configure las reglas del grupo de seguridad para permitir el acceso únicamente desde direcciones IP conocidas.

Añadimos reglas de entrada (Este es el puerto por donde Jenkins "escucha")

Editar reglas de entrada [Información](#)

Las reglas de entrada controlan el tráfico entrante que puede llegar a la instancia.

Reglas de entrada [Información](#)

ID de la regla del grupo de seguridad	Tipo Información	Protocolo Información	Intervalo de puertos Información	Origen Información	Descripción: opcional Información		
sgr-01152dbf3b6af8019	SSH	TCP	22	Persona...	Q	0.0.0.0/0	Eliminar
sgr-017185c867418c685	HTTPS	TCP	443	Persona...	Q	0.0.0.0/0	Eliminar
sgr-086ced17aafda7bef	HTTP	TCP	80	Persona...	Q	0.0.0.0/0	Eliminar
-	TCP personalizado	TCP	8080	Anywhe...	Q	0.0.0.0/0	Eliminar

Agregar regla

⚠ Las reglas cuyo origen es 0.0.0.0/0 o ::/0 permiten a todas las direcciones IP acceder a la instancia. Recomendamos configurar reglas de grupo de seguridad para permitir el acceso únicamente desde direcciones IP conocidas.

Cancelar

Previsualizar los cambios

Guardar reglas

instalamos con **sudo apt install fontconfig openjdk-17-jre -y**

```

Get:80 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libglx-mesa0 amd64 26.0.3-1ubuntu1 [126 kB]
Get:81 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libglx0 amd64 1.7.0-3 [39.0 kB]
Get:82 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libgl1 amd64 1.7.0-3 [98.3 kB]
Get:83 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libice6 amd64 2:1.1.1-1build1 [44.3 kB]
Get:84 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libsm6 amd64 2:1.2.6-1build1 [16.9 kB]
Get:85 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxt6t64 amd64 1:1.2.1-1.3build1 [173 kB]
Get:86 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxmu6 amd64 2:1.1.3-4 [48.9 kB]
Get:87 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxpm4 amd64 1:3.5.17-1build3 [37.4 kB]
Get:88 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxaw7 amd64 2:1.0.16-1build1 [191 kB]
Get:89 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxcb-shape0 amd64 1.17.0-2ubuntu1 [6196 B]
Get:90 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxcomposite1 amd64 1:0.4.6-1build1 [6694 B]
Get:91 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxft2 amd64 2.3.6-1build2 [45.6 kB]
Get:92 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxinerama1 amd64 2:1.1.4-3build2 [6500 B]
Get:93 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxkbfile1 amd64 1:1.1.0-1build5 [71.0 kB]
Get:94 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxrandr2 amd64 2:1.5.4-1build1 [19.8 kB]
Get:95 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxv1 amd64 2:1.0.13-1 [11.0 kB]
Get:96 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxxf86dga1 amd64 2:1.1.5-1build2 [12.0 kB]
Get:97 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 x11-utils amd64 7.7+7build1 [192 kB]
Get:98 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libatk-wrapper-java all 0.44.0-1 [55.2 kB]
Get:99 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libatk-wrapper-java-jni amd64 0.44.0-1 [48.6 kB]
Get:100 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libavahi-common-data amd64 0.8-18ubuntu1 [27.1 kB]
Get:101 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libavahi-common3 amd64 0.8-18ubuntu1 [23.7 kB]
Get:102 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libavahi-client3 amd64 0.8-18ubuntu1 [27.3 kB]
Get:103 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libcups2t64 amd64 2.4.16-1ubuntu1 [274 kB]
Get:104 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libdisplay-info3 amd64 0.3.0-1 [87.6 kB]
Get:105 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64v3 libgtk2.0-common all 2.24.33-10 [126 kB]
Get:106 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxfixes3 amd64 1:6.0.0-2build2 [11.2 kB]
Get:107 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxcursor1 amd64 1:1.2.3-1build1 [22.3 kB]
Get:108 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libxdamage1 amd64 1:1.1.7-1 [6614 B]
Get:109 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64v3 libgtk2.0-0t64 amd64 2.24.33-10 [2044 kB]
Get:110 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64v3 libgail18t64 amd64 2.24.33-10 [15.8 kB]
Get:111 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64v3 libgail-common amd64 2.24.33-10 [129 kB]
Get:112 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libgif7 amd64 5.2.2-1ubuntu3 [36.2 kB]
Get:113 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64v3 libgtk2.0-bin amd64 2.24.33-10 [7904 B]
Get:114 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libheif-plugin-aomenc amd64 1.21.2-3 [21.2 kB]
Get:115 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libjpeg-turbo8 amd64 2.1.5-4ubuntu4 [162 kB]
Get:116 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libjpeg8 amd64 8c-2ubuntu12 [2154 B]
Get:117 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libpcsc-lite1 amd64 2.4.1-1 [24.6 kB]
Get:118 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libwayland-client0 amd64 1.24.0-2 [28.6 kB]
Get:119 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 lut1 amd64 2.0.20250912-1 [41.8 kB]
Get:120 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 mesa-vulkan-drivers amd64 26.0.3-1ubuntu1 [19.1 MB]
Get:121 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64v3 openjdk-17-jre-headless amd64 17.0.18+8-1 [48.3 MB]
Get:122 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64v3 openjdk-17-jre amd64 17.0.18+8-1 [229 kB]
Get:123 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64v3 openjdk-17-jre amd64 17.0.18+8-1 [229 kB]
Fetched 105 MB in 2s (68.1 MB/s)
Extracting templates from packages: 100%
Scanning processes... [
ubuntu@ip-172-31-31-108:~$

```

Hacemos un wget del enlace

```

ubuntu@ip-172-31-31-108:~$ sudo wget https://updates.jenkins.io/download/war/2.563/jenkins.war
--2026-05-06 20:42:24-- https://updates.jenkins.io/download/war/2.563/jenkins.war
Resolving updates.jenkins.io (updates.jenkins.io)... 128.24.70.119, 2603:1030:408:3::2bd
Connecting to updates.jenkins.io (updates.jenkins.io)[128.24.70.119]:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://get.jenkins.io/war/2.563/jenkins.war [following]
--2026-05-06 20:42:24-- https://get.jenkins.io/war/2.563/jenkins.war
Resolving get.jenkins.io (get.jenkins.io)... 128.24.70.119, 2603:1030:408:3::2bd
Connecting to get.jenkins.io (get.jenkins.io)[128.24.70.119]:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://ftp-chi.osuosl.org/pub/jenkins/war/2.563/jenkins.war [following]
--2026-05-06 20:42:24-- https://ftp-chi.osuosl.org/pub/jenkins/war/2.563/jenkins.war
Resolving ftp-chi.osuosl.org (ftp-chi.osuosl.org)... 64.50.236.52, 2600:3402:200:227::2
Connecting to ftp-chi.osuosl.org (ftp-chi.osuosl.org)[64.50.236.52]:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 101045132 (96M) [application/x-java-archive]
Saving to: 'jenkins.war'

jenkins.war          0%[
jenkins.war          0%[
jenkins.war          2%[==>
jenkins.war          7%[=====>
jenkins.war          11%[=====>
jenkins.war          15%[=====>
jenkins.war          19%[=====>
jenkins.war          24%[=====>
jenkins.war          28%[=====>
jenkins.war          33%[=====>
jenkins.war          38%[=====>
jenkins.war          43%[=====>
jenkins.war          48%[=====>
jenkins.war          53%[=====>
jenkins.war          59%[=====>

```

Me da error porque necesita una versión más reciente de java

```

ubuntu@ip-172-31-31-108:~$ java -jar jenkins.war
Running with Java 17 from /usr/lib/jvm/java-17-openjdk-amd64, which is older than the minimum required version (Java 21).
Supported Java versions are: [21, 25]
See https://jenkins.io/redirect/java-support/ for more information.

```

La instalo

```
ubuntu@ip-172-31-31-108:~$ sudo apt install openjdk-21-jre -y
Installing:
  openjdk-21-jre

Installing dependencies:
  ibus-gtk3 libcolord2 libepoxy0 libgtk-3-0t64 libgtk-3-bin libgtk-3-common libwayland-cursor0 libwayland-egl1 openjdk-21-jre-headless

Suggested packages:
  colord gvfs libnss-mdns fonts-ipafont-gothic fonts-ipafont-mincho fonts-wqy-microhei | fonts-wqy-zenhei fonts-indic

Summary:
  Upgrading: 0, Installing: 10, Removing: 0, Not Upgrading: 21
  Download size: 52.0 MB
  Space needed: 221 MB / 4117 MB available

Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 ibus-gtk3 amd64 1.5.34-rc2-1 [19.9 kB]
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libcolord2 amd64 1.4.8-3 [151 kB]
Get:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libepoxy0 amd64 1.5.10-2build1 [226 kB]
Get:4 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libwayland-cursor0 amd64 1.24.0-2 [10.8 kB]
Get:5 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libwayland-egl1 amd64 1.24.0-2 [6264 B]
Get:6 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libgtk-3-common all 3.24.52-0ubuntu1 [1424 kB]
Get:7 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libgtk-3-0t64 amd64 3.24.52-0ubuntu1 [3085 kB]
Get:8 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 libgtk-3-bin amd64 3.24.52-0ubuntu1 [74.3 kB]
Get:9 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64v3 openjdk-21-jre-headless amd64 21.0.11-8ea-1 [46.8 MB]
Get:10 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64v3 openjdk-21-jre amd64 21.0.11-8ea-1 [227 kB]
Fetched 52.0 MB in 1s (82.5 MB/s)
Selecting previously unselected package ibus-gtk3:amd64.
(Reading database ... 95%
```


Ahora si v olvemos a ejecutar el comando

```
ubuntu@ip-172-31-31-108:~$ java -jar jenkins.war
Running from: /home/ubuntu/jenkins.war
webroot: /home/ubuntu/.jenkins/war
2026-05-06 20:47:43.588+0000 [id=1] INFO winstone.Logger$logInternal: Beginning extraction from war file
2026-05-06 20:47:44.631+0000 [id=1] WARNING o.e.j.ee9.nested.ContextHandler$setContextPath: Empty contextPath
2026-05-06 20:47:44.793+0000 [id=1] INFO org.eclipse.jetty.server.Server$doStart: jetty-12.1.8; built: 2026-04-01T01:09:18.991Z; git: c9cdc9aaa434a3665
u-1
2026-05-06 20:47:46.050+0000 [id=1] INFO o.e.j.e.w.StandardDescriptorProcessor$visitServlet: NO JSP Support for /, did not find org.eclipse.jetty.ee9.j
2026-05-06 20:47:46.201+0000 [id=1] INFO o.e.j.s.DefaultSessionIdManager$doStart: Session workerName=node0
2026-05-06 20:47:47.099+0000 [id=1] INFO hudson.WebAppMain$contextInitialized: Jenkins home directory: /home/ubuntu/.jenkins found at: $user.home/.jenk
2026-05-06 20:47:47.410+0000 [id=1] INFO o.e.j.s.handler.ContextHandler$doStart: Started o.e.j.s.ContextHandler$CoreContextHandler$62566842[Jenkins v2.5
TABLE, h=o.e.j.s.ContextHandler$CoreContextHandler$CoreToNestedHandler$2f1ea80d(STARTED)]
2026-05-06 20:47:47.459+0000 [id=1] INFO o.e.j.server.AbstractConnector$doStart: Started o.e.j.s.ServerConnector$5e8c34a0[HTTP/1.1, (http/1.1)][0.0.0.0:80
2026-05-06 20:47:47.465+0000 [id=25] INFO winstone.Logger$logInternal: Winstone Servlet Engine running: controlPort=disabled
2026-05-06 20:47:47.724+0000 [id=24] INFO jenkins.model.Jenkins$<init>: Starting version 2.563
2026-05-06 20:47:47.951+0000 [id=32] INFO jenkins.InitReactorRunner$1$onAttained: Started initialization
2026-05-06 20:47:47.980+0000 [id=32] INFO jenkins.InitReactorRunner$1$onAttained: Listed all plugins
2026-05-06 20:47:48.893+0000 [id=32] INFO jenkins.InitReactorRunner$1$onAttained: Prepared all plugins
2026-05-06 20:47:49.903+0000 [id=31] INFO jenkins.InitReactorRunner$1$onAttained: Started all plugins
2026-05-06 20:47:49.907+0000 [id=32] INFO jenkins.InitReactorRunner$1$onAttained: Augmented all extensions
2026-05-06 20:47:50.346+0000 [id=31] INFO jenkins.InitReactorRunner$1$onAttained: System config loaded
2026-05-06 20:47:50.347+0000 [id=32] INFO jenkins.InitReactorRunner$1$onAttained: System config adapted
2026-05-06 20:47:50.348+0000 [id=32] INFO jenkins.InitReactorRunner$1$onAttained: Loaded all jobs
2026-05-06 20:47:50.350+0000 [id=32] INFO jenkins.InitReactorRunner$1$onAttained: Configuration for all jobs updated
2026-05-06 20:47:50.464+0000 [id=46] INFO hudson.util.Retrier$start: Attempt #1 to do the action check updates server
2026-05-06 20:47:51.450+0000 [id=31] INFO jenkins.install.SetupWizard$init:


[LF]>
[LF]> *****
[LF]> *****
[LF]> *****
[LF]>
[LF]> Jenkins initial setup is required. An admin user has been created and a password generated.
[LF]> Please use the following password to proceed to installation:
[LF]>
[LF]> 6d758dcd3d30438da02994326d7f794b
[LF]>
[LF]> This may also be found at: /home/ubuntu/.jenkins/secrets/initialAdminPassword
[LF]>
[LF]> *****
[LF]> *****
[LF]> *****
```

Copiamos la contraseña generada: **6d758dcd3d30438da02994326d7f794b**


Copiamos nuestra ip pública con el puerto :8080




Ponemos la contraseña que habíamos copiado antes y nos saldrá esta opción (elegimos Instalar plugins sugeridos)



Pantalla de carga



Skypeamos las siguientes opciones hasta finalizar



Y ya tendríamos jenkins desplegado

Jenkins

+ Nueva Tarea

Historial de trabajos

Trabajos en la cola

No hay trabajos en la cola

Estado del ejecutor de construcciones 0/2

principal

fuera de línea

¡Bienvenido a Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

Start building your software project

Create a job

Set up a distributed build

Set up an agent

Configure a cloud

Learn more about distributed builds