

Primera Práctica de Evol...

Despliegue de Aplicaci...

Lanzamiento del Labor...

Instancias | EC2 | us-east-1

charcutron/prueba-daw...

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Instances?v=3&case-tags=true%5Cclient=false®ex-tags=false%5Cclient=false

Centro educativo

Finalizar actualización

EC2

Instancias

Panel

Vista global de EC2

Eventos

▼ Instancias

Instancias

Tipos de instancia

Plantillas de lanzamiento

Solicitudes de spot

Savings Plans

Instancias reservadas

Alojamientos dedicados

Reservas de capacidad

Capacity Manager

▼ Imágenes

AMI

Catálogo de AMI

▼ Elastic Block Store

Volúmenes

Instantáneas

Administrador del ciclo de vida

▼ Red y seguridad

Security Groups

Direcciones IP elásticas

Grupos de ubicación

Pares de claves

Interfaces de red

Instancias (1/4)

Información

Última actualización: Hace less than a minute

Conectar

Estado de la instancia

Acciones

Lanzar instancias

Buscar instancia por atributo o etiqueta (case-sensitive)

Todos los estados

☐	Name	ID de la instancia	Estado de la i...	Tipo de inst...	Comprobación de estado	Estado de la al...	Zona de dispon...	DNS de IPv4 pública	Dirección IP...
☐	CMS	i-03de54aea1e86f561	Detenida	t3.medium	-	Ver alarmas +	us-east-1c	-	-
☐	Magento y We...	i-0798a79c10df97a45	Detenida	t3.medium	-	Ver alarmas +	us-east-1f	-	-
☒	aws-jp1	i-06d9d15fda3340526	En ejecución	t3.medium	Inicializando	Ver alarmas +	us-east-1f	ec2-3-83-188-38 comp...	3.83.188.38
☐	aws-jp1	i-0e92bb49c9cb2462	Terminada	t3.medium	-	Ver alarmas +	us-east-1f	-	-

i-06d9d15fda3340526 (aws-jp1)

DetallesEstado y alarmasMonitoreoSeguridadRedesAlmacenamientoEtiquetas

▼ Resumen de instancia

ID de la instancia

i-06d9d15fda3340526

Dirección IPv4 pública

3.83.188.38 | dirección abierta

Direcciones IPv4 privadas

172.31.64.158

DNS público

ec2-3-83-188-38.compute-1.amazonaws.com | dirección abierta

Direcciones IP elásticas

-

Hallazgo de AWS Compute Optimizer

Suscribirse a AWS Compute Optimizer para recibir recomendaciones. | Más información

Nombre del grupo de Auto Scaling

-

Tipo de nombre de anfitrión

Nombre de IP: ip-172-31-64-158.ec2.internal

Responder al nombre DNS de recurso privado IPv4 (A)

Dirección IP asignada automáticamente

3.83.188.38 [IP pública]

Rol de IAM

-

Estado de la instancia

En ejecución

Nombre DNS de IP privada (solo IPv4)

ip-172-31-64-158.ec2.internal

Tipo de instancia

t3.medium

ID de VPC

vpc-026a8f225454a3d3e

ID de subred

subnet-02880714ac69c8282

Primera Práctica de Evol...

Despliegue de Aplicaci...

Lanzamiento del Labor...

Lanzar una instancia | EC2 | us-east-1

charcutron/prueba-daw...

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances

Centro educativo

Finalizar actualización

EC2

Instancias

Lanzar una instancia

▼ Tipo de instancia

Información

Obtener asesoramiento

Tipo de instancia

t3.medium

Familia: t3 2 vCPU 4 GiB Memoria Generación actual: true Bajo demanda Linux base precios: 0.0979 USD por hora Bajo demanda Windows base precios: 0.06 USD por hora Bajo demanda Linux base precios: 0.0416 USD por hora Bajo demanda Ubuntu Pro base precios: 0.0451 USD por hora Bajo demanda RHEL base precios: 0.0704 USD por hora

Todas las generaciones

Comparar tipos de instancias

Se aplican costos adicionales a las AMI con software preinstalado

▼ Par de claves (inicio de sesión)

Información

Puede utilizar un par de claves para conectarse de forma segura a la instancia. Asegúrese de que tiene acceso al par de claves seleccionado antes de lanzar la instancia.

Nombre del par de claves - obligatorio

daweb2025

Crear un nuevo par de claves

▼ Configuraciones de red

Información

VPC: obligatorio

vpc-026a8f225454a3d3e (predeterminado)

Subred

Sin preferencias

Crear nueva subred

Zona de disponibilidad

Sin preferencias

Habilitar zonas adicionales

Asignar automáticamente la IP pública

Desactivar

Firewall (grupos de seguridad)

Información

Un grupo de seguridad es un conjunto de reglas de firewall que controlan el tráfico de la instancia. Agregue reglas para permitir que un tráfico específico llegue a la instancia.

Crear grupo de seguridad

Seleccionar un grupo de seguridad existente

▼ Resumen

Información

Número de instancias

1

Imagen de software (AMI)

Canonical, Ubuntu, 24.04, amd64...más información

ami-0ecb62995f6bb549

Tipo de servidor virtual (tipo de instancia)

t3.medium

Firewall (grupo de seguridad)

Nuevo grupo de seguridad

Almacenamiento (volúmenes)

Volúmenes: 1 (8 GiB)

Cancelar

Lanzar instancia

Código de versión preliminar

Primera Práctica de Ev...Despliegue de Aplicado...Lanzamiento del Labor...Lanzar una instancia | E...charcutron/prueba-deu...us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:Centro educativoFinalizar actualizaciónID de cuenta: 8013-7733-3768vocalabs/user44337657-Jes..._S_Perra_Im_rec

Buscar[Alt+S]

EC2InstanciasLanzar una instancia

Lanzar una instancia

Amazon EC2 le permite crear máquinas virtuales, o instancias, que se ejecutan en la nube de AWS. Comience rápidamente siguiendo los sencillos pasos que se indican a continuación.

Nombre y etiquetas

Nombre

aws-jpj

Agregar etiquetas adicionales

▼ Imágenes de aplicaciones y sistemas operativos (Imagen de máquina de Amazon)

Una AMI posee el sistema operativo, el servidor de aplicaciones y las aplicaciones de la instancia. Si a continuación no ve una AMI adecuada, utilice el campo de búsqueda o elija [Buscar más AMI](#).

Q Busque en nuestro catálogo completo que incluye miles de imágenes de sistemas operativos y aplicaciones

RecientesInicio rápido

Amazon Linux

aws

macOS

Mac

Ubuntu

ubuntu

Windows

Microsoft

Red Hat

Red Hat

SUSE Linux

SUSE

Debian

debian

Buscar más AMI

Inclusión de AMI de AWS, Marketplace y la comunidad

Imágenes de máquina de Amazon (AMI)

Ubuntu Server 24.04 LTS (HVM), SSD Volume Type

ami-0ecb62995f68bb549 (64 bits (x86)) / ami-01b9f1e7dc427266e (64 bits (ARM))

Virtualización: hvm · Activado para ENA: true · Tipo de dispositivo raíz: ebs

Apto para la capa gratuita

Descripción

Ubuntu Server 24.04 LTS (HVM),EBS General Purpose (SSD) Volume Type. Support available from Canonical (<http://www.ubuntu.com/cloud/services>).
Canonical, Ubuntu, 24.04, amd64 noble image

▼ Resumen

Número de instancias

1

Información

Imagen de software (AMI)

Canonical, Ubuntu, 24.04, amd64...más información

ami-0ecb62995f68bb549

Tipo de servidor virtual (tipo de instancia)

t3.medium

Firewall (grupo de seguridad)

Nuevo grupo de seguridad

Almacenamiento (volúmenes)

Volúmenes: 1 (8 GiB)

Cancelar

Lanzar instancia

[Código de versión preliminar](#)

```
alumnado@iespsur: ~  
alumnado@iespsur: ~ 101x55  
wordpress/wp-includes/widgets/class-wp-widget-media.php  
wordpress/wp-includes/widgets/class-wp-widget-meta.php  
wordpress/wp-includes/widgets/class-wp-widget-pages.php  
wordpress/wp-includes/widgets/class-wp-widget-recent-comments.php  
wordpress/wp-includes/widgets/class-wp-widget-recent-posts.php  
wordpress/wp-includes/widgets/class-wp-widget-rss.php  
wordpress/wp-includes/widgets/class-wp-widget-search.php  
wordpress/wp-includes/widgets/class-wp-widget-tag-cloud.php  
wordpress/wp-includes/widgets/class-wp-widget-text.php  
wordpress/wp-includes/widgets.php  
wordpress/wp-includes/wp-db.php  
wordpress/wp-includes/wp-diff.php  
wordpress/wp-links-opml.php  
wordpress/wp-load.php  
wordpress/wp-login.php  
wordpress/wp-mail.php  
wordpress/wp-settings.php  
wordpress/wp-signup.php  
wordpress/wp-trackback.php  
wordpress/xmlrpc.php  
root@ci1e6f773e8cf:/var/www/html# ls  
index.html latest.tar.gz wordpress  
root@ci1e6f773e8cf:/var/www/html# rm index.html  
root@ci1e6f773e8cf:/var/www/html# rm latest.tar  
rm: cannot remove 'latest.tar': No such file or directory  
root@ci1e6f773e8cf:/var/www/html# rm latest.tar.gz  
root@ci1e6f773e8cf:/var/www/html# ls  
wordpress  
root@ci1e6f773e8cf:/var/www/html# cd wordpress/  
root@ci1e6f773e8cf:/var/www/html/wordpress# ls  
index.php wp-admin wp-content wp-load.php wp-signup.php  
license.txt wp-blog-header.php wp-cron.php wp-login.php wp-trackback.php  
readme.html wp-comments-post.php wp-includes wp-mail.php xmlrpc.php  
wp-activate.php wp-config-sample.php wp-links-opml.php wp-settings.php  
root@ci1e6f773e8cf:/var/www/html/wordpress# cd ..  
root@ci1e6f773e8cf:/var/www/html# mv wordpress/* /var/www/html/  
root@ci1e6f773e8cf:/var/www/html# ls  
index.php wp-activate.php wp-config-sample.php wp-links-opml.php wp-settings.php  
license.txt wp-admin wp-content wp-load.php wp-signup.php  
readme.html wp-blog-header.php wp-cron.php wp-login.php wp-trackback.php  
wordpress wp-comments-post.php wp-includes wp-mail.php xmlrpc.php  
root@ci1e6f773e8cf:/var/www/html# cp wp-config-sample.php wp-config.php  
root@ci1e6f773e8cf:/var/www/html# vim wp-config.php  
root@ci1e6f773e8cf:/var/www/html# vim wp-config.php  
root@ci1e6f773e8cf:/var/www/html# exit  
exit  
alumnado@iespsur:~$ docker commit ExamenD examend:2  
sha256:2a1a9323f80283e6c3ccdd6daed704926d8d7dcb4e3d3423a823372b20fa32d8  
alumnado@iespsur:~$ docker tag examend:2 charcutron/prueba-daw  
alumnado@iespsur:~$ docker push charcutron/prueba-daw  
Using default tag: latest  
The push refers to repository [docker.io/charcutron/prueba-daw]  
d6f222a11e5e: Pushing 13.3MB/669.2MB  
470b66ea5123: Layer already exists
```



```
<?php
/**
 * The base configuration for WordPress
 *
 * The wp-config.php creation script uses this file during the installation.
 * You don't have to use the website, you can copy this file to "wp-config.php"
 * and fill in the values.
 *
 * This file contains the following configurations:
 *
 * * Database settings
 * * Secret keys
 * * Database table prefix
 * * ABSPATH
 *
 * @link https://developer.wordpress.org/advanced-administration/wordpress/wp-config/
 *
 * @package WordPress
 */

// ** Database settings - You can get this info from your web host ** //
/** The name of the database for WordPress */
define( 'DB_NAME', 'wordpress_db' );

/** Database username */
define( 'DB_USER', 'admin' );

/** Database password */
define( 'DB_PASSWORD', '2daw.2025' );

/** Database hostname */
define( 'DB_HOST', 'localhost' );

/** Database charset to use in creating database tables. */
define( 'DB_CHARSET', 'utf8mb4' );

/** The database collate type. Don't change this if in doubt. */
define( 'DB_COLLATE', '' );

/**#@+
 * Authentication unique keys and salts.
 *
 * Change these to different unique phrases! You can generate these using
 * the {@link https://api.wordpress.org/secret-key/1.1/salt/ WordPress.org secret-key service}.
 *
 * You can change these at any point in time to invalidate all existing cookies.
 * This will force all users to have to log in again.
 *
 * @since 2.6.0
 */
define( 'AUTH_KEY',          'put your unique phrase here' );
define( 'SECURE_AUTH_KEY',   'put your unique phrase here' );
define( 'LOGGED_IN_KEY',     'put your unique phrase here' );
define( 'NONCE_KEY',         'put your unique phrase here' );
"wp-config.php" [dos] 102L, 3321C
```

```
root@c1e6f773e8cf: /var/www/html
root@c1e6f773e8cf: /var/www/html 101x55
wordpress/wp-includes/widgets/class-wp-nav-menu-widget.php
wordpress/wp-includes/widgets/class-wp-widget-archives.php
wordpress/wp-includes/widgets/class-wp-widget-block.php
wordpress/wp-includes/widgets/class-wp-widget-calendar.php
wordpress/wp-includes/widgets/class-wp-widget-categories.php
wordpress/wp-includes/widgets/class-wp-widget-custom-html.php
wordpress/wp-includes/widgets/class-wp-widget-links.php
wordpress/wp-includes/widgets/class-wp-widget-media-audio.php
wordpress/wp-includes/widgets/class-wp-widget-media-gallery.php
wordpress/wp-includes/widgets/class-wp-widget-media-image.php
wordpress/wp-includes/widgets/class-wp-widget-media-video.php
wordpress/wp-includes/widgets/class-wp-widget-media.php
wordpress/wp-includes/widgets/class-wp-widget-meta.php
wordpress/wp-includes/widgets/class-wp-widget-pages.php
wordpress/wp-includes/widgets/class-wp-widget-recent-comments.php
wordpress/wp-includes/widgets/class-wp-widget-recent-posts.php
wordpress/wp-includes/widgets/class-wp-widget-rss.php
wordpress/wp-includes/widgets/class-wp-widget-search.php
wordpress/wp-includes/widgets/class-wp-widget-tag-cloud.php
wordpress/wp-includes/widgets/class-wp-widget-text.php
wordpress/wp-includes/widgets.php
wordpress/wp-includes/wp-db.php
wordpress/wp-includes/wp-diff.php
wordpress/wp-links-opml.php
wordpress/wp-load.php
wordpress/wp-login.php
wordpress/wp-mail.php
wordpress/wp-settings.php
wordpress/wp-signup.php
wordpress/wp-trackback.php
wordpress/xmlrpc.php
root@c1e6f773e8cf:/var/www/html# ls
index.html latest.tar.gz wordpress
root@c1e6f773e8cf:/var/www/html# rm index.html
root@c1e6f773e8cf:/var/www/html# rm latest.tar
rm: cannot remove 'latest.tar': No such file or directory
root@c1e6f773e8cf:/var/www/html# rm latest.tar.gz
root@c1e6f773e8cf:/var/www/html# ls
wordpress
root@c1e6f773e8cf:/var/www/html# cd wordpress/
root@c1e6f773e8cf:/var/www/html/wordpress# ls
index.php      wp-admin      wp-content    wp-load.php   wp-signup.php
license.txt    wp-blog-header.php wp-cron.php   wp-login.php  wp-trackback.php
readme.html    wp-comments-post.php wp-includes   wp-mail.php   xmlrpc.php
wp-activate.php wp-config-sample.php wp-links-opml.php wp-settings.php
root@c1e6f773e8cf:/var/www/html/wordpress# cd ..
root@c1e6f773e8cf:/var/www/html# mv wordpress/* /var/www/html/
root@c1e6f773e8cf:/var/www/html# ls
index.php      wp-activate.php    wp-config-sample.php wp-links-opml.php wp-settings.php
license.txt    wp-admin           wp-content          wp-load.php       wp-signup.php
readme.html    wp-blog-header.php wp-cron.php         wp-login.php      wp-trackback.php
wordpress      wp-comments-post.php wp-includes         wp-mail.php       xmlrpc.php
root@c1e6f773e8cf:/var/www/html# cp wp-config-sample.php wp-config.php
root@c1e6f773e8cf:/var/www/html# vim wp-config.php
root@c1e6f773e8cf:/var/www/html# exit
```

```
root@ci1e6f773e8cf: /var/www/html
root@ci1e6f773e8cf: /var/www/html 101x55
wordpress/wp-includes/version.php
wordpress/wp-includes/widgets/
wordpress/wp-includes/widgets/class-wp-nav-menu-widget.php
wordpress/wp-includes/widgets/class-wp-widget-archives.php
wordpress/wp-includes/widgets/class-wp-widget-block.php
wordpress/wp-includes/widgets/class-wp-widget-calendar.php
wordpress/wp-includes/widgets/class-wp-widget-categories.php
wordpress/wp-includes/widgets/class-wp-widget-custom-html.php
wordpress/wp-includes/widgets/class-wp-widget-links.php
wordpress/wp-includes/widgets/class-wp-widget-media-audio.php
wordpress/wp-includes/widgets/class-wp-widget-media-gallery.php
wordpress/wp-includes/widgets/class-wp-widget-media-image.php
wordpress/wp-includes/widgets/class-wp-widget-media-video.php
wordpress/wp-includes/widgets/class-wp-widget-media.php
wordpress/wp-includes/widgets/class-wp-widget-meta.php
wordpress/wp-includes/widgets/class-wp-widget-pages.php
wordpress/wp-includes/widgets/class-wp-widget-recent-comments.php
wordpress/wp-includes/widgets/class-wp-widget-recent-posts.php
wordpress/wp-includes/widgets/class-wp-widget-rss.php
wordpress/wp-includes/widgets/class-wp-widget-search.php
wordpress/wp-includes/widgets/class-wp-widget-tag-cloud.php
wordpress/wp-includes/widgets/class-wp-widget-text.php
wordpress/wp-includes/widgets.php
wordpress/wp-includes/wp-db.php
wordpress/wp-includes/wp-diff.php
wordpress/wp-links-opml.php
wordpress/wp-load.php
wordpress/wp-login.php
wordpress/wp-mail.php
wordpress/wp-settings.php
wordpress/wp-signup.php
wordpress/wp-trackback.php
wordpress/xmlrpc.php
root@ci1e6f773e8cf: /var/www/html# ls
index.html  latest.tar.gz  wordpress
root@ci1e6f773e8cf: /var/www/html# rm index.html
root@ci1e6f773e8cf: /var/www/html# rm latest.tar
rm: cannot remove 'latest.tar': No such file or directory
root@ci1e6f773e8cf: /var/www/html# rm latest.tar.gz
root@ci1e6f773e8cf: /var/www/html# ls
wordpress
root@ci1e6f773e8cf: /var/www/html# cd wordpress/
root@ci1e6f773e8cf: /var/www/html/wordpress# ls
index.php      wp-admin      wp-content    wp-load.php   wp-signup.php
license.txt    wp-blog-header.php  wp-cron.php   wp-login.php   wp-trackback.php
readme.html   wp-comments-post.php  wp-includes   wp-mail.php    xmlrpc.php
wp-activate.php  wp-config-sample.php  wp-links-opml.php  wp-settings.php
root@ci1e6f773e8cf: /var/www/html/wordpress# cd ..
root@ci1e6f773e8cf: /var/www/html# mv wordpress/* /var/www/html/
root@ci1e6f773e8cf: /var/www/html# ls
index.php      wp-activate.php  wp-config-sample.php  wp-links-opml.php  wp-settings.php
license.txt    wp-admin         wp-content            wp-load.php        wp-signup.php
readme.html   wp-blog-header.php  wp-cron.php          wp-login.php        wp-trackback.php
wordpress     wp-comments-post.php  wp-includes          wp-mail.php         xmlrpc.php
root@ci1e6f773e8cf: /var/www/html#
```


```
root@ci1e6f773e8cf: /# cd /var/www/html/
root@ci1e6f773e8cf: /var/www/html# wget http://wordpress.org/latest.tar.gz
--2025-12-05 14:05:55-- http://wordpress.org/latest.tar.gz
Resolving wordpress.org (wordpress.org)... 198.143.164.252, 2607:f978:5:8002::c68f:a4fc
Connecting to wordpress.org (wordpress.org)|198.143.164.252|:80... connected.
HTTP request sent, awaiting response... 301 Moved Permanently
Location: https://wordpress.org/latest.tar.gz [following]
--2025-12-05 14:05:55-- https://wordpress.org/latest.tar.gz
Connecting to wordpress.org (wordpress.org)|198.143.164.252|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 27058021 (26M) [application/octet-stream]
Saving to: 'latest.tar.gz'

latest.tar.gz      100%[=====] 25.80M  3.20MB/s   in 8.3s

2025-12-05 14:06:04 (3.10 MB/s) - 'latest.tar.gz' saved [27058021/27058021]

root@ci1e6f773e8cf: /var/www/html#
```

```
alumnado@iespsur: ~  
alumnado@iespsur: ~ 101x55  
MariaDB [(none)]> FLUSH PRIVILEGES;  
Query OK, 0 rows affected (0.000 sec)  
  
MariaDB [(none)]> EXIT;  
Bye  
root@c1e6f773e8cf:/# mariadb  
Welcome to the MariaDB monitor.  Commands end with ; or \g.  
Your MariaDB connection id is 39  
Server version: 10.3.39-MariaDB-0ubuntu0.20.04.2 Ubuntu 20.04  
  
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.  
  
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.  
  
MariaDB [(none)]> GRANT ALL PRIVILEGES ON bddj.* TO 'j'@'localhost';  
Query OK, 0 rows affected (0.001 sec)  
  
MariaDB [(none)]> EXIT;  
Bye  
root@c1e6f773e8cf:/# exit  
exit  
alumnado@iespsur:~$ docker login  
Authenticating with existing credentials... [Username: charcutron]  
  
Info -> To login with a different account, run 'docker logout' followed by 'docker login'  
  
^CLogin did not succeed, error: error during connect: Post "http://%2Fvar%2Frun%2Fdocker.sock/v1.51/auth":  
uth":  
Failed to start web-based login - falling back to command line login...  
  
Log in with your Docker ID or email address to push and pull images from Docker Hub. If you don't have a Docker ID, head over to https://hub.docker.com/ to create one.  
You can log in with your password or a Personal Access Token (PAT). Using a limited-scope PAT grants better security and is required for organizations using SSO. Learn more at https://docs.docker.com/go/access-tokens/  
  
Username (charcutron):  
alumnado@iespsur:~$ docker login  
Authenticating with existing credentials... [Username: charcutron]  
  
Info -> To login with a different account, run 'docker logout' followed by 'docker login'  
  
Login Succeeded  
alumnado@iespsur:~$ docker commit Examend examend:web  
sha256:0f5a51749f9428f8f2af8912a80a645b7e1b4adbd0712ba877d3f643d7fed5a9  
alumnado@iespsur:~$ docker tag examend:web charcutron/prueba-daw  
alumnado@iespsur:~$ docker push charcutron/prueba-daw  
Using default tag: latest  
The push refers to repository [docker.io/charcutron/prueba-daw]  
82d24bd5a2d1: Pushed  
470b66ea5123: Mounted from library/ubuntu  
latest: digest: sha256:d47e15e85256032ad1e58bd7b1ec3850b3ee5f925a4d03f2ee2ff59a23b7f5a0 size: 742  
alumnado@iespsur:~$
```




```
des Terminator 5 de dic
alumnado@iespsur: ~
alumnado@iespsur: ~ 101x55

MariaDB [(none)]> CREATE USER 'jpj'@'localhost' IDENTIFIED BY 'jpj';
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> GRANT ALL PRIVILEGES ON drupal_db.* TO 'jpj'@'localhost';
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.000 sec)

MariaDB [(none)]> EXIT;
Bye
root@c1e6f773e8cf:/# mariadb
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 39
Server version: 10.3.39-MariaDB-0ubuntu0.20.04.2 Ubuntu 20.04

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> GRANT ALL PRIVILEGES ON bddjpj.* TO 'jpj'@'localhost';
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> EXIT;
Bye
root@c1e6f773e8cf:/# exit
exit
alumnado@iespsur:~$ docker login
Authenticating with existing credentials... [Username: charcutron]

Info → To login with a different account, run 'docker logout' followed by 'docker login'

Login did not succeed, error: error during connect: Post "http://%2Fvar%2Frun%2Fdocker.sock/v1.51/auth":
Failed to start web-based login - falling back to command line login...

Log in with your Docker ID or email address to push and pull images from Docker Hub. If you don't have a Docker ID, head over to https://hub.docker.com/ to create one.
You can log in with your password or a Personal Access Token (PAT). Using a limited-scope PAT grants better security and is required for organizations using SSO. Learn more at https://docs.docker.com/go/access-tokens/

Username (charcutron):
alumnado@iespsur:~$ docker login
Authenticating with existing credentials... [Username: charcutron]

Info → To login with a different account, run 'docker logout' followed by 'docker login'

Login Succeeded
alumnado@iespsur:~$ docker commit ExamenD examend:web
sha256:0f5a51749f9428f8f2af8912a80a645b7e1b4adbd0712ba877d3f643d7fed5a9
alumnado@iespsur:~$ docker tag examend:web charcutron/prueba-daw
```



```
des Terminator 5 de dic
root@c1e6f773e8cf: /
root@c1e6f773e8cf: / 101x55
Unpacking unzip (6.0-25ubuntu1.2) ...
Setting up unzip (6.0-25ubuntu1.2) ...
Processing triggers for mime-support (3.64ubuntu1) ...
root@c1e6f773e8cf:/# docker login
bash: docker: command not found
root@c1e6f773e8cf:/# exit
exit
alumnado@iespsur:~$ docker login
Authenticating with existing credentials... [Username: charcutron]

Info → To login with a different account, run 'docker logout' followed by 'docker login'

Login Succeeded
alumnado@iespsur:~$ docker commit ExamenD examend:web
sha256:694ad22372c30c9db173d1217c3ab14f053780bdaa529cb4c88fcd9c9eeb0d7
alumnado@iespsur:~$ docker exec -it ExamenD bash
root@c1e6f773e8cf:/# mariadb
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 38
Server version: 10.3.39-MariaDB-0ubuntu0.20.04.2 Ubuntu 20.04

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> CREATE DATABASE bddjppj;
Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> CREATE USER 'jppj'@'localhost' IDENTIFIED BY 'jppj';
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> GRANT ALL PRIVILEGES ON drupal_db.* TO 'jppj'@'localhost';
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.000 sec)

MariaDB [(none)]> EXIT;
Bye
root@c1e6f773e8cf:/# mariadb
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 39
Server version: 10.3.39-MariaDB-0ubuntu0.20.04.2 Ubuntu 20.04

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> GRANT ALL PRIVILEGES ON bddjppj.* TO 'jppj'@'localhost';
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> EXIT;
Bye
root@c1e6f773e8cf:/#
```

```
des Terminator 5 de dic
root@c1e6f773e8cf: /
root@c1e6f773e8cf: / 101x55
Reading package lists... Done
Building dependency tree
Reading state information... Done
Suggested packages:
  zip
The following NEW packages will be installed:
  unzip
0 upgraded, 1 newly installed, 0 to remove and 5 not upgraded.
Need to get 169 kB of archives.
After this operation, 593 kB of additional disk space will be used.
Get:1 http://archive.ubuntu.com/ubuntu focal-updates/main amd64 unzip amd64 6.0-25ubuntu1.2 [169 kB]
Fetched 169 kB in 0s (773 kB/s)
debconf: delaying package configuration, since apt-utils is not installed
Selecting previously unselected package unzip.
(Reading database ... 14460 files and directories currently installed.)
Preparing to unpack .../unzip_6.0-25ubuntu1.2_amd64.deb ...
Unpacking unzip (6.0-25ubuntu1.2) ...
Setting up unzip (6.0-25ubuntu1.2) ...
Processing triggers for mime-support (3.64ubuntu1) ...
root@c1e6f773e8cf:/# docker login
bash: docker: command not found
root@c1e6f773e8cf:/# exit
exit
alumnado@iespsur:~$ docker login
Authenticating with existing credentials... [Username: charcutron]

Info → To login with a different account, run 'docker logout' followed by 'docker login'

Login Succeeded
alumnado@iespsur:~$ docker commit ExamenD examend:web
sha256:694ad22372c30c9db173d1217c3ab14f053780bd529cb4c88fcd9c9eeb0d7
alumnado@iespsur:~$ docker exec -it ExamenD bash
root@c1e6f773e8cf:/# mariadb
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 38
Server version: 10.3.39-MariaDB-0ubuntu0.20.04.2 Ubuntu 20.04

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> CREATE DATABASE bbddjppj;
Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> CREATE USER 'jppj'@'localhost' IDENTIFIED BY 'jppj';
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> GRANT ALL PRIVILEGES ON drupal_db.* TO 'jppj'@'localhost';
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.000 sec)

MariaDB [(none)]> EXIT;
```

```
des Terminator 5 de dic
root@c1e6f773e8cf: /
root@c1e6f773e8cf: /101x55
update-alternatives: warning: skip creation of /usr/share/man/pl/man1/view.1.gz because associated fi
le /usr/share/man/pl/man1/vim.1.gz (of link group view) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/ru/man1/view.1.gz because associated fi
le /usr/share/man/ru/man1/vim.1.gz (of link group view) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/man1/view.1.gz because associated file
/usr/share/man/man1/vim.1.gz (of link group view) doesn't exist
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/ex (ex) in auto mode
update-alternatives: warning: skip creation of /usr/share/man/da/man1/ex.1.gz because associated file
/usr/share/man/da/man1/vim.1.gz (of link group ex) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/de/man1/ex.1.gz because associated file
/usr/share/man/de/man1/vim.1.gz (of link group ex) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/fr/man1/ex.1.gz because associated file
/usr/share/man/fr/man1/vim.1.gz (of link group ex) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/it/man1/ex.1.gz because associated file
/usr/share/man/it/man1/vim.1.gz (of link group ex) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/ja/man1/ex.1.gz because associated file
/usr/share/man/ja/man1/vim.1.gz (of link group ex) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/pl/man1/ex.1.gz because associated file
/usr/share/man/pl/man1/vim.1.gz (of link group ex) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/ru/man1/ex.1.gz because associated file
/usr/share/man/ru/man1/vim.1.gz (of link group ex) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/man1/ex.1.gz because associated file /u
sr/share/man/man1/vim.1.gz (of link group ex) doesn't exist
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/editor (editor) in auto mode
update-alternatives: warning: skip creation of /usr/share/man/da/man1/editor.1.gz because associated
file /usr/share/man/da/man1/vim.1.gz (of link group editor) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/de/man1/editor.1.gz because associated
file /usr/share/man/de/man1/vim.1.gz (of link group editor) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/fr/man1/editor.1.gz because associated
file /usr/share/man/fr/man1/vim.1.gz (of link group editor) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/it/man1/editor.1.gz because associated
file /usr/share/man/it/man1/vim.1.gz (of link group editor) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/ja/man1/editor.1.gz because associated
file /usr/share/man/ja/man1/vim.1.gz (of link group editor) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/pl/man1/editor.1.gz because associated
file /usr/share/man/pl/man1/vim.1.gz (of link group editor) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/ru/man1/editor.1.gz because associated
file /usr/share/man/ru/man1/vim.1.gz (of link group editor) doesn't exist
update-alternatives: warning: skip creation of /usr/share/man/man1/editor.1.gz because associated fil
e /usr/share/man/man1/vim.1.gz (of link group editor) doesn't exist
Processing triggers for libc-bin (2.31-0ubuntu9.17) ...
Processing triggers for mime-support (3.64ubuntu1) ...
root@c1e6f773e8cf:/# apt install unzip
Reading package lists... Done
Building dependency tree
Reading state information... Done
Suggested packages:
  zip
The following NEW packages will be installed:
  unzip
0 upgraded, 1 newly installed, 0 to remove and 5 not upgraded.
Need to get 169 kB of archives.
After this operation, 593 kB of additional disk space will be used.
Get:1 http://archive.ubuntu.com/ubuntu focal-updates/main amd64 unzip amd64 6.0-25ubuntu1.2 [169 kB]
1% [1 unzip 2588 B/169 kB 2%]
```

```
des Terminator 5 de dic
root@c1e6f773e8cf: /
root@c1e6f773e8cf: / 101x55
debconf: (No usable dialog-like program is installed, so the dialog based frontend cannot be used. at
/usr/share/perl5/Debconf/FrontEnd/Dialog.pm line 76.)
debconf: falling back to frontend: Readline

Creating config file /etc/php/7.4/apache2/php.ini with new version
No module matches
Setting up php-curl (2:7.4+75) ...
Setting up apache2 (2.4.41-4ubuntu3.23) ...
Enabling module mpm_event.
Enabling module authz_core.
Enabling module authz_host.
Enabling module authn_core.
Enabling module auth_basic.
Enabling module access_compat.
Enabling module authn_file.
Enabling module authz_user.
Enabling module alias.
Enabling module dir.
Enabling module autoindex.
Enabling module env.
Enabling module mime.
Enabling module negotiation.
Enabling module setenvif.
Enabling module filter.
Enabling module deflate.
Enabling module status.
Enabling module reqtimeout.
Enabling conf charset.
Enabling conf localized-error-pages.
Enabling conf other-vhosts-access-log.
Enabling conf security.
Enabling conf serve-cgi-bin.
Enabling site 000-default.
info: Switch to mpm prefork for package libapache2-mod-php7.4
Module mpm_event disabled.
Enabling module mpm_prefork.
info: Executing deferred 'a2enmod php7.4' for package libapache2-mod-php7.4
Enabling module php7.4.
invoke-rc.d: could not determine current runlevel
invoke-rc.d: policy-rc.d denied execution of start.
Setting up php7.4 (7.4.3-4ubuntu2.29) ...
Setting up php (2:7.4+75) ...
Processing triggers for libc-bin (2.31-0ubuntu9.17) ...
Processing triggers for ca-certificates (20240203~20.04.1) ...
Updating certificates in /etc/ssl/certs...
0 added, 0 removed; done.
Running hooks in /etc/ca-certificates/update.d...
done.
Processing triggers for php7.4-cli (7.4.3-4ubuntu2.29) ...
Processing triggers for libapache2-mod-php7.4 (7.4.3-4ubuntu2.29) ...
invoke-rc.d: could not determine current runlevel
invoke-rc.d: policy-rc.d denied execution of restart.
root@c1e6f773e8cf:/# apt install wget
```