

Entramos a la instancia:

```
ubuntu@ip-172-31-28-139: ~
ubuntu@ip-172-31-28-139: ~ 95x27
alumnado@iespsur:~/Escritorio/AWS$ ssh -i "mis-claves-aws.pem" ubuntu@ec2-54-237-120-228.compute-1.amazonaws.com
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1004-aws x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Wed May 13 11:00:13 UTC 2026

System load:  0.09          Temperature:   -273.1 C
Usage of /:   30.4% of 6.61GB Processes:      121
Memory usage: 27%          Users logged in: 0
Swap usage:   0%           IPv4 address for ens5: 172.31.28.139

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update
```

Instalamos Java:

```
ubuntu@ip-172-31-28-139: ~
ubuntu@ip-172-31-28-139: ~ 95x27
/serialver (serialver) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jhsdb to provide /usr/bin/jhsdb (jhsdb) in auto mode
Setting up openjdk-17-jdk:amd64 (17.0.18+8-1) ...
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode
Processing triggers for libc-bin (2.43-2ubuntu2) ...
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.44.5+dfsg-4ubuntu1) ...
Scanning processes...
Scanning candidates...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

User sessions running outdated binaries:
ubuntu @ session #1: sshd-session[1167]

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-28-139:~$ java -version
openjdk version "17.0.18" 2026-01-20
OpenJDK Runtime Environment (build 17.0.18+8-Ubuntu-1)
OpenJDK 64-Bit Server VM (build 17.0.18+8-Ubuntu-1, mixed mode, sharing)
ubuntu@ip-172-31-28-139:~$
```

Instalamos Tomcat:

```
ubuntu@ip-172-31-28-139: /tmp
ubuntu@ip-172-31-28-139: /tmp 95x27
No services need to be restarted.

No containers need to be restarted.

User sessions running outdated binaries:
ubuntu @ session #1: sshd-session[1167]

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-28-139:~$ java -version
openjdk version "17.0.18" 2026-01-20
OpenJDK Runtime Environment (build 17.0.18+8-Ubuntu-1)
OpenJDK 64-Bit Server VM (build 17.0.18+8-Ubuntu-1, mixed mode, sharing)
ubuntu@ip-172-31-28-139:~$ cd /tmp
wget https://dlcdn.apache.org/tomcat/tomcat-10/v10.1.55/bin/apache-tomcat-10.1.55.tar.gz
--2026-05-13 11:02:46-- https://dlcdn.apache.org/tomcat/tomcat-10/v10.1.55/bin/apache-tomcat-10.1.55.tar.gz
Resolving dlcdn.apache.org (dlcdn.apache.org)... 151.101.2.132, 2a04:4e42::644
Connecting to dlcdn.apache.org (dlcdn.apache.org)|151.101.2.132|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 14343328 (14M) [application/x-gzip]
Saving to: 'apache-tomcat-10.1.55.tar.gz'

apache-tomcat-10.1.55.t 100%[=====] 13.68M --.-KB/s in 0.03s

2026-05-13 11:02:47 (413 MB/s) - 'apache-tomcat-10.1.55.tar.gz' saved [14343328/14343328]

ubuntu@ip-172-31-28-139: /tmp$
```

```
ubuntu@ip-172-31-28-139: /tmp
ubuntu@ip-172-31-28-139: /tmp 95x27
apache-tomcat-10.1.55/webapps/manager/WEB-INF/jsp/connectorTrustedCerts.jsp
apache-tomcat-10.1.55/webapps/manager/WEB-INF/jsp/sessionDetail.jsp
apache-tomcat-10.1.55/webapps/manager/WEB-INF/jsp/sessionsList.jsp
apache-tomcat-10.1.55/webapps/manager/WEB-INF/web.xml
apache-tomcat-10.1.55/webapps/manager/css/manager.css
apache-tomcat-10.1.55/webapps/manager/images/asf-logo.svg
apache-tomcat-10.1.55/webapps/manager/images/favicon.ico
apache-tomcat-10.1.55/webapps/manager/images/tomcat.svg
apache-tomcat-10.1.55/webapps/manager/index.jsp
apache-tomcat-10.1.55/webapps/manager/status.xsd
apache-tomcat-10.1.55/webapps/manager/xform.xsl
apache-tomcat-10.1.55/bin/catalina.sh
apache-tomcat-10.1.55/bin/ciphers.sh
apache-tomcat-10.1.55/bin/configtest.sh
apache-tomcat-10.1.55/bin/daemon.sh
apache-tomcat-10.1.55/bin/digest.sh
apache-tomcat-10.1.55/bin/makebase.sh
apache-tomcat-10.1.55/bin/migrate.sh
apache-tomcat-10.1.55/bin/setclasspath.sh
apache-tomcat-10.1.55/bin/shutdown.sh
apache-tomcat-10.1.55/bin/startup.sh
apache-tomcat-10.1.55/bin/tool-wrapper.sh
apache-tomcat-10.1.55/bin/version.sh
ubuntu@ip-172-31-28-139: /tmp$ ls /opt/tomcat
BUILDING.txt  LICENSE  README.md  RUNNING.txt  conf  logs  webapps
CONTRIBUTING.md  NOTICE  RELEASE-NOTES  bin  lib  temp  work
ubuntu@ip-172-31-28-139: /tmp$
```

Arrancamos Tomcat:

```
ubuntu@ip-172-31-28-139: /opt/tomcat/bin
ubuntu@ip-172-31-28-139: /opt/tomcat/bin 95x27
apache-tomcat-10.1.55/bin/configtest.sh
apache-tomcat-10.1.55/bin/daemon.sh
apache-tomcat-10.1.55/bin/digest.sh
apache-tomcat-10.1.55/bin/makebase.sh
apache-tomcat-10.1.55/bin/migrate.sh
apache-tomcat-10.1.55/bin/setclasspath.sh
apache-tomcat-10.1.55/bin/shutdown.sh
apache-tomcat-10.1.55/bin/startup.sh
apache-tomcat-10.1.55/bin/tool-wrapper.sh
apache-tomcat-10.1.55/bin/version.sh
ubuntu@ip-172-31-28-139:/tmp$ ls /opt/tomcat
BUILDING.txt  LICENSE  README.md  RUNNING.txt  conf  logs  webapps
CONTRIBUTING.md  NOTICE  RELEASE-NOTES  bin      lib  temp  work
ubuntu@ip-172-31-28-139:/tmp$ cd /opt/tomcat/bin
-bash: cd: /opt/tomcat/bin: Permission denied
ubuntu@ip-172-31-28-139:/tmp$ sudo chmod -R 755 /opt/tomcat
ubuntu@ip-172-31-28-139:/tmp$ cd /opt/tomcat/bin
ubuntu@ip-172-31-28-139:/opt/tomcat/bin$ sudo chmod +x *.sh
ubuntu@ip-172-31-28-139:/opt/tomcat/bin$ sudo ./startup.sh
Using CATALINA_BASE:   /opt/tomcat
Using CATALINA_HOME:   /opt/tomcat
Using CATALINA_TMPDIR: /opt/tomcat/temp
Using JRE_HOME:        /usr
Using CLASSPATH:        /opt/tomcat/bin/bootstrap.jar:/opt/tomcat/bin/tomcat-juli.jar
Tomcat started.
ubuntu@ip-172-31-28-139:/opt/tomcat/bin$
```

Apache Tomcat/10.1.55



If you're seeing this, you've successfully installed Tomcat. Congratulations!



Recommended Reading:

[Security Considerations How-To](#)
[Manager Application How-To](#)
[Clustering/Session Replication How-To](#)

Server Status

Manager App

Host Manager

Developer Quick Start

[Tomcat Setup](#)

[First Web Application](#)

[Realms & AAA](#)

[JDBC DataSources](#)

[Examples](#)

[Servlet Specifications](#)

[Tomcat Versions](#)

Managing Tomcat

For security, access to the [manager webapp](#) is restricted. Users are defined in:

`$CATALINA_HOME/conf/tomcat-users.xml`

In Tomcat 10.1 access to the manager application is split between different users. [Read more...](#)

[Release Notes](#)

[Changelog](#)

[Migration Guide](#)

[Security Notices](#)

Documentation

[Tomcat 10.1 Documentation](#)

[Tomcat 10.1 Configuration](#)

[Tomcat Wiki](#)

Find additional important configuration information in:

`$CATALINA_HOME/RUNNING.txt`

Developers may be interested in:

[Tomcat 10.1 Bug Database](#)

[Tomcat 10.1 JavaDocs](#)

[Tomcat 10.1 Git Repository at GitHub](#)

Getting Help

[FAQ and Mailing Lists](#)

The following mailing lists are available:

[tomcat-announce](#)

Important announcements, releases, security vulnerability notifications. (Low volume).

[tomcat-users](#)

User support and discussion

[taglibs-user](#)

User support and discussion for [Apache Taglibs](#)

[tomcat-dev](#)

Development mailing list, including commit messages

Other Downloads

[Tomcat Connectors](#)

[Tomcat Native](#)

[Taglibs](#)

[Deployer](#)

Other Documentation

[Tomcat Connectors](#)

[mod_jk Documentation](#)

[Tomcat Native](#)

[Deployer](#)

Get Involved

[Overview](#)

[Source Repositories](#)

[Mailing Lists](#)

[Wiki](#)

Miscellaneous

[Contact](#)

[Legal](#)

[Sponsorship](#)

[Thanks](#)

Apache Software Foundation

[Who We Are](#)

[Heritage](#)

[Apache Home](#)

[Resources](#)

Una vez instalado vamos a empezar con los .war:

```
ubuntu@ip-172-31-28-139: /opt/tomcat/webapps
ubuntu@ip-172-31-28-139: /opt/tomcat/webapps 95x27
HTTP request sent, awaiting response... 200 OK
Length: 4606 (4.5K)
Saving to: 'sample.war'

sample.war          100%[=====] 4.50K  --.-KB/s   in 0s

2026-05-13 11:09:30 (64.8 MB/s) - 'sample.war' saved [4606/4606]

ubuntu@ip-172-31-28-139:/opt/tomcat/webapps$ ls
ROOT docs examples host-manager jenkins jenkins.war manager sample sample.war
ubuntu@ip-172-31-28-139:/opt/tomcat/webapps$ sudo wget -O app.war https://tomcat.apache.org/tom
cat-7.0-doc/appdev/sample/sample.war
--2026-05-13 11:09:40-- https://tomcat.apache.org/tomcat-7.0-doc/appdev/sample/sample.war
Resolving tomcat.apache.org (tomcat.apache.org)... 151.101.2.132, 2a04:4e42::644
Connecting to tomcat.apache.org (tomcat.apache.org)|151.101.2.132|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 4606 (4.5K)
Saving to: 'app.war'

app.war              100%[=====] 4.50K  --.-KB/s   in 0s

2026-05-13 11:09:40 (52.7 MB/s) - 'app.war' saved [4606/4606]

ubuntu@ip-172-31-28-139:/opt/tomcat/webapps$ ls
ROOT app.war examples jenkins manager sample.war
app docs host-manager jenkins.war sample
ubuntu@ip-172-31-28-139:/opt/tomcat/webapps$
```

Reiniciamos Tomcat:

```
ubuntu@ip-172-31-28-139: /opt/tomcat/bin
ubuntu@ip-172-31-28-139: /opt/tomcat/bin 95x27
Length: 4606 (4.5K)
Saving to: 'app.war'

app.war              100%[=====] 4.50K  --.-KB/s   in 0s

2026-05-13 11:09:40 (52.7 MB/s) - 'app.war' saved [4606/4606]

ubuntu@ip-172-31-28-139:/opt/tomcat/webapps$ ls
ROOT app.war examples jenkins manager sample.war
app docs host-manager jenkins.war sample
ubuntu@ip-172-31-28-139:/opt/tomcat/webapps$ cd /opt/tomcat/bin
ubuntu@ip-172-31-28-139:/opt/tomcat/bin$ sudo ./shutdown.sh
Using CATALINA_BASE:   /opt/tomcat
Using CATALINA_HOME:   /opt/tomcat
Using CATALINA_TMPDIR: /opt/tomcat/temp
Using JRE_HOME:        /usr
Using CLASSPATH:        /opt/tomcat/bin/bootstrap.jar:/opt/tomcat/bin/tomcat-juli.jar
Using CATALINA_OPTS:
ubuntu@ip-172-31-28-139:/opt/tomcat/bin$ sudo ./startup.sh
Using CATALINA_BASE:   /opt/tomcat
Using CATALINA_HOME:   /opt/tomcat
Using CATALINA_TMPDIR: /opt/tomcat/temp
Using JRE_HOME:        /usr
Using CLASSPATH:        /opt/tomcat/bin/bootstrap.jar:/opt/tomcat/bin/tomcat-juli.jar
Using CATALINA_OPTS:
Tomcat started.
ubuntu@ip-172-31-28-139:/opt/tomcat/bin$
```

verificamos que se hayan desplegado:

```
ubuntu@ip-172-31-28-139: /opt/tomcat/bin
ubuntu@ip-172-31-28-139: /opt/tomcat/bin 95x27
app.war 100%[=====] 4.50K --.-KB/s in 0s
2026-05-13 11:09:40 (52.7 MB/s) - 'app.war' saved [4606/4606]

ubuntu@ip-172-31-28-139:/opt/tomcat/webapps$ ls
ROOT app.war examples jenkins manager sample.war
app docs host-manager jenkins.war sample
ubuntu@ip-172-31-28-139:/opt/tomcat/webapps$ cd /opt/tomcat/bin
ubuntu@ip-172-31-28-139:/opt/tomcat/bin$ sudo ./shutdown.sh
Using CATALINA_BASE: /opt/tomcat
Using CATALINA_HOME: /opt/tomcat
Using CATALINA_TMPDIR: /opt/tomcat/temp
Using JRE_HOME: /usr
Using CLASSPATH: /opt/tomcat/bin/bootstrap.jar:/opt/tomcat/bin/tomcat-juli.jar
Using CATALINA_OPTS:
ubuntu@ip-172-31-28-139:/opt/tomcat/bin$ sudo ./startup.sh
Using CATALINA_BASE: /opt/tomcat
Using CATALINA_HOME: /opt/tomcat
Using CATALINA_TMPDIR: /opt/tomcat/temp
Using JRE_HOME: /usr
Using CLASSPATH: /opt/tomcat/bin/bootstrap.jar:/opt/tomcat/bin/tomcat-juli.jar
Using CATALINA_OPTS:
Tomcat started.
ubuntu@ip-172-31-28-139:/opt/tomcat/bin$ ls /opt/tomcat/webapps
ROOT app.war examples jenkins manager sample.war
app docs host-manager jenkins.war sample
ubuntu@ip-172-31-28-139:/opt/tomcat/bin$
```



Sample "Hello, World" Application

This is the home page for a sample application used to illustrate the source directory organization of a web application utilizing the principles outlined in the Application Developer's Guide.

To prove that they work, you can execute either of the following links:

- To a [JSP page](#).
- To a [servlet](#).