

Entramos mediante ssh:

```
ubuntu@ip-172-31-21-218: ~  
ubuntu@ip-172-31-21-218: ~ 80x24  
~/.ssh/known_hosts:4: [hashed name]  
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes  
Warning: Permanently added 'ec2-35-175-238-203.compute-1.amazonaws.com' (ED25519  
) to the list of known hosts.  
ubuntu@ec2-35-175-238-203.compute-1.amazonaws.com: Permission denied (publickey)  
.  
alumnado@iespsur:~$ cd Escritorio/  
alumnado@iespsur:~/Escritorio$ cd AWS/  
alumnado@iespsur:~/Escritorio/AWS$ ssh -i "mis-claves-aws.pem" ubuntu@ec2-100-48-  
-99-163.compute-1.amazonaws.com  
The authenticity of host 'ec2-100-48-99-163.compute-1.amazonaws.com (100.48.99.1  
63)' can't be established.  
ED25519 key fingerprint is SHA256:J/f41Dtjyy0P6ZCHL9vtb0cS1n30JNT9Z8WA855avAY.  
This key is not known by any other names  
Are you sure you want to continue connecting (yes/no/[fingerprint])? y  
Please type 'yes', 'no' or the fingerprint: yes  
Warning: Permanently added 'ec2-100-48-99-163.compute-1.amazonaws.com' (ED25519)  
to the list of known hosts.  
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1004-aws x86_64)  
  
* Documentation:  https://docs.ubuntu.com  
* Management:    https://landscape.canonical.com  
* Support:       https://ubuntu.com/pro
```

Verificamos el estado de servicio ssh

```
ubuntu@ip-172-31-21-218: ~  
ubuntu@ip-172-31-21-218: ~ 80x24  
ubuntu@ip-172-31-21-218:~$ sudo systemctl status ssh  
● ssh.service - OpenBSD Secure Shell server  
   Loaded: loaded (/usr/lib/systemd/system/ssh.service; disabled; preset: ena>  
   Drop-In: /usr/lib/systemd/system/ssh.service.d  
            └─ec2-instance-connect.conf  
   Active: active (running) since Wed 2026-05-13 10:21:02 UTC; 1min 8s ago  
 Invocation: 6b784ebf0fcc4fd388f3d07cc4781df3  
 TriggeredBy: ● ssh.socket  
   Docs: man:sshd(8)  
         man:sshd_config(5)  
 Main PID: 1012 (sshd)  
   Tasks: 1 (limit: 627)  
  Memory: 7.1M (peak: 8M)  
    CPU: 73ms  
   CGroup: /system.slice/ssh.service  
           └─1012 "sshd: /usr/sbin/sshd -D -o AuthorizedKeysCommand /usr/shar>  
  
May 13 10:21:02 ip-172-31-21-218 systemd[1]: Starting ssh.service - OpenBSD Sec>  
May 13 10:21:02 ip-172-31-21-218 sshd[1012]: Server listening on 0.0.0.0 port 2>  
May 13 10:21:02 ip-172-31-21-218 sshd[1012]: Server listening on :: port 22.  
May 13 10:21:02 ip-172-31-21-218 systemd[1]: Started ssh.service - OpenBSD Secu>  
May 13 10:21:36 ip-172-31-21-218 sshd-session[1137]: Accepted publickey for ubu>  
May 13 10:21:36 ip-172-31-21-218 sshd-session[1137]: pam_unix(sshd:session): se>  
lines 1-22/22 (END)
```

```
ubuntu@ip-172-31-21-218: ~
ubuntu@ip-172-31-21-218: ~ 80x24
Drop-In: /usr/lib/systemd/system/ssh.service.d
└─ec2-instance-connect.conf
Active: active (running) since Wed 2026-05-13 10:21:02 UTC; 1min 8s ago
Invocation: 6b784ebf0fcc4fd388f3d07cc4781df3
TriggeredBy: ● ssh.socket
Docs: man:sshd(8)
      man:sshd_config(5)
Main PID: 1012 (sshd)
Tasks: 1 (limit: 627)
Memory: 7.1M (peak: 8M)
CPU: 73ms
CGroup: /system.slice/ssh.service
└─1012 "sshd: /usr/sbin/sshd -D -o AuthorizedKeysCommand /usr/shar>

May 13 10:21:02 ip-172-31-21-218 systemd[1]: Starting ssh.service - OpenBSD Sec>
May 13 10:21:02 ip-172-31-21-218 sshd[1012]: Server listening on 0.0.0.0 port 2>
May 13 10:21:02 ip-172-31-21-218 sshd[1012]: Server listening on :: port 22.
May 13 10:21:02 ip-172-31-21-218 systemd[1]: Started ssh.service - OpenBSD Secu>
May 13 10:21:36 ip-172-31-21-218 sshd-session[1137]: Accepted publickey for ubu>
May 13 10:21:36 ip-172-31-21-218 sshd-session[1137]: pam_unix(sshd:session): se>

ubuntu@ip-172-31-21-218:~$ sudo ufw status
Status: inactive
ubuntu@ip-172-31-21-218:~$
```

Verificamos puerto ssh

```
ubuntu@ip-172-31-21-218: ~
ubuntu@ip-172-31-21-218: ~ 80x24
Docs: man:sshd(8)
      man:sshd_config(5)
Main PID: 1012 (sshd)
Tasks: 1 (limit: 627)
Memory: 7.1M (peak: 8M)
CPU: 73ms
CGroup: /system.slice/ssh.service
└─1012 "sshd: /usr/sbin/sshd -D -o AuthorizedKeysCommand /usr/shar>

May 13 10:21:02 ip-172-31-21-218 systemd[1]: Starting ssh.service - OpenBSD Sec>
May 13 10:21:02 ip-172-31-21-218 sshd[1012]: Server listening on 0.0.0.0 port 2>
May 13 10:21:02 ip-172-31-21-218 sshd[1012]: Server listening on :: port 22.
May 13 10:21:02 ip-172-31-21-218 systemd[1]: Started ssh.service - OpenBSD Secu>
May 13 10:21:36 ip-172-31-21-218 sshd-session[1137]: Accepted publickey for ubu>
May 13 10:21:36 ip-172-31-21-218 sshd-session[1137]: pam_unix(sshd:session): se>

ubuntu@ip-172-31-21-218:~$ sudo ufw status
Status: inactive
ubuntu@ip-172-31-21-218:~$ sudo ss -tulnp | grep ssh
tcp    LISTEN 0      4096              0.0.0.0:22        0.0.0.0:*        users:(("ss
hd",pid=1012,fd=3),("systemd",pid=1,fd=223))
tcp    LISTEN 0      4096              [::]:22          [::]:*          users:(("ss
hd",pid=1012,fd=4),("systemd",pid=1,fd=224))
ubuntu@ip-172-31-21-218:~$
```

EC2 > Grupos de seguridad > sg-05aa29c6f08958e26 - launch-wizard-4

Panel
AWS Global View
Eventos

▼ **Instancias**
Instancias
Tipos de instancia
Plantillas de lanzamiento
Solicitudes de spot
Savings Plans
Instancias reservadas
Alojamientos dedicados
Reservas de capacidad
Capacity Manager

▼ **Imágenes**
AMI
Catálogo de AMI

▼ **Elastic Block Store**
Volúmenes
Instantáneas
Administrador del ciclo de vida

sg-05aa29c6f08958e26 - launch-wizard-4

Acciones

Detalles

Nombre del grupo de seguridad launch-wizard-4	ID del grupo de seguridad sg-05aa29c6f08958e26
Descripción launch-wizard-4 created 2026-05-13T10:15:08.012Z	ID de la VPC vpc-091183b80cd75595a
Propietario 242051528186	Número de reglas de entrada 1 Entrada de permiso
Número de reglas de salida 1 Entrada de permiso	

< **Reglas de entrada** Reglas de salida Compartiendo Asociaci

Reglas de entrada (1)

Administrar etiquetas Editar reglas de entrada

Buscar

Tipo	Protocolo	Intervalo de puertos
SSH	TCP	22

Copia de seguridad:

```
ubuntu@ip-172-31-21-218: ~
ubuntu@ip-172-31-21-218: ~ 80x24
-1012 "sshd: /usr/sbin/sshd -D -o AuthorizedKeysCommand /usr/shar
May 13 10:21:02 ip-172-31-21-218 systemd[1]: Starting ssh.service - OpenBSD Sec
May 13 10:21:02 ip-172-31-21-218 sshd[1012]: Server listening on 0.0.0.0 port 2
May 13 10:21:02 ip-172-31-21-218 sshd[1012]: Server listening on :: port 22.
May 13 10:21:02 ip-172-31-21-218 systemd[1]: Started ssh.service - OpenBSD Secu
May 13 10:21:36 ip-172-31-21-218 sshd-session[1137]: Accepted publickey for ubu
May 13 10:21:36 ip-172-31-21-218 sshd-session[1137]: pam_unix(sshd:session): se

ubuntu@ip-172-31-21-218:~$ sudo ufw status
Status: inactive
ubuntu@ip-172-31-21-218:~$ sudo ss -tulnp | grep ssh
tcp    LISTEN 0      4096      0.0.0.0:22      0.0.0.0:*      users:((("ss
hd",pid=1012,fd=3),("systemd",pid=1,fd=223))
tcp    LISTEN 0      4096      [::]:22        [::]:*        users:((("ss
hd",pid=1012,fd=4),("systemd",pid=1,fd=224))
ubuntu@ip-172-31-21-218:~$ sudo cp /etc/ssh/sshd_config /etc/ssh/sshd_config.bak
ubuntu@ip-172-31-21-218:~$ ls /etc/ssh/
moduli          ssh_host_ed25519_key      sshd_config
ssh_config      ssh_host_ed25519_key.pub  sshd_config.bak
ssh_config.d    ssh_host_rsa_key         sshd_config.d
ssh_host_ecdsa_key  ssh_host_rsa_key.pub
ssh_host_ecdsa_key.pub  ssh_import_id
ubuntu@ip-172-31-21-218:~$
```

desactivar acceso root

```
ubuntu@ip-172-31-21-218: ~
GNU nano 8.7.1 /etc/ssh/sshd_config *
# Logging
#SyslogFacility AUTH
#LogLevel INFO

# Authentication:

#LoginGraceTime 2m
#PermitRootLogin no
#StrictModes yes
#MaxAuthTries 6
#MaxSessions 10

#PubkeyAuthentication yes

# Expect .ssh/authorized_keys2 to be disregarded by default in future.
#AuthorizedKeysFile .ssh/authorized_keys .ssh/authorized_keys2

#AuthorizedPrincipalsFile none

#AuthorizedKeysCommand none

^G Help      ^O Write Out ^F Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^_ Go To Line
```

```
ubuntu@ip-172-31-21-218: ~
tcp LISTEN 0 4096 0.0.0.0:22 0.0.0.0:* users:(("ss
hd",pid=1012,fd=3),("systemd",pid=1,fd=223))
tcp LISTEN 0 4096 [::]:22 [::]:* users:(("ss
hd",pid=1012,fd=4),("systemd",pid=1,fd=224))
ubuntu@ip-172-31-21-218:~$ sudo cp /etc/ssh/sshd_config /etc/ssh/sshd_config.bak
ubuntu@ip-172-31-21-218:~$ ls /etc/ssh/
moduli ssh_host_ed25519_key sshd_config
ssh_config ssh_host_ed25519_key.pub sshd_config.bak
ssh_config.d ssh_host_rsa_key sshd_config.d
ssh_host_ecdsa_key ssh_host_rsa_key.pub
ssh_host_ecdsa_key.pub ssh_import_id
ubuntu@ip-172-31-21-218:~$ sudo nano /etc/ssh/sshd_config
ubuntu@ip-172-31-21-218:~$ ssh-copy-id -i ~/.ssh/id_ed25519.pub ubuntu@100.48.99
.163
/usr/bin/ssh-copy-id: ERROR: failed to open ID file '/home/ubuntu/.ssh/id_ed2551
9.pub': No such file
ubuntu@ip-172-31-21-218:~$ cat ~/.ssh/id_ed25519.pub
cat: /home/ubuntu/.ssh/id_ed25519.pub: No such file or directory
ubuntu@ip-172-31-21-218:~$ mkdir -p ~/.ssh
chmod 700 ~/.ssh
ubuntu@ip-172-31-21-218:~$ nano ~/.ssh/authorized_keys
ubuntu@ip-172-31-21-218:~$ chmod 600 ~/.ssh/authorized_keys
ubuntu@ip-172-31-21-218:~$
```

```
alumnado@iespsur: ~  
alumnado@iespsur: ~ 80x24  
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIGSBU/b1c/Z09X/r0MyY/0AdGdsgLSwrkh3yGs5R+M5W  
alumnado@iespsur  
alumnado@iespsur:~$ cd ~/Escritorio/AWS  
alumnado@iespsur:~/Escritorio/AWS$ chmod 400 mis-claves-aws.pem  
alumnado@iespsur:~/Escritorio/AWS$ cd  
alumnado@iespsur:~$ ssh-keygen -t ed25519  
Generating public/private ed25519 key pair.  
Enter file in which to save the key (/home/alumnado/.ssh/id_ed25519):  
/home/alumnado/.ssh/id_ed25519 already exists.  
Overwrite (y/n)?  
alumnado@iespsur:~$  
alumnado@iespsur:~$  
alumnado@iespsur:~$ ssh-keygen -t ed25519  
Generating public/private ed25519 key pair.  
Enter file in which to save the key (/home/alumnado/.ssh/id_ed25519):  
/home/alumnado/.ssh/id_ed25519 already exists.  
Overwrite (y/n)? y  
Enter passphrase (empty for no passphrase):  
Enter same passphrase again:  
Your identification has been saved in /home/alumnado/.ssh/id_ed25519  
Your public key has been saved in /home/alumnado/.ssh/id_ed25519.pub  
The key fingerprint is:  
SHA256:znS2WFB/vME4RHdu1rlJ0HvWC+CXjx0W4SNM+qxHDek alumnado@iespsur  
The key's randomart image is:
```

Probamos a entrar despues de conectar la instancia:

```
ubuntu@ip-172-31-21-218: ~  
ubuntu@ip-172-31-21-218: ~ 80x24  
* Management: https://landscape.canonical.com  
* Support: https://ubuntu.com/pro  
  
System information as of Wed May 13 10:35:35 UTC 2026  
  
System load: 0.0 Temperature: -273.1 C  
Usage of /: 30.5% of 6.61GB Processes: 117  
Memory usage: 26% Users logged in: 0  
Swap usage: 0% IPv4 address for ens5: 172.31.21.218  
  
Expanded Security Maintenance for Applications is not enabled.  
  
0 updates can be applied immediately.  
  
Enable ESM Apps to receive additional future security updates.  
See https://ubuntu.com/esm or run: sudo pro status  
  
The list of available updates is more than a week old.  
To check for new updates run: sudo apt update  
  
Last login: Wed May 13 10:21:37 2026 from 83.56.0.199  
ubuntu@ip-172-31-21-218:~$
```



```
ubuntu@ip-172-31-21-218: ~
ubuntu@ip-172-31-21-218: ~ 80x24
hd",pid=1012,fd=4),("systemd",pid=1,fd=224))
ubuntu@ip-172-31-21-218:~$ sudo cp /etc/ssh/sshd_config /etc/ssh/sshd_config.bak
ubuntu@ip-172-31-21-218:~$ ls /etc/ssh/
moduli          ssh_host_ed25519_key      sshd_config
ssh_config      ssh_host_ed25519_key.pub  sshd_config.bak
ssh_config.d    ssh_host_rsa_key         sshd_config.d
ssh_host_ecdsa_key  ssh_host_rsa_key.pub
ssh_host_ecdsa_key.pub  ssh_import_id
ubuntu@ip-172-31-21-218:~$ sudo nano /etc/ssh/sshd_config
ubuntu@ip-172-31-21-218:~$ ssh-copy-id -i ~/.ssh/id_ed25519.pub ubuntu@100.48.99
.163
/usr/bin/ssh-copy-id: ERROR: failed to open ID file '/home/ubuntu/.ssh/id_ed2551
9.pub': No such file
ubuntu@ip-172-31-21-218:~$ cat ~/.ssh/id_ed25519.pub
cat: /home/ubuntu/.ssh/id_ed25519.pub: No such file or directory
ubuntu@ip-172-31-21-218:~$ mkdir -p ~/.ssh
chmod 700 ~/.ssh
ubuntu@ip-172-31-21-218:~$ nano ~/.ssh/authorized_keys
ubuntu@ip-172-31-21-218:~$ chmod 600 ~/.ssh/authorized_keys
ubuntu@ip-172-31-21-218:~$ sudo cp /etc/ssh/sshd_config /etc/ssh/sshd_config.bak
ubuntu@ip-172-31-21-218:~$ sudo nano /etc/ssh/sshd_config
ubuntu@ip-172-31-21-218:~$ sudo sshd -t
ubuntu@ip-172-31-21-218:~$
```

Comprobamos que el puerto 2222 funciona:

```
ubuntu@ip-172-31-21-218: ~
ubuntu@ip-172-31-21-218: ~ 84x24
● ssh.service - OpenBSD Secure Shell server
   Loaded: loaded (/usr/lib/systemd/system/ssh.service; disabled; preset: enabled)
   Drop-In: /usr/lib/systemd/system/ssh.service.d
            └─ec2-instance-connect.conf
   Active: active (running) since Wed 2026-05-13 10:50:19 UTC; 4s ago
 Invocation: 856364346d3441039fc6c93ed2c9638b
 TriggeredBy: ● ssh.socket
   Docs: man:sshd(8)
         man:sshd_config(5)
  Process: 1958 ExecStartPre=/usr/sbin/sshd -t (code=exited, status=0/SUCCESS)
 Main PID: 1961 (sshd)
   Tasks: 1 (limit: 627)
  Memory: 1.4M (peak: 2M)
    CPU: 28ms
   CGroup: /system.slice/ssh.service
           └─1961 "sshd: /usr/sbin/sshd -D -o AuthorizedKeysCommand /usr/share/ec>

May 13 10:50:19 ip-172-31-21-218 systemd[1]: Starting ssh.service - OpenBSD Secure S>
May 13 10:50:19 ip-172-31-21-218 sshd[1961]: Server listening on 0.0.0.0 port 22.
May 13 10:50:19 ip-172-31-21-218 sshd[1961]: Server listening on :: port 22.
May 13 10:50:19 ip-172-31-21-218 systemd[1]: Started ssh.service - OpenBSD Secure S>

tcp LISTEN 0      4096             0.0.0.0:22       0.0.0.0:*       users:((("sshd",
pid=1961,fd=3)),("systemd",pid=1,fd=82))
tcp LISTEN 0      4096             [::]:22         [::]:*         users:((("sshd"
```

```
ubuntu@ip-172-31-21-218: ~
ubuntu@ip-172-31-21-218: ~ 80x24
alumnado@iespsur:~$ ssh -p 2222 ubuntu@100.48.99.163
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1004-aws x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Wed May 13 10:50:59 UTC 2026

System load:  0.01          Temperature:   -273.1 C
Usage of /:   30.5% of 6.61GB Processes:      120
Memory usage: 27%          Users logged in: 0
Swap usage:   0%           IPv4 address for ens5: 172.31.21.218

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
```

Editar reglas de entrada [Información](#)

Las reglas de entrada controlan el tráfico entrante que puede llegar a la instancia.

Reglas de entrada [Información](#)

Regla de entrada 1

Eliminar

ID de la regla del grupo de seguridad

sgr-Of4326b723844cfee

Tipo [Información](#)

TCP personalizado

Protocolo [Información](#)

TCP

Intervalo de puertos [Información](#)

2222

Tipo de origen [Información](#)

Personalizada

Origen [Información](#)

Q

83.56.0.199/32 X

Descripción: opcional [Información](#)

Agregar regla

Cancelar

Previsualizar los cambios

Guardar reglas

Vemos los logs de ssh:

```
ubuntu@ip-172-31-21-218: ~  
ubuntu@ip-172-31-21-218: ~$ sudo tail -f /var/log/auth.log  
2026-05-13T10:50:48.921897+00:00 ip-172-31-21-218 sudo: pam_unix(sudo:session):  
session opened for user root(uid=0) by ubuntu(uid=1000)  
2026-05-13T10:50:48.922236+00:00 ip-172-31-21-218 sudo: ubuntu : TTY=/dev/pts/1  
; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/systemctl restart ssh  
2026-05-13T10:50:48.980867+00:00 ip-172-31-21-218 sshd[2085]: Server listening o  
n 0.0.0.0 port 2222.  
2026-05-13T10:50:48.981089+00:00 ip-172-31-21-218 sshd[2085]: Server listening o  
n :: port 2222.  
2026-05-13T10:50:48.983742+00:00 ip-172-31-21-218 sudo: pam_unix(sudo:session):  
session closed for user root  
2026-05-13T10:50:59.697908+00:00 ip-172-31-21-218 sshd-session[2091]: Accepted p  
ublickey for ubuntu from 83.56.0.199 port 63480 ssh2: ED25519 SHA256:znS2WFB/vME  
ARHduirLJOHVWC+CXjxwH4SNM+qxHdek  
2026-05-13T10:50:59.699458+00:00 ip-172-31-21-218 sshd-session[2091]: pam_unix(s  
shd:session): session opened for user ubuntu(uid=1000) by ubuntu(uid=0)  
2026-05-13T10:50:59.704535+00:00 ip-172-31-21-218 systemd-logind[667]: New sessi  
on 's' of user 'ubuntu' with class 'user' and type 'tty'.  
2026-05-13T10:53:23.573441+00:00 ip-172-31-21-218 sudo: pam_unix(sudo:session):  
session opened for user root(uid=0) by ubuntu(uid=1000)  
2026-05-13T10:53:23.577081+00:00 ip-172-31-21-218 sudo: ubuntu : TTY=/dev/pts/2  
; PWD=/home/ubuntu ; USER=root ; COMMAND=/usr/bin/tail -f /var/log/auth.log  
2026-05-13T10:53:30.036520+00:00 ip-172-31-21-218 sshd-session[2194]: Accepted p  
ublickey for ubuntu from 83.56.0.199 port 34610 ssh2: ED25519 SHA256:znS2WFB/vME  
ARHduirLJOHVWC+CXjxwH4SNM+qxHdek
```

Instalamos nmap:

```
ubuntu@ip-172-31-21-218: ~$ sudo apt update  
sudo apt install nmap -y
```

```
alumnado@iespsur: ~  
alumnado@iespsur: ~$ nmap -p 22,2222 100.48.99.163  
Starting Nmap 7.80 ( https://nmap.org ) at 2026-05-13 12:55 CEST  
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn  
Nmap done: 1 IP address (0 hosts up) scanned in 3.03 seconds  
alumnado@iespsur: ~$ nmap -Pn -p 22,2222 100.48.99.163  
Starting Nmap 7.80 ( https://nmap.org ) at 2026-05-13 12:56 CEST  
Nmap scan report for ec2-100-48-99-163.compute-1.amazonaws.com (100.48.99.163)  
Host is up (0.11s latency).  
  
PORT      STATE      SERVICE  
22/tcp    filtered  ssh  
2222/tcp  open      EtherNetIP-1  
  
Nmap done: 1 IP address (1 host up) scanned in 2.52 seconds  
alumnado@iespsur: ~$
```