

Ejercicio 1: Instalación del entorno LAMP en contenedor Docker (2 puntos)

```
docker run -it --name ManuelLAMP -p 80:80 ubuntu:20.04 /bin/bash
```

```
alumnado@iespsur:~$ docker run -it --name ManuelLAMP ubuntu:20.04 /bin/bash
Unable to find image 'ubuntu:20.04' locally
20.04: Pulling from library/ubuntu
13b7e930469f: Pull complete
Digest: sha256:8feb4d8ca5354def3d8fce243717141ce31e2c428701f6682bd2fafa15388214
Status: Downloaded newer image for ubuntu:20.04
root@42cb8f481af3:/#
```

```
apt update
apt install wget
apt install unzip
apt install vim
apt install tar
```

```
apt install apache2
service apache2 start
```

```
apt install mariadb-server
service mariadb status
service mariadb start
```

mariadb

```
CREATE DATABASE bbddmag;
```

```
CREATE USER 'mag'@'localhost' IDENTIFIED BY 'mag';
```

```
GRANT ALL PRIVILEGES ON bbddmag.* TO 'mag'@'localhost';
```

```
FLUSH PRIVILEGES;
```

```
SELECT User, Host FROM mysql.user WHERE User='mag';
```


```
EXIT;
```

```
apt install php php-mysql php-xml php-gd php-curl php-mbstring php-zip
```

```
exit
```

```
docker commit ManuelLAMP prueba-daw2
docker tag prueba-daw2
manuelavecilla/prueba-daw2
docker push manuelavecilla/prueba-daw2
```

```
docker start ManuelLAMP
```



```
root@333a4ec5a77c: /
root@333a4ec5a77c: / 101x55
root@333a4ec5a77c:/# mariadb
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 34
Server version: 10.6.22-MariaDB-0ubuntu0.22.04.1 Ubuntu 22.04

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> CREATE DATABASE bbddmag;
Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> CREATE USER 'mag'@'localhost' IDENTIFIED BY 'mag';
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> GRANT ALL PRIVILEGES ON bbddmag.* TO 'mag'@'localhost';
Query OK, 0 rows affected (0.002 sec)

MariaDB [(none)]> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.001 sec)

MariaDB [(none)]> SELECT User, Host FROM mysql.user WHERE User='mag';
+-----+-----+
| User | Host |
+-----+-----+
| mag  | localhost |
+-----+-----+
1 row in set (0.003 sec)

MariaDB [(none)]> EXIT;
Bye
root@333a4ec5a77c:/#
```

```
alumnado@iespsur:~$ docker images
REPOSITORY          TAG         IMAGE ID      CREATED       SIZE
prueba-daw          latest     90953ad3ea1c  2 minutes ago 656MB
manuelavecilla/prueba-daw  latest     90953ad3ea1c  2 minutes ago 656MB
imagenmodificada    web2       d27c87e73c81  8 weeks ago   246MB
manuelavecilla/imagenmodificada  web2       d27c87e73c81  8 weeks ago   246MB
manuelavecilla/nuevainagen  web2       a3f4dedf873d  8 weeks ago   246MB
miimagen            web        3da5bb7cad4e  2 months ago  246MB
manuelavecilla/miimagen  web        3da5bb7cad4e  2 months ago  246MB
mongo               6.0        bdc4e039b30b  2 months ago  765MB
ubuntu              24.04     ce8f79aacc43  2 months ago  78.1MB
ubuntu              latest     ce8f79aacc43  2 months ago  78.1MB
ubuntu              22.04     b1dc6972547a  3 months ago  77.9MB
ubuntu              20.04     b7bab04fd9aa  8 months ago  72.8MB
gvenzl/oracle-xe    latest     0aa0009058dd  14 months ago 2.91GB
hello-world         latest     d2c94e258dc3  2 years ago   13.3kB
alumnado@iespsur:~$ docker push manuelavecilla/prueba-daw
Using default tag: latest
The push refers to repository [docker.io/manuelavecilla/prueba-daw]
4fc7855469e8: Pushed
dcoeb6dad5f9: Layer already exists
latest: digest: sha256:d8ccc8f7b9c44b185ea12f7b7611f905779ad81f4b0818aa0b584e800a1289 size: 7
alumnado@iespsur:~$
```

```
docker exec -it ManuellAMP bash
```

```
wget https://wordpress.org/wordpress-6.9.tar.gz
```

```
tar -xzf wordpress-6.9.tar.gz
```

```
mv wordpress/* /var/www/html/  
cd /var/www/html/  
rm index.html
```

```
service apache2 start  
service mariadb start
```

```
cp wp-config-sample.php wp-config.php  
vim wp-config.php  
define('DB_NAME', 'bbddmag');  
define('DB_USER', 'mag');  
define('DB_PASSWORD', 'mag');
```

```
exit
```

```
docker commit ManuellAMP prueba-daw2
```

```
docker tag prueba-daw2 manuelavecilla/prueba-daw2
```

```
docker push manuelavecilla/prueba-daw2
```

```
// ** Database settings - You can get the database name from  
// The name of the database for WordPress  
define( 'DB_NAME', 'bbddmag' );  
  
/** Database username */  
define( 'DB_USER', 'mag' );  
  
/** Database password */  
define( 'DB_PASSWORD', 'mag' );  
  
/** Database hostname */  
define( 'DB_HOST', 'localhost' );  
  
/** Database charset to use in creating database tables.  
define( 'DB_CHARSET', 'utf8mb4' );  
  
/** The database collate type. Don't change this if you don't  
define( 'DB_COLLATE', '' );
```

WordPress - Installation x +

http://localhost/wp-admin/install.php

Information needed

Please provide the following information. Do not worry, you can always change these settings later.

Site Title

Username
Usernames can have only alphanumeric characters, spaces, underscores, hyphens, periods, and the @ symbol.

Password [Hide](#)
Medium
Important: You will need this password to log in. Please store it in a secure location.

Your Email
Double-check your email address before continuing.

Search engine visibility ☐ Discourage search engines from indexing this site
It is up to search engines to honor this request.

[Install WordPress](#)

Dashboard - Examen Manuel x +

http://localhost/wp-admin/

Examen Manuel 0 + New

Screen Options Help

Welcome to WordPress!

[Learn more about the 6.9 version.](#)

Author rich content with blocks and patterns

Block patterns are pre-configured block layouts. Use them to get inspired or create new pages in a flash.

[Add a new page](#)

Customize your entire site with block themes

Design everything on your site — from the header down to the footer, all using blocks and patterns.

[Open site editor](#)

Switch up your site's look & feel with Styles

Tweak your site, or give it a whole new look! Get creative — how about a new color palette or font?

[Edit styles](#)

```
root@2da2da1a7c4d:/var/www/html# exit  
exit  
alumnado@iespsur:~$ docker commit ManuellAMP prueba-daw2  
sha256:c3d36d5aeb3a3ef67c743070e436c1998d01e6e771bf595b2bde490c0713266d  
alumnado@iespsur:~$ docker tag prueba-daw2 manuelavecilla/prueba-daw2  
alumnado@iespsur:~$ docker push manuelavecilla/prueba-daw2  
Using default tag: latest  
The push refers to repository [docker.io/manuelavecilla/prueba-daw2]  
15c258602039: Pushed  
dc6eb6dad5f9: Layer already exists  
latest: digest: sha256:2ff5c7b343d4f5220e1ace5d5073c1f1939fb24ec081b6e96342add0bd7b09fa size: 742  
alumnado@iespsur:~$
```

ahora en una instancia:

Reglas de entrada Información		Tipo Información		Protocolo Información		Intervalo de puertos Información		Origen Información		Descripción: opcional Información	
ID de la regla del grupo de seguridad											
sgr-05af016977744c1ca	SSH	TCP	22	Persona...	Q						<button>Eliminar</button>
-	HTTP	TCP	80	Anywh...	Q 0.0.0.0/0						<button>Eliminar</button>
<button>Agregar regla</button>											

entramos

```
ssh -i "dawweb2025.pem" ubuntu@ec2-3-238-72-171.compute-1.amazonaws.com
```

instalamos docker:

```
#!/bin/bash
```

```
# Actualizar e instalar dependencias
```

```
sudo apt update && \
```

```
sudo apt install -y ca-certificates curl && \
```

```
sudo install -m 0755 -d /etc/apt/keyrings && \
```

```
sudo curl -fsSL https://download.docker.com/linux/ubuntu/gpg -o /etc/apt/keyrings/docker.asc && \
```

```
sudo chmod a+r /etc/apt/keyrings/docker.asc && \
```

```
# Añadir repositorio oficial de Docker
```

```
sudo tee /etc/apt/sources.list.d/docker.sources > /dev/null <<EOF
```

```
Types: deb
```

```
URIs: https://download.docker.com/linux/ubuntu
```

```
Suites: $(. /etc/os-release && echo "${UBUNTU_CODENAME:-$VERSION_CODENAME}")
```

```
Components: stable
```

```
Signed-By: /etc/apt/keyrings/docker.asc
```

```
EOF
```

```
# Instalar Docker
```

```
sudo apt update && \
```

```
sudo apt install -y docker-ce docker-ce-cli containerd.io docker-buildx-plugin docker-compose-plugin && \
```

```
# Añadir usuario al grupo docker
```

```
sudo usermod -aG docker ${USER}
```


```
echo "🚀 Docker instalado. Cierra sesión y vuelve a entrar para aplicar los cambios."
```

```
docker pull manuelavecilla/prueba-daw2
```

```
docker run -it --name ManuelLAMP -p 80:80 manuelavecilla/prueba-daw2
```

```
service apache2 start
```

```
service mariadb start
```



PLUGIN

```
cd /var/www/html/wp-content/plugins
wget https://downloads.wordpress.org/plugin/woocommerce.9.4.2.zip
unzip woocommerce.9.4.2.zip
rm woocommerce.9.4.2.zip
```

```
root@77b5e28b099c: /var/www/html/wp-content/plugins
root@77b5e28b099c:/var/www/html/wp-content/plugins# ls
akismet hello.php index.php woocommerce
root@77b5e28b099c:/var/www/html/wp-content/plugins#
```