




Experimental validation of X-DFA: A suspension of sedimenting particles




Experimental validation of X-DFA: A suspension of sedimenting particles




X-ray radiography




Experimental validation of X-DFA: A suspension of sedimenting particles




No reliable reference velocity!




X-ray radiography





Experimental validation of X-DFA: A suspension of sedimenting particles



X-ray radiography




Experimental validation of X-DFA: A suspension of sedimenting particles



Comparison of
 $\langle v \rangle_{\text{dfa}}$ and $\langle v \rangle_{\text{front}}$

X-ray radiography



X-DFA for a suspension of sedimenting particles⁽¹⁾




Image structure function:
 $D(\mathbf{q}, \tau) = \langle |\mathcal{F}[\Delta I(\mathbf{r}, t, \tau)]|^2 \rangle_t$

(1) In collaboration with Manuel Escobedo, University of Düsseldorf

X-DFA for a suspension of sedimenting particles⁽¹⁾

Intermediate scattering function⁽²⁾:

$$f(q, \tau) = \cos(q\langle v_s \rangle \tau) \exp\left(-\frac{1}{2}q^2 \delta v^2 \tau^2\right)$$





Image structure function:
 $D(\mathbf{q}, \tau) = \langle |\mathcal{F}[\Delta I(\mathbf{r}, t, \tau)]|^2 \rangle_t$

(1) In collaboration with Manuel Escobedo, University of Düsseldorf

(2) Kohyama *et al.* (2008)

X-DFA for a suspension of sedimenting particles⁽¹⁾

Intermediate scattering function⁽²⁾:

$$f(q, \tau) = \cos(q\langle v_s \rangle \tau) \exp\left(-\frac{1}{2}q^2 \delta v^2 \tau^2\right)$$





Image structure function:
 $D(\mathbf{q}, \tau) = \langle |\mathcal{F}[\Delta I(\mathbf{r}, t, \tau)]|^2 \rangle_t$

$$\langle v_s \rangle = q \tau_\nu \quad \delta v = q \tau_{\delta\nu}$$


(1) In collaboration with Manuel Escobedo, University of Düsseldorf

(2) Kohyama *et al.* (2008)

X-DFA for a suspension of sedimenting particles⁽¹⁾

Intermediate scattering function⁽²⁾:

$$f(q, \tau) = \cos(q\langle v_s \rangle \tau) \exp\left(-\frac{1}{2}q^2 \delta v^2 \tau^2\right)$$



(1) In collaboration with Manuel Escobedo, University of Düsseldorf







Image structure function:
 $D(\mathbf{q}, \tau) = \langle |\mathcal{F}[\Delta I(\mathbf{r}, t, \tau)]|^2 \rangle_t$

$$\langle v_s \rangle = q \tau_\nu \quad \delta v = q \tau_{\delta\nu}$$





(2) Kohyama *et al.* (2008)



Front tracking vs. X-DFA




Front tracking vs. X-DFA




Front tracking vs. X-DFA



Front tracking vs. X-DFA



$\langle v \rangle_{\text{xdfa}} > \langle v \rangle_{\text{front}}$ by 9.4%



Thank you for your attention!

