# Data Dictionary

## Data Path

Bronze		
Location:	/vtex_project/soruce_to_bronze	
Format:	File format	
Filename:	Format of file name	
	Data profiling file link: source_data_profiling.xlsx	
Silver		
Location	/vtex_project/bronze_to_silver	
Format:	Format of data in silver layer	
Table name	Table name	
	Data profiling file link: source_data_profiling.xlsx	

# Tables Detail Information:

Table Name	Is Master/Tran sactional	Update Frequency	Data Count (Count based on Frequency)	File Format	Is there any PI data	Save Mode for Table
shipping_dat a	Transactiona I	Daily		Delta	Yes	Upsert
payment_dat	Transactiona I	Daily		Delta	Yes	Upsert
rates_and_b enefits_data	Transactiona I	Daily		Delta	No	Upsert
marketing_d ata	Transactiona I	Daily		Delta	No	Upsert
item_meta_d ata	Transactiona I	Daily		Delta	No	Upsert
order_details	Transactiona I	Daily		Delta	Yes	Upsert
client_profile	Master	Daily		Delta	Yes	Upsert
invoice_data	Transactiona I	Daily		Delta	Yes	Upsert
marketplace	Master	Daily		Delta	No	Upsert

store_prefere nce_data	Master	Daily	Delta	No	Upsert
totals	Transactiona I	Daily	Delta	No	Upsert
open_text_fi	Transactiona I	Daily	Delta	No	Upsert
commercial_ condition_dat a	Transactiona I	Daily	Delta	No	Upsert
cancellation_ data	Transactiona I	Daily	Delta	No	Upsert
client_prefer ences_data	Master	Daily	Delta	Yes	Upsert
component	Transactiona I	Daily	Delta	No	Upsert
sellers	Master	Daily	Delta	No	Upsert

#### **Table Schemas:**

**Table: Order Details** 

Field Name	Data Type	Description
orderld	string	Unique identifier for the order
sequence	string	Sequence number for order tracking
marketplaceOrderId	string	ID of the order in the marketplace
marketplaceServicesEndpoint	string	Endpoint for marketplace services
sellerOrderId	string	ID of the order from the seller's perspective
origin	string	Origin of the order
affiliateId	string	Affiliate identifier
salesChannel	string	Sales channel used for the order
merchantName	string	Name of the merchant
status	string	Status of the order
workflowIsInError	boolean	Indicates if there is an error in the workflow
statusDescription	string	Description of the order status
value	integer	Value of the order

creationDate	timestamp	Creation date of the order
lastChange	timestamp	Last change date of the order
orderGroup	string	Grouping of the order
totals	array	Array of totals related to the order
items	array	Array of items in the order
clientProfileData	struct	Structure containing client profile data
marketingData	struct	Structure containing marketing data
ratesAndBenefitsData	struct	Structure containing rates and benefits data
shippingData	struct	Structure containing shipping data
paymentData	struct	Structure containing payment data
sellers	array	Array of sellers related to the order
invoiceData	struct	Structure containing invoice data
openTextField	struct	Structure for open text fields
roundingError	integer	Rounding error value
orderFormId	string	Form ID for the order
commercialConditionData	struct	Structure containing commercial condition data
storePreferencesData	struct	Structure containing store preferences data
marketplace	struct	Structure containing marketplace data
itemMetadata	struct	Structure containing item metadata
subscriptionData	struct	Structure containing subscription data
taxData	string	Tax data related to the order
checkedInPickupPointId	string	ID of the checked-in pickup point
cancellationData	struct	Structure containing cancellation data
clientPreferencesData	struct	Structure containing client preferences data

Field Name	Data Type	Description
id	string	ID of the client profile
email	string	Email of the client
firstName	string	First name of the client
lastName	string	Last name of the client
documentType	string	Type of document provided by the client
document	string	Document number provided by the client
phone	string	Phone number of the client
corporateName	string	Corporate name if the client is a corporate entity
tradeName	string	Trade name if the client is a corporate entity
corporateDocument	string	Corporate document number
stateInscription	string	State inscription number
corporatePhone	string	Corporate phone number
isCorporate	boolean	Indicates if the client is a corporate entity
userProfileId	string	User profile ID
userProfileVersion	string	Version of the user profile
customerClass	string	Class of the customer
giftRegistryData	string	Data related to gift registry

### **Table: Marketing Data**

Field Name	Data Type	Description
id	string	ID of the marketing data
utmSource	string	Source of the UTM
utmPartner	string	Partner of the UTM
utmMedium	string	Medium of the UTM
utmCampaign	string	Campaign of the UTM
coupon	string	Coupon code used
utmiCampaign	string	UTMI campaign data
utmipage	string	UTMI page data

utmiPart	string	UTMI part data
marketingTags	array	Array of marketing tags

### **Table: Rates and Benefits Data**

Field Name	Data Type	Description
id	string	ID of the rates and benefits data
rateAndBenefitsIdentifiers	array	Array of rate and benefits identifiers
description	string	Description of the rate or benefit
featured	boolean	Indicates if the rate or benefit is featured
name	string	Name of the rate or benefit
matchedParameters	тар	Map of matched parameters
additionalInfo	string	Additional information related to the rate or benefit

### **Table: Shipping Data**

Field Name	Data Type	Description
id	string	ID of the shipping data
address	struct	Structure containing address details
logisticsInfo	array	Array of logistics information

### **Table: Address**

Field Name	Data Type	Description
addressType	string	Type of address
receiverName	string	Name of the receiver
addressId	string	ID of the address
versionId	string	Version ID of the address
entityId	string	Entity ID related to the address
postalCode	string	Postal code of the address
city	string	City of the address
state	string	State of the address
country	string	Country of the address

street	string	Street name of the address
number	string	Street number of the address
neighborhood	string	Neighborhood of the address
complement	string	Complementary address information
reference	string	Reference for the address
geoCoordinates	array	Array of geographical coordinates

### **Table: Payment Data**

Field Name	Data Type	Description
giftCards	array	Array of gift cards used
transactions	array	Array of transactions related to the payment
payments	array	Array of payment methods used
billingAddress	struct	Structure containing billing address details
paymentOrigin	string	Origin of the payment
packageAttachment	struct	Structure containing package attachment details

### **Table: Invoice Data**

Field Name	Data Type	Description
userPaymentInfo	string	User payment information
address	struct	Structure containing address details
invoiceSubject	string	Subject of the invoice
changesAttachment	string	Changes attachment details

### **Table: Open Text Field**

Field Name	Data Type	Description
value	string	Open text field value

### **Table: Commercial Condition Data**

Field Name	Data Type	Description

id	string	ID of the commercial condition data
parentOrderId	string	Parent order ID
reason	string	Reason for the commercial condition

#### **Table: Store Preferences Data**

Field Name	Data Type	Description
countryCode	string	Country code of the store
currencyCode	string	Currency code used by the store
currencyFormatInfo	struct	Structure containing currency format information
timeZone	string	Time zone of the store
allowCancellation	boolean	Indicates if order cancellation is allowed
allowEdition	boolean	Indicates if order edition is allowed
isCheckedIn	boolean	Indicates if the order is checked in

## **Table: Marketplace**

Field Name	Data Type	Description
baseURL	string	Base URL of the marketplace
isCertified	string	Certification status of the marketplace
name	string	Name of the marketplace
authorizedDate	timestamp	Authorization date of the marketplace
invoicedDate	string	Invoiced date of the marketplace
cancelReason	string	Reason for order cancellation

#### **Table: Item Metadata**

Field Name	Data Type	Description
Items	array	Array of items with metadata details

**Table: Subscription Data** 

Field Name	Data Type	Description
SubscriptionGroupId	string	Group ID of the subscription
Subscriptions	array	Array of subscription details

#### **Table: Cancellation Data**

Field Name	Data Type	Description
RequestedByUser	boolean	Indicates if cancellation was requested by the user
RequestedBySystem	boolean	Indicates if cancellation was requested by the system
RequestedBySellerNotification	boolean	Indicates if cancellation was requested by the seller notification
RequestedByPaymentNotification	boolean	Indicates if cancellation was requested by the payment notification
Reason	string	Reason for cancellation
CancellationDate	string	Date of cancellation

#### **Table: Client Preferences Data**

Field Name	Data Type	Description
locale	string	Locale of the client
optinNewsLetter	boolean	Indicates if the client opted in for newsletters