


# Assignment -1


Name : Manvi Pandya

Roll NO: 43233

College ID:



## Screenshots



Home of blood bank

C:/Users/Admin/Downloads/bloodbank/index.html

AppsGoogleINTERN THEORYindiabise.com - Go...Coding NinjasPractice | Geeksfor...byte by byte - YouT...tushar roy - YouTubeknowledge gate db...knowledge gate os...Dynamic-Program...


# Blood Donation

- Home
- About
- Services
- Register
- Login
- Search

## Blood Donation


"Blood Donation Will Cost You Nothing But It Will Save A Life!"

### Subscribe to get notifications





### Blood Donation Tips

UNIVERSAL DONORS AND RECIPIENTS The most common blood type is O, followed by type A. Type O individuals are often called "universal donors" since their blood can be transfused into persons with any blood type. Those with type AB blood are called "universal recipients" because they can receive blood of any type.[Read more](#)



ENG09:4527-01-2021





## Blood Donation

- [Home](#)
- [About](#)
- [Request Blood](#)
- [Login](#)
- [Register](#)
- [Search](#)

### Register For More Access

#### This is About Us

#### Mission

Saving lives by providing blood and biomedical services What this means to you: Through effective outreach to donors, continual development of biomedical expertise, and brand-building partnerships with the community, blood drive sponsors, and health care facilities, Nebraska Community Blood Bank connects those who need blood with those generous volunteers who give.


#### Vision

To be the best blood center in America What this means to you: Dedicated to quality, integrity, service, and excellence in everything we do, Nebraska Community Blood Bank works to ensure reliable and streamlined access to a stable supply of safe blood and related products wherever they are needed. We aim to become the industry's standard-bearer in providing the highest level of service to all the various stakeholders we serve—from financial contributors, blood donors, and blood drive sponsors to hospital partners, and biotechnology companies.

#### What we do

Core operating values : We value each other. We keep our commitments. We pursue open communication and practice teamwork to achieve our goals. We pursue superior performance because someone's life depends on it. We partner with our customers in pursuit of our life-saving mission.

Blood Donation , Copyrights © 2017




## Blood Donation

- [Home](#)
- [About](#)
- [Request Blood](#)
- [Login](#)
- [Register](#)
- [Search](#)

### Request For Blood

Name:	<input type="text"/>
Gender	<input checked="" type="radio"/> Male <input type="radio"/> Female
Age	<input type="text"/>
Mobile No	<input type="text"/>
Select Blood Group	<input type="text" value="Select"/>
E-Mail	<input type="text"/>
Till Required Date	<input type="text" value="JAN"/> <input type="text" value="1"/>
Detail	<input type="text"/>

Submit



## Blood Donation

- [Home](#)
- [About](#)
- [Request Blood](#)
- [Login](#)
- [Register](#)
- [Search](#)

### Register

Username

Gender ☒ Male ☐ Female

Age

Mobile Number

Blood Group


City

Email

Password

☒ I agree to the [terms and conditions](#)

Already a member? [Sign in](#)



## Blood Donation

- [Home](#)
- [About](#)
- [Request Blood](#)
- [Login](#)
- [Register](#)
- [Search](#)

### Search For Blood

Select Blood Group

Select

Select

A



# Source Code :

Index.html

```
<html>
  <head>
    <meta name="viewport" content="width=device-width">
    <meta name="description" content="Blood Donation">
    <meta name="keywords" content="donate,blood,recipients,blood group">
    <meta name="author" content="Jayaraj, Varun Raj,Lava Kumar,Venkatesh">
    <meta charset="utf-8">
    <title>Home of blood bank</title>
    <link rel="stylesheet" href="style (2).css" type="text/css">
  </head>
  <body>
    <header>
      <div class="container">
        <div id="branding">
          <h1><span class="highlight">Blood</span> Donation</h1>
        </div>

        <nav>

          <li class="current"><a href="index.html" >Home</a></li>
        >

          <li><a href="about.html">About</a></li>
          <li><a href="services.html">Services</a></li>

          <li><a href="form-register.html">Register</a></li>
          <li><a href="form-login.html" class="active">Login</a></li>
          <li><a href="form-search.html">Search</a>
            </li>

          </nav>
        </div>
      </header>
      <section id="showcase">
        <div class="container">
          <h1>Blood Donation</h1>
          <p>"Blood Donation Will Cost You Nothing But It Will Save A Life!"</p>
        </div>
      </section>
      <section id="newsletter">
        <div class="container">
          <h1>Subscribe to get notifications</h1>

```

```

        <form>
            <input type="email" placeholder="Enter email...">
            <button type="Submit" class="button1">Subscribe</button>
        </form>
    </div>
</section>
<section id="boxes">
    <div class="container">
        <div class="box">
            
            <h1>Blood Donation Tips</h1>
            <p>UNIVERSAL DONORS AND RECIPIENTS
The most common blood type is O, followed by type A.

Type O individuals are often called "universal donors" since their blood can be transfused into persons with any blood type. Those with type AB blood are called "universal recipients" because they can receive blood of any type.<a href="healthtips.html">Read more</a></p>
        </div>
        <div class="box">
            
            <h1>Impact</h1>
            <ul>
                <li>Patients</li>
                <li>Sponsors</li>
                <li>Hospitals</li>
                <li>Testimonials</li>
                <li>Organisation</li>
                <li><a href="patients.html">Read more</a></li>
            </ul>
        </div>
        <div class="box">
            
            <h1>SPONSORS</h1>
            <p>
These are the stories of visionaries: the companies, churches, organizations and schools that see the need and have decided to make an impact by hosting drives of their own.<a href="sponsoship.html">Read more</a>
            </p>
        </div>
    </div>
</section>
<footer>Blood Donation , Copyrights &copy; 2017</footer>
</body>
</html>

```

About.html

```

<html>
  <head>
    <meta name="viewport" content="width=device-width">
    <meta name="description" content="Blood Donation">
    <meta name="keywords" content="donate,blood,recipients,blood group">
    <meta name="author" content="Jayaraj, Varun Raj,Lava Kumar,Venkatesh">
    <meta charset="utf-8">
    <title>About blood bank</title>
    <link rel="stylesheet" href="./style (2).css">
  </head>
  <body>
    <header>
      <div class="container">
        <div id="branding">
          <h1><span class="highlight">Blood</span> Donation</h1>
        </div>
        <nav>
          <ul>
            <li><a href="index.html" >Home</a></li>
            <li class="current"><a href="about.html">About</a></li>
            <li><a href="requests.html">Request Blood</a></li>
            <li><a href="login.html">Login</a></li>
            <li><a href="register.html">Register</a></li>
            <li><a href="search.html">Search</a></li>
          </ul>
        </nav>
      </div>
    </header>

    <section id="newsletter">
      <div class="container">
        <h1>Register For More Access</h1>
      </div>
    </section>

    <section id="main">
      <div class="container">
        <article id="main-col">
          <center><h1>This is About Us</h1></center>

          <h2>Mission</h2>
<p>Saving lives by providing blood and biomedical services

```

What this means to you:

Through effective outreach to donors, continual development of biomedical expertise, and brand-building partnerships with the community, blood drive sponsors, and health car

e facilities, Nebraska Community Blood Bank connects those who need blood with those generous volunteers who give.</p>

## <h2>Vision</h2>

<p>

To be the best blood center in America

What this means to you:

Dedicated to quality, integrity, service, and excellence in everything we do, Nebraska Community Blood Bank works to ensure reliable and streamlined access to a stable supply of safe blood and related products wherever they are needed . We aim to become the industry's standard-bearer in providing the highest level of service to all the various stakeholders we serve—from financial contributors, blood donors, and blood drive sponsors to hospital partners, and biotechnology companies.

</p>

</article>

<aside id="sidebar">

<div class="dark">

<h1>What we do</h1>

<p>

Core operating values :

We value each other.

We keep our commitments.

We pursue open communication and practice teamwork to achieve our goals.

We pursue superior performance because someone's life depends on it.

We partner with our customers in pursuit of our life-saving mission.

</p>

</div>

</aside>

</div>

</section>

<footer>Blood Donation , Copyrights &copy; 2017</footer>

</body>

</html>

## Services.html

<html>

<head>

<meta name="viewport" content="width=device-width">

<meta name="description" content="Blood Donation">

<meta name="keywords" content="donate,blood,recipients,blood group">



```
<meta name="author" content="Jayaraj, Varun Raj,Lava Kumar,Venkatesh">
<meta charset="utf-8">
<title>Services of blood bank</title>
<link rel="stylesheet" href="./style (2).css">
</head>
<body>
  <header>
    <div class="container">
      <div id="branding">
        <h1><span class="highlight">Blood</span> Donation</h1>
      </div>
      <nav>
        <ul>
          <li><a href="index.html" >Home</a></li>
          <li><a href="about.html">About</a></li>
          <li class="current"><a href="services.html">Services</a></li>
          <li><a href="login.html">Login</a></li>
          <li><a href="register.html">Register</a></li>
          <li><a href="search.html">Search</a></li>
        </ul>
      </nav>
    </div>
  </header>

  <section id="newsletter">
    <div class="container">
      <h1>Our Services</h1>
      <form>
        <input type="email" placeholder="Enter email...">
        <button type="Submit" class="button1">Subscribe</button>
      </form>
    </div>
  </section>

  <section id="main">
    <div class="container">
      <article id="main-col">
        <center><h1>Our Services</h1></center>

        <ul class="services">
          <li>
            <p>
              Conduct Blood donation campaigns
            </p>
          </li>
          <li>
            <p>
              Get connected accross Country
            </p>
          </li>
        </ul>
      </article>
    </div>
  </section>
</body>
</html>
```

```
        </p>
    </li>
    <li>
        <p>To provide best in class blood products and
clinical services to meet the needs of the healthcare community, patients and
our donors through advanced transfusion medicine practices.
```

```
        </p>
    </li>
    <li>
        <p>
            BLOOD DONATION SLOGAN
```

```
Donate blood, give a smile to someone.
```

```
Donate blood and gift someone a precious life.
```

```
Your blood can give a life to someone.
```

```
A drop of blood can save a life! Don't waste it and donate blood.
```

```
Your blood donation can give a precious smile to someone's face.
```

```
Your blood is very precious to someone's life.
```

```
Donate blood and get real blessings.
Blood donation is the real act of humanity.
```

```
We cannot give God in return of this precious life, but we can Thank Him by he
lping others through blood donation.
```

```
        </p>
    </li>
</ul>

</article>
<aside id="sidebar">
    <div class="dark">
        <h1>Feed Back</h1>
        <form class="quote">
```

```

        <div>
            <label>Name</label><br>
            <input type="text" placeholder="Name">
        </div>
        <div>
            <label>email</label><br>
            <input type="email" placeholder="Enter your email">
        </div>
        <div>
            <label>Message</label><br>
            <textarea placeholder="Your Message"></tex
        </div>
        <button type="Submit" class="button1">Subscribe</button>
    </form>
</div>
</aside>
</div>
</section>
<footer>Blood Donation , Copyrights &copy; 2017</footer>
</body>
</html>

```

## Login.html

```

<html>

<head>
    <meta name="viewport" content="width=device-width">
    <meta name="description" content="Blood Donation">
    <meta name="keywords" content="donate,blood,recipients,blood group">
    <meta charset="utf-8">
    <title>Blood Donation login</title>
</head>
<body>

    <div id="preloader">
        <div class="loader-box">
            <div class="battery"></div>
        </div>
    </div>-->
    <header>
        <div class="container">
            <div id="branding">
                <h1><span class="highlight">Blood</span> Donation</h1>
            </div>

```

```

        <nav>
            <ul>
                <li><a href="index.html" >Home</a></li>
                <li><a href="about.html">About</a></li>
                <li><a href="requests.html">Request Blood</a></li>
                <li class="current"><a href="login.html">Login</a></li>
                <li><a href="register.html">Register</a></li>
                <li><a href="search.html">Search</a></li>
            </ul>
        </nav>
    </div>
</header>

<div class="header">
    <h2>Login</h2>
</div>

<form method="post" >

    <div class="input-group">
        <label class="lefttd">Email</label>
        <input type="email" name="t1" required="required" />
    </div>
    <div class="input-group">
        <label class="lefttd">Password</label>
        <input type="password" name="t2" required="required" pattern="[a-zA-
Z0-
9]{2,10}" title="please enter only character or numbers between 2 to 10 for pa
ssword" />
    </div>
    <div class="input-group">
        <button type="submit" class="btn" name="sbmt" value="Log In" >Login</b
utton>
    </div>
    <p>
        Not yet a member? <a href="register.html">Sign up</a>
    </p>
</form>

</body>
</html>

```

## Register.html

```

<!--?php include('functions.php') ?-->
<!DOCTYPE html>

```

```

<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Registration for Blood Donation</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <link href="flexslider.css" rel="stylesheet" type="text/css" media="all" /
>
    <script src="js/jquery-1.11.0.min.js"></script>
    <script src="js/lightbox.min.js"></script>
<script src="js/jquery-1.7.1.min.js" type="text/javascript"></script>
<script src="js/jquery.flexslider.js" type="text/javascript"></script>

<script type="text/javascript">
    $(function () {
        SyntaxHighlighter.all();
    });
    $(window).load(function () {
        $('.flexslider').flexslider({
            animation: "slide",
            animationLoop: false,
            itemWidth: 210,
            itemMargin: 5,
            minItems: 2,
            maxItems: 4,
            start: function (slider) {
                $('body').removeClass('loading');
            }
        });
    });
</script>
</head>
<body>
    <?php include('admin/function.php'); ?>
    <header>
        <div class="container">
            <div id="branding">
                <h1><span class="highlight">Blood</span> Donation</h1>
            </div>
            <nav>
                <ul>
                    <li><a href="index.html" >Home</a></li>
                    <li><a href="about.html">About</a></li>
                    <li><a href="requests.html">Request Blood</a></li>
                    <li><a href="login.html">Login</a></li>
                    <li class="current"><a href="register.html">Register</
a></li>
                    <li><a href="search.html">Search</a></li>
                </ul>

```

```

        </nav>
    </div>
</header>
<div class="header">
    <h2>Register</h2>
</div>

<form method="post" >

    <div class="input-group">
        <label class="leftttd">Username</label>
        <input type="text" name="t1" required="required" pattern="[a-zA-Z _]{4,15}" title="please enter only character between 4 to 15 for donor name" />
    </div>
    <div class="input-group1">
        <label class="leftttd">Gender</label>
        <input name="r1" type="radio" value="male" checked="checked">Male<
input name="r1" type="radio" value="female" >Female
    </div>
    <div class="input-group">
        <label class="leftttd">Age</label>
        <input type="number" name="t2" required="required" pattern="[0-9]{2,2}" title="please enter only numbers between 2 to 2 for age" />
    </div>
    <div class="input-group">
        <label class="leftttd">Mobile Number</label>
        <input type="number" name="t3" required="required" pattern="[0-9]{10,11}" maxlength="10" title="please enter only numbers between 10 to 11 for mobile no." />
    </div>
    <div class="input-group2">
        <label class="leftttd">Blood Group</label>

        <label class="leftttd">City</label>

    </div>

    <div class="input-group">
        <label class="leftttd">Email</label>
        <input type="email" name="t5" required="required" />
    </div>
    <div class="input-group">
        <label class="leftttd">Password</label>
        <input type="password" name="t6" required="required" pattern="[a-zA-Z0-
```

```

9]{2,10}" title="please enter only character or numbers between 2 to 10 for pa
ssword" />
</div>
<div >
<label class="form-checkbox">
<input type="checkbox" name="checkbox" checked req
uired="required">
<span>I agree to the <a href="tandc.html" text-
decoration="none">terms and conditions</a></span>
</label>
</div>

<div class="input-group">
<button type="submit" class="btn" name="sbmt" value ="Resitred">Re
gister</button>
</div>
<p>
Already a member? <a href="login.php">Sign in</a>
</p>
</form>
</body>
</html>

```

## Search.html

```

<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Search Blood</title>
<link href="style (2).css" rel="stylesheet" type="text/css" media="all" />
<!--slider-->
<link href="css/flexslider.css" rel="stylesheet" type="text/css" media="all" /
>

</head>

<body>

<header>
<div class="container">
<div id="branding">
<h1><span class="highlight">Blood</span> Donation</h1>
</div>
<nav>
<ul>
<li><a href="index.html" >Home</a></li>

```

```

        <li><a href="about.html">About</a></li>
        <li><a href="requests.html">Request Blood</a></li>
        <li><a href="login.html">Login</a></li>
        <li><a href="register.html">Register</a></li>
        <li class="current"><a href="search.html">Search</a></li>
    </ul>
</nav>
</div>
</header>
<div class="nav_bg">

<div style="height:350px;">

    <form method="post" enctype="multipart/form-data">
    <table cellpadding="0" cellspacing="0" width="500px" height="250px" class="
tableborder" style="margin:auto; margin-top:100px;" >
        <tr><td colspan="2">&nbsp;</td></tr>
        <tr><td colspan="2" align="center"><h1><span class=searchblood>Search
For Blood</span></h1></td></tr>
        <tr><td colspan="2">&nbsp;</td></tr>
        <tr><td class="lefttd" style="padding-
left:40px">Select Blood Group </td><td><select name="s2" required><option valu
e="">Select</option>
            <option value="">A</option>

</select>

</td></tr>

</select>

</td></tr>

        <tr><td colspan="2">&nbsp;</td></tr>
        <tr><td colspan="2">&nbsp;</td></tr>
        <tr><td>&nbsp;</td><td><input type="submit" value="Search" name="sbmt" style="
border:0px; background:linear-
gradient(#900,#D50000); width:100px; height:30px; border-

```



```

radius:10px 1px 10px 1px; box-shadow:1px 1px 5px black; color:white; font-
weight:bold; font-size:14px; text-shadow:1px 1px 6px black; "></td></tr>

        <tr><td>&nbsp;</td><td>&nbsp;</td></tr>

</table>

</form>
</div>

        <div class="clear"></div>
<div class="ftr-bg">
<div class="wrap">
<div class="footer">

        <div class="copy">
            <p class="title">© All Rights Reserved | Blood Donation </p>
        </div>
        <div class="clear"></div>
</div>
</div>
</div>

</div>

</body>
</html>

```

## Request.html

```

<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Request For Blood</title>

</head>

<body>

<header>

        <div class="container">

```

```

        <div id="branding">
            <h1><span class="highlight">Blood</span> Donation</h1>
        </div>
        <nav>
            <ul>
                <li><a href="index.html" >Home</a></li>
                <li><a href="about.html">About</a></li>
                <li class="current"><a href="requests.html">Request Bl
ood</a></li>
                <li><a href="login.html">Login</a></li>
                <li><a href="register.html">Register</a></li>
                <li><a href="search.html">Search</a></li>
            </ul>
        </nav>
    </div>
</header>
<div class="nav_bg">

<div style="height:550px; width:700px; margin:auto; margin-top:10px; margin-
bottom:10px;border:2px solid red; box-shadow:4px 1px 20px black;">
    <form method="post" enctype="multipart/form-data">
        <table cellpadding="0" cellspacing="0" width="700px" height="500px" style="ma
rgin:auto" >

            <tr><td colspan="2" align="center"><h1>Request For Blood</h1></td></tr>

            <tr><td>&nbsp;</td><td>&nbsp;</td></tr>

            <tr><td class="lefttd" align="center"> Name:</td><td><input type="text" name="
t1" required="required" pattern="[a-zA-
Z _]{5,15}" title="please enter only character between 5 to 15 for donor name
" /></td></tr>
            <tr><td>&nbsp;</td></tr>
            <tr><td class="lefttd" align="center">Gender</td><td><input name="r1" type="ra
dio" value="male" checked="checked">Male<input name="r1" type="radio" value="f
emale">Female</td></tr>
            <tr><td>&nbsp;</td></tr>
            <tr><td class="lefttd" align="center">Age</td><td><input type="number" name="t
2" required="required" pattern="[0-
9]{2,2}" title="please enter only numbers between 2 to 2 for age" /></td></tr>
            <tr><td>&nbsp;</td></tr>
            <tr><td class="lefttd" align="center">Mobile No</td><td><input type="number" n
ame="t3" required="required" maxlength="10" pattern="[0-
9]{10,12}" title="please enter only numbers between 10 to 12 for mobile no." /
></td></tr>

```

```
<tr><td>&nbsp;</td></tr>
<tr><td class="lefttd" align="center">Select Blood Group </td><td><select name
="t4" required><option value="">Select</option>

</select></td></tr>
<tr><td>&nbsp;</td></tr>
<tr><td class="lefttd" align="center">E-
Mail</td><td><input type="email" name="t5" required="required" /></td></tr>
<tr><td>&nbsp;</td></tr>
<tr><td class="lefttd" align="center">Till Required Date</td><td>
<select name="month">
<option value="1">JAN</option>
<option value="2">FEB</option>
<option value="1">MARCH</option>
<option value="1">APRIL</option>
<option value="1">MAY</option>
<option value="1">JUNE</option>
<option value="1">JULY</option>
<option value="1">AUG</option>
<option value="1">SEPT</option>
<option value="1">OCT</option>
<option value="1">NOV</option>
<option value="1">DEC</option>
</select>
<select name="day">
<option value="1">1</option>
<option value="2">2</option>
<option value="3">3</option>
<option value="4">4</option>
<option value="5">5</option>
<option value="6">6</option>
<option value="7">7</option>
<option value="8">8</option>
<option value="9">9</option>
<option value="10">10</option>
<option value="11">11</option>
<option value="12">12</option>
<option value="13">13</option>
<option value="14">14</option>
<option value="15">15</option>
<option value="16">16</option>
<option value="17">17</option>
<option value="18">18</option>
<option value="19">19</option>
<option value="20">20</option>
<option value="21">21</option>
<option value="22">22</option>
<option value="23">23</option>
```

```

<option value="24">24</option>
<option value="25">25</option>
<option value="26">26</option>
<option value="27">27</option>
<option value="28">28</option>
<option value="29">29</option>
<option value="30">30</option>
<option value="31">31</option>
</select>

<input type="text" name="year" style=" width:50px" /></td></tr>
<tr><td>&nbsp;</td></tr>
<tr><td class="lefttd" align="center">Detail</td><td><textarea name="t7"></tex
tarea></td></tr>
<tr><td>&nbsp;</td></tr>
<tr><td>&nbsp;</td><td><input type="submit" value="Submit" name="sbmt" style="
border:0px; background:linear-
gradient(#900,#D50000); width:100px; height:30px; border-
radius:10px 1px 10px 1px; box-shadow:1px 1px 5px black; color:white; font-
weight:bold; font-size:14px; text-
shadow:1px 1px 6px black; "></td></tr></table>

</form>

</div>

<div class="clear"></div>
<div class="ftr-bg">
<div class="wrap">
<div class="footer">

    <div class="copy">
        <p class="title">© All Rights Reserved | Blood Donation </p>
    </div>
    <div class="clear"></div>
</div>
</div>
</div>
</div>
</body>
</html>

```