

Name: MANVITH REDDY KANDI

REG_NO: 24BCE10177

```
import com.mongodb.client.*;
```

```
import com.mongodb.client.model.Filters;
```

```
import com.mongodb.client.model.Updates;
```

```
import org.bson.Document;
```

```
public class MongoCRUExample {
```

```
    public static void main(String[] args) {
```

```
        // Connect to MongoDB
```

```
        MongoClient mongoClient = MongoClient.create("mongodb://localhost:27017");
```

```
        // Access database
```

```
        MongoDBDatabase database = mongoClient.getDatabase("CollegeDB");
```

```
        // Access collection
```

```
        MongoCollection<Document> collection =
```

```
            database.getCollection("student");
```

```
        // =====
```

```
        // CREATE (Insert)
```

```
        // =====
```

```
        Document student = new Document("id", 101)
```

```
            .append("name", "John")
```

```
            .append("department", "CSE")
```

```
            .append("cgpa", 8.7);
```

```
        collection.insertOne(student);
```

```
        System.out.println("Document Inserted Successfully");
```

```

// =====
// READ (Find)
// =====
System.out.println("\nStudent Records:");

FindIterable<Document> students = collection.find();

for (Document doc : students) {
    System.out.println(doc.toJson());
}

// =====
// UPDATE
// =====
collection.updateOne(
    Filters.eq("id", 101),
    Updates.set("cgpa", 9.2)
);

System.out.println("\nDocument Updated Successfully");

// =====
// READ Updated Record
// =====
Document updatedStudent =
    collection.find(Filters.eq("id", 101)).first();

System.out.println("\nUpdated Record:");
System.out.println(updatedStudent.toJson());

```

```

// =====
// DELETE
// =====
collection.deleteOne(Filters.eq("id", 101));

System.out.println("\nDocument Deleted Successfully");

// Close connection
mongoClient.close();
}
}

```

OUTPUT:

```

Document Inserted Successfully

Student Records:
{"_id": {"$oid": "6a2024f1075fec611600b297"}, "id": 101, "name": "John", "department": "CSE", "cgpa": 8.7}

Document Updated Successfully

Updated Record:
{"_id": {"$oid": "6a2024f1075fec611600b297"}, "id": 101, "name": "John", "department": "CSE", "cgpa": 9.2}

Document Deleted Successfully

```

```

import com.mongodb.client.*;

import com.mongodb.client.model.Filters;

import com.mongodb.client.model.Updates;

import org.bson.Document;

import java.util.Arrays;

public class MongoMultipleRecordsExample {

    public static void main(String[] args) {

        // Connect to MongoDB and access database/collection

        MongoClient mongoClient = MongoClient.create("mongodb://localhost:27017");

        MongoDBDatabase database = mongoClient.getDatabase("CollegeDB");

        MongoCollection<Document> collection = database.getCollection("Students");
    }
}

```

```

// =====
// 1. Insert Many Documents
// =====
collection.insertMany(Arrays.asList(
    new Document("id", 1).append("name", "Alice"),
    new Document("id", 2).append("name", "Bob"),
    new Document("id", 3).append("name", "Charlie")
));
System.out.println("Multiple documents inserted.");

// =====
// 2. Find Specific Document
// =====
Document doc = collection.find(Filters.eq("id", 2)).first();
System.out.println("\nFound Specific Document:");
System.out.println(doc.toJson());

// =====
// 3. Update Specific Document
// =====
collection.updateOne(
    Filters.eq("id", 2),
    Updates.set("name", "Bobby")
);
System.out.println("\nDocument Updated Successfully");

// =====
// 4. Delete Specific Document
// =====
collection.deleteOne(Filters.eq("id", 2));
System.out.println("Document Deleted Successfully");

```


```
// Close connection

mongoClient.close();

}

}
```

OUTPUT:



```
<terminated> MongoMultipleRecordsExample [Java Application] C:\Program Files\Java\jre1.8.0_221\bin\javaw.exe (03-Jun-2026, 7:25:18 PM)
Jun 03, 2026 7:25:19 PM com.mongodb.diagnostics.logging.JULLogger log
INFO: Cluster created with settings {hosts=[localhost:27017], mode=SINGLE, requiredClusterType=UNKNOWN, serv
Jun 03, 2026 7:25:19 PM com.mongodb.diagnostics.logging.JULLogger log
INFO: Cluster description not yet available. Waiting for 30000 ms before timing out
Jun 03, 2026 7:25:20 PM com.mongodb.diagnostics.logging.JULLogger log
INFO: Opened connection [connectionId{localValue:1, serverValue:36}] to localhost:27017
Jun 03, 2026 7:25:20 PM com.mongodb.diagnostics.logging.JULLogger log
INFO: Monitor thread successfully connected to server with description ServerDescription{address=localhost:2
Jun 03, 2026 7:25:20 PM com.mongodb.diagnostics.logging.JULLogger log
INFO: Opened connection [connectionId{localValue:2, serverValue:37}] to localhost:27017
Multiple documents inserted.

Found Specific Document:
{"_id": {"$oid": "6a203247dba2a7712840ca4d"}, "id": 2, "name": "Bob"}

Document Updated Successfully
Document Deleted Successfully
```