

# AutoCull End-User Documentation

Group 11

October 15, 2025

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>System Requirements</b>	<b>2</b>
<b>3</b>	<b>Installation Guide</b>	<b>2</b>
3.1	Step 1: Clone or Download the Repository . . . . .	2
3.2	Step 2: Create a Virtual Environment . . . . .	2
3.3	Step 3: Install Dependencies . . . . .	2
3.4	Step 4: Set Up PostgreSQL Database . . . . .	2
3.5	Step 5: Launch AutoCull . . . . .	3
<b>4</b>	<b>Configuration</b>	<b>3</b>
<b>5</b>	<b>Dependencies</b>	<b>3</b>
<b>6</b>	<b>Key Features</b>	<b>4</b>
<b>7</b>	<b>Using AutoCull</b>	<b>5</b>
7.1	Basic Workflow . . . . .	5
7.2	GUI . . . . .	5
<b>8</b>	<b>Troubleshooting</b>	<b>5</b>
<b>9</b>	<b>Uninstallation</b>	<b>6</b>
<b>10</b>	<b>About</b>	<b>6</b>
<b>11</b>	<b>Credits and License</b>	<b>6</b>

# 1 Introduction

**AutoCull** is an intelligent image management application that automatically identifies and removes near-duplicate or low-quality photos from a given collection. The program leverages AI/ML techniques to both streamline large-scale photo curation, and improve the user's photographic abilities.

This document serves as a comprehensive guide for end users, covering installation, usage, configuration, and troubleshooting.

## 2 System Requirements

- Operating System: Windows 10 or later / macOS / Linux
- Python 3.10 or higher
- PostgreSQL 14 or higher
- Recommended RAM: 8 GB+
- Disk space: Minimum 1 GB free

## 3 Installation Guide

### 3.1 Step 1: Clone or Download the Repository

```
git clone https://github.com/Manwithacape/COSC345---Group_11.git
cd COSC345---Group_11
```

### 3.2 Step 2: Create a Virtual Environment

```
python -m venv venv
source venv/bin/activate          # macOS/Linux
venv\Scripts\activate            # Windows
```

### 3.3 Step 3: Install Dependencies

```
pip install -r requirements.txt
```

### 3.4 Step 4: Set Up PostgreSQL Database

AutoCull uses PostgreSQL to store image metadata, similarity metrics, and user preferences.

1. Install PostgreSQL 14 or higher from <https://www.postgresql.org/download/>.
2. During installation, note your chosen **username**, **password**, and **port number** (default is 5432).

3. Open the PostgreSQL interactive terminal:

```
psql -U postgres
```

4. Create a new database and user for AutoCull:

```
CREATE DATABASE autocull_db;  
CREATE USER autocull_user WITH PASSWORD 'yourpassword';  
GRANT ALL PRIVILEGES ON DATABASE autocull_db TO autocull_user;
```

Example contents:

```
{  
  "dbname": "autocull_db",  
  "user": "autocull_user",  
  "password": "yourpassword",  
  "host": "localhost",  
  "port": 5432  
}
```

5. Initialize the schema using file contents from `schema.db`: You should see a confirmation message indicating that tables were created successfully.

## 3.5 Step 5: Launch AutoCull

```
python app.py
```

If the program launches successfully, you should see the AutoCull interface.

## 4 Configuration

AutoCull requires a database configuration file named `db_config.json` or environment variables defined in a `.env` file in the project root.

```
{  
  "dbname": "autocull_db",  
  "user": "autocull_user",  
  "password": "yourpassword",  
  "host": "localhost",  
  "port": 5432  
}
```

Ensure this file is present before running the application.

## 5 Dependencies

AutoCull relies on several Python libraries for image processing, database interaction, and machine learning. All dependencies can be installed automatically using the `requirements.txt` file included with the project.

- **ImageHash** – Perceptual hashing for duplicate detection
- **numpy** – Numerical operations and data manipulation

- **opencv\_python** – Image analysis and computer vision tools
- **piexif** – EXIF metadata reading and writing
- **Pillow** – Image loading, display, and format conversion
- **python-dotenv** – Environment variable and configuration management
- **scikit\_learn** – Machine learning and clustering algorithms
- **scikit-image** – Advanced image processing utilities
- **ttkbootstrap** – Modern themed interface for Tkinter
- **rawpy** – RAW image file decoding
- **psycopg2-binary** – PostgreSQL database connectivity
- **google-genai** – Integration for Google Gemini-based text generation
- **torch** – Core PyTorch deep learning framework
- **torchvision** – Vision utilities for PyTorch models
- **transformers** – Access to pretrained deep learning models
- **face\_recognition** – Face detection and recognition functionality
- **exifread** – Lightweight EXIF metadata extraction
- **CLIP (OpenAI)** – Image-text embedding model for similarity and semantic scoring

To install all dependencies:

```
pip install -r requirements.txt
```

## 6 Key Features

- Intelligent duplicate detection using perceptual hashing
- Photo scoring based on exposure, focus, and composition
- EXIF metadata viewer
- Collection management interface
- Integrated PostgreSQL backend for image data
- Lightweight, dark-themed Tkinter GUI

## 7 Using AutoCull

### 7.1 Basic Workflow

1. Launch AutoCull.
2. Import images by selecting "Import" from the sidebar.
3. AutoCull scans for near duplicates and low-quality images.
4. Review detected clusters of similar images.
5. Suggest photos for deletion based on quality scores.
6. Confirm deletion or move duplicates to a separate folder.

### 7.2 GUI

The GUI provides options for:

- Photo importing
- Viewing detected duplicates
- Marking photos for deletion
- Previewing detected duplicates
- Batch delete/move operations
- Suggesting photos for deletion based on quality scores
- Viewing collections
- Creating collections
- Viewing exif data
- Viewing image metrics

## 8 Troubleshooting

- **Program doesn't start:** Ensure Python 3.10+ is installed and dependencies are correctly installed.
- **Database connection error:** Verify that PostgreSQL is running and credentials are correct.
- **No duplicates found:** Try lowering the `threshold` value.
- **Permission errors:** Run as administrator or check write permissions on output directories.

## 9 Uninstallation

To remove AutoCull, delete the application folder and its virtual environment. If desired, remove the PostgreSQL database using:

```
DROP DATABASE autocull_db;  
DROP USER autocull_user;
```

## 10 About

This application was developed as part of a university project for COSC345. For more information, visit the GitHub repository: [https://github.com/Manwithacape/COSC345---Group\\_11](https://github.com/Manwithacape/COSC345---Group_11)

Please do not attempt to contact anyone regarding bugs, issues, or feature requests. These will likely not be addressed.

## 11 Credits and License

Developed by **Group 11, COSC345 2025 S2** as part of the AutoCull project.

Licensed under the MIT License.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.