

Experiment No.: 10**Aim**

NoSQL and Front-End: PHP: Create a PHP form and insert data to mongodb

Name: Manya Madhu**Roll No: 17****Batch: S2 MCA B****Date:03-06-2022****Procedure****Ind.html**

```
<html>
<head>
  <title>Document</title>
</head>
<body>
  <h2>insert to mongo</h2>
  <form action="insert.php" method="post">
    <input type="text" name="name" placeholder="name">
    <input type="number" name="rollno" placeholder="rollno">
    <input type="password" name="password" placeholder="password">
    <input type="text" name="firstname" placeholder="firstname">
    <input type="submit" name="submit">
  </form>
</body>
</html>
```

Insert.php

```
<?php
$mongo = new MongoDB\Driver\Manager("mongodb://localhost:27017");
if(isset($_POST["submit"])){
    $name=$_POST["name"];
    $first_name=$_POST["firstname"];
    $rollno=$_POST["rollno"];
```

```

$passwd=$_POST["password"];
$writer=new MongoDB\Driver\Bulkwrite;
$writer->insert(["name"=>$name,"rollno"=>$rollno,"passwd"=>$passwd,
"firstname"=>$first_name]);
$mongo->executeBulkWrite('form124.insertion',$writer);
header("Location:success.html"); die();
}
?>

```


Success.html

```

<html>
<head>
<title>Document</title>
</head>
<body>
<h2>Successfully Created!!!</h2>
</body>
</html>

```

Output Screenshot



Successfully Created!!!

ADD DATA

VIEW

```
_id: ObjectId('62c97d238e817ba857471a57')  
name: "vyshnavi"  
rollno: "345"  
passwd: "abcdef"  
firstname: "vyshnavi"
```