

SCHOOL OF INFORMATION TECHNOLOGY AND ENGINEERING

ITE1008 – Open Source Programming Final Review

Title: E-Commerce Website

Slot: B2+TB2 Date: 5-06-2020

Faculty Incharge: Prof. Suba Shanthini

Team members:

Manya Smriti (18BIT0127) Disha Bhaglal (18BIT0468) Vanshikha Singh (18BIT0152)

ABSTRACT

The clothing and fashion industry calls for an eye-catching, trendy and stunning online presence. Our website fulfils the same. Fashion India is an

online fashion store with a sassy and irreverent style and attitude. The e-commerce site sells sarees, dresses, jeans, jackets, shirts, kurtis, trousers, watches, belts, bags, shoes and accessories from Indian and international designers. In addition, it suggest trendy makeup and the makeup that suits one's facecut. Its homepage stands out for its simple, chic and appealing design. The members who have signed up for the website will get exclusive discounts, free delivery and other membership benefits just at 1000 rupees per year.

Electronic Commerce is the process of doing business through computer networks. A person sitting on his chair in front of a computer can access all the facilities of the Internet to buy or sell the products.

Unlike traditional commerce that is carried out physically with effort of a person to go & get products, ecommerce has made it easier for human to reduce physical work and to save time. ECommerce which was started in early 1990's has taken a great leap in the world of computers, but the fact that has hindered the growth of e-commerce is security. Security is the challenge facing ecommerce today & there is still a lot of advancement made in the field of security.

This is an E-Commerce website of a company named "Fashion India". It primarily focuses on selling clothing, home appliances and electronic gadgets facilitated through online transactions. The products available on the page are further divided into categories: Men's Fashion, Women's Fashion, Kid's Fashion, Furniture, Home and Décor and Health and Fitness. Users can add chose items and add them to the cart, and later proceed to checkout. The first page asks the User to either Login or Signup, which will be two other pages. There is also an "Explore" through which the user would directly be taken to the home page, but they will have to sign-in while purchasing the products.

Once Logged-in, the User can explore all the categories and add the item of their liking to the cart. There is an option "Best Deals" where the most discounted items will be displayed. There is also a search field in the navbar to pick out exactly what the customer wants. User Profile details can be changed anytime by accessing the Profile option from the Navbar.

This site is interactive and is created using HTML, CSS (including Bootstrap 4 classes), PHP and MySQL.

Each product page displays:

- 1. Multiple high-quality images of the products.
- 2. A product description.
- 3. Size guide.
- 4. Payment options.

Not only this it has a best Deal of the day which shows the cheapest and most trendy product under every category with dynamic product advertisement (product changing every second) on the left corner which will directly redirect one to the cart .

Apart from this in order to keep the viewers entact, we have sale on a daily basis with a timer on under every category.

Shoppers can also view details about each product, read customer reviews and view related products.


List of PHP features included in the project


- 1) Timer for Sale
- 2) Automatic Slide Changer
- 3) Function, Classes and variables used in Best Deal Page.
- 4) Php database connection (fetch->assoc())
- 5) To retrieve data \$_POST() \$_GET FUNCTION function.
- 6) Arrays
- 7) Concatenation
- 8. Sessions
- 9. Cookies


- 10. Regular Expressions for E-Mail Verification used in the Login and registration page
- 11 Displaying image through the database
- 12 Cart for adding items that needs to be bought


Structure of the database table and fields


Company to fill form for their product sale



















As soon as the user clicks "submit" the webpage is created using the details

of the form



Dynamic advertisment with Best Deal



This advertisement page keeps on changing automatically.

GRAB UR DEAL!!!


Here is the best today's deal of ur choice...



At a special price of Rs 199..click to shop



Frame with a Sales ON!!!





Click to explore...

KURTIS & SAREES

WESTERN WEAR

ACCESSORIES

FASHION TRENDS

MAKEUP







Gorget Graffic Kurti



Maroon Net Saree

Sale

hr min sec 25 : 14 : 15

Click to explore...

KURTIS & SAREES

WESTERN WEAR

ACCESSORIES

FASHION TRENDS

MAKEUP



Navy One Piece



Tattered Jeans



Plain Skirt



Click to explore...

KURTIS & SAREES

WESTERN WEAR

ACCESSORIES

FASHION TRENDS

MAKEUP







Brown Stylo Belt

Back

Black Stylo Belt

Creamy handpurse

Sale

hr min sec 25 : 13 : 49

Beauty advice

Click to explore...

i. triangular face

KURTIS & SAREES

WESTERN WEAR

ACCESSORIES

FASHION TRENDS

MAKEUP



If you have a triangle shaped face, you should certainly not rely on putting too much lip color. Stick with nude lip colors,

hr min sec 25 : 13 : 34

Back

Beauty trends

Click to explore...

i. Rainbow Eyeshadow

KURTIS & SAREES

WESTERN WEAR


ACCESSORIES


FASHION TRENDS

Put the neutral palette you've been using for all of eternity down. Spring calls for color, and subtlety is overrated. Rainbow-dusted eyes are truly picturesque. Why pick one color when all can collectively look cohesive and cool? The final result looks more complicated than the process actually is. Simply place the shades of your choosing in


MAKEUP

concentrated areas on your eye, then take a fluffy brush to blend.







Categories: Men's Wear



Brands: Apple





```
k href="css/refreshform.css" rel="stylesheet">
<script src="js/refreshform.js"></script>
</head>
<body>
<?php
function show($r,$d)
$q="<a href='$r' target='frame'><img src=$d height='60%' width='60%'>";
return $q;
function price($e)
return "At a special price of Rs $e..click to shop";
echo "<h2 align='center'> <b>GRAB UR DEAL!!! </b> <h2> <br>";
echo "<h4 align='center'>Here is the best today's deal of ur
choice... < br > < /h4 > ";
echo "<form action='best_sale.php' method='POST' >";
$a=array("c6.jpg","c41.jpg","clothes1.jpg","bold.jpg","c51.jpg");
$b=array("skirt","shoe","1piece","lipstick","belt");
$host=array("kurtis.php","access.php","clothes.php","trends.php","kurtis.php")
$p=array(1700,2500,1300,199,300);
echo " <select name='choose'>";
echo "<option selected='yes'>Choose</option>";
for($i=0;$i<count($a);$i++)
echo "<option name='$a[$i]'>$b[$i]";
echo "<input type='submit' name='submit' value='Check'> <br>";
if(isset($_POST['submit']))
for($i=0;$i<count($a);$i++)
```

```
if($_POST['choose']==$b[$i])
$g=price($p[$i]);
$f= show($host[$i],$a[$i]);
echo " <b>".$g;
echo "<br>$f";
</body>
</html>
Changing Advertisement Code:
<html>
<head>
</head>
<body>
<?php
header("Refresh: 2;");
$a=round(time(),3);
$c=$a%10;
if(c=1)
echo "<a href='kurtis.php' target='frame'><img src='c1.jpg' width='100%'
height='100%'></a>";
elseif(c==2)
```

```
echo "<a href='kurtis.php' target='frame'><img src='c4.jpg' width='100%'
height='100%'></a>";
elseif($c==3)
echo "<a href='clothes.php' target='frame'><img src='clothes3.png'
width='100%' height='100%'>";
elseif($c==4)
echo "<a href='kurtis.php' target='frame'><img src='c3.jpg' width='100%'
height='100%'>";
elseif($c==5)
echo "<a href='access.php' target='frame'><img src='c31.jpg' width='100%'
height='100%'>";
elseif($c==6)
echo "<a href='clothes.php' target='frame'><img src='clothes4.jpg'
width='100%' height='100%'>";
elseif(c==7)
echo "<a href='access.html' target='frame'><img src='c61.jpg'
width='100%' height='100%'>";
elseif($c==8)
echo "<a href='access.php' target='frame'><imq src='c11.jpg' width='100%'
height='100%'>";
```

```
elseif(c==9)
echo "<a href='access.php' target='frame'><img src='c21.jpg' width='100%'
height='100%'>";
elseif($c==0)
echo "<a href='access.php' target='frame'><img src='c41.jpg' width='100%'
height='100%'>";
}
else
echo "<a href='clothes.php' target='frame'><img src='clothes4.jpg'
width='100%' height='100%'>";
?>
</body>
</html>
Code to Brand form which has database connection
<?php
$conn=new mysqli("localhost","root","","festival");
if(isset($_POST["submit"])){
$fes=$_POST["fes"];
$typ="";
if(isset($_POST["typ"])) {
foreach ($_POST['typ'] as $t)
  $typ.=$t;
$typ.=" ";
}}
```

```
$yea = trim($ POST["yea"]);
  $fesd = trim($ POST["fesd"]);
  $fesa = trim($_POST["fesa"]);
   $feso = trim($_POST["feso"]);
add1 = trim(post["add1"]);
   add2 = trim(POST["add2"]);
  add3 = trim(pOST["add3"]);
  add4 = trim(POST["add4"]);
add5 = trim(POST["add5"]);
  add6 = trim(POST["add6"]);
   4d7 = trim(POST["add7"]);
 $add8 = trim($_POST["add8"]);
  add9 = trim(POST["add9"]);
   $rul = trim($_POST["rul"]);
  $web= trim($_POST["web"]);
$ema= trim($_POST["ema"]);
  $pho = trim($_POST["pho"]);
   $cou = trim($_POST["cou"]);
  $cit = trim($_POST["cit"]);
  $sta = trim($ POST["sta"]);
   $whe = trim($ POST["whe"]);
  $addr = trim($_POST["addr"]);
  $fac = trim($_POST["fac"]);
  $ins = trim($_POST["ins"]);
  $twi = trim($_POST["twi"]);
$sel= trim($_POST["sel"]);
$q="cover1/".basename($_FILES['upl']['name']);
$t1="cover1/".basename($_FILES['ima1']['name']);
$t2="cover1/".basename($_FILES['ima2']['name']);
$t3="cover1/".basename($_FILES['ima3']['name']);
```

```
$t4="cover1/".basename($ FILES['ima4']['name']);
$t5="cover1/".basename($ FILES['ima5']['name']);
$t6="cover1/".basename($_FILES['ima6']['name']);
$t="cover1/".basename($_FILES['addf']['name']);
$c="cover1/".basename($_FILES['cov']['name']);
$ima1=$_FILES['ima1']['name'];
$ima2=$_FILES['ima2']['name'];
$ima3=$ FILES['ima3']['name'];
$ima4=$_FILES['ima4']['name'];
$ima5=$_FILES['ima5']['name'];
$ima6=$ FILES['ima6']['name'];
$addf=$_FILES['addf']['name'];
$upl=$_FILES['upl']['name'];
$cov=$_FILES['cov']['name'];
$sql="INSERT INTO brand
(name,upl,cov,typ,yea,brandd,ima1,ima2,ima3,ima4,ima5,ima6,addf,branda,br
ando,add1,add2,add3,add4,add5,add6,add7,add8,add9,rul,web,whe,pho,cou,
cit,sta,ema,addr,fac,ins,twi
,pos,sel) VALUES
('$fes','$upl','$cov','$typ','$yea','$fesd','$ima1','$ima2','$ima3','$ima4','$ima5',
'$ima6','$addf','$fesa','$feso','$add1','$add2','$add3','$add4','$add5','$add6','
$add7','$add8','$add9','$rul','$web','$whe','$pho','$cou','$cit','$sta','$ema',
'$addr','$fac','$ins','$twi','$pos','$sel')";
$conn->query($sql);
move_uploaded_file($_FILES['cov']['tmp_name'],$c);
move_uploaded_file($_FILES['upl']['tmp_name'],$q);
move_uploaded_file($_FILES['ima1']['tmp_name'],$t1);
move_uploaded_file($_FILES['ima2']['tmp_name'],$t2);
move_uploaded_file($_FILES['ima3']['tmp_name'],$t3);
```

```
move_uploaded_file($_FILES['ima4']['tmp_name'],$t4);
move_uploaded_file($_FILES['ima5']['tmp_name'],$t5);
move_uploaded_file($_FILES['ima6']['tmp_name'],$t6);
move_uploaded_file($_FILES['addf']['tmp_name'],$t);
$r=$_POST["fes"];
$src="h1.php?fes="."$r";
header("location: $src");
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1"/>
<title>Festival Profile</title>
k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-aw
esome.min.css">
k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css"
integrity="sha384-Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFe
WPGFN9MuhOf23Q9lfjh" crossorigin="anonymous">
<script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"
integrity="sha384-J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFA
V0wwj1yYfoRSJoZ+n" crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
```

```
integrity="sha384-Q6E9RHvblyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3U
ksdQRVvoxMfooAo" crossorigin="anonymous"> </script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js
integrity="sha384-wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0U
od8GCExl3Og8ifwB6" crossorigin="anonymous"></script>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/2.1.1/jquery.min.js"> </scri
pt>
<script
src="https://cdn.rawgit.com/harvesthq/chosen/gh-pages/chosen.jquery.min.
js"></script>
link
href="https://cdn.rawgit.com/harvesthq/chosen/gh-pages/chosen.min.css"
rel="stylesheet"/>
 k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/chosen/1.5.1/chosen.min.css">
   <script
src="http://ajax.googleapis.com/ajax/libs/jquery/1.9.1/jquery.js"> </script>
   <script
src="https://cdnjs.cloudflare.com/ajax/libs/chosen/1.5.1/chosen.jquery.min.js
"></script>
<script>
$( document ).ready(function() {
   $('.leftmenutrigger').on('click', function(e) {
   $('.side-nav').toggleClass("open");
   e.preventDefault();
  });
});
</script>
```

```
<script type="text/javascript">
function previewFile() {
 var preview = document.querySelector('#a');
           = document.querySelector('input[type=file]').files[0];
 var reader = new FileReader();
 reader.onloadend = function () {
   preview.src = reader.result;
preview.width="150"
   preview.height="200";
 }
 if (file) {
   reader.readAsDataURL(file);
 } else {
  preview.src = "";
 }
</script>
<style>
.button {
background-color:green;
border-radius:5px;
border:1px solid #18ab29;
display:inline-block;
cursor:pointer;
color:blue;
font-family:Arial;
font-size:18px;
width:100px;
height:40px;
text-decoration:none;
text-align:center;
```

```
text-shadow:0px 1px 0px #2f6627;
color:white;
}
body{
  font-family: 'Roboto', sans-serif;
  background-color:#f2f2f2;
   overflow-x: scroll;
}
nav{
 box-shadow: 0 3px 8px rgba(0,0,0,.1) !important;
 width: 100%;
.nav-link{
  color: black !important;
  font-size: 17px !important;
  font-weight: 700 !important;
   margin-left: 20px !important;
  margin-right: 5px !important;
.nav-link:hover{
  color: grey !important;
.active{
  border-bottom: 2px solid darkgrey !important;
.form-control-borderless {
   border: none;
}
.form-control-borderless:hover, .form-control-borderless:active, .form-contro
I-borderless:focus {
   border: none;
```

```
outline: none;
   box-shadow: none;
.search{
  margin-bottom: 25px;
.card{
  padding: 10px !important;
.card:hover{
  border: 1px solid blue !important;
.form-inline {
 display: flex;
 flex-flow: row wrap;
 align-items: center;
.form-inline label {
 margin: 5px 10px 5px 0;
.form-inline input {
 vertical-align: middle;
 margin: 5px 10px 5px 0;
 padding: 10px;
 background-color: #fff;
 border: 1px solid #ddd;
.form-inline button {
 padding: 10px 20px;
 background-color: dodgerblue;
```

```
border: 1px solid #ddd;
 color: white;
 cursor: pointer;
.form-inline button:hover {
 background-color: royalblue;
@media (max-width: 800px) {
 .form-inline input {
  margin: 10px 0;
 }
 .form-inline {
  flex-direction: column;
  align-items: stretch;
.pagination {
   list-style-type: none;
   padding: 10px 0;
   display: inline-flex;
   margin: 4px auto;
   justify-content: space-between;
   box-sizing: border-box;
.pagination li {
    box-sizing: border-box;
    padding-right: 10px;
.pagination li a {
    box-sizing: border-box;
```

```
background-color: #e2e6e6;
    padding: 8px;
   text-decoration: none;
   font-size: 12px;
   font-weight: bold;
   color: #616872;
    border-radius: 4px;
.pagination li a:hover {
    background-color: #d4dada;
.pagination .next a, .pagination .prev a {
   text-transform: uppercase;
   font-size: 12px;
.pagination .currentpage a {
    background-color: #518acb;
   color: #fff;
.pagination .currentpage a:hover {
    background-color: #518acb;
}
.b1
height:40px;
width:350px;
border-radius:5px;
.b2
height:40px;
width:100px;
```

```
border-radius:5px;
}
.avatar {
  vertical-align: middle;
  width: 70px;
  height: 70px;
  border-radius: 50%;
}
h6
color:green;
.card {
 box-shadow: 0 4px 8px 0 rgba(0.7,0,0,0.9);
 transition: 0.3s;
 width: 83%;
padding-left:10px;
padding-right:10px;
background-color:white;
}
.card:hover {
 box-shadow: 0 8px 16px 0 rgba(0,0,0,0.2);
}
.container {
 padding: 2px 16px;
</style>
<script>
$(document).ready(function(){
```

```
$(".f1").hide();
$(".f2").hide();
$(".f3").hide();
$(".f4").hide();
$(".f5").hide();
$(".f6").hide();
$(".f7").hide();
$(".f8").hide();
$(".f10").hide();
$("#e").click(function(){
$(".f1").show();
$("#e").click(function(){
$(".f3").show();
$("#e").click(function(){
$(".f2").show();
$("#e").click(function(){
$(".f4").show();
$("#e").click(function(){
$(".f5").show();
$("#e").click(function(){
$(".f7").show();
$("#e").click(function(){
$(".f6").show();
$("#e").click(function(){
$(".f8").show();
$("#e").click(function(){
$("#e").hide();
$(".f10").show();
});
});
});
});
});
```

```
});
});
});
});
$("#d1").click(function(){
$("#ear").hide();
$("#d111").hide();
$("#d1").hide();
});
$("#d2").click(function(){
$("#las").hide();
$("#d222").hide();
$("#d2").hide();
});
$("#d3").click(function(){
$("#ext").hide();
$("#d333").hide();
$("#d3").hide();
});
});
</script>
</head>
<body><br/>body bgcolor="#d8d8d8"></br>
 <br><br><
<div align="center">
<div id="wrapper" class="card">
   <!-- Sidebar -->
   <div class="container-fluid"> <div class="cont">
```

```
<div class="container py-5">
      <div class="row">
        <div class="col-md-10 mx-auto">
           <form method="POST" action="/s/us.php"
enctype="multipart/form-data">
<b><h3 align="center">Your Fashion World</h3></b>
             <div class="form-group row">
              <div class="col-sm-6"> <h1> <img
src="http://ssl.gstatic.com/accounts/ui/avatar_2x.png" class="avatar" id="a"
style="width:150px;height:150px"></h1></div>
</div><hr>
              <div class="form-group row">
                 <div class="col-sm-6">
<a class="btn btn-success btn-submit-now span-full
this-is-the-submit-button" style="width:172px; background-color:
#2db482;border-color: #279c70;color:white;">Your Brand*</a>
                    <input type="text" name="fes" class="form-control">
                 </div>
                 <div class="col-sm-6">
                    <input type="file" onchange="previewFile()" name="upl"><br>
                  </div>
              </div>
              <div class="form-group row">
   <div class="col-sm-6">
                    <label> <b>Cover Photo* </b> </label> <br/> <br/> </rd>
                      <input type="file" style="float:center;"
name="cov" >
```

```
</div>
                  <div class="col-sm-6">
                     <label> <b>Cateogry* </b> </label> <br
<select name='typ[]' data-placeholder="Choose your festival..." multiple</pre>
size="7" class="chosen-select" style="width:310px;" id="text3" >
      <option value="film">Traditional Wear</option>
      <option value="video">Makeup</option>
      <option value="music">Western Clothes</option>
      <option value="online">Accessories</option>
<!-- end snippet -->
<script>
   $(".chosen-select").chosen({
    no_results_text: "Oops, nothing found!"
  })
<!-- language: lang-html -->
</script>
</select>
                  </div>
               </div>
               <div class="form-group row">
                  <div class="col-sm-6">
                     <label for="inputContactNumber"> <b>Years of
Running</b> </label><br>
                     <input type="text" style="width:100px;" class="b1"</pre>
name="yea">
                  </div>
                  <div class="col-sm-6">
                   <label for="sel1"> <b>Brand Description*</b> </label>
```

```
   
      
   <textarea name="fesd" rows=3 cols=36 > </textarea>
                </div>
</div>
             <div class="form-group row">
                <div class="col-sm-6">
                  <label for="inputFirstname">
<b>Image 1</b> </label>
                <input type="file" name="ima1">
                </div>
                <div class="col-sm-6">
                  <label >
<b>Image 2</b> </label>
                <input type="file" name="ima2" >
                </div>
             </div>
    <div class="form-group row">
                <div class="col-sm-6">
                  <label for="inputFirstname">
<b>Image 3</b> </label>
                <input type="file" name="ima3" >
                </div>
                <div class="col-sm-6">
                  <label >
<b>Image 4</b> </label>
                <input type="file" name="ima4" >
                </div>
             </div>
  <div class="form-group row">
               <div class="col-sm-6">
                  <label for="inputFirstname">
<b>Image 5</b> </label>
```

```
<input type="file" name="ima5" >
                </div>
                <div class="col-sm-6">
                   <label >
<b>Image 6</b> </label>
                 <input type="file" name="ima6" >
                </div>
             </div>
 <div class="form-group row">
                <div class="col-sm-6">
                   <label for="inputFirstname"> < br>
<b>Add More Photos*</b></label>
                     <input type="file" name="addf" >
                </div>
                <div class="col-sm-6">
                   <label > <br>
<b>Festival Awards & Prizes*</b></label>
                   <textarea rows="3" cols="36"
name="fesa" > </textarea>
                </div>
             </div>
             <div class="form-group row">
                <div class="col-sm-6">
                   <label> <b>Brand Organizer Name* </b> </label>
                   <input type="text" class="form-control"
name="feso"> < br>
<input type="button" value=" + Add Organizer Name " id="e"></input>
     <input type="text" class="form-control"</pre>
name="add9"></input>
                </div>
                <div class="col-sm-6">
                   <textarea rows=3 cols=36 name="rul"></textarea>
```

```
</div>
             </div>
             <div class="form-group row">
   <div class="col-sm-6">
                    <input type="text"</pre>
class="form-control" name="add1"></input>
                      <input type="text"</pre>
class="form-control" name="add2"></input>
                </div>
                <div class="col-sm-6">
                  <input type="text" class="form-control"</pre>
name="add3"></input>
                   <input type="text"</pre>
class="form-control" name="add4"></input>
                </div>
</div>
  <div class="form-group row">
   <div class="col-sm-6">
                    <input type="text"</pre>
class="form-control" name="add5"></input>
                      <input type="text"</pre>
class="form-control" name="add6"></input>
                </div>
                <div class="col-sm-6">
                  <input type="text" class="form-control"</pre>
name="add7"></input>
                   <input type="text"</pre>
class="form-control" name="add8"></input>
                </div>
</div>
<div class="form-group row">
```

```
<div class="col-sm-6">
                   <label> <b> Brand And
Information*
</b></label>
</div></div>
              <div class="form-group row">
                 <div class="col-sm-6">
                   <label for="inputContactNumber"><b>Your Website
Name < /b> < /label>
                   <input type="text" class="form-control"
name="web">
                </div>
                <div class="col-sm-6">
                  <label for="inputContactNumber">
<b>Company Venue*</b> </label>
                   <textarea rows=3 cols=36 name="whe"></textarea>
                 </div>
</div>
<div class="form-group row">
                <div class="col-sm-6">
                   <label for="inputFirstname">
<b>Phone Number*</b></label>
                     <input type="text" class="form-control"
id="inputFirstname" name="pho" value="">
                </div>
                 <div class="col-sm-6">
                   <label > <b>Country* < /b> < /label > <br
                  <select id="country" name="cou"
class="form-control">
  <option value="Afganistan">Afghanistan
  <option value="Albania">Albania
  <option value="Algeria">Algeria</option>
```

```
<option value="American Samoa">American Samoa
  <option value="Andorra">Andorra</option>
  <option value="Angola">Angola</option>
  <option value="Anguilla">Anguilla</option>
  <option value="Antigua & Barbuda">Antigua & Barbuda/option>
  <option value="Argentina">Argentina</option>
  <option value="Armenia">Armenia
  <option value="Aruba">Aruba</option>
  <option value="Australia">Australia
  <option value="Austria">Austria
  <option value="Azerbaijan">Azerbaijan</option>
  <option value="Bahamas">Bahamas
  <option value="Bahrain">Bahrain
  <option value="Bangladesh">Bangladesh</option>
  <option value="Barbados">Barbados</option>
  <option value="Belarus">Belarus
  <option value="Belgium">Belgium</option>
  <option value="Belize">Belize</option>
  <option value="Benin">Benin</option>
  <option value="Bermuda">Bermuda</option>
  <option value="Bhutan">Bhutan
  <option value="Bolivia">Bolivia</option>
  <option value="Bonaire">Bonaire</option>
  <option value="Bosnia & Herzegovina">Bosnia & Herzegovina
  <option value="Botswana">Botswana</option>
  <option value="Brazil">Brazil</option>
  <option value="British Indian Ocean Ter">British Indian Ocean
Ter</option>
  <option value="Brunei">Brunei</option>
  <option value="Bulgaria">Bulgaria</option>
  <option value="Burkina Faso">Burkina Faso
  <option value="Burundi">Burundi
  <option value="Cambodia">Cambodia</option>
```

```
<option value="Cameroon">Cameroon
  <option value="Canada">Canada</option>
  <option value="Canary Islands">Canary Islands
  <option value="Cape Verde">Cape Verde</option>
  <option value="Cayman Islands">Cayman Islands
  <option value="Central African Republic">Central African
Republic</option>
  <option value="Chad">Chad</option>
  <option value="Channel Islands">Channel Islands
  <option value="Chile">Chile</option>
  <option value="China">China</option>
  <option value="Christmas Island">Christmas Island
  <option value="Cocos Island">Cocos Island
  <option value="Colombia">Colombia</option>
  <option value="Comoros">Comoros</option>
  <option value="Congo">Congo</option>
  <option value="Cook Islands">Cook Islands
  <option value="Costa Rica">Costa Rica
  <option value="Cote Dlvoire">Cote Dlvoire
  <option value="Croatia">Croatia</option>
  <option value="Cuba">Cuba</option>
  <option value="Curaco">Curacao</option>
  <option value="Cyprus">Cyprus</option>
  <option value="Czech Republic">Czech Republic</option>
  <option value="Denmark">Denmark</option>
  <option value="Djibouti">Djibouti</option>
  <option value="Dominica">Dominica</option>
  <option value="Dominican Republic">Dominican Republic</option>
  <option value="East Timor">East Timor</option>
  <option value="Ecuador">Ecuador</option>
  <option value="Egypt">Egypt</option>
  <option value="El Salvador">El Salvador
  <option value="Equatorial Guinea">Equatorial Guinea</option>
```

```
<option value="Eritrea">Eritrea</option>
<option value="Estonia">Estonia
<option value="Ethiopia">Ethiopia</option>
<option value="Falkland Islands">Falkland Islands
<option value="Faroe Islands">Faroe Islands
<option value="Fiji">Fiji</option>
<option value="Finland">Finland</option>
<option value="France">France</option>
<option value="French Guiana">French Guiana
<option value="French Polynesia">French Polynesia
<option value="French Southern Ter">French Southern Ter
<option value="Gabon">Gabon</option>
<option value="Gambia">Gambia</option>
<option value="Georgia">Georgia</option>
<option value="Germany">Germany</option>
<option value="Ghana">Ghana</option>
<option value="Gibraltar">Gibraltar</option>
<option value="Great Britain">Great Britain
<option value="Greece">Greece</option>
<option value="Greenland">Greenland</option>
<option value="Grenada">Grenada</option>
<option value="Guadeloupe">Guadeloupe</option>
<option value="Guam">Guam</option>
<option value="Guatemala">Guatemala
<option value="Guinea">Guinea</option>
<option value="Guyana">Guyana</option>
<option value="Haiti">Haiti
<option value="Hawaii">Hawaii
<option value="Honduras">Honduras
<option value="Hong Kong">Hong Kong</option>
<option value="Hungary">Hungary</option>
<option value="Iceland">Iceland</option>
<option value="Indonesia">Indonesia
```

```
<option value="India">India
<option value="Iran">Iran</option>
<option value="Iraq">Iraq</option>
<option value="Ireland">Ireland</option>
<option value="Isle of Man">Isle of Man</option>
<option value="Israel">Israel</option>
<option value="Italy">Italy</option>
<option value="Jamaica">Jamaica</option>
<option value="Japan">Japan
<option value="Jordan">Jordan</option>
<option value="Kazakhstan">Kazakhstan
<option value="Kenya">Kenya</option>
<option value="Kiribati">Kiribati
<option value="Korea North">Korea North
<option value="Korea Sout">Korea South
<option value="Kuwait">Kuwait
<option value="Kyrgyzstan">Kyrgyzstan</option>
<option value="Laos">Laos
<option value="Latvia">Latvia
<option value="Lebanon">Lebanon
<option value="Lesotho">Lesotho</option>
<option value="Liberia">Liberia</option>
<option value="Libya">Libya</option>
<option value="Liechtenstein">Liechtenstein
<option value="Lithuania">Lithuania</option>
<option value="Luxembourg">Luxembourg</option>
<option value="Macau">Macau</option>
<option value="Macedonia">Macedonia
<option value="Madagascar">Madagascar</option>
<option value="Malaysia">Malaysia
<option value="Malawi">Malawi</option>
<option value="Maldives">Maldives</option>
<option value="Mali">Mali</option>
```

```
<option value="Malta">Malta
<option value="Marshall Islands">Marshall Islands
<option value="Martinique">Martinique</option>
<option value="Mauritania">Mauritania
<option value="Mauritius">Mauritius</option>
<option value="Mayotte">Mayotte
<option value="Mexico">Mexico</option>
<option value="Midway Islands">Midway Islands
<option value="Moldova">Moldova</option>
<option value="Monaco">Monaco</option>
<option value="Mongolia">Mongolia
<option value="Montserrat">Montserrat
<option value="Morocco">Morocco</option>
<option value="Mozambique">Mozambique</option>
<option value="Myanmar">Myanmar</option>
<option value="Nambia">Nambia
<option value="Nauru">Nauru</option>
<option value="Nepal">Nepal</option>
<option value="Netherland Antilles">Netherland Antilles/option>
<option value="Netherlands">Netherlands (Holland, Europe)
<option value="Nevis">Nevis</option>
<option value="New Caledonia">New Caledonia
<option value="New Zealand">New Zealand
<option value="Nicaragua">Nicaragua</option>
<option value="Niger">Niger</option>
<option value="Nigeria">Nigeria</option>
<option value="Niue">Niue</option>
<option value="Norfolk Island">Norfolk Island
<option value="Norway">Norway</option>
<option value="Oman">Oman</option>
<option value="Pakistan">Pakistan
<option value="Palau Island">Palau Island
<option value="Palestine">Palestine</option>
```

```
<option value="Panama">Panama
 <option value="Papua New Guinea">Papua New Guinea
 <option value="Paraguay">Paraguay</option>
 <option value="Peru">Peru</option>
 <option value="Phillipines">Philippines</option>
 <option value="Pitcairn Island">Pitcairn Island
 <option value="Poland">Poland</option>
 <option value="Portugal">Portugal</option>
 <option value="Puerto Rico">Puerto Rico</option>
 <option value="Qatar">Qatar</option>
 <option value="Republic of Montenegro">Republic of
Montenegro</option>
 <option value="Republic of Serbia">Republic of Serbia
 <option value="Reunion">Reunion</option>
 <option value="Romania">Romania
 <option value="Russia">Russia
 <option value="Rwanda">Rwanda</option>
 <option value="St Barthelemy">St Barthelemy</option>
 <option value="St Eustatius">St Eustatius
 <option value="St Helena">St Helena
 <option value="St Kitts-Nevis">St Kitts-Nevis
 <option value="St Lucia">St Lucia
 <option value="St Maarten">St Maarten
 <option value="St Pierre & Miquelon">St Pierre & Miquelon
 <option value="St Vincent & Grenadines">St Vincent &
Grenadines</option>
 <option value="Saipan">Saipan</option>
 <option value="Samoa">Samoa</option>
 <option value="Samoa American">Samoa American
 <option value="San Marino">San Marino
 <option value="Sao Tome & Principe">Sao Tome & Principe
 <option value="Saudi Arabia">Saudi Arabia
 <option value="Senegal">Senegal</option>
```

```
<option value="Seychelles">Seychelles</option>
<option value="Sierra Leone">Sierra Leone
<option value="Singapore">Singapore</option>
<option value="Slovakia">Slovakia</option>
<option value="Slovenia">Slovenia</option>
<option value="Solomon Islands">Solomon Islands
<option value="Somalia">Somalia
<option value="South Africa">South Africa
<option value="Spain">Spain</option>
<option value="Sri Lanka">Sri Lanka
<option value="Sudan">Sudan</option>
<option value="Suriname">Suriname</option>
<option value="Swaziland">Swaziland</option>
<option value="Sweden">Sweden</option>
<option value="Switzerland">Switzerland</option>
<option value="Syria">Syria</option>
<option value="Tahiti">Tahiti</option>
<option value="Taiwan">Taiwan</option>
<option value="Tajikistan">Tajikistan</option>
<option value="Tanzania">Tanzania
<option value="Thailand">Thailand</option>
<option value="Togo">Togo</option>
<option value="Tokelau">Tokelau</option>
<option value="Tonga">Tonga</option>
<option value="Trinidad & Tobago">Trinidad & Tobago</option>
<option value="Tunisia">Tunisia</option>
<option value="Turkey">Turkey</option>
<option value="Turkmenistan">Turkmenistan
<option value="Turks & Caicos Is">Turks & Caicos Is</option>
<option value="Tuvalu">Tuvalu
<option value="Uganda">Uganda</option>
<option value="United Kingdom">United Kingdom</option>
<option value="Ukraine">Ukraine</option>
```

```
<option value="United Arab Erimates">United Arab Emirates
  <option value="United States of America">United States of
America</option>
  <option value="Uraguay">Uruguay</option>
  <option value="Uzbekistan">Uzbekistan</option>
  <option value="Vanuatu">Vanuatu
  <option value="Vatican City State">Vatican City State
  <option value="Venezuela">Venezuela</option>
  <option value="Vietnam">Vietnam</option>
  <option value="Virgin Islands (Brit)">Virgin Islands (Brit)
  <option value="Virgin Islands (USA)">Virgin Islands (USA)
  <option value="Wake Island">Wake Island
  <option value="Wallis & Futana Is">Wallis & Futana Is
  <option value="Yemen">Yemen</option>
  <option value="Zaire">Zaire</option>
  <option value="Zambia">Zambia
  <option value="Zimbabwe">Zimbabwe</option>
</select>
                </div>
             </div>
             <div class="form-group row">
                <div class="col-sm-6">
                   <label> <b>City*</b> </label>
                   <input type="text" class="form-control" name="cit">
                </div>
                <div class="col-sm-6">
                   <label> <b>State*</b> </label>
                   <input type="text" class="form-control" name="sta">
                </div>
             </div>
             <div class="form-group row">
                <div class="col-sm-6">
<label for="sel1"> <b>Email ID*</b> </label>
```

```
<input type="text" class="form-control" name="ema">
                  </div>
                  <div class="col-sm-6">
                   <label for="sel1"><b>Address of Your
Office*</b></label>
                     <textarea rows=3 cols=36 name="addr"></textarea>
</div>
</div>
<div class="form-group row">
                  <div class="col-sm-6">
                     <label for="inputFirstname">
<br/>
<br/>
b>Brand Facebook Link</b> </label>
                      <input type="text" class="form-control"
id="inputFirstname" name="fac" value="">
                  </div>
                  <div class="col-sm-6">
                     <label > <b>Brand Instagram Link</b></label>
                     <input type="text" class="form-control" name="ins" >
                  </div>
               </div>
               <div class="form-group row">
                  <div class="col-sm-6">
                     <label> <b>Brand Twitter Link </b> </label>
                     <input type="text" class="form-control" name="twi">
                  </div>
                  <div class="col-sm-6">
                     <label> <b>Postal Code </b> </label>
                     <input type="text" class="form-control" name="pos">
                  </div>
               </div>
<div class="form-group row">
```

```
<div class="col-sm-6">
                   <label> <b>Select Category </b> </label> <br
<select data-placeholder="Package..." width="50" name="sel">
     </div><div class="col-sm-6">
     <option value="1000">Rs 1000/year
     <option value="200">Rs 200/month</option>
     <option value="2000">Rs 2000/3year
    </select>
</div>
             </div>
<button name="submit" class="btn btn-md" style="background: #2db482;</pre>
color:white;" > Submit now </button>
</form>
        </div>
     </div>
  </div>
   </div>
     </div>
     </div>
</body>
</html>
```

```
Code to Dynamic Web Page to submit for your product on Sale on our
platform
<?php
session_start();
ser=1;
if(empty($_SESSION)){
$user=0;
}
else{
 $ SESSION['timeout']=time();
inactive = 600;
$session_life = time() - $_SESSION['timeout'];
if($session_life > $inactive)
{ session_destroy(); header("Location: login.php");
?>
<html lang="en" xmlns:og="http://ogp.me/ns#"> <head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
k href="https://fonts.googleapis.com/css?family=Roboto:400,700"
rel="stylesheet">
<title>Dashboard</title>
k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-aw
esome.min.css">
k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
```

integrity="sha384-Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFe

WPGFN9MuhOf23Q9lfjh" crossorigin="anonymous">

n.css"

```
<script src="https://code.jquery.com/jquery-3.4.1.slim.min.js"
integrity="sha384-J6ga4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFA
V0wwj1yYfoRSJoZ+n" crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-Q6E9RHvblyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3U
ksdQRVvoxMfooAo" crossorigin="anonymous"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js
integrity="sha384-wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1igfktj0U
od8GCExl3Og8ifwB6" crossorigin="anonymous"></script>
<script type="text/javascript"
src="https://bam.nr-data.net/1/bd3303fecd?a=3468936&v=1167.2a454
6b&to=IllfFhMLDI5XFBhRVRJCWBQACBEdQQ5YQA%3D%3D&rst=
4127&ref=https://filmfreeway.com/HollywoodIndependentFilmmakerA
wards&ap=47&be=2763&fe=3984&dc=3045&af=e
rr,xhr,stn,ins&perf=%7B%22timing%22:%7B%22of%22:1587093809317,
%22n%22:0,%22u%22:2669,%22ue%22:2683,%22f%22:3,%22dn%22:3,%22dn
e%22:3,%22c%22:3,%22ce%22:3,%22rq%22:259,%22rp%22:992,%22rpe%22:
2647,%22dl%22:2706,%22di%22:3003,%22ds%22:3045,%22de%22:3062,%22
dc%22:3981,%22l%22:3982,%22le%22:4000%7D,%22navigation%22:%7B%7
D%7D&fp=3001&fcp=3001&jsonp=NREUM.setToken"></scr
ipt> < script
src="https://js-agent.newrelic.com/nr-1167.min.js"></script><script
type="text/javascript" async=""
src="https://www.googleadservices.com/pagead/conversion_async.js"> </scr
ipt><script async=""
src="//www.google-analytics.com/analytics.js"> </script> <script</pre>
type="text/javascript" async=""
src="https://www.gstatic.com/recaptcha/releases/zltNOfzbrqVGbb4QFYpPpc">src="https://www.gstatic.com/recaptcha/releases/zltNOfzbrqVGbb4QFYpPpc">src="https://www.gstatic.com/recaptcha/releases/zltNOfzbrqVGbb4QFYpPpc">src="https://www.gstatic.com/recaptcha/releases/zltNOfzbrqVGbb4QFYpPpc">src="https://www.gstatic.com/recaptcha/releases/zltNOfzbrqVGbb4QFYpPpc">src="https://www.gstatic.com/recaptcha/releases/zltNOfzbrqVGbb4QFYpPpc">src="https://www.gstatic.com/recaptcha/releases/zltNOfzbrqVGbb4QFYpPpc">src="https://www.gstatic.com/recaptcha/releases/zltNOfzbrqVGbb4QFYpPpc">src="https://www.gstatic.com/recaptcha/releases/zltNOfzbrqVGbb4QFYpPpc">src="https://www.gstatic.com/recaptcha/releases/zltNOfzbrqVGbb4QFYpPpc</a>
rw/recaptcha_en.js"> </script>
```

```
<meta name="viewport" content="width=device-width, initial-scale=1,
maximum-scale=1.0">
<meta property="og:site_name" content="FilmFreeway">
<meta property="og:title" content="Hollywood Independent Filmmaker
Awards and Festival">
<meta property="og:type" content="website">
<meta property="og:url"
content="https://filmfreeway.com/HollywoodIndependentFilmmakerAwards"
<meta property="og:image"
content="https://storage.googleapis.com/ff-storage-p01/festivals/logos/000
/024/099/large/HFB1.jpg?1487210546">
<meta property="og:image:width" content="330">
<meta property="og:image:height" content="330">
<meta name="twitter:card" content="summary">
<meta name="twitter:site" content="@filmfreeway">
<meta name="twitter:title" content="Hollywood Independent Filmmaker
Awards and Festival">
<meta name="twitter:image:src"
content="https://storage.googleapis.com/ff-storage-p01/festivals/logos/000
/024/099/large/HFB1.jpg?1487210546">
<meta name="twitter:domain" content="https://filmfreeway.com/">
<meta property="fb:app_id" content="1744290195832806">
<meta content="authenticity_token" name="csrf-param">
<meta name="csrf-token">
<title>Hollywood Independent Filmmaker Awards and Festival -
FilmFreeway</title>
<link rel="search" href="/opensearch.xml"</pre>
type="application/opensearchdescription+xml" title="FilmFreeway Search">
 <link data-turbolinks-track="true"</pre>
href="https://static-assets.filmfreeway.com/assets/vendor-009d20d464d5ea
4aadc90e0f0ebc8787.css" media="all" rel="stylesheet">
```

```
<link data-turbolinks-track="true"</pre>
href="https://static-assets.filmfreeway.com/assets/v2 styles-77aa35c498094f
81c5f78125cd745d0a.css" media="all" rel="stylesheet">
<script type="text/javascript">
 var user_signed_in = false;
 var user_role = "public";
 var loader = [];
</script>
<script data-turbolinks-track="true" defer="defer"</pre>
src="https://static-assets.filmfreeway.com/assets/public-f8277fcb13d17db89
619ac8b8fdf8226.js"></script>
 <script async=""
src="https://www.googletagmanager.com/gtag/js?id=AW-969912153"></sc
ript>
 <script>
  window.dataLayer = window.dataLayer || [];
  function gtag(){dataLayer.push(arguments);}
  gtag('js', new Date());
  gtag('config', 'AW-969912153');
 </script>
 <script src="https://www.google.com/recaptcha/api.js?render=explicit"</pre>
async="" defer=""></script>
 <script data-module-class="UserLoginImprovementModule"
data-module-props="{"polyglotData":{"locale":&qu
ot;en","phrases";{"_libraries.navigation.public.login_c
orrection":"Do you
mean %{correction}?"_libraries.navigation.public.dismiss":
"Dismiss suggestion."}}}"></script>
<link rel="canonical"</pre>
href="https://filmfreeway.com/HollywoodIndependentFilmmakerAwards">
```

```
<script type="text/javascript" charset="utf-8" async=""
data-requirecontext=" " data-requiremodule="tooltipster"
src="https://static-assets.filmfreeway.com/assets/jquery.tooltipster-523fd79e
66415f7e61311a143e3644ec.js"></script><script type="text/javascript"
charset="utf-8" async="" data-requirecontext="_"
data-requiremodule="UserLoginImprovementModule"
src="https://static-assets.filmfreeway.com/assets/modules/user_login_impro
vement_module-23c7a96871e18d81ba520c11748cb4c1.js"></script><script
type="text/javascript" charset="utf-8" async="" data-requirecontext="_"
data-requiremodule="vex"
src="https://static-assets.filmfreeway.com/assets/vex-f5450fab3ef3fa557619
7a3883911d6c.js"> </script> < script
src="https://googleads.g.doubleclick.net/pagead/viewthroughconversion/96"
9912153/?random=1587093812475&cv=9&fst=1587093812475&
amp;num=1&bg=ffffff&guid=ON&resp=GooglemKTybQhCs
O&eid=376635471&u_h=768&u_w=1366&u_ah=728&a
mp;u_aw=1366&u_cd=24&u_his=3&u_tz=330&u_java=f
alse&u_nplug=3&u_nmime=4&gtm=2oa480&sendb=1
&ig=1&data=event%3Dgtag.config&frm=0&url=https%
3A%2F%2Ffilmfreeway.com%2FHollywoodIndependentFilmmakerAwards&a
mp;ref=https%3A%2F%2Ffilmfreeway.com%2Ffestivals&tiba=Hollywoo
d%20Independent%20Filmmaker%20Awards%20and%20Festival%20-%20Fil
mFreeway&hn=www.googleadservices.com&async=1&rfmt=
3&fmt=4"></script><script type="text/javascript" charset="utf-8"
async="" data-requirecontext="_" data-requiremodule="vex_dialog"
src="https://static-assets.filmfreeway.com/assets/vex.dialog-f46be6998533c
b192005e4e4739bfaec.js"></script></head>
<style>
body{
  font-family: 'Roboto', sans-serif;
  background-color:#f2f2f2;
  overflow-x: scroll;
```

```
nav{
 box-shadow: 0 3px 8px rgba(0,0,0,.1) !important;
 width: 100%;
.nav-link{
  color: black !important;
  font-size: 17px !important;
  font-weight: 700 !important;
  margin-left: 20px !important;
  margin-right: 5px !important;
.nav-link:hover{
   color: grey !important;
}
.active{
  border-bottom: 2px solid darkgrey !important;
.form-control-borderless {
   border: none;
}
.form-control-borderless:hover, .form-control-borderless:active, .form-contro
I-borderless:focus {
   border: none;
   outline: none;
   box-shadow: none;
.search{
  margin-bottom: 25px;
.card{
   padding: 10px !important;
```

```
.card:hover{
  border: 1px solid blue !important;
.form-inline {
 display: flex;
 flex-flow: row wrap;
 align-items: center;
.form-inline label {
 margin: 5px 10px 5px 0;
.form-inline input {
 vertical-align: middle;
 margin: 5px 10px 5px 0;
 padding: 10px;
 background-color: #fff;
 border: 1px solid #ddd;
.form-inline button {
 padding: 10px 20px;
 background-color: dodgerblue;
 border: 1px solid #ddd;
 color: white;
 cursor: pointer;
@media (max-width: 800px) {
 .form-inline input {
```

```
margin: 10px 0;
 }
 .form-inline {
  flex-direction: column;
  align-items: stretch;
.pagination {
   list-style-type: none;
   padding: 10px 0;
   display: inline-flex;
   margin: 4px auto;
   justify-content: space-between;
    box-sizing: border-box;
.pagination li {
    box-sizing: border-box;
   padding-right: 10px;
.pagination li a {
   box-sizing: border-box;
    background-color: #e2e6e6;
   padding: 8px;
   text-decoration: none;
   font-size: 12px;
   font-weight: bold;
   color: #616872;
   border-radius: 4px;
.pagination .next a, .pagination .prev a {
   text-transform: uppercase;
```

```
font-size: 12px;
.pagination .currentpage a {
    background-color: #518acb;
   color: #fff;
.pagination .currentpage a:hover {
    background-color: #518acb;
}
.sticky {
 position: fixed;
 top: 0;
 width: 100%;
z-index:4;
#m
z-index:4;
#avatar
border-radius:50%;
width:270px;
height:270px;
z-index:5;
position: absolute;
 left: 43%;
 top: 90px;
#ava
border-radius:50%;
```

```
width:60px;
height:60px;
padding-top:3px;
</style></head>
<body class=" festival-profile responsive" data-no-turbolink="">
<?php include("link.php");</pre>
$conn=new mysqli("localhost","root","","festival");
$m=$_GET['fes'];
?>
<div class="
       profile-hero
       profile-hero--has-nav
       profile-hero--has-cover
       " style=" margin:auto auto;">
        <div class="profile-hero__inner" style=" margin:auto auto;">
                <div class="profile-cover" style=" margin:auto auto;">
                    <div class="profile-cover_inner" style=" margin:auto</pre>
auto;">
                       <img class="profile-cover_image" align="center"</pre>
data-festival-cover-photo="" src= <?php
$sql="select cov from brand where name='$m'";
$r=$conn->query($sql);
$a=$r->fetch assoc();
echo "'cover1/".$a['cov']."'>"; ?>
                    </div>
                </div>
```

```
<img id="avatar" src= <?php
$sql="select upl from brand where name='$m'";
$r=$conn->query($sql);
$a=$r->fetch_assoc();
echo "'cover1/".$a['upl']."'>"; ?>
<div id="m">
   <nav role="navbar-item navigation"> < div class="profile-navbar
hidden-xs hidden-sm">
             <div class="container">
                <div class="row">
<div class="grid-1">
          <img id="ava" style="display:none" src=<?php
$sql="select upl from brand where name='$m'";
$r=$conn->query($sql);
$a=$r->fetch_assoc();
echo "'cover1/".$a['upl']."'>"; ?></div>
                    <div class="grid-6">
                          tab-navigation--profile tab-navigation--large"
data-festival-navigation-links="profile">
                             profile-nav__item--about">
                                 <a href="#about">
                                    About
                                 </a>
                              profile-nav__item--rules">
                                    <a href="#rule">
```

```
Rules
                                     </a>
                                 class="profile-nav_item"
profile-nav__item--reviews">
                                     <a href="#awards">
                                        Awards
                                     </a>
                           </div>
                       <div class="grid-5" align="right">
                           <div class="navbar-item"
navbar-item--padded text-align-right">
                                    
                           </div>
                       </div></nav>
                </div>
             </div>
          </div>
      </div>
   </div>
</div>
</br>
```

```
<div
style="padding-top:100px;padding-left:159px;padding-right:25px;float:left;wi
dth:60%;text-align:justify">
<div style="float:left;width:50%;">
<img style="height:27%;width:100%" src=<?php</pre>
$sql="select ima1 from brand where name='$m'";
$r=$conn->query($sql);
$a=$r->fetch_assoc();
echo "'cover1/".$a['ima1']."'>"; ?> <br>
<br> </div>
<div style="float:left;width:50%;">
<img style="height:27%;width:100%" src=<?php
$sql="select ima2 from brand where name='$m'";
$r=$conn->query($sql);
$a=$r->fetch assoc();
echo "'cover1/".$a['ima2']."'>"; ?> <br>
<br></div>
<br>
<br>
<?php include("link.php");</pre>
$b="select brandd from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["brandd"];
?>
</section>
<section class="festival-information_section"
ProfileMiddleColumn-sectionRules"><br><br><br>Rules and Terms<br/>hr
style="width:25px;"></b>
<?php include("link.php");</pre>
```

```
$b="select rul from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["rul"];
?>
</section>
<section class="festival-information__section
ProfileMiddleColumn-sectionRules"> < br> < b> Awards < hr
style="width:25px;"></b>
<?php include("link.php");</pre>
$b="select branda from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["branda"];
?><br>
<br>
<br> </section> 
<div class="Section-component">
            <div aria-level="5" class="Section-componentTitle"
role="heading">
             Feedback Form
            </div><form action="" method="POST">
            <b>Email id</b><input type="text"</li>
class="form-control"><br>
  <b>Comment</b><textarea cols="43"
rows="3"></textarea>
<a class="btn btn-success btn-submit-now span-full">-full</a>
this-is-the-submit-button" style="width:150px;float:right;"
name="sub">Submit </a>
```

```
</div>
<div
style="padding-right:100px;padding-top:100px;padding-right:100px;float:rig
ht;width:23%;">
<b>Event Type</b>
<br>
        <?php include("link.php");</pre>
$b="select typ from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
if(preg_match("#film#",$a['typ']))
echo ""."Traditional Wear"."";
if(preg_match("#video#",$a['typ']))
echo ""."Makeup"."";
if(preg_match("#music#",$a['typ']))
echo ""."Western Clothes"."";
if(preg_match("#online#",$a['typ']))
echo ""."Accessories"."";
?>
<br>
<hr>
<br/><b>Years Running</b>
<br> <?php include("link.php");</pre>
$b="select yea from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["yea"]." years";
?> <br>
```

```
<hr>
<br>
<b>Contact</b><br><br>
<span class="icon icon-social-email"> <a href= mailto:<?php
include("link.php");
$b="select ema from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch assoc();
echo $a["ema"];
?> >   Email</span></a><br><br></a>
<span class="icon icon-telephone"> <a href="tel:403-209-4957"</pre>
rel="nofollow" >   <?php include("link.php");
$b="select pho from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["pho"];
?> </span> <br> </a> <br>
<span class="icon icon-pin"> <a
href="https://www.google.com/maps/place/ <?php include("link.php");</pre>
$b="select addr from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["addr"];
?> </a> <br> <br>
<span class="icon icon-globe"><a href= <?php include("link.php");</pre>
$b="select web from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["web"];
?> >   Website</span></a><br><br></a>
<span class="icon icon-social-facebook"> <a href=<?php include("link.php");</pre>
$b="select fac from brand where name='$m'";
$c=$conn->query($b);
```

```
$a=$c->fetch assoc();
echo $a["fac"];
  ?> >    Facebook</span></a><br><br>
 <span class="icon icon-social-twitter"><a href=<?php include("link.php");</pre>
$b="select ins from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["ins"];
 ?> >   Twitter</span></a><br><br></a>
<span class="icon icon-social-instagram"> <a href=<?php</pre>
include("link.php");
$b="select twi from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["twi"];
  ?> >  \landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\landsp;\lands
 <hr>
<br>
<b>Venues</b>
<a class="ProfileFestival-sidebarMapTileContainer"
href="https://www.google.com/maps/place/ <?php include("link.php");</pre>
$b="select whe from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["whe"];
  ?> target="_blank">
                                     <span class="ProfileFestival-sidebarMapTileInnerText">
                                        View on Google Maps
                                     </span>
                                </a>
 <br>
 <?php include("link.php");</pre>
```

```
$b="select whe from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["whe"];
?> <br> <BR> <hr>
<br>
<br/>
<br/>
<br/>
d>Festival Organizer Name</b><br/>
<br/>
/b><br/>
/b>
<?php include("link.php");</pre>
$b="select brando from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch assoc();
echo $a["brando"];
?><br>
<?php include("link.php");</pre>
$b="select add1 from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["add1"];
?><br>
<?php include("link.php");
$b="select add2 from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["add2"];
?><br>
<?php include("link.php");</pre>
$b="select add3 from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["add3"];
?><br>
<?php include("link.php");
$b="select add4 from brand where name='$m'";
```

```
$c=$conn->query($b);
$a=$c->fetch assoc();
echo $a["add4"]." < br > ";
$b="select add5 from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["add5"]." < br > ";
$b="select add6 from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["add6"]." < br > ";
$b="select add7 from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["add7"]." < br > ";
$b="select add8 from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["add8"]." < br > ";
$b="select add9 from brand where name='$m'";
$c=$conn->query($b);
$a=$c->fetch_assoc();
echo $a["add9"];
?><br>
</div>
<script>
window.onscroll = function() {myFunction()};
var navbar = document.getElementById("m");
var d=document.getElementById("avatar");
var sticky = navbar.offsetTop;
var e=document.getElementById("ava");
```

```
function myFunction() {
 if (window.pageYOffset >= sticky) {
   navbar.classList.add("sticky")
d.style.display="none";
e.style.display="block";
 } else {
   navbar.classList.remove("sticky");
d.style.display="block";
e.style.display="none";
 }
</script>
</body>
</html>
Frame of Sale Code:
<html>
<head>
<title>HOME-PAGE</title>
k rel="stylesheet" type="text/css" href="explore.css">
k rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.c
integrity="sha384-Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJ
ISAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
<link rel="stylesheet" type="text/css"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/5.9.0/css/all.css">
</head>
```

```
<frame>
<frameset cols="18%,85%">
<frameset rows="18%,*">
<frame src="sales.php" frameborder="0">
<frame src="check.php" name="frame1" frameborder="0"> </frame>
</frameset>
<frame name="right" frameborder="0"></frame>
</frameset>
</frame>
</html>
Sales.php
<html>
<head>
<title>HOME-PAGE</title>
<link rel="stylesheet" type="text/css" href="explore.css">
k rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.c
SS"
integrity="sha384-Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJ
ISAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
<link rel="stylesheet" type="text/css"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/5.9.0/css/all.css">
</head><body><?php
header("Refresh: 2;");
target_days = mktime(0,0,0,6,8,2020);
$today = time();
$diff_days = ($target_days - $today);
t = (\frac{365*24});
$h=(int)$t;
m=(int)((t-h)*60);
```

```
a=((t-h)*60-m);
$s=round((round($a,2)*.59),2)*100;
echo "<h4 align='center'> <b> <font color='#e75480'> Sale
</font> <br> ";
echo " <font
color='#e75480'>       &nbsp
p;min      <br>";
echo "<font color='#e75480'>$h&nbsp;&nbsp; : $m &nbsp;&nbsp;: $s
"."₩n";
?>
</body>
</html>
Clothes.php
<html>
<head>
<title> FI </title>
k rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.c
SS"
integrity="sha384-Gn5384xqQ1aoWXA+058RXPxPq6fy4IWvTNh0E263XmFcJ
ISAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
k rel="stylesheet" type="text/css" href="home.css">
<link rel="stylesheet" type="text/css"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/fontawesome/5.9.0/css/all.css">
<style>
#base
width:100%;
t
```

```
font-size: 20px;
.sp
padding: 20px;
width:100%;
text-align: center;
border-radius:20px;
.sp:link
text-decoration: none;
a:link
text-decoration: none;
color: black;
.sp:hover
opacity:0.95;
img
width:50%;
margin:30px;
div.img
{
```

```
position:relative;
width:100%;
text-align: center;
}
р
font-size:20px;
font-family: palatino;
}
td
width:50%;
.text
height:30px;
width:400px;
border-radius:10px;
textarea
width:400px;
border-radius:10px;
.button
width:100px;
height:50px;
h2.title
```

```
color:floralwhite;
table
/* border:2px solid white;*/
width:100%;
}
ul
font-size:18px;
}
ol
font-size: 22px;
.class1
float:left;
.class2
float:right;
.c1
height:500;
width:350;
float:right;}
```

```
.c2
{
height:500;
width:350;
float:left}
</style>
</head>
<body>
<div class="right">
<div class="row">
<div class="col-sm-4 my-4">
<div class="card" style="width: 25rem;">
<img class="c2" align="center" src="clothes1.jpg" > </img>
<div class="card-body" style="background-color: rgba(51,153,255,0.2);">
<h5 class="card-title">Navy One Piece </h5>
ul class="list-group list-group-flush">
Price: ₹2500
Estimated delivery in 3-4 working days
<form action="purchase.php" method="POST">
<input type="submit" name="k1" class="btn btn-primary"
style="margin-top: 5px;" value="Add to cart!">
</div>
</div>
</div>
<div class="col-sm-4 my-4">
<div class="card" style="width: 25rem;">
<img class="c1" align="center" src="clothes3.png"></img>
```

```
<div class="card-body" style="background-color: rgba(51,153,255,0.2);">
<h5 class="card-title">Tattered Jeans</h5>
ul class="list-group list-group-flush">
li class="list-group-item">Price: Rs 800
Estimated delivery in 2-3 working days
<br>
<a href="purchase.php" class="btn btn-primary" name="k2"
style="margin-top: 5px;">Add to cart!</a>
</div>
</div>
</div>
<div class="col-sm-4 my-4">
<div class="card" style="width: 25rem;">
<img class="c2"align="center" src="clothes2.jpg"></img>
<div class="card-body" style="background-color: rgba(51,153,255,0.2);">
<h5 class="card-title">Plain Skirt</h5>
ul class="list-group list-group-flush">
cli class="list-group-item">Price: Rs 1850
Estimated delivery in 2-3 working days
<a href="purchase.php" class="btn btn-primary" name="k3"
style="margin-top: 5px;">Add to cart!</a>
</div>
</div>
</div>
</div>
<div class="row">
<div class="col-sm-4 my-4">
<div class="card" style="width: 25rem;">
<img class="c2" src="clothes4.jpg"></img>
<div class="card-body" style="background-color: rgba(51,153,255,0.2);">
```

```
<h5 class="card-title">The Black Piece</h5>
ul class="list-group list-group-flush">
class="list-group-item">Price: <div class="price" style="text-decoration:</pre>
linethrough; display: inline-block;">₹900</div> (20% off!) ₹720
Estimated delivery in 2-3 days
<a href="purchase.php" class="btn btn-primary" name="k5"
style="margin-top: 5px;">Add to cart!</a>
</div>
</div>
</div>
<div class="col-sm-4 my-4">
<div class="card" style="width: 25rem;">
<img class="c1"align="center" src="clothes6.jpg"></img>
<div class="card-body" style="background-color: rgba(51,153,255,0.2);">
<h5 class="card-title">Sleeved Shein's Piece</h5>
ul class="list-group list-group-flush">
class="list-group-item">Price: ₹1400
class="list-group-item">Estimated delivery in 5-6 working days
<a href="purchase.php" class="btn btn-primary" name="k4"
style="margin-top: 5px;">Add to cart!</a>
</div>
</div>
</div>
<div class="col-sm-4 my-4">
<div class="card" style="width: 25rem;">
<img class="c1"align="center" src="c5.jpg"></img>
<div class="card-body" style="background-color: rgba(51,153,255,0.2);">
<h5 class="card-title">Full body Jumpsuit</h5>
ul class="list-group list-group-flush">
Price: ₹399
class="list-group-item">Estimated delivery in 1-2 days
```

```
<a href="purchase.php" class="btn btn-primary" name="k6"
style="margin-top: 5px;">Add to cart!</a>
 </div>
 </div>
 </div>
 </div>
</div>
</div>
</body>
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtlkvYlK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG
5KkN"
crossorigin="anonymous"> </script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.mi
n.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0
b4Q"
crossorigin="anonymous"> </script>
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCm
YI"
crossorigin="anonymous"> </script>
</body>
</html>
```

IN EXACTLY SAME MANNER ACCESSORIES, Fashion Trends

,Makeup AND KURTIS ARE ALSO CREATED

```
Login.php
Code
<?php
$con=new mysqli("localhost","root","","osp_manya");
if($_SERVER["REQUEST_METHOD"]=="POST")
$a=$_POST["name"];
$b=$_POST["pass"];
c=md5(b);
$query="insert into login(name,password) values('$a','$c')";
$con->query($query);
?>
<html>
<head>
<title> Login Form </title>
k rel="stylesheet" type="text/css" href="login.css">
</head>
<body>
<form action="login.php" method="POST">
<div class="login-box">
<h1> Login </h1>
<div class="textbox">
<i class="fa fa-user" aria-hidden="false"></i>
<input type="text" placeholder="Username" name="name" value=""
required>
</div>
```

```
<div class="textbox">
<i class="fa fa-lock" style="color: black;" aria-hidden="true"></i>
 <input type="password" placeholder="Password" name="pass" value=""</pre>
required>
</div>
<br><br><br>>
<button class="btn" name="sub">Sign In</button>
</div>
</form>
</body>
</html>
CODE:
LOG-IN FORM PAGE:
<?php
#this is Login form page, if user is already logged in then we will not allow
user to access this page by executing isset($_SESSION["uid"])
#if below statment return true then we will send user to their profile.php
page
if (isset($ SESSION["uid"])) {
   header("location:profile.php");
//in action.php page if user click on "ready to checkout" button that time we
will pass data in a form from action.php page
if (isset($_POST["login_user_with_product"])) {
   //this is product list array
   $product_list = $_POST["product_id"];
   //here we are converting array into json format because array cannot be
store in cookie
   $json_e = json_encode($product_list);
   //here we are creating cookie and name of cookie is product_list
```

```
setcookie("product_list",$json_e,strtotime("+1 day"),"/","","",TRUE);
?>
<!DOCTYPE html>
<html>
   <head>
       <meta charset="UTF-8">
       <title>Fashion Store</title>
       <link rel="stylesheet" href="css/bootstrap.min.css"/>
       <script src="js/jquery2.js"></script>
       <script src="js/bootstrap.min.js"> </script>
       <script src="main.js"> </script>
       <link rel="stylesheet" type="text/css" href="style.css">
   </head>
<body>
<div class="wait overlay">
   <div class="loader"></div>
</div>
   <div class="navbar navbar-inverse navbar-fixed-top">
       <div class="container-fluid">
           <div class="navbar-header">
              <a href="#" class="navbar-brand">Fashion Store</a>
           </div>
           ul class="nav navbar-nav">
              <a href="index.php"><span class="glyphicon"></a>
glyphicon-home"></span>Home</a>
              <a href="index.php"><span class="glyphicon"></a>
glyphicon-modal-window"></span>Product</a>
           </div>
   </div>
   <br/>
```

```
<br/>
    <br/>
    <div class="container-fluid">
       <div class="row">
           <div class="col-md-2"></div>
           <div class="col-md-8" id="signup_msg">
              <!--Alert from signup form-->
           </div>
           <div class="col-md-2"></div>
       </div>
       <div class="row">
           <div class="col-md-4"></div>
           <div class="col-md-4">
              <div class="panel panel-primary">
                  <div class="panel-heading">Customer Login
Form </div>
                  <div class="panel-body">
                      <!--User Login Form-->
                      <form onsubmit="return false" id="login">
                         <label for="email">Email</label>
                         <input type="email" class="form-control"
name="email" id="email" required/>
                         <label for="email">Password</label>
                         <input type="password" class="form-control"</pre>
name="password" id="password" required/>
                         <br/>
                         <a href="#" style="color:#333;
list-style:none;">Forgotten Password</a> <input type="submit" class="btn
btn-success" style="float:right;" Value="Login">
                         <!--If user dont have an account then he/she will
click on create account button-->
```

```
<div><a
href="customer_registration.php?register=1">Create a new
account?</a> </div>
                       </form>
               </div>
               <div class="panel-footer"><div id="e_msg"></div></div>
           </div>
       </div>
       <div class="col-md-4"></div>
    </div>
</body>
</html>
LOG-IN PAGE:
<?php
include "db.php";
session_start();
#Login script is begin here
#If user given credential matches successfully with the data available in
database then we will echo string login_success
#login_success string will go back to called Anonymous funtion
$("#login").click()
if(isset($_POST["email"]) && isset($_POST["password"])){
    $email = mysqli_real_escape_string($con,$_POST["email"]);
    $password = md5($_POST["password"]);
   $sql = "SELECT * FROM user_info WHERE email = '$email' AND password
= '$password'";
   $run_query = mysqli_query($con,$sql);
   $count = mysqli_num_rows($run_query);
   //if user record is available in database then $count will be equal to 1
```

```
if(scount == 1)
       $row = mysqli fetch array($run query);
       $_SESSION["uid"] = $row["user_id"];
       $_SESSION["name"] = $row["first_name"];
       $ip_add = getenv("REMOTE_ADDR");
       //we have created a cookie in login_form.php page so if that cookie
is available means user is not login
           if (isset($ COOKIE["product list"])) {
               $p_list = stripcslashes($_COOKIE["product_list"]);
               //here we are decoding stored json product list cookie to
normal array
               $product_list = json_decode($p_list,true);
               for ($i=0; $i < count($product_list); $i++) {
                   //After getting user id from database here we are
checking user cart item if there is already product is listed or not
                   $verify_cart = "SELECT id FROM cart WHERE user_id =
$_SESSION[uid] AND p_id = ".$product_list[$i];
                   $result = mysqli_query($con,$verify_cart);
                   if(mysqli_num_rows($result) < 1){
                       //if user is adding first time product into cart we will
update user id into database table with valid id
                       $update_cart = "UPDATE cart SET user_id =
'$_SESSION[uid]' WHERE ip_add = '$ip_add' AND user_id = -1";
                       mysqli_query($con,$update_cart);
                   }else{
                       //if already that product is available into database
table we will delete that record
                       $delete_existing_product = "DELETE FROM cart
WHERE user_id = -1 AND ip_add = '$ip_add' AND p_id = ".$product_list[$i];
                       mysqli_query($con,$delete_existing_product);
                   }
               }
               //here we are destroying user cookie
```

```
setcookie("product_list","",strtotime("-1 day"),"/");
               //if user is logging from after cart page we will send
cart_login
               echo "cart_login";
                exit();
           }
           //if user is login from page we will send login_success
            echo "login_success";
            exit();
       }else{
            echo "<span style='color:red;'>Please register before
login..!</span>";
            exit();
       }
?>
REGISTRATION PAGE:
<?php
if (isset($_GET["register"])) {
    ?>
```

```
<!DOCTYPE html>
<html>
   <head>
       <meta charset="UTF-8">
       <title>Fashion Store</title>
       k rel="stylesheet" href="css/bootstrap.min.css"/>
       <script src="js/jquery2.js"></script>
       <script src="js/bootstrap.min.js"> </script>
       <script src="main.js"> </script>
       k rel="stylesheet" type="text/css" href="style.css">
   </head>
<body>
<div class="wait overlay">
   <div class="loader"></div>
</div>
   <div class="navbar navbar-inverse navbar-fixed-top">
       <div class="container-fluid">
           <div class="navbar-header">
              <a href="#" class="navbar-brand">Fashion Store</a>
          </div>
          ul class="nav navbar-nav">
              <a href="index.php"><span class="glyphicon"></a>
glyphicon-home"></span>Home</a>
              <a href="index.php"><span class="glyphicon"></a>
glyphicon-modal-window"> </span> Product </a> 
          </div>
   </div>
   <br/>
   <br/>
   <br/>
   <div class="container-fluid">
```

```
<div class="row">
           <div class="col-md-2"></div>
           <div class="col-md-8" id="signup_msg">
              <!--Alert from signup form-->
           </div>
           <div class="col-md-2"></div>
       </div>
       <div class="row">
           <div class="col-md-2"></div>
           <div class="col-md-8">
              <div class="panel panel-primary">
                  <div class="panel-heading">Customer SignUp
Form </div>
                  <div class="panel-body">
                  <form id="signup_form" onsubmit="return false">
                      <div class="row">
                         <div class="col-md-6">
                             <label for="f_name">First Name</label>
                             <input type="text" id="f_name"
name="f name" class="form-control">
                         </div>
                         <div class="col-md-6">
                             <label for="f_name">Last Name</label>
                             <input type="text" id="l_name"
name="I name"class="form-control">
                         </div>
                      </div>
                      <div class="row">
                         <div class="col-md-12">
                             <label for="email">Email</label>
                             <input type="text" id="email"
name="email"class="form-control">
```

```
</div>
                      </div>
                      <div class="row">
                         <div class="col-md-12">
                             <label for="password">password</label>
                             <input type="password" id="password"
name="password"class="form-control">
                         </div>
                      </div>
                      <div class="row">
                         <div class="col-md-12">
                             <label for="repassword">Re-enter
Password </label>
                             <input type="password" id="repassword"
name="repassword"class="form-control">
                         </div>
                      </div>
                      <div class="row">
                         <div class="col-md-12">
                             <label for="mobile">Mobile</label>
                             <input type="text" id="mobile"
name="mobile"class="form-control">
                         </div>
                      </div>
                      <div class="row">
                         <div class="col-md-12">
                             <label for="address1">Address Line
1</label>
                             <input type="text" id="address1"
name="address1"class="form-control">
                         </div>
                      </div>
                      <div class="row">
```

```
<div class="col-md-12">
                             <label for="address2">Address Line
2</label>
                            <input type="text" id="address2"
name="address2"class="form-control">
                         </div>
                     </div>
                     <pr/>
                     <div class="row">
                         <div class="col-md-12">
                            <input style="width:100%;" value="Sign Up"
type="submit" name="signup_button"class="btn btn-success btn-lg">
                         </div>
                     </div>
                  </div>
                  </form>
                  <div class="panel-footer"></div>
              </div>
          </div>
          <div class="col-md-2"></div>
       </div>
   </div>
</body>
</html>
   <?php
?>
REGISTRATION VERIFICATION USING REGULAR EXPRESSIONS:
<?php
session_start();
```

```
include "db.php";
if (isset($ POST["f name"])) {
    $f_name = $_POST["f_name"];
   $I_name = $_POST["I_name"];
   $email = $_POST['email'];
   $password = $_POST['password'];
   $repassword = $_POST['repassword'];
   $mobile = $_POST['mobile'];
   $address1 = $_POST['address1'];
   $address2 = $ POST['address2'];
   ne = "/^[a-zA-Z] + $/";
   $emailValidation =
"/^[_a-z_0-9-]+(W.[_a-z_0-9-]+)*@[a-z_0-9]+(W.[a-z]{2,4}))$/";
    number = "/^[0-9]+$/";
if(empty($f_name) || empty($l_name) || empty($email) || empty($password) ||
empty($repassword) ||
   empty($mobile) || empty($address1) || empty($address2)){
       echo "
           <div class='alert alert-warning'>
               <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a> <b>PLease Fill all fields..!</b>
           </div>
       ".
'
       exit();
   } else {
       if(!preg_match($name,$f_name)){
       echo "
           <div class='alert alert-warning'>
               <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
```

```
<b>this $f name is not valid..!</b>
           </div>
       ";
       exit();
   }
   if(!preg_match($name,$l_name)){
       echo "
           <div class='alert alert-warning'>
               <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
               <b>this $1 name is not valid..!</b>
           </div>
       exit();
   if(!preg_match($emailValidation,$email)){
       echo "
           <div class='alert alert-warning'>
               <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
               <b>this $email is not valid..!</b>
           </div>
       exit();
   if(strlen($password) < 9 ){</pre>
       echo "
           <div class='alert alert-warning'>
               <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
               <br/>b>Password is weak</b>
           </div>
```

```
exit();
   }
   if(strlen($repassword) < 9 ){</pre>
       echo "
           <div class='alert alert-warning'>
               <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
               <br/>b>Password is weak</b>
           </div>
       ".
,
       exit();
   if($password != $repassword){
       echo "
           <div class='alert alert-warning'>
               <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
               <br/><b>password is not same</b>
           </div>
   }
   if(!preg_match($number,$mobile)){
       echo "
           <div class='alert alert-warning'>
               <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
               <b>Mobile number $mobile is not valid</b>
           </div>
       ",
       exit();
   }
   if(!(strlen(\$mobile) == 10)){}
       echo "
```

```
<div class='alert alert-warning'>
               <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
               <b>Mobile number must be 10 digit</b>
           </div>
       exit();
   }
   //existing email address in our database
   $sql = "SELECT user_id FROM user_info WHERE email = '$email' LIMIT 1";
   $check query = mysqli query($con,$sql);
   $count_email = mysqli_num_rows($check_query);
   if($count_email > 0){
       echo "
           <div class='alert alert-danger'>
               <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
               <br/>b>Email Address is already available Try Another email
address</b>
           </div>
       exit();
   } else {
       $password = md5($password);
       $sql = "INSERT INTO `user_info`
       (`user_id`, `first_name`, `last_name`, `email`,
       `password`, `mobile`, `address1`, `address2`)
       VALUES (NULL, '$f_name', '$l_name', '$email',
       '$password', '$mobile', '$address1', '$address2')";
       $run_query = mysqli_query($con,$sql);
       $_SESSION["uid"] = mysqli_insert_id($con);
       $_SESSION["name"] = $f_name;
       $ip_add = getenv("REMOTE_ADDR");
```

```
$sql = "UPDATE cart SET user_id = '$_SESSION[uid]' WHERE
ip_add='$ip_add' AND user_id = -1";
       if(mysqli_query($con,$sql)){
           echo "register_success";
           exit();
       }
   }
?>
HOME PAGE:
<?php
session_start();
if(isset($_SESSION["uid"])){
   header("location:profile.php");
?>
<!DOCTYPE html>
<html>
    <head>
        <meta charset="UTF-8">
        <title>Fashion Store</title>
        k rel="stylesheet" href="css/bootstrap.min.css"/>
       <script src="js/jquery2.js"> </script>
        <script src="js/bootstrap.min.js"></script>
       <script src="main.js"></script>
       k rel="stylesheet" type="text/css" href="style.css">
        <style></style>
    </head>
<body>
<div class="wait overlay">
```

```
<div class="loader"></div>
</div>
   <div class="navbar navbar-inverse navbar-fixed-top">
       <div class="container-fluid">
           <div class="navbar-header">
              <button type="button" class="navbar-toggle collapsed"</pre>
data-toggle="collapse" data-target="#collapse" aria-expanded="false">
                  <span class="sr-only">navigation</span>
                  <span class="icon-bar"></span>
                  <span class="icon-bar"></span>
                  <span class="icon-bar"></span>
              </button>
              <a href="#" class="navbar-brand">Fashion Store</a>
           </div>
       <div class="collapse navbar-collapse" id="collapse">
           ul class="nav navbar-nav">
              <a href="index.php"><span class="glyphicon"></a>
glyphicon-home"></span>Home</a>
              <a href="index.php"><span class="glyphicon"></a>
glyphicon-modal-window"> </span> Product </a> 
           <form class="navbar-form navbar-left">
             <div class="form-group">
              <input type="text" class="form-control"</pre>
placeholder="Search" id="search">
             </div>
             <button type="submit" class="btn btn-primary"
id="search_btn"> < span class="glyphicon"
glyphicon-search"> </span> </button>
           </form>
           ul class="nav navbar-nav navbar-right">
              <a href="#" class="dropdown-toggle"</li>
data-toggle="dropdown"> < span class="glyphicon"
```

```
glyphicon-shopping-cart"></span>Cart<span
class="badge">0</span></a>
                  <div class="dropdown-menu" style="width:400px;">
                      <div class="panel panel-success">
                         <div class="panel-heading">
                             <div class="row">
                                <div class="col-md-3">SI.No</div>
                                <div class="col-md-3">Product
Image < /div >
                                <div class="col-md-3">Product
Name </div>
                                <div class="col-md-3">Price in $.</div>
                             </div>
                         </div>
                         <div class="panel-body">
                             <div id="cart_product">
                             <!--<div class="row">
                                <div class="col-md-3">SI.No</div>
                                <div class="col-md-3">Product
Image </div>
                                <div class="col-md-3">Product
Name </div>
                                <div class="col-md-3">Price in $.</div>
                             </div>-->
                             </div>
                         </div>
                         <div class="panel-footer"></div>
                     </div>
                  </div>
              <a href="#" class="dropdown-toggle"
data-toggle="dropdown"> < span class="glyphicon"
glyphicon-user"></span>SignIn</a>
```

```
ul class="dropdown-menu">
                     <div style="width:300px;">
                        <div class="panel panel-primary">
                           <div class="panel-heading">Login</div>
                           <div class="panel-heading">
                               <form onsubmit="return false"
id="login">
                                  <label for="email">Email</label>
                                  <input type="email"
class="form-control" name="email" id="email" required/>
                                  <label
for="email">Password</label>
                                  <input type="password"
class="form-control" name="password" id="password" required/>
                                  <br/>
                                  <a href="#" style="color:white;
list-style:none;">Forgotten Password</a> <input type="submit" class="btn
btn-success" style="float:right;">
                               </form>
                           </div>
                           <div class="panel-footer"
id="e_msg"></div>
                        </div>
                    </div>
                 </div>
   </div>
</div>
   <br/>
   <br/>
   <br/>
```

```
<div class="container-fluid">
      <div class="row">
          <div class="col-md-1"></div>
          <div class="col-md-2 col-xs-12">
             <div id="get_category">
             </div>
             <!--<div class="nav nav-pills nav-stacked">
                 <a</pre>
href="#"><h4>Categories</h4></a>
                <a href="#">Categories</a>
                <a href="#">Categories</a>
                <a href="#">Categories</a>
                <a href="#">Categories</a>
             </div> -->
             <div id="get_brand">
             </div>
             <!--<div class="nav nav-pills nav-stacked">
                 <a</pre>
href="#"><h4>Brand</h4></a>
                <a href="#">Categories</a>
                <a href="#">Categories</a>
                <a href="#">Categories</a>
                <a href="#">Categories</a>
             </div> -->
         </div>
         <div class="col-md-8 col-xs-12">
             <div class="row">
                <div class="col-md-12 col-xs-12" id="product_msg">
                </div>
             </div>
             <div class="panel panel-info">
                <div class="panel-heading">Products</div>
                <div class="panel-body">
```

```
<div id="get_product">
                          <!--Here we get product jquery Ajax Request-->
                      </div>
                      <!--<div class="col-md-4">
                          <div class="panel panel-info">
                             <div class="panel-heading">Samsung
Galaxy</div>
                             <div class="panel-body">
                                 <img
src="product_images/images.JPG"/>
                             </div>
                             <div class="panel-heading">$.500.00
                                 <button style="float:right;" class="btn</pre>
btn-danger btn-xs">AddToCart</button>
                              </div>
                          </div>
                      </div> -->
                  </div>
                  <div class="panel-footer">&copy; 2016</div>
               </div>
           </div>
           <div class="col-md-1"></div>
       </div>
   </div>
</body>
</html>
SELECTING CATEGORIES AND BRANDS:
<?php
session start();
$ip_add = getenv("REMOTE_ADDR");
include "db.php";
if(isset($_POST["category"])){
```

```
$category_query = "SELECT * FROM categories";
   $run_query = mysqli_query($con,$category_query) or
die(mysqli_error($con));
   echo "
       <div class='nav nav-pills nav-stacked'>
           class='active'> <a href='#'> <h4> Categories </h4> </a> 
   if(mysqli_num_rows($run_query) > 0){
       while($row = mysqli_fetch_array($run_query)){
           $cid = $row["cat_id"];
           $cat_name = $row["cat_title"];
           echo "
                  <a href='#' class='category'
cid='$cid'>$cat_name</a>
       echo "</div>";
   }
if(isset($ POST["brand"])){
   $brand_query = "SELECT * FROM brands";
   $run_query = mysqli_query($con,$brand_query);
   echo "
       <div class='nav nav-pills nav-stacked'>
           class='active'> <a href='#'> <h4>Brands</h4> </a> 
   if(mysqli_num_rows($run_query) > 0){
       while($row = mysqli_fetch_array($run_query)){
           $bid = $row["brand_id"];
           $brand_name = $row["brand_title"];
           echo "
                  <a href='#' class='selectBrand'
bid='$bid'>$brand_name</a>
```

```
}
       echo "</div>";
   }
if(isset($_POST["page"])){
   $sql = "SELECT * FROM products";
   $run_query = mysqli_query($con,$sql);
   $count = mysqli_num_rows($run_query);
   $pageno = ceil($count/9);
   for($i=1;$i<=$pageno;$i++){}
       echo "
           <a href='#' page='$i' id='page'>$i</a>
   }
if(isset($_POST["getProduct"])){
   \lim = 9;
   if(isset($_POST["setPage"])){
       $pageno = $_POST["pageNumber"];
       $start = ($pageno * $limit) - $limit;
   }else{
       start = 0;
   }
   $product_query = "SELECT * FROM products LIMIT $start,$limit";
   $run_query = mysqli_query($con,$product_query);
   if(mysqli_num_rows($run_query) > 0){
       while($row = mysqli_fetch_array($run_query)){
           $pro_id = $row['product_id'];
           $pro_cat = $row['product_cat'];
           $pro_brand = $row['product_brand'];
           $pro_title = $row['product_title'];
           $pro_price = $row['product_price'];
```

```
$pro_image = $row['product_image'];
           echo "
               <div class='col-md-4'>
                          <div class='panel panel-info'>
                              <div class='panel-heading'>$pro_title</div>
                              <div class='panel-body'>
                                  <img src='product_images/$pro_image'
style='width:160px; height:250px;'/>
                                                    </div>
                              <div class='panel-heading'>$.$pro_price.00
                                  <button pid='$pro_id' style='float:right;'
id='product' class='btn btn-danger btn-xs'>AddToCart</button>
                              </div>
                          </div>
                       </div>
       }
   }
if(isset($_POST["get_seleted_Category"]) || isset($_POST["selectBrand"]) ||
isset($ POST["search"])){
   if(isset($_POST["get_seleted_Category"])){
       $id = $_POST["cat_id"];
       $sql = "SELECT * FROM products WHERE product_cat = '$id'";
   }else if(isset($_POST["selectBrand"])){
       $id = $_POST["brand_id"];
       $sql = "SELECT * FROM products WHERE product_brand = '$id'";
   }else {
       $keyword = $_POST["keyword"];
       $sql = "SELECT * FROM products WHERE product keywords LIKE
'%$keyword%'";
   }
```

```
$run_query = mysqli_query($con,$sql);
   while($row=mysqli_fetch_array($run_query)){
           $pro_id
                    = $row['product_id'];
           $pro_cat = $row['product_cat'];
           $pro_brand = $row['product_brand'];
           $pro_title = $row['product_title'];
           $pro_price = $row['product_price'];
           $pro_image = $row['product_image'];
           echo "
               <div class='col-md-4'>
                           <div class='panel panel-info'>
                               <div class='panel-heading'>$pro_title</div>
                               <div class='panel-body'>
                                   <img src='product_images/$pro_image'
style='width:160px; height:250px;'/>
                               <div class='panel-heading'>$.$pro_price.00
                                  <button pid='$pro_id' style='float:right;'</pre>
id='product' class='btn btn-danger btn-xs'>AddToCart</button>
                               </div>
                           </div>
                       </div>
       }
   }
   if(isset($_POST["addToCart"])){
       $p_id = $_POST["proId"];
```

```
if(isset($ SESSION["uid"])){
       $user_id = $_SESSION["uid"];
       $sql = "SELECT * FROM cart WHERE p_id = '$p_id' AND user_id =
'$user_id'";
       $run_query = mysqli_query($con,$sql);
       $count = mysqli_num_rows($run_query);
       if(\text{sount} > 0)
           echo "
               <div class='alert alert-warning'>
                       <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
                       <br/>b>Product is already added into the cart Continue
Shopping..!</b>
               </div>
           ";//not in video
       } else {
           $sql = "INSERT INTO `cart`
           (`p_id`, `ip_add`, `user_id`, `qty`)
           VALUES ('$p_id','$ip_add','$user_id','1')";
           if(mysqli_query($con,$sql)){
               echo "
                   <div class='alert alert-success'>
                       <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
                       <b>Product is Added..!</b>
                   </div>
           }
       }
       }else{
```

```
$sql = "SELECT id FROM cart WHERE ip_add = '$ip_add' AND p_id
= '$p_id' AND user_id = -1";
           $query = mysqli_query($con,$sql);
           if (mysqli_num_rows($query) > 0) {
               echo "
                    <div class='alert alert-warning'>
                            <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
                            <br/>b>Product is already added into the cart
Continue Shopping..!</b>
                    </div>";
                   exit();
           }
            $sql = "INSERT INTO `cart`
           (`p_id`, `ip_add`, `user_id`, `qty`)
           VALUES ('$p_id','$ip_add','-1','1')";
           if (mysqli_query($con,$sql)) {
               echo "
                    <div class='alert alert-success'>
                        <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
                        <br/>
<br/>
<br/>
duct is Added Successfully..!</b>
                    </div>
               ".
'
               exit();
           }
       }
   }
```

```
//Count User cart item
if (isset($_POST["count_item"])) {
   //When user is logged in then we will count number of item in cart by
using user session id
   if (isset($_SESSION["uid"])) {
       $sql = "SELECT COUNT(*) AS count_item FROM cart WHERE user_id =
$ SESSION[uid]";
   }else{
       //When user is not logged in then we will count number of item in
cart by using users unique ip address
       $sql = "SELECT COUNT(*) AS count item FROM cart WHERE ip add =
'$ip_add' AND user_id < 0";
   $query = mysqli_query($con,$sql);
   $row = mysqli_fetch_array($query);
   echo $row["count_item"];
   exit();
//Count User cart item
//Get Cart Item From Database to Dropdown menu
if (isset($_POST["Common"])) {
   if (isset($_SESSION["uid"])) {
       //When user is logged in this query will execute
       $sql = "SELECT
a.product_id,a.product_title,a.product_price,a.product_image,b.id,b.qty FROM
products a, cart b WHERE a.product_id=b.p_id AND
b.user_id='$_SESSION[uid]'";
   }else{
       //When user is not logged in this query will execute
```

```
$sql = "SELECT
a.product id,a.product title,a.product price,a.product image,b.id,b.qty FROM
products a,cart b WHERE a.product_id=b.p_id AND b.ip_add='$ip_add' AND
b.user_id < 0";
   }
   $query = mysqli_query($con,$sql);
   if (isset($_POST["getCartItem"])) {
       //display cart item in dropdown menu
       if (mysqli_num_rows($query) > 0) {
           n=0;
           while ($row=mysqli_fetch_array($query)) {
               $n++;
               $product_id = $row["product_id"];
               $product_title = $row["product_title"];
               $product_price = $row["product_price"];
               $product_image = $row["product_image"];
               $cart_item_id = $row["id"];
               qty = row["qty"];
               echo '
                   <div class="row">
                      <div class="col-md-3">'.$n.'</div>
                      <div class="col-md-3"><img class="img-responsive"</pre>
src="product_images/".$product_image.'" /> </div>
                      <div class="col-md-3">'.$product_title.'</div>
                      <div class="col-md-3">$'.$product_price.'</div>
                   </div>';
           }
           ?>
               <a style="float:right;" href="cart.php" class="btn"
btn-warning">Edit  <span class="glyphicon
glyphicon-edit"> </span> </a>
           <?php
```

```
exit();
       }
   }
    if (isset($_POST["checkOutDetails"])) {
       if (mysqli_num_rows($query) > 0) {
           //display user cart item with "Ready to checkout" button if user is
not login
           echo "<form method='post' action='login_form.php'>";
               n=0:
               while ($row=mysqli_fetch_array($query)) {
                   $n++;
                   $product_id = $row["product_id"];
                   $product_title = $row["product_title"];
                   $product_price = $row["product_price"];
                   $product_image = $row["product_image"];
                   $cart_item_id = $row["id"];
                   qty = row["qty"];
                   echo
                       '<div class="row">
                               <div class="col-md-2">
                                   <div class="btn-group">
                                       <a href="#"
remove_id="'.$product_id.'" class="btn btn-danger remove"><span</pre>
class="glyphicon glyphicon-trash"> </span> </a>
                                      <a href="#"
update_id="'.$product_id.'" class="btn btn-primary update"><span</pre>
class="glyphicon glyphicon-ok-sign"> </span> </a>
                                   </div>
                               </div>
                               <input type="hidden" name="product_id[]"</pre>
value="'.$product_id.'"/>
```

```
<input type="hidden" name=""
value="'.$cart_item_id.'"/>
                              <div class="col-md-2"> <img
class="img-responsive" src="product_images/'.$product_image.'"> </div>
                              <div
class="col-md-2">'.$product_title.'</div>
                              <div class="col-md-2"><input type="text"
class="form-control qty" value="'.$qty.'" > </div>
                              <div class="col-md-2"><input type="text"
class="form-control price" value="'.$product_price."
readonly="readonly"></div>
                              <div class="col-md-2"><input type="text"
class="form-control total" value="'.$product_price."
readonly="readonly"></div>
                           </div>';
               }
               echo '<div class="row">
                           <div class="col-md-8"></div>
                           <div class="col-md-4">
                              <b class="net_total" style="font-size:20px;">
</b>
                   </div>';
               if (!isset($_SESSION["uid"])) {
                   echo '<input type="submit" style="float:right;"
name="login_user_with_product" class="btn btn-info btn-lg" value="Ready
to Checkout" >
                           </form>';
               }else if(isset($_SESSION["uid"])){
                  //Paypal checkout form
                   echo '
                       </form>
```

```
<form
action="https://www.sandbox.paypal.com/cgi-bin/webscr" method="post">
                          <input type="hidden" name="cmd"
value="_cart">
                          <input type="hidden" name="business"
value="shoppingcart@khanstore.com">
                          <input type="hidden" name="upload"
value="1">';
                          x=0;
                          $sql = "SELECT
a.product_id,a.product_title,a.product_price,a.product_image,b.id,b.qty FROM
products a,cart b WHERE a.product_id=b.p_id AND
b.user_id='$_SESSION[uid]'";
                          $query = mysqli_query($con,$sql);
                          while($row=mysqli_fetch_array($query)){
                             x++;
                             echo
                                 '<input type="hidden"
name="item_name_'.$x." value="'.$row["product_title"]."">
                                  <input type="hidden"
name="item_number_'.$x.'" value="'.$x.'">
                                 <input type="hidden"
name="amount_'.$x.'" value="'.$row["product_price"].'">
                                 <input type="hidden"
name="quantity_'.$x.'" value="'.$row["qty"].'">';
                          echo
                              '<input type="hidden" name="return"
value="http://localhost/project1/payment_success.php"/>
                              <input type="hidden" name="notify_url"</pre>
value="http://localhost/project1/payment_success.php">
```

```
<input type="hidden"
name="cancel_return" value="http://localhost/project1/cancel.php"/>
                                  <input type="hidden"
name="currency_code" value="USD"/>
                                  <input type="hidden" name="custom"
value="'.$_SESSION["uid"].'"/>
                                  <input
style="float:right;margin-right:80px;" type="image" name="submit"
   src="https://www.paypalobjects.com/webstatic/en_US/i/btn/png/blue-re
ct-paypalcheckout-60px.png" alt="PayPal Checkout"
                                     alt="PayPal - The safer, easier way to
pay online">
                              </form>';
              }
           }
   }
}
//Remove Item From cart
if (isset($_POST["removeItemFromCart"])) {
   $remove_id = $_POST["rid"];
   if (isset($_SESSION["uid"])) {
       $sql = "DELETE FROM cart WHERE p_id = '$remove_id' AND user_id =
'$ SESSION[uid]'";
   }else{
       $sql = "DELETE FROM cart WHERE p_id = '$remove_id' AND ip_add =
'$ip_add'";
   }
   if(mysqli_query($con,$sql)){
       echo "<div class='alert alert-danger'>
```

```
<a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
                       <br/>b>Product is removed from cart</b>
               </div>";
       exit();
   }
}
//Update Item From cart
if (isset($ POST["updateCartItem"])) {
   $update_id = $_POST["update_id"];
   qty = POST["qty"];
   if (isset($_SESSION["uid"])) {
       $sql = "UPDATE cart SET qty='$qty' WHERE p_id = '$update_id' AND'
user_id = '$_SESSION[uid]'";
   }else{
       $sql = "UPDATE cart SET qty='$qty' WHERE p_id = '$update_id' AND'
ip_add = '$ip_add'";
   }
   if(mysqli_query($con,$sql)){
       echo "<div class='alert alert-info'>
                       <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
                       <br/><b>Product is updated</b>
               </div>";
       exit();
   }
?>
CART:
```

```
<?php
?>
<!DOCTYPE html>
<html>
   <head>
       <meta charset="UTF-8">
       <title>Fashion Store</title>
       k rel="stylesheet" href="css/bootstrap.min.css"/>
       <script src="js/jquery2.js"></script>
       <script src="js/bootstrap.min.js"></script>
       <script src="main.js"> </script>
       <link rel="stylesheet" type="text/css" href="style.css"/>
   </head>
<body>
<div class="wait overlay">
   <div class="loader"></div>
</div>
   <div class="navbar navbar-inverse navbar-fixed-top">
       <div class="container-fluid">
           <div class="navbar-header">
               <button type="button" class="navbar-toggle collapsed"
data-toggle="collapse" data-target="#collapse" aria-expanded="false">
                  <span class="sr-only">navigation</span>
                  <span class="icon-bar"></span>
                  <span class="icon-bar"></span>
                  <span class="icon-bar"></span>
               </button>
               <a href="#" class="navbar-brand">Fashion Store</a>
           </div>
       <div class="collapse navbar-collapse" id="collapse">
           ul class="nav navbar-nav">
               <a href="index.php"><span class="glyphicon"></a>
glyphicon-home"></span>Home</a>
```

```
<a href="index.php"><span class="glyphicon"></a>
glyphicon-modal-window"> </span> Product </a> 
          </div>
   </div>
   </div>
   <br/>
   <br/>
   <br/>
   <div class="container-fluid">
       <div class="row">
          <div class="col-md-2"></div>
          <div class="col-md-8" id="cart_msg">
              <!--Cart Message-->
          </div>
          <div class="col-md-2"></div>
       </div>
       <div class="row">
          <div class="col-md-2"></div>
          <div class="col-md-8">
              <div class="panel panel-primary">
                 <div class="panel-heading">Cart Checkout</div>
                 <div class="panel-body">
                     <div class="row">
                        <div class="col-md-2"
col-xs-2"> <b>Action </b> </div>
                        <div class="col-md-2 col-xs-2"><b>Product
Image</b></div>
                        <div class="col-md-2 col-xs-2"><b>Product
Name </b> </div>
                        <div class="col-md-2"
col-xs-2"><b>Quantity</b></div>
```

```
<div class="col-md-2 col-xs-2"><b>Product
Price </b> </div>
                          <div class="col-md-2 col-xs-2"><b>Price in
$</b></div>
                      </div>
                      <div id="cart_checkout"></div>
                      <!--<div class="row">
                          <div class="col-md-2">
                              <div class="btn-group">
                                 <a href="#" class="btn
btn-danger"> < span class="glyphicon glyphicon-trash"> </span> </a>
                                 <a href="" class="btn
btn-primary"> < span class="glyphicon glyphicon-ok-sign"> </span> </a>
                              </div>
                          </div>
                          <div class="col-md-2"> <img
src='product_images/imges.jpg'></div>
                          <div class="col-md-2">Product Name</div>
                          <div class="col-md-2"> <input type='text'
class='form-control' value='1' ></div>
                          <div class="col-md-2"> <input type='text'
class='form-control' value='5000' disabled></div>
                          <div class="col-md-2"> <input type='text'
class='form-control' value='5000' disabled></div>
                      </div> -->
                      <!--<div class="row">
                          <div class="col-md-8"></div>
                          <div class="col-md-4">
                              <b>Total $500000</b>
                          </div> -->
                      </div>
                  </div>
                  <div class="panel-footer"></div>
```

```
</div>
           </div>
           <div class="col-md-2"></div>
       </div>
</body>
</html>
DATABASE CONNECTION:
<?php
$servername = "localhost";
$username = "root";
$password = "";
$db = "mycart";
// Create connection
$con = mysqli_connect($servername, $username, $password,$db);
// Check connection
if (!$con) {
  die("Connection failed: " . mysqli_connect_error());
}
?>
```