
ecg200
fashion_mnist
shuttle
runtime_low_occupancy
total runtime (sec)
ambient
mds
isomap
goix_subsampling
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.0
0.2
0.4
0.6
0
5
10
15
20
40
60
80
30
50


ecg200
fashion_mnist
shuttle
runtime_zero_occupancy
total runtime (sec)
ambient
mds
isomap
goix_subsampling
goix_subsampl


ecg200
fashion_mnist
shuttle
runtime_unreliable_pairs
total runtime (sec)
ambient
isomap
mds
goix_subsampling
goix_subsampling
0.0
0.2
0.4
0.6
0.8
1.0
0.24
0.26
0.28
0.30
0.32
0.34
0
5
10
15
20
20
40
60
80
10
30
40
50


ecg200
mds
ambient
somap
goix_subsar
runtime_agreement
0.55
0.50
0.45
0
5
10
15
20
total runtime (sec)
fashion_mnist
goix_subsampling
mds
isomap
ambien
runtime_agreement
0.8
0.7
0.6
0.5
0
20
40
60
80
total runtime (sec)
shuttle
isomap
mds
goix_subsar
ambient
runtime_agreement
0.24
0.22
0.20
0.18
0
10
20
30
40
50
total runtime (sec)


ecg200
fashion_mnist
shuttle
runtime_reliable_agreement
total runtime (sec)
mds
isomap
ambient
goix_subsan
0.40
0.45
0.50
0.55
0.5
0.6
0.7
0.8
0.10
0.15
0.20
0
5
10
15
20
30
40
50