


ecg5000, ambient




ecg5000, goix_subsampling




ecg5000, mds



Full evaluation
gamma_scale 0.25
gamma_scale 4
normal share
MC occupancy (volume / box volume)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.90
0.92
0.94
0.96
0.98
1.00
Target mass


Normal−only evaluation (diagnostic)
gamma_scale 0.25
gamma_scale 4
MC occupancy (volume / box volume)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.90
0.92
0.94
0.96
0.98
1.00
Target mass


ecg5000, isomap




ecg5000, ambient




ecg5000, goix_subsampling







ecg5000, mds



Full evaluation
gamma_scale 0.25
gamma_scale 4
normal share
MC occupancy (volume / box volume)
0.0
0.2
0.4
0.6
0.8
1.0
0.90
0.92
0.94
0.96
0.98
1.00
Target mass
Normal−only evaluation (diagnostic)
gamma_scale 0.25
gamma_scale 4
MC occupancy (volume / box volume)
0.0
0.2
0.4
0.6
0.8
1.0
0.90
0.92
0.94
0.96
0.98
1.00
Target mass

ecg5000, isomap







ecg5000, ambient





ecg5000, goix_subsampling







ecg5000, mds


Full evaluation
gamma_scale 0.25
gamma_scale 4
normal share
MC occupancy (volume / box volume)
0.0
0.2
0.4
0.6
0.8
1.0
0.90
0.92
0.94
0.96
0.98
1.00
Target mass



Normal−only evaluation (diagnostic)
gamma_scale 0.25
gamma_scale 4
MC occupancy (volume / box volume)
0.0
0.2
0.4
0.6
0.8
1.0
0.90
0.92
0.94
0.96
0.98
1.00
Target mass


ecg5000, isomap






shuttle, ambient







shuttle, goix_subsampling
Full evaluation
Normal−only evaluation (diagnostic)
gamma_scale 0.25
gamma_scale 4
normal share
MC occupancy (volume / box volume)
Target mass
0.0
0.2
0.4
0.6
0.8
1.0
0.90
0.92
0.94
0.96
0.98
1.00


shuttle, mds


Full evaluation
gamma_scale 0.25
gamma_scale 4
normal share
MC occupancy (volume / box volume)
0.0
0.2
0.4
0.6
0.8
1.0
0.90
0.92
0.94
0.96
0.98
1.00
Target mass



Normal−only evaluation (diagnostic)
gamma_scale 0.25
gamma_scale 4
MC occupancy (volume / box volume)
0.0
0.2
0.4
0.6
0.8
1.0
0.90
0.92
0.94
0.96
0.98
1.00
Target mass

shuttle, isomap







shuttle, ambient




shuttle, goix_subsampling





shuttle, mds


Full evaluation
gamma_scale 0.25
gamma_scale 4
normal share
MC occupancy (volume / box volume)
0.0
0.2
0.4
0.6
0.8
1.0
0.90
0.92
0.94
0.96
0.98
1.00
Target mass



Normal−only evaluation (diagnostic)
gamma_scale 0.25
gamma_scale 4
MC occupancy (volume / box volume)
0.0
0.2
0.4
0.6
0.8
1.0
0.90
0.92
0.94
0.96
0.98
1.00
Target mass


shuttle, isomap






shuttle, ambient






shuttle, goix_subsampling
Full evaluation
Normal−only evaluation (diagnostic)
gamma_scale 0.25
gamma_scale 4
normal share
MC occupancy (volume / box volume)
Target mass
0.0
0.2
0.4
0.6
0.8
0.1
0.3
0.5
0.90
0.92
0.94
0.96
0.98
1.00

shuttle, mds


Full evaluation
gamma_scale 0.25
gamma_scale 4
normal share
MC occupancy (volume / box volume)
0.0
0.2
0.4
0.6
0.8
1.0
0.90
0.92
0.94
0.96
0.98
1.00
Target mass


Normal−only evaluation (diagnostic)
gamma_scale 0.25
gamma_scale 4
MC occupancy (volume / box volume)
0.0
0.2
0.4
0.6
0.8
0.90
0.92
0.94
0.96
0.98
1.00
Target mass

shuttle, isomap

