

Document 4 - IQ - Heart Rate Monitor Application

Application: Heart Rate Monitor for Android and iOS

Document state: DRAFT / uncontrolled / deliberately messy for parser testing

Note: This is synthetic test material only. It is not approved medical-device validation content.

Revision table is mixed below; some rows intentionally repeat or omit values.

Version	Date	Author	Change
0.1	2026-05-18	QA/BA	Initial messy draft
1.0?	TBD	SME?	Imported from old template
0.2	missing	AI Test	duplicate version row

This IQ defines installation verification for development, test, staging, and production-like mobile environments. It includes mixed prerequisite, evidence, and acceptance criteria styles for test parsing.

IQ Section 2 - Cover / uncontrolled draft

TBD

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-002. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-002-01	Manual heart rate entry when device unavailable	Cloud Sync	High	Data shall be encrypted in transit and at rest.	Rejected once
IQ-002-02	Biometric login option	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	Approved?
IQ-002-03	Export readings as PDF/CSV	Bluetooth Sensor	High	Audit/event record shall be generated where applicable.	Rejected once
IQ-002-04	Battery and Bluetooth warning	Notification Service	TBD	Audit/event record shall be generated where applicable.	Pending QA

IQ Section 3 - Abbreviations mixed list

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-003. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

IQ-003-1: App shall process heart rate data and preserve timestamp/timezone context.

1. IQ-003-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-003-01	Support caregiver view	Bluetooth Sensor	Low	Data shall be encrypted in transit and at rest.	Rejected once
IQ-003-02	Biometric login option	Cloud Sync	High	TBD by clinical SME - intentionally incomplete.	Pending QA
IQ_3.3	Capture heart rate from paired device	Cloud Sync	High	System shall complete the action without data loss.	In Review
IQ-003-04	Support caregiver view	Notification Service	High	Result must be visible in mobile UI within expected time.	In Review
IQ-003-05	Biometric login option	iOS	Medium	System shall complete the action without data loss.	Pending QA

IQ Section 4 - Document purpose

??

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-004. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-004-01	Battery and Bluetooth warning	Cloud Sync	Not ranked	TBD by clinical SME - intentionally incomplete.	Pending QA
IQ-004-02	Manual heart rate entry when device unavailable	Bluetooth Sensor	High	Data shall be encrypted in transit and at rest.	In Review
IQ_4.3	Consent capture and privacy notice	Notification Service	TBD	TBD by clinical SME - intentionally incomplete.	Pending QA
IQ_4.4	Battery and Bluetooth warning	iOS	TBD	TBD by clinical SME - intentionally incomplete.	Draft

IQ Section 5 - Scope and non-scope
manual note

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-005. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- IQ-005-1: App shall process heart rate data and preserve timestamp/timezone context.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-005-01	Biometric login option	Backend API	Medium	System shall complete the action without data loss.	Approved?
IQ-005-02	Validate sensor data range	Notification Service	Not ranked	Result must be visible in mobile UI within expected time.	Approved?
IQ-005-03	Handle offline mode	Bluetooth Sensor	Medium	Result must be visible in mobile UI within expected time.	Need SME
IQ-005-04	Battery and Bluetooth warning	Local DB	TBD	User shall receive clear error message on failure.	Rejected once
IQ-005-05	Export readings as PDF/CSV	Bluetooth Sensor	High	System shall complete the action without data loss.	Rejected once

IQ Section 6 - System overview

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-006. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

For iOS only? For Android only? unclear; parser should capture platform if visible.

For iOS only? For Android only? unclear; parser should capture platform if visible.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-006-01	Capture heart rate from paired device	Backend API	Low	Result must be visible in mobile UI within expected time.	Rejected once
IQ_6.2	Display current BPM with timestamp	Notification Service	TBD	Data shall be encrypted in transit and at rest.	Rejected once
IQ_6.3	Capture heart rate from paired device	Notification Service	Not ranked	Audit/event record shall be generated where applicable.	In Review

IQ Section 7 - Mobile app overview

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-007. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

Old requirement copied from web portal project - review if still valid.

- IQ-007-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-007-01	Battery and Bluetooth warning	Local DB	TBD	Result must be visible in mobile UI within expected time.	Draft
IQ-007-02	Consent capture and privacy notice	Android/iOS	Not ranked	TBD by clinical SME - intentionally incomplete.	Approved?
IQ-007-03	Notification retry and suppression	iOS	Medium	Result must be visible in mobile UI within expected time.	Rejected once
IQ-007-04	Sync readings to cloud API	iOS	Not ranked	Result must be visible in mobile UI within expected time.	Rejected once

IQ Section 8 - User roles

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-008. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_8.1	Consent capture and privacy notice	iOS	Low	Result must be visible in mobile UI within expected time.	In Review
IQ-008-02	Display current BPM with timestamp	Android	Medium	Result must be visible in mobile UI within expected time.	Draft
IQ-008-03	Biometric login option	Local DB	TBD	User shall receive clear error message on failure.	Approved?

IQ Section 9 - Regulatory notes

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-009. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

2. Old requirement copied from web portal project - review if still valid.
 3. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
 4. IQ-009-3: App shall process heart rate data and preserve timestamp/timezone context.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-009-01	Audit user actions	Notification Service	Medium	User shall receive clear error message on failure.	In Review
IQ-009-02	Export readings as PDF/CSV	Android/iOS	Not ranked	TBD by clinical SME - intentionally incomplete.	Need SME
IQ-009-03	Validate sensor data range	Android/iOS	TBD	Audit/event record shall be generated where applicable.	Approved?
IQ_9.4	Validate sensor data range	Android	Low	User shall receive clear error message on failure.	In Review
IQ-009-05	Biometric login option	Notification Service	Medium	User shall receive clear error message on failure.	In Review

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

IQ Section 10 - Data privacy notes

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-010. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

IQ-010-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-010-01	Support caregiver view	Local DB	High	TBD by clinical SME - intentionally incomplete.	In Review
IQ-010-02	Biometric login option	Backend API	TBD	Audit/event record shall be generated where applicable.	Rejected once
IQ-010-03	Sync readings to cloud API	Bluetooth Sensor	Low	Data shall be encrypted in transit and at rest.	Approved?

IQ Section 11 - High level assumptions

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-011. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

Unnumbered note - check sensor disconnect behavior during active monitoring.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_11.1	Validate sensor data range	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	Draft
IQ-011-02	Audit user actions	Backend API	High	TBD by clinical SME - intentionally incomplete.	Rejected once
IQ-011-03	Sync readings to cloud API	Cloud Sync	Low	System shall complete the action without data loss.	Approved?
IQ-011-04	Notification retry and suppression	Android/iOS	Low	TBD by clinical SME - intentionally incomplete.	Need SME
IQ_11.5	Biometric login option	Notification Service	High	System shall complete the action without data loss.	Draft

IQ Section 12 - Cover / uncontrolled draft

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-012. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-012-01	Biometric login option	Bluetooth Sensor	Not ranked	System shall complete the action without data loss.	Need SME
IQ_12.2	Audit user actions	Local DB	Not ranked	User shall receive clear error message on failure.	Draft
IQ-012-03	Capture heart rate from paired device	Local DB	Not ranked	User shall receive clear error message on failure.	In Review
IQ-012-04	Consent capture and privacy notice	Bluetooth Sensor	TBD	TBD by clinical SME - intentionally incomplete.	In Review
IQ_12.5	Biometric login option	Android/iOS	High	Data shall be encrypted in transit and at rest.	Pending QA

IQ Section 13 - Abbreviations mixed list

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-013. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

Old requirement copied from web portal project - review if still valid.

- IQ-013-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-013-01	Notification retry and suppression	Android/iOS	Not ranked	System shall complete the action without data loss.	Draft
IQ-013-02	Biometric login option	Notification Service	Not ranked	Result must be visible in mobile UI within expected time.	Draft
IQ-013-03	Handle offline mode	iOS	Not ranked	User shall receive clear error message on failure.	In Review
IQ-013-04	Export readings as PDF/CSV	Android	TBD	Audit/event record shall be generated where applicable.	Pending QA

Random inserted note: duplicate title appears again below.

IQ Section 13 - Abbreviations mixed list

IQ Section 14 - Document purpose

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-014. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-014-01	Validate sensor data range	Cloud Sync	Low	Audit/event record shall be generated where applicable.	Approved?
IQ-014-02	Store readings securely on device	Cloud Sync	High	User shall receive clear error message on failure.	Approved?
IQ-014-03	Show trend chart for 7/30/90 days	Cloud Sync	High	Data shall be encrypted in transit and at rest.	Need SME
IQ_14.4	Sync readings to cloud API	Android	High	Audit/event record shall be generated where applicable.	Approved?
IQ-014-05	Validate sensor data range	Android/iOS	Not ranked	Audit/event record shall be generated where applicable.	Rejected once

IQ Section 15 - Evidence placeholder

RAG TEST CHUNK

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-015. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 5. IQ-015-1: App shall process heart rate data and preserve timestamp/timezone context.
- 6. Old requirement copied from web portal project - review if still valid.
- 7. Old requirement copied from web portal project - review if still valid.
- 8. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-015-01	Handle offline mode	Android	Not ranked	Audit/event record shall be generated where applicable.	Rejected once
IQ-015-02	Notification retry and suppression	Bluetooth Sensor	Not ranked	System shall complete the action without data loss.	Pending QA
IQ-015-03	Sync readings to cloud API	Notification Service	High	User shall receive clear error message on failure.	Rejected once
IQ-015-04	Support caregiver view	Notification Service	High	TBD by clinical SME - intentionally incomplete.	Rejected once

IQ Section 16 - Security and privacy

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-016. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-016-01	Capture heart rate from paired device	Backend API	TBD	Audit/event record shall be generated where applicable.	Need SME
IQ-016-02	Show trend chart for 7/30/90 days	Cloud Sync	Not ranked	Result must be visible in mobile UI within expected time.	Need SME
IQ-016-03	Notification retry and suppression	Notification Service	Not ranked	System shall complete the action without data loss.	Rejected once
IQ-016-04	Sync readings to cloud API	Backend API	TBD	Result must be visible in mobile UI within expected time.	Approved?
IQ-016-05	Capture heart rate from paired device	Cloud Sync	Low	TBD by clinical SME - intentionally incomplete.	Approved?

IQ Section 17 - Alert workflow

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-017. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

9. Unnumbered note - check sensor disconnect behavior during active monitoring.

- Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-017-01	Support caregiver view	Android	Medium	Audit/event record shall be generated where applicable.	Pending QA
IQ-017-02	Validate sensor data range	iOS	Low	User shall receive clear error message on failure.	Approved?
IQ-017-03	Sync readings to cloud API	Backend API	Not ranked	TBD by clinical SME - intentionally incomplete.	Draft
IQ-017-04	Battery and Bluetooth warning	iOS	TBD	User shall receive clear error message on failure.	Rejected once

IQ Section 18 - Bluetooth edge cases

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-018. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

10. Old requirement copied from web portal project - review if still valid.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_18.1	Support caregiver view	Local DB	Medium	Data shall be encrypted in transit and at rest.	Draft
IQ_18.2	Generate high/low heart-rate alert	Bluetooth Sensor	Medium	TBD by clinical SME - intentionally incomplete.	Pending QA
IQ-018-03	Handle offline mode	Android	Not ranked	Result must be visible in mobile UI within expected time.	Rejected once
IQ-018-04	Battery and Bluetooth warning	Notification Service	Low	Data shall be encrypted in transit and at rest.	Pending QA

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

IQ Section 19 - Security and privacy

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-019. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- IQ-019-2: App shall process heart rate data and preserve timestamp/timezone context.

IQ-019-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-019-01	Consent capture and privacy notice	Local DB	High	TBD by clinical SME - intentionally incomplete.	Need SME
IQ_19.2	Battery and Bluetooth warning	Notification Service	Not ranked	Result must be visible in mobile UI within expected time.	Pending QA
IQ-019-03	Handle offline mode	Notification Service	High	Data shall be encrypted in transit and at rest.	Approved?
IQ_19.4	Generate high/low heart-rate alert	Bluetooth Sensor	Medium	System shall complete the action without data loss.	Need SME
IQ-019-05	Handle offline mode	Android	Medium	System shall complete the action without data loss.	Approved?

IQ Section 20 - Exception handling

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-020. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.

11. Old requirement copied from web portal project - review if still valid.

- IQ-020-3: App shall process heart rate data and preserve timestamp/timezone context.

IQ-020-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-020-01	Biometric login option	Backend API	Low	Result must be visible in mobile UI within expected time.	Draft
IQ-020-02	Store readings securely on device	Android/iOS	TBD	Data shall be encrypted in transit and at rest.	Pending QA
IQ-020-03	Export readings as PDF/CSV	Cloud Sync	High	TBD by clinical SME - intentionally incomplete.	Approved?
IQ-020-04	Generate high/low heart-rate alert	Notification Service	Medium	Result must be visible in mobile UI within expected time.	Rejected once
IQ_20.5	Battery and Bluetooth warning	Notification Service	Not ranked	TBD by clinical SME - intentionally incomplete.	Pending QA

IQ Section 21 - Data handling notes

old text retained

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-021. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

12. Unnumbered note - check sensor disconnect behavior during active monitoring.
13. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-021-01	Validate sensor data range	Cloud Sync	Medium	Result must be visible in mobile UI within expected time.	Pending QA
IQ-021-02	Support caregiver view	Cloud Sync	Medium	System shall complete the action without data loss.	In Review
IQ_21.3	Audit user actions	Backend API	TBD	User shall receive clear error message on failure.	Pending QA
IQ-021-04	Validate sensor data range	Backend API	TBD	User shall receive clear error message on failure.	Rejected once
IQ-021-05	Generate high/low heart-rate alert	Backend API	Medium	TBD by clinical SME - intentionally incomplete.	Approved?

IQ Section 22 - Test condition table

v0.1/v1.0 mixed

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-022. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

14. IQ-022-1: App shall process heart rate data and preserve timestamp/timezone context.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-022-01	Generate high/low heart-rate alert	Notification Service	Low	Result must be visible in mobile UI within expected time.	Pending QA
IQ-022-02	Battery and Bluetooth warning	Cloud Sync	Not ranked	System shall complete the action without data loss.	Draft
IQ-022-03	Capture heart rate from paired device	iOS	TBD	System shall complete the action without data loss.	Approved?
IQ-022-04	Handle offline mode	Android	Medium	User shall receive clear error message on failure.	Need SME
IQ-022-05	Manual heart rate entry when device unavailable	Android	TBD	Audit/event record shall be generated where applicable.	Draft

IQ Section 23 - Bluetooth edge cases

TBD

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-023. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

15. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_23.1	Store readings securely on device	iOS	Low	TBD by clinical SME - intentionally incomplete.	Approved?
IQ-023-02	Audit user actions	Android/iOS	Low	User shall receive clear error message on failure.	Approved?
IQ_23.3	Consent capture and privacy notice	Bluetooth Sensor	Low	Result must be visible in mobile UI within expected time.	Draft

IQ Section 24 - Alert workflow

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-024. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- IQ-024-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_24.1	Handle offline mode	Notification Service	Not ranked	User shall receive clear error message on failure.	Approved?
IQ-024-02	Biometric login option	Cloud Sync	Medium	System shall complete the action without data loss.	Pending QA
IQ-024-03	Display current BPM with timestamp	Backend API	TBD	Data shall be encrypted in transit and at rest.	Pending QA
IQ-024-04	Generate high/low heart-rate alert	Bluetooth Sensor	Not ranked	Audit/event record shall be generated where applicable.	Need SME
IQ-024-05	Capture heart rate from paired device	Cloud Sync	TBD	System shall complete the action without data loss.	Approved?

IQ Section 25 - Security and privacy

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-025. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

16. For iOS only? For Android only? unclear; parser should capture platform if visible.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-025-01	Manual heart rate entry when device unavailable	Notification Service	Not ranked	Audit/event record shall be generated where applicable.	In Review
IQ-025-02	Display current BPM with timestamp	Local DB	High	System shall complete the action without data loss.	In Review
IQ_25.3	Audit user actions	Bluetooth Sensor	Medium	User shall receive clear error message on failure.	Pending QA
IQ-025-04	Battery and Bluetooth warning	Backend API	Not ranked	Data shall be encrypted in transit and at rest.	Approved?
IQ-025-05	Battery and Bluetooth warning	Local DB	Low	Result must be visible in mobile UI within expected time.	Approved?

IQ Section 26 - Repeated requirement block

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-026. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- 17. Old requirement copied from web portal project - review if still valid.
- 18. IQ-026-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-026-01	Show trend chart for 7/30/90 days	iOS	High	TBD by clinical SME - intentionally incomplete.	Rejected once
IQ-026-02	Capture heart rate from paired device	Cloud Sync	Medium	System shall complete the action without data loss.	In Review
IQ-026-03	Capture heart rate from paired device	Local DB	TBD	Result must be visible in mobile UI within expected time.	Pending QA

Random inserted note: duplicate title appears again below.

IQ Section 26 - Repeated requirement block

IQ Section 27 - Data handling notes

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-027. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- IQ-027-1: App shall process heart rate data and preserve timestamp/timezone context.
- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Old requirement copied from web portal project - review if still valid.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-027-01	Store readings securely on device	Android/iOS	TBD	Result must be visible in mobile UI within expected time.	Draft
IQ-027-02	Notification retry and suppression	Cloud Sync	Not ranked	Audit/event record shall be generated where applicable.	Approved?
IQ-027-03	Display current BPM with timestamp	Backend API	Not ranked	System shall complete the action without data loss.	Need SME
IQ-027-04	Audit user actions	Android	Not ranked	User shall receive clear error message on failure.	Need SME
IQ-027-05	Export readings as PDF/CSV	Bluetooth Sensor	Medium	Data shall be encrypted in transit and at rest.	Need SME

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

IQ Section 28 - UI behavior

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-028. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 19. Old requirement copied from web portal project - review if still valid.
- 20. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-028-01	Biometric login option	Android	TBD	Audit/event record shall be generated where applicable.	Pending QA
IQ-028-02	Store readings securely on device	Notification Service	Low	System shall complete the action without data loss.	Approved?
IQ-028-03	Notification retry and suppression	Android/iOS	TBD	System shall complete the action without data loss.	Need SME
IQ-028-04	Display current BPM with timestamp	iOS	TBD	Result must be visible in mobile UI within expected time.	Rejected once
IQ-028-05	Show trend chart for 7/30/90 days	Android/iOS	Not ranked	TBD by clinical SME - intentionally incomplete.	Pending QA

IQ Section 29 - Security and privacy

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-029. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

21. IQ-029-1: App shall process heart rate data and preserve timestamp/timezone context.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-029-01	Store readings securely on device	Local DB	Medium	User shall receive clear error message on failure.	Rejected once
IQ-029-02	Notification retry and suppression	Android/iOS	TBD	Data shall be encrypted in transit and at rest.	Draft
IQ-029-03	Handle offline mode	Cloud Sync	Not ranked	User shall receive clear error message on failure.	Draft
IQ-029-04	Validate sensor data range	iOS	Low	Audit/event record shall be generated where applicable.	Need SME

IQ Section 30 - Audit trail mapping

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-030. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- IQ-030-1: App shall process heart rate data and preserve timestamp/timezone context.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-030-01	Consent capture and privacy notice	Android	Not ranked	Data shall be encrypted in transit and at rest.	Pending QA
IQ_30.2	Biometric login option	Android/iOS	Not ranked	User shall receive clear error message on failure.	In Review
IQ_30.3	Sync readings to cloud API	Bluetooth Sensor	Medium	System shall complete the action without data loss.	Draft
IQ-030-04	Handle offline mode	Local DB	Not ranked	Result must be visible in mobile UI within expected time.	In Review
IQ-030-05	Manual heart rate entry when device unavailable	iOS	Medium	Audit/event record shall be generated where applicable.	Pending QA

IQ Section 31 - Risk and control mapping

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-031. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

22. For iOS only? For Android only? unclear; parser should capture platform if visible.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

23. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_31.1	Capture heart rate from paired device	Backend API	Medium	Data shall be encrypted in transit and at rest.	Rejected once
IQ_31.2	Store readings securely on device	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	Pending QA
IQ-031-03	Audit user actions	Cloud Sync	Medium	Audit/event record shall be generated where applicable.	In Review
IQ-031-04	Consent capture and privacy notice	Backend API	TBD	Data shall be encrypted in transit and at rest.	Pending QA
IQ_31.5	Store readings securely on device	iOS	High	System shall complete the action without data loss.	Need SME

IQ Section 32 - API behavior

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-032. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.

For iOS only? For Android only? unclear; parser should capture platform if visible.

24. Unnumbered note - check sensor disconnect behavior during active monitoring.

- IQ-032-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-032-01	Audit user actions	Android	Medium	Audit/event record shall be generated where applicable.	Need SME
IQ_32.2	Biometric login option	iOS	TBD	TBD by clinical SME - intentionally incomplete.	Approved?
IQ-032-03	Support caregiver view	Local DB	High	TBD by clinical SME - intentionally incomplete.	Approved?
IQ-032-04	Display current BPM with timestamp	Android/iOS	Low	Result must be visible in mobile UI within expected time.	Approved?
IQ_32.5	Battery and Bluetooth warning	Backend API	TBD	Data shall be encrypted in transit and at rest.	Approved?

IQ Section 33 - Open questions

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-033. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

25. IQ-033-1: App shall process heart rate data and preserve timestamp/timezone context.

- Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-033-01	Validate sensor data range	Local DB	Low	Result must be visible in mobile UI within expected time.	Pending QA
IQ-033-02	Sync readings to cloud API	Backend API	High	Result must be visible in mobile UI within expected time.	Pending QA
IQ-033-03	Capture heart rate from paired device	Backend API	Low	Result must be visible in mobile UI within expected time.	Approved?
IQ-033-04	Audit user actions	Bluetooth Sensor	High	User shall receive clear error message on failure.	Need SME

IQ Section 34 - API behavior

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-034. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.

For iOS only? For Android only? unclear; parser should capture platform if visible.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-034-01	Validate sensor data range	Android/iOS	High	Audit/event record shall be generated where applicable.	In Review
IQ_34.2	Capture heart rate from paired device	Backend API	TBD	Data shall be encrypted in transit and at rest.	In Review
IQ-034-03	Manual heart rate entry when device unavailable	Local DB	Medium	Audit/event record shall be generated where applicable.	Need SME
IQ-034-04	Validate sensor data range	Backend API	High	Data shall be encrypted in transit and at rest.	Approved?
IQ-034-05	Store readings securely on device	Cloud Sync	Medium	System shall complete the action without data loss.	Need SME

IQ Section 35 - API behavior

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-035. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

26. IQ-035-2: App shall process heart rate data and preserve timestamp/timezone context.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

IQ-035-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-035-01	Store readings securely on device	Notification Service	Not ranked	Data shall be encrypted in transit and at rest.	Pending QA
IQ_35.2	Show trend chart for 7/30/90 days	Backend API	Medium	Result must be visible in mobile UI within expected time.	Approved?
IQ-035-03	Sync readings to cloud API	Android	High	Audit/event record shall be generated where applicable.	In Review

IQ Section 36 - Open questions

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-036. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

IQ-036-2: App shall process heart rate data and preserve timestamp/timezone context.

- IQ-036-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-036-01	Show trend chart for 7/30/90 days	Android	Medium	Data shall be encrypted in transit and at rest.	In Review
IQ-036-02	Consent capture and privacy notice	Android/iOS	Low	Audit/event record shall be generated where applicable.	In Review
IQ_36.3	Store readings securely on device	Bluetooth Sensor	High	System shall complete the action without data loss.	Need SME
IQ-036-04	Handle offline mode	Android	TBD	User shall receive clear error message on failure.	Approved?
IQ-036-05	Support caregiver view	iOS	Medium	TBD by clinical SME - intentionally incomplete.	Draft

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

IQ Section 37 - Test condition table

??

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-037. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

27. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-037-01	Audit user actions	Notification Service	Not ranked	User shall receive clear error message on failure.	In Review
IQ-037-02	Display current BPM with timestamp	Local DB	TBD	TBD by clinical SME - intentionally incomplete.	Need SME
IQ-037-03	Consent capture and privacy notice	Backend API	Not ranked	Data shall be encrypted in transit and at rest.	In Review

IQ Section 38 - Data handling notes

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-038. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

28. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-038-01	Support caregiver view	Cloud Sync	Low	User shall receive clear error message on failure.	Need SME
IQ-038-02	Capture heart rate from paired device	Cloud Sync	High	Audit/event record shall be generated where applicable.	In Review
IQ-038-03	Battery and Bluetooth warning	Android/iOS	High	TBD by clinical SME - intentionally incomplete.	Rejected once
IQ-038-04	Audit user actions	Local DB	TBD	Result must be visible in mobile UI within expected time.	In Review
IQ-038-05	Handle offline mode	Bluetooth Sensor	Not ranked	TBD by clinical SME - intentionally incomplete.	Approved?

IQ Section 39 - Alert workflow

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-039. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

29. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Old requirement copied from web portal project - review if still valid.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_39.1	Export readings as PDF/CSV	Local DB	Not ranked	User shall receive clear error message on failure.	In Review
IQ-039-02	Store readings securely on device	Local DB	High	Result must be visible in mobile UI within expected time.	Rejected once
IQ-039-03	Notification retry and suppression	Cloud Sync	Medium	System shall complete the action without data loss.	Pending QA

Random inserted note: duplicate title appears again below.

IQ Section 39 - Alert workflow

IQ Section 40 - Bluetooth edge cases

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-040. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

IQ-040-2: App shall process heart rate data and preserve timestamp/timezone context.

30. IQ-040-3: App shall process heart rate data and preserve timestamp/timezone context.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-040-01	Support caregiver view	iOS	High	TBD by clinical SME - intentionally incomplete.	Approved?
IQ-040-02	Biometric login option	Notification Service	TBD	System shall complete the action without data loss.	In Review
IQ-040-03	Biometric login option	Bluetooth Sensor	High	Result must be visible in mobile UI within expected time.	Rejected once

IQ Section 41 - Test condition table

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-041. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

31. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-041-01	Validate sensor data range	Local DB	TBD	Result must be visible in mobile UI within expected time.	Rejected once
IQ_41.2	Manual heart rate entry when device unavailable	Bluetooth Sensor	Medium	Result must be visible in mobile UI within expected time.	Approved?
IQ-041-03	Audit user actions	iOS	Medium	Data shall be encrypted in transit and at rest.	Approved?
IQ-041-04	Manual heart rate entry when device unavailable	Android/iOS	Low	Audit/event record shall be generated where applicable.	Pending QA
IQ-041-05	Battery and Bluetooth warning	Cloud Sync	Medium	Audit/event record shall be generated where applicable.	Draft

IQ Section 42 - Open questions

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-042. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.
32. Unnumbered note - check sensor disconnect behavior during active monitoring.
33. Unnumbered note - check sensor disconnect behavior during active monitoring.
34. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-042-01	Consent capture and privacy notice	Backend API	Low	User shall receive clear error message on failure.	Pending QA
IQ-042-02	Handle offline mode	Bluetooth Sensor	High	TBD by clinical SME - intentionally incomplete.	In Review
IQ-042-03	Notification retry and suppression	iOS	High	Data shall be encrypted in transit and at rest.	Draft

IQ Section 43 - UI behavior

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-043. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-043-01	Generate high/low heart-rate alert	Cloud Sync	High	Audit/event record shall be generated where applicable.	Need SME
IQ-043-02	Sync readings to cloud API	Android/iOS	TBD	Data shall be encrypted in transit and at rest.	Draft
IQ-043-03	Manual heart rate entry when device unavailable	Backend API	Not ranked	Result must be visible in mobile UI within expected time.	Need SME

IQ Section 44 - Evidence placeholder

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-044. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

IQ-044-1: App shall process heart rate data and preserve timestamp/timezone context.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

35. IQ-044-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-044-01	Audit user actions	Bluetooth Sensor	Not ranked	Data shall be encrypted in transit and at rest.	Approved?
IQ-044-02	Validate sensor data range	Local DB	Low	Result must be visible in mobile UI within expected time.	Need SME
IQ_44.3	Notification retry and suppression	Android	Low	User shall receive clear error message on failure.	Pending QA
IQ-044-04	Display current BPM with timestamp	Android	Medium	Data shall be encrypted in transit and at rest.	Rejected once

IQ Section 45 - Mobile platform variation

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-045. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

IQ-045-2: App shall process heart rate data and preserve timestamp/timezone context.

36. IQ-045-3: App shall process heart rate data and preserve timestamp/timezone context.

37. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-045-01	Capture heart rate from paired device	Android	Not ranked	Result must be visible in mobile UI within expected time.	In Review
IQ-045-02	Notification retry and suppression	Notification Service	TBD	TBD by clinical SME - intentionally incomplete.	Rejected once
IQ-045-03	Notification retry and suppression	Bluetooth Sensor	High	TBD by clinical SME - intentionally incomplete.	Need SME
IQ-045-04	Display current BPM with timestamp	Notification Service	Not ranked	User shall receive clear error message on failure.	Rejected once
IQ_45.5	Handle offline mode	Notification Service	Not ranked	Audit/event record shall be generated where applicable.	Approved?

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

IQ Section 46 - Mobile platform variation

??

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-046. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

38. Unnumbered note - check sensor disconnect behavior during active monitoring.

- Old requirement copied from web portal project - review if still valid.

39. IQ-046-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_46.1	Manual heart rate entry when device unavailable	Bluetooth Sensor	Not ranked	TBD by clinical SME - intentionally incomplete.	Approved?
IQ_46.2	Display current BPM with timestamp	Backend API	Medium	Data shall be encrypted in transit and at rest.	Draft
IQ-046-03	Notification retry and suppression	Backend API	Medium	User shall receive clear error message on failure.	Draft
IQ_46.4	Validate sensor data range	iOS	TBD	System shall complete the action without data loss.	Pending QA

IQ Section 47 - Evidence placeholder

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-047. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- IQ-047-1: App shall process heart rate data and preserve timestamp/timezone context.

40. For iOS only? For Android only? unclear; parser should capture platform if visible.

41. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-047-01	Export readings as PDF/CSV	Local DB	Not ranked	Audit/event record shall be generated where applicable.	Approved?
IQ-047-02	Notification retry and suppression	Backend API	Low	Audit/event record shall be generated where applicable.	In Review
IQ-047-03	Capture heart rate from paired device	Android/iOS	Medium	Data shall be encrypted in transit and at rest.	Approved?
IQ-047-04	Battery and Bluetooth warning	Backend API	Low	Result must be visible in mobile UI within expected time.	Pending QA
IQ-047-05	Export readings as PDF/CSV	Backend API	Not ranked	User shall receive clear error message on failure.	Need SME

IQ Section 48 - Audit trail mapping

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-048. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

42. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

43. Unnumbered note - check sensor disconnect behavior during active monitoring.

- IQ-048-3: App shall process heart rate data and preserve timestamp/timezone context.

44. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-048-01	Sync readings to cloud API	Backend API	High	User shall receive clear error message on failure.	Draft
IQ-048-02	Manual heart rate entry when device unavailable	iOS	Low	Data shall be encrypted in transit and at rest.	Need SME
IQ-048-03	Battery and Bluetooth warning	iOS	Low	Data shall be encrypted in transit and at rest.	Draft
IQ-048-04	Capture heart rate from paired device	Cloud Sync	High	Audit/event record shall be generated where applicable.	In Review
IQ-048-05	Generate high/low heart-rate alert	Notification Service	High	Result must be visible in mobile UI within expected time.	Draft

IQ Section 49 - Exception handling

TBD

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-049. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

45. Unnumbered note - check sensor disconnect behavior during active monitoring.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-049-01	Manual heart rate entry when device unavailable	iOS	Not ranked	Data shall be encrypted in transit and at rest.	Need SME
IQ-049-02	Handle offline mode	iOS	Not ranked	System shall complete the action without data loss.	Approved?
IQ_49.3	Capture heart rate from paired device	Android/iOS	High	TBD by clinical SME - intentionally incomplete.	Approved?

IQ Section 50 - Requirement details

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-050. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 46. Old requirement copied from web portal project - review if still valid.
- 47. IQ-050-2: App shall process heart rate data and preserve timestamp/timezone context.
- 48. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-050-01	Manual heart rate entry when device unavailable	Bluetooth Sensor	Medium	System shall complete the action without data loss.	In Review
IQ-050-02	Display current BPM with timestamp	Notification Service	TBD	Audit/event record shall be generated where applicable.	Approved?
IQ_50.3	Consent capture and privacy notice	Bluetooth Sensor	TBD	User shall receive clear error message on failure.	In Review
IQ-050-04	Battery and Bluetooth warning	Android	TBD	TBD by clinical SME - intentionally incomplete.	Draft

IQ Section 51 - Traceability notes

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-051. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

Old requirement copied from web portal project - review if still valid.

49. For iOS only? For Android only? unclear; parser should capture platform if visible.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-051-01	Export readings as PDF/CSV	Bluetooth Sensor	Low	System shall complete the action without data loss.	Need SME
IQ-051-02	Show trend chart for 7/30/90 days	Android	High	Data shall be encrypted in transit and at rest.	Approved?
IQ-051-03	Handle offline mode	Android	Not ranked	Data shall be encrypted in transit and at rest.	Approved?
IQ-051-04	Generate high/low heart-rate alert	Android/iOS	Low	Result must be visible in mobile UI within expected time.	Draft

IQ Section 52 - Test condition table

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-052. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

50. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-052-01	Show trend chart for 7/30/90 days	Notification Service	Medium	Audit/event record shall be generated where applicable.	Approved?
IQ-052-02	Support caregiver view	Android	Low	Audit/event record shall be generated where applicable.	Pending QA
IQ-052-03	Display current BPM with timestamp	Bluetooth Sensor	Not ranked	TBD by clinical SME - intentionally incomplete.	In Review

Random inserted note: duplicate title appears again below.

IQ Section 52 - Test condition table

IQ Section 53 - Exception handling

??

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-053. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

51. For iOS only? For Android only? unclear; parser should capture platform if visible.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

52. IQ-053-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_53.1	Capture heart rate from paired device	Notification Service	TBD	Data shall be encrypted in transit and at rest.	Draft
IQ-053-02	Support caregiver view	Bluetooth Sensor	Low	Data shall be encrypted in transit and at rest.	Rejected once
IQ-053-03	Validate sensor data range	iOS	Low	Data shall be encrypted in transit and at rest.	Draft
IQ_53.4	Battery and Bluetooth warning	Cloud Sync	Not ranked	System shall complete the action without data loss.	Rejected once
IQ-053-05	Notification retry and suppression	Notification Service	Low	Data shall be encrypted in transit and at rest.	Rejected once

IQ Section 54 - Audit trail mapping

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-054. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-054-01	Battery and Bluetooth warning	Cloud Sync	Not ranked	User shall receive clear error message on failure.	Pending QA
IQ-054-02	Notification retry and suppression	Backend API	Not ranked	TBD by clinical SME - intentionally incomplete.	In Review
IQ-054-03	Support caregiver view	Notification Service	Not ranked	Result must be visible in mobile UI within expected time.	Rejected once

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

IQ Section 55 - Audit trail mapping

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-055. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-055-01	Notification retry and suppression	Notification Service	High	System shall complete the action without data loss.	Rejected once
IQ-055-02	Show trend chart for 7/30/90 days	Notification Service	Not ranked	TBD by clinical SME - intentionally incomplete.	Need SME
IQ-055-03	Export readings as PDF/CSV	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	Rejected once

IQ Section 56 - Traceability notes

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-056. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- IQ-056-1: App shall process heart rate data and preserve timestamp/timezone context.
- IQ-056-2: App shall process heart rate data and preserve timestamp/timezone context.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-056-01	Export readings as PDF/CSV	Notification Service	TBD	Result must be visible in mobile UI within expected time.	Pending QA
IQ-056-02	Audit user actions	Notification Service	Not ranked	User shall receive clear error message on failure.	In Review
IQ-056-03	Export readings as PDF/CSV	Android/iOS	Low	TBD by clinical SME - intentionally incomplete.	Pending QA

IQ Section 57 - Data handling notes

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-057. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.

53. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_57.1	Audit user actions	Android/iOS	Not ranked	Audit/event record shall be generated where applicable.	Rejected once
IQ-057-02	Display current BPM with timestamp	Backend API	Not ranked	Result must be visible in mobile UI within expected time.	Need SME
IQ-057-03	Biometric login option	Android/iOS	Not ranked	Result must be visible in mobile UI within expected time.	Approved?
IQ-057-04	Consent capture and privacy notice	Backend API	TBD	TBD by clinical SME - intentionally incomplete.	In Review

IQ Section 58 - Security and privacy

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-058. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

For iOS only? For Android only? unclear; parser should capture platform if visible.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-058-01	Sync readings to cloud API	Bluetooth Sensor	Low	Audit/event record shall be generated where applicable.	Rejected once
IQ-058-02	Audit user actions	Notification Service	Not ranked	TBD by clinical SME - intentionally incomplete.	Need SME
IQ_58.3	Show trend chart for 7/30/90 days	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	Draft
IQ-058-04	Audit user actions	Bluetooth Sensor	Not ranked	Audit/event record shall be generated where applicable.	Approved?

IQ Section 59 - Open questions

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-059. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-059-01	Generate high/low heart-rate alert	Bluetooth Sensor	High	System shall complete the action without data loss.	Need SME
IQ-059-02	Battery and Bluetooth warning	Cloud Sync	High	Audit/event record shall be generated where applicable.	Pending QA
IQ-059-03	Handle offline mode	Local DB	Not ranked	Data shall be encrypted in transit and at rest.	Need SME

IQ Section 60 - Repeated requirement block

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-060. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

54. Unnumbered note - check sensor disconnect behavior during active monitoring.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

55. Old requirement copied from web portal project - review if still valid.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-060-01	Store readings securely on device	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	Rejected once
IQ_60.2	Validate sensor data range	iOS	Low	TBD by clinical SME - intentionally incomplete.	Approved?
IQ-060-03	Handle offline mode	Bluetooth Sensor	Medium	User shall receive clear error message on failure.	Rejected once
IQ-060-04	Store readings securely on device	Android	TBD	Result must be visible in mobile UI within expected time.	Need SME

IQ Section 61 - Bluetooth edge cases

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-061. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

IQ-061-2: App shall process heart rate data and preserve timestamp/timezone context.

56. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-061-01	Handle offline mode	Backend API	Not ranked	TBD by clinical SME - intentionally incomplete.	In Review
IQ-061-02	Show trend chart for 7/30/90 days	iOS	Medium	User shall receive clear error message on failure.	Pending QA
IQ-061-03	Audit user actions	iOS	Low	System shall complete the action without data loss.	Draft
IQ_61.4	Store readings securely on device	Backend API	Not ranked	User shall receive clear error message on failure.	In Review

IQ Section 62 - Alert workflow

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-062. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- IQ-062-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-062-01	Display current BPM with timestamp	Notification Service	High	Audit/event record shall be generated where applicable.	Approved?
IQ-062-02	Consent capture and privacy notice	Bluetooth Sensor	Medium	Result must be visible in mobile UI within expected time.	Draft
IQ-062-03	Display current BPM with timestamp	Bluetooth Sensor	TBD	TBD by clinical SME - intentionally incomplete.	In Review

IQ Section 63 - Mobile platform variation

v0.1/v1.0 mixed

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-063. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

57. IQ-063-2: App shall process heart rate data and preserve timestamp/timezone context.

- Old requirement copied from web portal project - review if still valid.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-063-01	Validate sensor data range	Notification Service	Medium	System shall complete the action without data loss.	Need SME
IQ-063-02	Audit user actions	Android/iOS	TBD	Audit/event record shall be generated where applicable.	In Review
IQ-063-03	Store readings securely on device	iOS	Not ranked	TBD by clinical SME - intentionally incomplete.	In Review

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

IQ Section 64 - Evidence placeholder

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-064. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

58. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-064-01	Consent capture and privacy notice	Android/iOS	Low	Audit/event record shall be generated where applicable.	Rejected once
IQ-064-02	Generate high/low heart-rate alert	Cloud Sync	Not ranked	TBD by clinical SME - intentionally incomplete.	Rejected once
IQ-064-03	Consent capture and privacy notice	Backend API	Medium	Data shall be encrypted in transit and at rest.	Draft
IQ-064-04	Store readings securely on device	Local DB	Medium	Result must be visible in mobile UI within expected time.	Rejected once
IQ-064-05	Handle offline mode	Backend API	Medium	Result must be visible in mobile UI within expected time.	Need SME

IQ Section 65 - Risk and control mapping

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-065. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_65.1	Store readings securely on device	iOS	Medium	Result must be visible in mobile UI within expected time.	In Review
IQ-065-02	Sync readings to cloud API	Bluetooth Sensor	High	User shall receive clear error message on failure.	Rejected once
IQ-065-03	Generate high/low heart-rate alert	Local DB	Medium	Data shall be encrypted in transit and at rest.	Need SME
IQ-065-04	Store readings securely on device	Notification Service	Not ranked	Audit/event record shall be generated where applicable.	In Review
IQ-065-05	Battery and Bluetooth warning	Android	Medium	Data shall be encrypted in transit and at rest.	Need SME

Random inserted note: duplicate title appears again below.

IQ Section 65 - Risk and control mapping

IQ Section 66 - Exception handling

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-066. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

59. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-066-01	Validate sensor data range	Notification Service	Medium	Data shall be encrypted in transit and at rest.	Pending QA
IQ_66.2	Sync readings to cloud API	Android	Low	TBD by clinical SME - intentionally incomplete.	Approved?
IQ-066-03	Capture heart rate from paired device	Bluetooth Sensor	Not ranked	Audit/event record shall be generated where applicable.	Pending QA
IQ-066-04	Battery and Bluetooth warning	Bluetooth Sensor	Not ranked	User shall receive clear error message on failure.	Rejected once
IQ_66.5	Support caregiver view	Notification Service	Medium	Data shall be encrypted in transit and at rest.	In Review

IQ Section 67 - Evidence placeholder

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-067. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

60. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-067-01	Notification retry and suppression	iOS	Low	Data shall be encrypted in transit and at rest.	Rejected once
IQ-067-02	Sync readings to cloud API	Android/iOS	Low	Data shall be encrypted in transit and at rest.	Need SME
IQ-067-03	Generate high/low heart-rate alert	Android/iOS	TBD	TBD by clinical SME - intentionally incomplete.	Rejected once

IQ Section 68 - Open questions

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-068. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 61. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- 62. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- 63. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-068-01	Show trend chart for 7/30/90 days	Android	Medium	Result must be visible in mobile UI within expected time.	Approved?
IQ-068-02	Store readings securely on device	Bluetooth Sensor	Not ranked	Audit/event record shall be generated where applicable.	Need SME
IQ-068-03	Support caregiver view	Cloud Sync	Not ranked	Audit/event record shall be generated where applicable.	Need SME
IQ_68.4	Manual heart rate entry when device unavailable	iOS	Medium	Result must be visible in mobile UI within expected time.	Draft

IQ Section 69 - Exception handling

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-069. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

64. For iOS only? For Android only? unclear; parser should capture platform if visible.

Old requirement copied from web portal project - review if still valid.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-069-01	Validate sensor data range	Bluetooth Sensor	High	Audit/event record shall be generated where applicable.	Draft
IQ-069-02	Display current BPM with timestamp	Local DB	Low	User shall receive clear error message on failure.	In Review
IQ-069-03	Biometric login option	Bluetooth Sensor	TBD	User shall receive clear error message on failure.	Approved?
IQ-069-04	Support caregiver view	iOS	High	Result must be visible in mobile UI within expected time.	Need SME
IQ-069-05	Capture heart rate from paired device	Android/iOS	Not ranked	Data shall be encrypted in transit and at rest.	Pending QA

IQ Section 70 - Requirement details

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-070. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 65. Old requirement copied from web portal project - review if still valid.
- 66. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

IQ-070-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-070-01	Audit user actions	Cloud Sync	Not ranked	Result must be visible in mobile UI within expected time.	Rejected once
IQ-070-02	Consent capture and privacy notice	iOS	High	Data shall be encrypted in transit and at rest.	Need SME
IQ-070-03	Capture heart rate from paired device	iOS	Not ranked	Audit/event record shall be generated where applicable.	Draft

IQ Section 71 - Test condition table

REVIEW-LATER

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-071. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

67. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-071-01	Capture heart rate from paired device	Android	TBD	Audit/event record shall be generated where applicable.	Rejected once
IQ-071-02	Store readings securely on device	Cloud Sync	Not ranked	System shall complete the action without data loss.	In Review
IQ-071-03	Consent capture and privacy notice	Android	High	Data shall be encrypted in transit and at rest.	Rejected once
IQ-071-04	Consent capture and privacy notice	iOS	Low	TBD by clinical SME - intentionally incomplete.	In Review
IQ-071-05	Audit user actions	Android	High	System shall complete the action without data loss.	Approved?

IQ Section 72 - UI behavior

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-072. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- IQ-072-1: App shall process heart rate data and preserve timestamp/timezone context.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_72.1	Support caregiver view	Android	Low	TBD by clinical SME - intentionally incomplete.	Draft
IQ-072-02	Manual heart rate entry when device unavailable	Bluetooth Sensor	Not ranked	Result must be visible in mobile UI within expected time.	Need SME
IQ-072-03	Manual heart rate entry when device unavailable	Android	High	Data shall be encrypted in transit and at rest.	Need SME

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

IQ Section 73 - API behavior

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-073. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- IQ-073-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-073-01	Display current BPM with timestamp	Cloud Sync	Low	Data shall be encrypted in transit and at rest.	Draft
IQ-073-02	Notification retry and suppression	Local DB	Low	Audit/event record shall be generated where applicable.	In Review
IQ-073-03	Show trend chart for 7/30/90 days	Android	High	Data shall be encrypted in transit and at rest.	Need SME

IQ Section 74 - UI behavior

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-074. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- IQ-074-1: App shall process heart rate data and preserve timestamp/timezone context.

68. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

69. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-074-01	Handle offline mode	Android	Low	System shall complete the action without data loss.	Approved?
IQ-074-02	Biometric login option	Backend API	Low	Data shall be encrypted in transit and at rest.	Draft
IQ-074-03	Handle offline mode	Cloud Sync	TBD	Result must be visible in mobile UI within expected time.	Pending QA

IQ Section 75 - Mobile platform variation

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-075. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

70. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-075-01	Biometric login option	iOS	TBD	System shall complete the action without data loss.	In Review
IQ-075-02	Validate sensor data range	Local DB	Low	Data shall be encrypted in transit and at rest.	Pending QA
IQ-075-03	Generate high/low heart-rate alert	Android/iOS	High	Data shall be encrypted in transit and at rest.	Draft

IQ Section 76 - Exception handling

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-076. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 71. Unnumbered note - check sensor disconnect behavior during active monitoring.
- 72. IQ-076-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_76.1	Handle offline mode	Cloud Sync	Not ranked	TBD by clinical SME - intentionally incomplete.	Pending QA
IQ-076-02	Manual heart rate entry when device unavailable	Cloud Sync	Low	TBD by clinical SME - intentionally incomplete.	Pending QA
IQ-076-03	Notification retry and suppression	Cloud Sync	Not ranked	Audit/event record shall be generated where applicable.	Need SME
IQ-076-04	Audit user actions	Cloud Sync	High	Data shall be encrypted in transit and at rest.	Pending QA
IQ-076-05	Battery and Bluetooth warning	Backend API	Low	Audit/event record shall be generated where applicable.	Rejected once

IQ Section 77 - Mobile platform variation

v0.1/v1.0 mixed

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-077. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-077-01	Manual heart rate entry when device unavailable	Backend API	TBD	Audit/event record shall be generated where applicable.	Draft
IQ-077-02	Biometric login option	iOS	Not ranked	Result must be visible in mobile UI within expected time.	In Review
IQ-077-03	Support caregiver view	Android	Low	User shall receive clear error message on failure.	Need SME
IQ-077-04	Validate sensor data range	Android	Not ranked	Result must be visible in mobile UI within expected time.	Approved?

IQ Section 78 - Alert workflow

??

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-078. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-078-01	Display current BPM with timestamp	Cloud Sync	TBD	System shall complete the action without data loss.	Rejected once
IQ-078-02	Store readings securely on device	Cloud Sync	Medium	Data shall be encrypted in transit and at rest.	Approved?
IQ-078-03	Show trend chart for 7/30/90 days	Android	TBD	TBD by clinical SME - intentionally incomplete.	Approved?

Random inserted note: duplicate title appears again below.

IQ Section 78 - Alert workflow

IQ Section 79 - API behavior

OCR noisy line

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-079. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

73. For iOS only? For Android only? unclear; parser should capture platform if visible.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

74. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-079-01	Biometric login option	iOS	TBD	TBD by clinical SME - intentionally incomplete.	Pending QA
IQ-079-02	Validate sensor data range	Local DB	Low	TBD by clinical SME - intentionally incomplete.	Approved?
IQ-079-03	Store readings securely on device	Bluetooth Sensor	Medium	User shall receive clear error message on failure.	Need SME

IQ Section 80 - API behavior

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-080. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

75. Old requirement copied from web portal project - review if still valid.

IQ-080-2: App shall process heart rate data and preserve timestamp/timezone context.

76. IQ-080-3: App shall process heart rate data and preserve timestamp/timezone context.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_80.1	Export readings as PDF/CSV	Notification Service	TBD	Audit/event record shall be generated where applicable.	Rejected once
IQ-080-02	Manual heart rate entry when device unavailable	Android	High	TBD by clinical SME - intentionally incomplete.	In Review
IQ-080-03	Support caregiver view	Android/iOS	TBD	TBD by clinical SME - intentionally incomplete.	Rejected once

IQ Section 81 - Security and privacy

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-081. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

77. Old requirement copied from web portal project - review if still valid.

- Unnumbered note - check sensor disconnect behavior during active monitoring.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-081-01	Display current BPM with timestamp	Android/iOS	Not ranked	System shall complete the action without data loss.	Draft
IQ-081-02	Sync readings to cloud API	Backend API	High	System shall complete the action without data loss.	Approved?
IQ_81.3	Sync readings to cloud API	Android/iOS	Low	User shall receive clear error message on failure.	Draft
IQ-081-04	Battery and Bluetooth warning	Android	High	TBD by clinical SME - intentionally incomplete.	Rejected once
IQ-081-05	Notification retry and suppression	Android/iOS	TBD	Data shall be encrypted in transit and at rest.	Draft

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

IQ Section 82 - Bluetooth edge cases

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-082. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

78. Old requirement copied from web portal project - review if still valid.

79. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_82.1	Capture heart rate from paired device	Android	Not ranked	TBD by clinical SME - intentionally incomplete.	Pending QA
IQ_82.2	Manual heart rate entry when device unavailable	Android	TBD	Audit/event record shall be generated where applicable.	Approved?
IQ-082-03	Manual heart rate entry when device unavailable	Bluetooth Sensor	Medium	User shall receive clear error message on failure.	Pending QA

IQ Section 83 - Data handling notes

RAG TEST CHUNK

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-083. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

80. Old requirement copied from web portal project - review if still valid.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

IQ-083-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-083-01	Export readings as PDF/CSV	Android	Low	System shall complete the action without data loss.	Need SME
IQ-083-02	Show trend chart for 7/30/90 days	Bluetooth Sensor	TBD	System shall complete the action without data loss.	Approved?
IQ-083-03	Capture heart rate from paired device	iOS	Low	System shall complete the action without data loss.	Approved?
IQ-083-04	Display current BPM with timestamp	Android	High	Result must be visible in mobile UI within expected time.	In Review

IQ Section 84 - Audit trail mapping

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-084. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

81. Unnumbered note - check sensor disconnect behavior during active monitoring.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

82. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-084-01	Handle offline mode	Notification Service	TBD	User shall receive clear error message on failure.	In Review
IQ-084-02	Validate sensor data range	Local DB	TBD	TBD by clinical SME - intentionally incomplete.	Draft
IQ-084-03	Manual heart rate entry when device unavailable	iOS	TBD	Data shall be encrypted in transit and at rest.	Pending QA
IQ-084-04	Store readings securely on device	Android	Not ranked	Audit/event record shall be generated where applicable.	Rejected once
IQ-084-05	Handle offline mode	Bluetooth Sensor	TBD	User shall receive clear error message on failure.	Rejected once

IQ Section 85 - Risk and control mapping

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-085. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

83. Unnumbered note - check sensor disconnect behavior during active monitoring.
84. For iOS only? For Android only? unclear; parser should capture platform if visible.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-085-01	Handle offline mode	Backend API	Medium	Data shall be encrypted in transit and at rest.	Approved?
IQ-085-02	Consent capture and privacy notice	Notification Service	Not ranked	Audit/event record shall be generated where applicable.	Approved?
IQ-085-03	Generate high/low heart-rate alert	Local DB	Low	Data shall be encrypted in transit and at rest.	Rejected once
IQ-085-04	Generate high/low heart-rate alert	Bluetooth Sensor	Medium	Audit/event record shall be generated where applicable.	Draft
IQ-085-05	Show trend chart for 7/30/90 days	Backend API	Not ranked	Result must be visible in mobile UI within expected time.	Pending QA

IQ Section 86 - Exception handling

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-086. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

85. For iOS only? For Android only? unclear; parser should capture platform if visible.
86. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-086-01	Validate sensor data range	Android/iOS	Medium	Data shall be encrypted in transit and at rest.	Pending QA
IQ-086-02	Show trend chart for 7/30/90 days	Local DB	TBD	Result must be visible in mobile UI within expected time.	Draft
IQ-086-03	Handle offline mode	Android/iOS	Low	TBD by clinical SME - intentionally incomplete.	Draft
IQ-086-04	Support caregiver view	Bluetooth Sensor	TBD	Data shall be encrypted in transit and at rest.	Draft

IQ Section 87 - Audit trail mapping

??

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-087. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

87. IQ-087-1: App shall process heart rate data and preserve timestamp/timezone context.
88. IQ-087-2: App shall process heart rate data and preserve timestamp/timezone context.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-087-01	Capture heart rate from paired device	Local DB	Low	User shall receive clear error message on failure.	In Review
IQ-087-02	Validate sensor data range	Cloud Sync	Not ranked	User shall receive clear error message on failure.	Need SME
IQ-087-03	Audit user actions	Notification Service	Low	Audit/event record shall be generated where applicable.	Draft

IQ Section 88 - Mobile platform variation

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-088. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

89. IQ-088-1: App shall process heart rate data and preserve timestamp/timezone context.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-088-01	Biometric login option	Backend API	Low	Result must be visible in mobile UI within expected time.	Pending QA
IQ-088-02	Handle offline mode	Notification Service	Medium	TBD by clinical SME - intentionally incomplete.	In Review
IQ-088-03	Sync readings to cloud API	Android	TBD	Data shall be encrypted in transit and at rest.	Draft
IQ-088-04	Capture heart rate from paired device	Bluetooth Sensor	TBD	TBD by clinical SME - intentionally incomplete.	In Review

IQ Section 89 - Evidence placeholder

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-089. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.
90. IQ-089-2: App shall process heart rate data and preserve timestamp/timezone context.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-089-01	Consent capture and privacy notice	Backend API	High	Audit/event record shall be generated where applicable.	Pending QA
IQ-089-02	Audit user actions	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	Need SME
IQ_89.3	Battery and Bluetooth warning	Bluetooth Sensor	Low	TBD by clinical SME - intentionally incomplete.	Rejected once
IQ-089-04	Show trend chart for 7/30/90 days	Android	Not ranked	User shall receive clear error message on failure.	Rejected once

IQ Section 90 - Alert workflow

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-090. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

91. Old requirement copied from web portal project - review if still valid.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-090-01	Audit user actions	iOS	Medium	System shall complete the action without data loss.	Rejected once
IQ-090-02	Biometric login option	Android	Low	Data shall be encrypted in transit and at rest.	In Review
IQ-090-03	Validate sensor data range	Android/iOS	Not ranked	System shall complete the action without data loss.	Pending QA
IQ_90.4	Sync readings to cloud API	Notification Service	Low	TBD by clinical SME - intentionally incomplete.	In Review

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

IQ Section 91 - Bluetooth edge cases

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-091. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

92. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-091-01	Notification retry and suppression	Local DB	TBD	Result must be visible in mobile UI within expected time.	Need SME
IQ-091-02	Generate high/low heart-rate alert	Android	TBD	Data shall be encrypted in transit and at rest.	Pending QA
IQ-091-03	Consent capture and privacy notice	Bluetooth Sensor	Low	TBD by clinical SME - intentionally incomplete.	Approved?
IQ_91.4	Generate high/low heart-rate alert	iOS	Not ranked	Result must be visible in mobile UI within expected time.	Draft
IQ-091-05	Display current BPM with timestamp	Android/iOS	TBD	Data shall be encrypted in transit and at rest.	Rejected once

Random inserted note: duplicate title appears again below.

IQ Section 91 - Bluetooth edge cases

IQ Section 92 - Traceability notes

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-092. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

93. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

94. For iOS only? For Android only? unclear; parser should capture platform if visible.

IQ-092-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-092-01	Handle offline mode	Local DB	Medium	TBD by clinical SME - intentionally incomplete.	Pending QA
IQ-092-02	Export readings as PDF/CSV	Android/iOS	Medium	TBD by clinical SME - intentionally incomplete.	Need SME
IQ-092-03	Biometric login option	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	In Review

IQ Section 93 - UI behavior

missing owner

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-093. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Old requirement copied from web portal project - review if still valid.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-093-01	Show trend chart for 7/30/90 days	Local DB	Low	Audit/event record shall be generated where applicable.	Rejected once
IQ-093-02	Sync readings to cloud API	Notification Service	Not ranked	Audit/event record shall be generated where applicable.	Draft
IQ-093-03	Notification retry and suppression	Backend API	Medium	User shall receive clear error message on failure.	Need SME
IQ_93.4	Handle offline mode	iOS	Medium	System shall complete the action without data loss.	Draft

IQ Section 94 - Alert workflow

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-094. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- IQ-094-2: App shall process heart rate data and preserve timestamp/timezone context.

95. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ_94.1	Consent capture and privacy notice	Backend API	Low	System shall complete the action without data loss.	Draft
IQ-094-02	Display current BPM with timestamp	iOS	Medium	Audit/event record shall be generated where applicable.	In Review
IQ-094-03	Generate high/low heart-rate alert	iOS	Low	Data shall be encrypted in transit and at rest.	In Review
IQ-094-04	Battery and Bluetooth warning	Cloud Sync	High	TBD by clinical SME - intentionally incomplete.	Need SME

IQ Section 95 - Mobile platform variation

manual note

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-095. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

- 96. Old requirement copied from web portal project - review if still valid.
- 97. IQ-095-3: App shall process heart rate data and preserve timestamp/timezone context.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-095-01	Export readings as PDF/CSV	iOS	Not ranked	Data shall be encrypted in transit and at rest.	In Review
IQ-095-02	Sync readings to cloud API	Android/iOS	Medium	User shall receive clear error message on failure.	Approved?
IQ-095-03	Display current BPM with timestamp	Backend API	TBD	Audit/event record shall be generated where applicable.	Pending QA
IQ_95.4	Validate sensor data range	Android	Medium	Result must be visible in mobile UI within expected time.	Pending QA
IQ-095-05	Capture heart rate from paired device	Cloud Sync	Medium	User shall receive clear error message on failure.	Approved?

IQ Section 96 - Data handling notes

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-096. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 98. Old requirement copied from web portal project - review if still valid.
- 99. Unnumbered note - check sensor disconnect behavior during active monitoring.
- 100. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-096-01	Validate sensor data range	Backend API	Low	Audit/event record shall be generated where applicable.	Approved?
IQ-096-02	Consent capture and privacy notice	Bluetooth Sensor	High	Audit/event record shall be generated where applicable.	Need SME
IQ-096-03	Handle offline mode	Backend API	Medium	System shall complete the action without data loss.	Pending QA

IQ Section 97 - Evidence placeholder

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-097. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

101. Old requirement copied from web portal project - review if still valid.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-097-01	Notification retry and suppression	iOS	High	System shall complete the action without data loss.	Need SME
IQ-097-02	Battery and Bluetooth warning	Bluetooth Sensor	Not ranked	Result must be visible in mobile UI within expected time.	Rejected once
IQ-097-03	Sync readings to cloud API	Bluetooth Sensor	Medium	Result must be visible in mobile UI within expected time.	Draft
IQ-097-04	Handle offline mode	Bluetooth Sensor	Medium	Audit/event record shall be generated where applicable.	Need SME
IQ_97.5	Export readings as PDF/CSV	Local DB	Medium	User shall receive clear error message on failure.	Rejected once

IQ Section 98 - Evidence placeholder

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-098. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

102. For iOS only? For Android only? unclear; parser should capture platform if visible.
103. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- IQ-098-3: App shall process heart rate data and preserve timestamp/timezone context.

104. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-098-01	Validate sensor data range	Bluetooth Sensor	Low	Audit/event record shall be generated where applicable.	Draft
IQ-098-02	Show trend chart for 7/30/90 days	Android/iOS	High	User shall receive clear error message on failure.	Draft
IQ-098-03	Consent capture and privacy notice	Local DB	High	Data shall be encrypted in transit and at rest.	In Review
IQ_98.4	Store readings securely on device	iOS	TBD	Result must be visible in mobile UI within expected time.	Need SME

IQ Section 99 - Repeated requirement block

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-099. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

IQ-099-2: App shall process heart rate data and preserve timestamp/timezone context.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-099-01	Capture heart rate from paired device	Bluetooth Sensor	TBD	Data shall be encrypted in transit and at rest.	Draft
IQ-099-02	Manual heart rate entry when device unavailable	Android	Not ranked	TBD by clinical SME - intentionally incomplete.	Draft
IQ-099-03	Capture heart rate from paired device	Notification Service	Medium	Data shall be encrypted in transit and at rest.	In Review

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

IQ Section 100 - Evidence placeholder

This page belongs to Installation Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: IQ-100. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

105. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
IQ-100-01	Support caregiver view	Android/iOS	TBD	System shall complete the action without data loss.	Pending QA
IQ-100-02	Validate sensor data range	iOS	Low	System shall complete the action without data loss.	Need SME
IQ-100-03	Capture heart rate from paired device	Bluetooth Sensor	High	TBD by clinical SME - intentionally incomplete.	Rejected once