

Document 5 - OQ - Heart Rate Monitor Application

Application: Heart Rate Monitor for Android and iOS

Document state: DRAFT / uncontrolled / deliberately messy for parser testing

Note: This is synthetic test material only. It is not approved medical-device validation content.

Revision table is mixed below; some rows intentionally repeat or omit values.

Version	Date	Author	Change
0.1	2026-05-18	QA/BA	Initial messy draft
1.0?	TBD	SME?	Imported from old template
0.2	missing	AI Test	duplicate version row

This OQ defines operational verification for core app functions under controlled conditions. It intentionally mixes test cases, expected results, notes, and defects to stress a traceability engine.

OQ Section 2 - Cover / uncontrolled draft

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-002. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Old requirement copied from web portal project - review if still valid.

OQ-002-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_2.1	Capture heart rate from paired device	Android	TBD	User shall receive clear error message on failure.	Rejected once
OQ-002-02	Biometric login option	Notification Service	Medium	System shall complete the action without data loss.	Pending QA
OQ-002-03	Audit user actions	Notification Service	Low	User shall receive clear error message on failure.	Draft
OQ-002-04	Consent capture and privacy notice	Notification Service	TBD	Data shall be encrypted in transit and at rest.	Rejected once

OQ Section 3 - Abbreviations mixed list

REVIEW-LATER

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-003. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 1. Old requirement copied from web portal project - review if still valid.
- 2. OQ-003-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-003-01	Support caregiver view	iOS	Not ranked	Result must be visible in mobile UI within expected time.	Need SME
OQ-003-02	Generate high/low heart-rate alert	Bluetooth Sensor	High	Audit/event record shall be generated where applicable.	In Review
OQ-003-03	Store readings securely on device	Cloud Sync	Low	Audit/event record shall be generated where applicable.	Need SME
OQ-003-04	Store readings securely on device	Android/iOS	TBD	TBD by clinical SME - intentionally incomplete.	Approved?
OQ-003-05	Notification retry and suppression	Cloud Sync	Not ranked	System shall complete the action without data loss.	Draft

OQ Section 4 - Document purpose

old text retained

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-004. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_4.1	Generate high/low heart-rate alert	Local DB	Medium	Audit/event record shall be generated where applicable.	In Review
OQ-004-02	Show trend chart for 7/30/90 days	iOS	Not ranked	User shall receive clear error message on failure.	Need SME
OQ-004-03	Store readings securely on device	iOS	Low	TBD by clinical SME - intentionally incomplete.	In Review

OQ Section 5 - Scope and non-scope

old text retained

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-005. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

OQ-005-1: App shall process heart rate data and preserve timestamp/timezone context.

- OQ-005-2: App shall process heart rate data and preserve timestamp/timezone context.
- Old requirement copied from web portal project - review if still valid.

3. OQ-005-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_5.1	Sync readings to cloud API	Android/iOS	TBD	System shall complete the action without data loss.	Approved?
OQ-005-02	Support caregiver view	Android/iOS	Medium	Result must be visible in mobile UI within expected time.	Approved?
OQ-005-03	Store readings securely on device	iOS	Low	Data shall be encrypted in transit and at rest.	Rejected once
OQ_5.4	Notification retry and suppression	Android/iOS	Low	User shall receive clear error message on failure.	Approved?

OQ Section 6 - System overview

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-006. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- OQ-006-1: App shall process heart rate data and preserve timestamp/timezone context.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-006-01	Display current BPM with timestamp	Cloud Sync	High	Result must be visible in mobile UI within expected time.	Draft
OQ-006-02	Sync readings to cloud API	Notification Service	TBD	Result must be visible in mobile UI within expected time.	Need SME
OQ-006-03	Manual heart rate entry when device unavailable	Notification Service	Not ranked	Data shall be encrypted in transit and at rest.	Draft
OQ-006-04	Display current BPM with timestamp	Bluetooth Sensor	TBD	User shall receive clear error message on failure.	Draft

OQ Section 7 - Mobile app overview

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-007. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Unnumbered note - check sensor disconnect behavior during active monitoring.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_7.1	Display current BPM with timestamp	Android/iOS	High	Audit/event record shall be generated where applicable.	Rejected once
OQ-007-02	Capture heart rate from paired device	iOS	Medium	Data shall be encrypted in transit and at rest.	Rejected once
OQ-007-03	Display current BPM with timestamp	Android	High	System shall complete the action without data loss.	Rejected once
OQ_7.4	Show trend chart for 7/30/90 days	Local DB	High	Audit/event record shall be generated where applicable.	Pending QA
OQ_7.5	Capture heart rate from paired device	Backend API	High	System shall complete the action without data loss.	Draft

OQ Section 8 - User roles

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-008. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

OQ-008-2: App shall process heart rate data and preserve timestamp/timezone context.

4. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-008-01	Export readings as PDF/CSV	iOS	TBD	System shall complete the action without data loss.	Rejected once
OQ_8.2	Biometric login option	Local DB	Low	System shall complete the action without data loss.	Rejected once
OQ_8.3	Handle offline mode	Cloud Sync	Not ranked	Result must be visible in mobile UI within expected time.	Need SME

OQ Section 9 - Regulatory notes

RAG TEST CHUNK

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-009. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-009-01	Display current BPM with timestamp	Android/iOS	High	Audit/event record shall be generated where applicable.	Need SME
OQ-009-02	Manual heart rate entry when device unavailable	iOS	High	Data shall be encrypted in transit and at rest.	In Review
OQ-009-03	Display current BPM with timestamp	Android	TBD	Result must be visible in mobile UI within expected time.	Approved?

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

OQ Section 10 - Data privacy notes

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-010. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

OQ-010-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-010-01	Audit user actions	Android	Medium	Result must be visible in mobile UI within expected time.	In Review
OQ-010-02	Handle offline mode	iOS	Low	System shall complete the action without data loss.	In Review
OQ-010-03	Sync readings to cloud API	Cloud Sync	Not ranked	TBD by clinical SME - intentionally incomplete.	Need SME
OQ-010-04	Battery and Bluetooth warning	Local DB	High	Result must be visible in mobile UI within expected time.	Pending QA

OQ Section 11 - High level assumptions
missing owner

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-011. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Unnumbered note - check sensor disconnect behavior during active monitoring.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-011-01	Validate sensor data range	Bluetooth Sensor	Not ranked	Data shall be encrypted in transit and at rest.	Approved?
OQ-011-02	Export readings as PDF/CSV	Cloud Sync	High	System shall complete the action without data loss.	Rejected once
OQ-011-03	Capture heart rate from paired device	Android	TBD	Audit/event record shall be generated where applicable.	In Review

OQ Section 12 - Cover / uncontrolled draft

RAG TEST CHUNK

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-012. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-012-01	Export readings as PDF/CSV	Backend API	High	Result must be visible in mobile UI within expected time.	In Review
OQ_12.2	Support caregiver view	Android	Not ranked	Result must be visible in mobile UI within expected time.	Draft
OQ_12.3	Validate sensor data range	iOS	Low	Data shall be encrypted in transit and at rest.	Approved?

OQ Section 13 - Abbreviations mixed list

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-013. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

5. OQ-013-1: App shall process heart rate data and preserve timestamp/timezone context.

For iOS only? For Android only? unclear; parser should capture platform if visible.

6. For iOS only? For Android only? unclear; parser should capture platform if visible.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-013-01	Support caregiver view	Local DB	High	TBD by clinical SME - intentionally incomplete.	Draft
OQ_13.2	Consent capture and privacy notice	iOS	TBD	Audit/event record shall be generated where applicable.	Rejected once
OQ-013-03	Notification retry and suppression	Backend API	Low	Result must be visible in mobile UI within expected time.	Pending QA

Random inserted note: duplicate title appears again below.

OQ Section 13 - Abbreviations mixed list

OQ Section 14 - Document purpose

??

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-014. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

OQ-014-1: App shall process heart rate data and preserve timestamp/timezone context.

7. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-014-01	Store readings securely on device	Android	TBD	Result must be visible in mobile UI within expected time.	Rejected once
OQ-014-02	Generate high/low heart-rate alert	Cloud Sync	High	Result must be visible in mobile UI within expected time.	Rejected once
OQ-014-03	Store readings securely on device	Bluetooth Sensor	Low	System shall complete the action without data loss.	Draft

OQ Section 15 - UI behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-015. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- OQ-015-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-015-01	Display current BPM with timestamp	iOS	Not ranked	User shall receive clear error message on failure.	In Review
OQ-015-02	Display current BPM with timestamp	Cloud Sync	Not ranked	Data shall be encrypted in transit and at rest.	Draft
OQ_15.3	Capture heart rate from paired device	Cloud Sync	High	TBD by clinical SME - intentionally incomplete.	Need SME

OQ Section 16 - UI behavior

duplicate section

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-016. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Old requirement copied from web portal project - review if still valid.

8. OQ-016-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-016-01	Biometric login option	iOS	Not ranked	Data shall be encrypted in transit and at rest.	In Review
OQ-016-02	Generate high/low heart-rate alert	iOS	Low	Result must be visible in mobile UI within expected time.	In Review
OQ_16.3	Handle offline mode	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	Rejected once
OQ-016-04	Display current BPM with timestamp	Cloud Sync	Medium	TBD by clinical SME - intentionally incomplete.	Need SME
OQ_16.5	Manual heart rate entry when device unavailable	Local DB	Medium	Result must be visible in mobile UI within expected time.	Approved?

OQ Section 17 - Data handling notes

RAG TEST CHUNK

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-017. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

OQ-017-1: App shall process heart rate data and preserve timestamp/timezone context.

9. Unnumbered note - check sensor disconnect behavior during active monitoring.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_17.1	Consent capture and privacy notice	Local DB	Medium	Audit/event record shall be generated where applicable.	Approved?
OQ-017-02	Battery and Bluetooth warning	Android/iOS	Not ranked	TBD by clinical SME - intentionally incomplete.	In Review
OQ-017-03	Consent capture and privacy notice	Local DB	Medium	System shall complete the action without data loss.	In Review
OQ-017-04	Generate high/low heart-rate alert	Cloud Sync	High	User shall receive clear error message on failure.	In Review

OQ Section 18 - Audit trail mapping

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-018. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-018-01	Handle offline mode	Notification Service	High	TBD by clinical SME - intentionally incomplete.	Pending QA
OQ-018-02	Export readings as PDF/CSV	Android/iOS	Not ranked	Audit/event record shall be generated where applicable.	Approved?
OQ_18.3	Export readings as PDF/CSV	Android/iOS	Low	Result must be visible in mobile UI within expected time.	Rejected once
OQ-018-04	Display current BPM with timestamp	Notification Service	High	Audit/event record shall be generated where applicable.	In Review
OQ-018-05	Export readings as PDF/CSV	Local DB	Low	TBD by clinical SME - intentionally incomplete.	In Review

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

OQ Section 19 - Mobile platform variation

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-019. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- OQ-019-1: App shall process heart rate data and preserve timestamp/timezone context.
10. OQ-019-2: App shall process heart rate data and preserve timestamp/timezone context.
- Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-019-01	Capture heart rate from paired device	Notification Service	Not ranked	Audit/event record shall be generated where applicable.	In Review
OQ-019-02	Show trend chart for 7/30/90 days	Android/iOS	Low	User shall receive clear error message on failure.	Approved?
OQ-019-03	Consent capture and privacy notice	Cloud Sync	High	Audit/event record shall be generated where applicable.	Rejected once

OQ Section 20 - Mobile platform variation

old text retained

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-020. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

11. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-020-01	Validate sensor data range	Backend API	Not ranked	TBD by clinical SME - intentionally incomplete.	In Review
OQ_20.2	Store readings securely on device	Cloud Sync	High	TBD by clinical SME - intentionally incomplete.	Rejected once
OQ-020-03	Audit user actions	Local DB	High	User shall receive clear error message on failure.	Rejected once

OQ Section 21 - Bluetooth edge cases

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-021. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

12. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

OQ-021-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-021-01	Manual heart rate entry when device unavailable	Bluetooth Sensor	TBD	TBD by clinical SME - intentionally incomplete.	Approved?
OQ-021-02	Capture heart rate from paired device	Notification Service	Not ranked	User shall receive clear error message on failure.	Rejected once
OQ-021-03	Manual heart rate entry when device unavailable	Android	High	Audit/event record shall be generated where applicable.	Draft
OQ-021-04	Battery and Bluetooth warning	iOS	Medium	User shall receive clear error message on failure.	In Review
OQ-021-05	Validate sensor data range	Cloud Sync	Low	Data shall be encrypted in transit and at rest.	Need SME

OQ Section 22 - Repeated requirement block

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-022. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- 13. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- 14. Unnumbered note - check sensor disconnect behavior during active monitoring.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-022-01	Manual heart rate entry when device unavailable	Android	Low	System shall complete the action without data loss.	Approved?
OQ-022-02	Support caregiver view	Android/iOS	Medium	User shall receive clear error message on failure.	Draft
OQ-022-03	Sync readings to cloud API	Notification Service	Low	System shall complete the action without data loss.	In Review
OQ-022-04	Sync readings to cloud API	Notification Service	Low	Result must be visible in mobile UI within expected time.	Approved?

OQ Section 23 - Evidence placeholder

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-023. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

15. Unnumbered note - check sensor disconnect behavior during active monitoring.

For iOS only? For Android only? unclear; parser should capture platform if visible.

- OQ-023-3: App shall process heart rate data and preserve timestamp/timezone context.

16. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_23.1	Display current BPM with timestamp	Local DB	TBD	User shall receive clear error message on failure.	Draft
OQ-023-02	Generate high/low heart-rate alert	Backend API	Medium	TBD by clinical SME - intentionally incomplete.	Approved?
OQ-023-03	Store readings securely on device	Backend API	Not ranked	User shall receive clear error message on failure.	Pending QA
OQ-023-04	Sync readings to cloud API	Android	Low	TBD by clinical SME - intentionally incomplete.	Draft
OQ-023-05	Battery and Bluetooth warning	Android	TBD	TBD by clinical SME - intentionally incomplete.	Pending QA

OQ Section 24 - Test condition table

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-024. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

OQ-024-2: App shall process heart rate data and preserve timestamp/timezone context.

17. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-024-01	Battery and Bluetooth warning	Android/iOS	TBD	System shall complete the action without data loss.	Need SME
OQ-024-02	Audit user actions	Cloud Sync	TBD	TBD by clinical SME - intentionally incomplete.	Need SME
OQ-024-03	Handle offline mode	Bluetooth Sensor	High	Result must be visible in mobile UI within expected time.	Need SME
OQ-024-04	Generate high/low heart-rate alert	Android	High	Result must be visible in mobile UI within expected time.	Draft
OQ-024-05	Export readings as PDF/CSV	Android	TBD	System shall complete the action without data loss.	Draft

OQ Section 25 - Traceability notes

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-025. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

- 18. OQ-025-2: App shall process heart rate data and preserve timestamp/timezone context.
- 19. For iOS only? For Android only? unclear; parser should capture platform if visible.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-025-01	Sync readings to cloud API	Bluetooth Sensor	Medium	User shall receive clear error message on failure.	Approved?
OQ_25.2	Capture heart rate from paired device	Bluetooth Sensor	Medium	Result must be visible in mobile UI within expected time.	In Review
OQ-025-03	Audit user actions	Cloud Sync	TBD	User shall receive clear error message on failure.	Draft

OQ Section 26 - Requirement details

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-026. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

20. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-026-01	Generate high/low heart-rate alert	Android/iOS	Medium	TBD by clinical SME - intentionally incomplete.	Approved?
OQ-026-02	Notification retry and suppression	Bluetooth Sensor	High	Audit/event record shall be generated where applicable.	Need SME
OQ-026-03	Capture heart rate from paired device	Android/iOS	High	Result must be visible in mobile UI within expected time.	Draft
OQ-026-04	Biometric login option	Backend API	Low	TBD by clinical SME - intentionally incomplete.	Pending QA

Random inserted note: duplicate title appears again below.

OQ Section 26 - Requirement details

OQ Section 27 - Bluetooth edge cases

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-027. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

- 21. Unnumbered note - check sensor disconnect behavior during active monitoring.
- 22. For iOS only? For Android only? unclear; parser should capture platform if visible.
- 23. OQ-027-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-027-01	Battery and Bluetooth warning	Bluetooth Sensor	Low	TBD by clinical SME - intentionally incomplete.	Rejected once
OQ-027-02	Biometric login option	Android/iOS	Medium	System shall complete the action without data loss.	Need SME
OQ-027-03	Notification retry and suppression	Android	TBD	Audit/event record shall be generated where applicable.	Pending QA
OQ-027-04	Validate sensor data range	Android/iOS	Medium	Audit/event record shall be generated where applicable.	Approved?
OQ_27.5	Store readings securely on device	Notification Service	Not ranked	System shall complete the action without data loss.	Need SME

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

OQ Section 28 - Mobile platform variation

REVIEW-LATER

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-028. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

24. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

OQ-028-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-028-01	Biometric login option	Android	Low	Data shall be encrypted in transit and at rest.	Pending QA
OQ-028-02	Biometric login option	iOS	Medium	TBD by clinical SME - intentionally incomplete.	Approved?
OQ_28.3	Store readings securely on device	Cloud Sync	TBD	Result must be visible in mobile UI within expected time.	In Review
OQ-028-04	Notification retry and suppression	Android/iOS	High	Audit/event record shall be generated where applicable.	Rejected once

OQ Section 29 - Mobile platform variation

duplicate section

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-029. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 25. For iOS only? For Android only? unclear; parser should capture platform if visible.
- 26. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-029-01	Biometric login option	Android/iOS	Low	Result must be visible in mobile UI within expected time.	Pending QA
OQ-029-02	Consent capture and privacy notice	Android/iOS	High	Audit/event record shall be generated where applicable.	Rejected once
OQ-029-03	Store readings securely on device	Notification Service	TBD	Audit/event record shall be generated where applicable.	Pending QA
OQ-029-04	Store readings securely on device	Notification Service	Medium	Result must be visible in mobile UI within expected time.	Draft

OQ Section 30 - Bluetooth edge cases

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-030. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 27. OQ-030-1: App shall process heart rate data and preserve timestamp/timezone context.
- 28. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- 29. OQ-030-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-030-01	Sync readings to cloud API	Notification Service	Not ranked	System shall complete the action without data loss.	Pending QA
OQ-030-02	Handle offline mode	Android/iOS	High	System shall complete the action without data loss.	Rejected once
OQ-030-03	Show trend chart for 7/30/90 days	Backend API	Not ranked	Data shall be encrypted in transit and at rest.	Approved?
OQ-030-04	Consent capture and privacy notice	Local DB	High	Data shall be encrypted in transit and at rest.	In Review
OQ-030-05	Capture heart rate from paired device	Android	Low	Audit/event record shall be generated where applicable.	Pending QA

OQ Section 31 - Traceability notes

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-031. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- Old requirement copied from web portal project - review if still valid.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-031-01	Notification retry and suppression	Cloud Sync	Low	Data shall be encrypted in transit and at rest.	Approved?
OQ-031-02	Consent capture and privacy notice	Notification Service	Not ranked	User shall receive clear error message on failure.	Approved?
OQ-031-03	Capture heart rate from paired device	Android	Not ranked	User shall receive clear error message on failure.	In Review
OQ-031-04	Notification retry and suppression	Local DB	Low	Audit/event record shall be generated where applicable.	Need SME

OQ Section 32 - Requirement details

duplicate section

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-032. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

30. Unnumbered note - check sensor disconnect behavior during active monitoring.

OQ-032-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_32.1	Battery and Bluetooth warning	Android	TBD	System shall complete the action without data loss.	Approved?
OQ-032-02	Battery and Bluetooth warning	Local DB	Not ranked	Audit/event record shall be generated where applicable.	Need SME
OQ-032-03	Capture heart rate from paired device	Android	TBD	Audit/event record shall be generated where applicable.	Need SME

OQ Section 33 - Alert workflow

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-033. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- OQ-033-1: App shall process heart rate data and preserve timestamp/timezone context.
- Old requirement copied from web portal project - review if still valid.

31. OQ-033-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-033-01	Export readings as PDF/CSV	Notification Service	Medium	TBD by clinical SME - intentionally incomplete.	Pending QA
OQ-033-02	Sync readings to cloud API	iOS	Low	Data shall be encrypted in transit and at rest.	Draft
OQ-033-03	Battery and Bluetooth warning	Notification Service	Medium	System shall complete the action without data loss.	Rejected once

OQ Section 34 - Audit trail mapping

TBD

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-034. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Old requirement copied from web portal project - review if still valid.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

32. OQ-034-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-034-01	Sync readings to cloud API	Backend API	Medium	Data shall be encrypted in transit and at rest.	Pending QA
OQ-034-02	Biometric login option	Android/iOS	Not ranked	System shall complete the action without data loss.	Rejected once
OQ-034-03	Biometric login option	Android	High	System shall complete the action without data loss.	Approved?
OQ-034-04	Export readings as PDF/CSV	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	Rejected once

OQ Section 35 - Alert workflow

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-035. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_35.1	Audit user actions	Backend API	Low	Data shall be encrypted in transit and at rest.	Rejected once
OQ-035-02	Validate sensor data range	Cloud Sync	High	Data shall be encrypted in transit and at rest.	Draft
OQ-035-03	Store readings securely on device	Android	Not ranked	Audit/event record shall be generated where applicable.	Draft

OQ Section 36 - API behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-036. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- OQ-036-1: App shall process heart rate data and preserve timestamp/timezone context.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-036-01	Capture heart rate from paired device	Android	Medium	Data shall be encrypted in transit and at rest.	Need SME
OQ-036-02	Sync readings to cloud API	Notification Service	TBD	TBD by clinical SME - intentionally incomplete.	Draft
OQ_36.3	Capture heart rate from paired device	Cloud Sync	Low	System shall complete the action without data loss.	Draft
OQ-036-04	Manual heart rate entry when device unavailable	Backend API	Low	System shall complete the action without data loss.	Draft

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

OQ Section 37 - API behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-037. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

OQ-037-1: App shall process heart rate data and preserve timestamp/timezone context.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-037-01	Store readings securely on device	iOS	Low	TBD by clinical SME - intentionally incomplete.	Rejected once
OQ-037-02	Generate high/low heart-rate alert	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	Need SME
OQ-037-03	Manual heart rate entry when device unavailable	Android/iOS	Not ranked	Data shall be encrypted in transit and at rest.	Approved?
OQ-037-04	Capture heart rate from paired device	Notification Service	Medium	Data shall be encrypted in transit and at rest.	Approved?

OQ Section 38 - Evidence placeholder

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-038. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

For iOS only? For Android only? unclear; parser should capture platform if visible.

- Old requirement copied from web portal project - review if still valid.

OQ-038-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-038-01	Capture heart rate from paired device	Local DB	TBD	User shall receive clear error message on failure.	Pending QA
OQ_38.2	Validate sensor data range	Notification Service	TBD	User shall receive clear error message on failure.	Pending QA
OQ-038-03	Show trend chart for 7/30/90 days	Notification Service	Medium	TBD by clinical SME - intentionally incomplete.	Need SME
OQ-038-04	Biometric login option	Notification Service	Not ranked	User shall receive clear error message on failure.	Rejected once
OQ_38.5	Store readings securely on device	Notification Service	Not ranked	Audit/event record shall be generated where applicable.	Need SME

OQ Section 39 - Alert workflow

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-039. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 33. OQ-039-1: App shall process heart rate data and preserve timestamp/timezone context.
- 34. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-039-01	Store readings securely on device	Backend API	TBD	User shall receive clear error message on failure.	Approved?
OQ-039-02	Notification retry and suppression	Android/iOS	Not ranked	Data shall be encrypted in transit and at rest.	In Review
OQ-039-03	Support caregiver view	Backend API	Medium	System shall complete the action without data loss.	Approved?
OQ-039-04	Store readings securely on device	Backend API	Not ranked	Result must be visible in mobile UI within expected time.	Rejected once
OQ-039-05	Show trend chart for 7/30/90 days	Bluetooth Sensor	Not ranked	Result must be visible in mobile UI within expected time.	Approved?

Random inserted note: duplicate title appears again below.

OQ Section 39 - Alert workflow

OQ Section 40 - Security and privacy

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-040. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_40.1	Notification retry and suppression	Local DB	Not ranked	TBD by clinical SME - intentionally incomplete.	Draft
OQ-040-02	Battery and Bluetooth warning	iOS	Low	User shall receive clear error message on failure.	Draft
OQ_40.3	Battery and Bluetooth warning	Android/iOS	TBD	User shall receive clear error message on failure.	Need SME
OQ-040-04	Sync readings to cloud API	Local DB	TBD	User shall receive clear error message on failure.	Draft
OQ-040-05	Validate sensor data range	Backend API	Low	TBD by clinical SME - intentionally incomplete.	Approved?

OQ Section 41 - UI behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-041. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-041-01	Export readings as PDF/CSV	Notification Service	Low	TBD by clinical SME - intentionally incomplete.	Need SME
OQ-041-02	Consent capture and privacy notice	Backend API	Medium	User shall receive clear error message on failure.	In Review
OQ-041-03	Export readings as PDF/CSV	Bluetooth Sensor	Medium	Result must be visible in mobile UI within expected time.	Need SME
OQ-041-04	Capture heart rate from paired device	Local DB	Medium	User shall receive clear error message on failure.	In Review

OQ Section 42 - Repeated requirement block

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-042. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

35. For iOS only? For Android only? unclear; parser should capture platform if visible.
36. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-042-01	Consent capture and privacy notice	Local DB	Medium	TBD by clinical SME - intentionally incomplete.	Rejected once
OQ-042-02	Handle offline mode	Android/iOS	Low	User shall receive clear error message on failure.	Rejected once
OQ-042-03	Audit user actions	Notification Service	High	System shall complete the action without data loss.	Rejected once

OQ Section 43 - UI behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-043. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

37. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-043-01	Support caregiver view	iOS	Low	Audit/event record shall be generated where applicable.	Rejected once
OQ-043-02	Store readings securely on device	Local DB	Not ranked	Data shall be encrypted in transit and at rest.	In Review
OQ_43.3	Validate sensor data range	Android/iOS	Medium	System shall complete the action without data loss.	Need SME
OQ-043-04	Show trend chart for 7/30/90 days	Backend API	Low	Audit/event record shall be generated where applicable.	Rejected once

OQ Section 44 - Test condition table

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-044. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- Unnumbered note - check sensor disconnect behavior during active monitoring.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-044-01	Audit user actions	Android	Medium	TBD by clinical SME - intentionally incomplete.	Need SME
OQ-044-02	Export readings as PDF/CSV	Bluetooth Sensor	Not ranked	Audit/event record shall be generated where applicable.	Pending QA
OQ-044-03	Handle offline mode	Backend API	Medium	User shall receive clear error message on failure.	Need SME

OQ Section 45 - UI behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-045. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

38. Old requirement copied from web portal project - review if still valid.
- Old requirement copied from web portal project - review if still valid.
39. OQ-045-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-045-01	Export readings as PDF/CSV	Cloud Sync	TBD	User shall receive clear error message on failure.	In Review
OQ-045-02	Battery and Bluetooth warning	Local DB	TBD	System shall complete the action without data loss.	Pending QA
OQ-045-03	Audit user actions	Android	Not ranked	User shall receive clear error message on failure.	Approved?

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

OQ Section 46 - Repeated requirement block

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-046. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- OQ-046-1: App shall process heart rate data and preserve timestamp/timezone context.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

For iOS only? For Android only? unclear; parser should capture platform if visible.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-046-01	Show trend chart for 7/30/90 days	Bluetooth Sensor	TBD	System shall complete the action without data loss.	In Review
OQ-046-02	Generate high/low heart-rate alert	Android	Medium	Result must be visible in mobile UI within expected time.	Rejected once
OQ-046-03	Validate sensor data range	Android/iOS	Not ranked	Data shall be encrypted in transit and at rest.	Need SME
OQ-046-04	Notification retry and suppression	Local DB	Not ranked	System shall complete the action without data loss.	Draft
OQ-046-05	Validate sensor data range	Local DB	TBD	Result must be visible in mobile UI within expected time.	Rejected once

OQ Section 47 - Exception handling

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-047. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

40. For iOS only? For Android only? unclear; parser should capture platform if visible.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- OQ-047-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-047-01	Capture heart rate from paired device	Local DB	Not ranked	System shall complete the action without data loss.	In Review
OQ-047-02	Handle offline mode	Android	Low	TBD by clinical SME - intentionally incomplete.	Need SME
OQ-047-03	Notification retry and suppression	Bluetooth Sensor	TBD	TBD by clinical SME - intentionally incomplete.	Need SME
OQ-047-04	Manual heart rate entry when device unavailable	Bluetooth Sensor	Not ranked	System shall complete the action without data loss.	Pending QA
OQ_47.5	Audit user actions	Notification Service	Low	Result must be visible in mobile UI within expected time.	Rejected once

OQ Section 48 - Security and privacy

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-048. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

41. Old requirement copied from web portal project - review if still valid.

- OQ-048-2: App shall process heart rate data and preserve timestamp/timezone context.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-048-01	Notification retry and suppression	Cloud Sync	Medium	Data shall be encrypted in transit and at rest.	In Review
OQ-048-02	Biometric login option	Notification Service	Low	System shall complete the action without data loss.	Draft
OQ_48.3	Generate high/low heart-rate alert	Bluetooth Sensor	Medium	System shall complete the action without data loss.	Draft
OQ-048-04	Manual heart rate entry when device unavailable	Cloud Sync	Low	System shall complete the action without data loss.	Need SME

OQ Section 49 - Repeated requirement block

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-049. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-049-01	Display current BPM with timestamp	Cloud Sync	Low	Audit/event record shall be generated where applicable.	Need SME
OQ_49.2	Store readings securely on device	Notification Service	Low	Result must be visible in mobile UI within expected time.	Draft
OQ-049-03	Audit user actions	Backend API	Low	User shall receive clear error message on failure.	Need SME
OQ-049-04	Store readings securely on device	Android/iOS	High	Audit/event record shall be generated where applicable.	Draft
OQ-049-05	Handle offline mode	Android	Not ranked	Audit/event record shall be generated where applicable.	Approved?

OQ Section 50 - UI behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-050. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-050-01	Generate high/low heart-rate alert	Notification Service	TBD	Audit/event record shall be generated where applicable.	In Review
OQ-050-02	Audit user actions	Backend API	Medium	System shall complete the action without data loss.	Approved?
OQ_50.3	Show trend chart for 7/30/90 days	Local DB	TBD	User shall receive clear error message on failure.	Draft
OQ-050-04	Capture heart rate from paired device	Android	Medium	Result must be visible in mobile UI within expected time.	Need SME
OQ_50.5	Manual heart rate entry when device unavailable	Backend API	High	TBD by clinical SME - intentionally incomplete.	In Review

OQ Section 51 - Bluetooth edge cases

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-051. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Old requirement copied from web portal project - review if still valid.

- OQ-051-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-051-01	Notification retry and suppression	iOS	High	Data shall be encrypted in transit and at rest.	In Review
OQ-051-02	Export readings as PDF/CSV	Android	Medium	Audit/event record shall be generated where applicable.	Approved?
OQ_51.3	Notification retry and suppression	Android	Medium	Data shall be encrypted in transit and at rest.	Approved?

OQ Section 52 - Audit trail mapping

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-052. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 42. OQ-052-1: App shall process heart rate data and preserve timestamp/timezone context.
- 43. Old requirement copied from web portal project - review if still valid.

OQ-052-3: App shall process heart rate data and preserve timestamp/timezone context.

- 44. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-052-01	Display current BPM with timestamp	Cloud Sync	High	Data shall be encrypted in transit and at rest.	Approved?
OQ-052-02	Handle offline mode	Android	High	Result must be visible in mobile UI within expected time.	Need SME
OQ-052-03	Handle offline mode	Local DB	Low	Audit/event record shall be generated where applicable.	Approved?
OQ-052-04	Store readings securely on device	iOS	TBD	User shall receive clear error message on failure.	Draft

Random inserted note: duplicate title appears again below.

OQ Section 52 - Audit trail mapping

OQ Section 53 - API behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-053. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

45. OQ-053-1: App shall process heart rate data and preserve timestamp/timezone context.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- OQ-053-3: App shall process heart rate data and preserve timestamp/timezone context.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-053-01	Handle offline mode	Notification Service	Low	System shall complete the action without data loss.	Approved?
OQ-053-02	Generate high/low heart-rate alert	Local DB	High	Result must be visible in mobile UI within expected time.	Draft
OQ-053-03	Notification retry and suppression	Android	Not ranked	Audit/event record shall be generated where applicable.	Pending QA

OQ Section 54 - Evidence placeholder

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-054. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 46. Unnumbered note - check sensor disconnect behavior during active monitoring.
- 47. OQ-054-2: App shall process heart rate data and preserve timestamp/timezone context.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- 48. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-054-01	Store readings securely on device	iOS	Low	TBD by clinical SME - intentionally incomplete.	Approved?
OQ-054-02	Support caregiver view	Notification Service	Low	TBD by clinical SME - intentionally incomplete.	Approved?
OQ_54.3	Validate sensor data range	Android	Medium	TBD by clinical SME - intentionally incomplete.	Draft
OQ_54.4	Battery and Bluetooth warning	Notification Service	TBD	Result must be visible in mobile UI within expected time.	In Review
OQ_54.5	Display current BPM with timestamp	iOS	Medium	TBD by clinical SME - intentionally incomplete.	Approved?

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

OQ Section 55 - Repeated requirement block

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-055. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

49. For iOS only? For Android only? unclear; parser should capture platform if visible.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_55.1	Battery and Bluetooth warning	iOS	Medium	Data shall be encrypted in transit and at rest.	Need SME
OQ-055-02	Handle offline mode	Backend API	Medium	System shall complete the action without data loss.	Need SME
OQ_55.3	Biometric login option	Android/iOS	Low	Audit/event record shall be generated where applicable.	Draft

OQ Section 56 - Bluetooth edge cases

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-056. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

50. OQ-056-1: App shall process heart rate data and preserve timestamp/timezone context.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

51. OQ-056-3: App shall process heart rate data and preserve timestamp/timezone context.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-056-01	Support caregiver view	Cloud Sync	High	User shall receive clear error message on failure.	Need SME
OQ-056-02	Display current BPM with timestamp	Backend API	Low	User shall receive clear error message on failure.	Approved?
OQ-056-03	Capture heart rate from paired device	Cloud Sync	Low	System shall complete the action without data loss.	Pending QA
OQ-056-04	Display current BPM with timestamp	Bluetooth Sensor	Low	TBD by clinical SME - intentionally incomplete.	Approved?
OQ-056-05	Store readings securely on device	Local DB	Medium	System shall complete the action without data loss.	In Review

OQ Section 57 - Test condition table

TBD

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-057. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.
- Old requirement copied from web portal project - review if still valid.
- OQ-057-3: App shall process heart rate data and preserve timestamp/timezone context.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-057-01	Support caregiver view	Android	Medium	Result must be visible in mobile UI within expected time.	Approved?
OQ-057-02	Audit user actions	Bluetooth Sensor	Low	User shall receive clear error message on failure.	In Review
OQ_57.3	Audit user actions	Local DB	Not ranked	User shall receive clear error message on failure.	Rejected once
OQ_57.4	Capture heart rate from paired device	Android/iOS	Not ranked	TBD by clinical SME - intentionally incomplete.	Rejected once
OQ-057-05	Notification retry and suppression	iOS	Medium	Result must be visible in mobile UI within expected time.	Draft

OQ Section 58 - Audit trail mapping

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-058. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

OQ-058-1: App shall process heart rate data and preserve timestamp/timezone context.

52. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

OQ-058-3: App shall process heart rate data and preserve timestamp/timezone context.

53. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_58.1	Validate sensor data range	Android	Medium	System shall complete the action without data loss.	Rejected once
OQ-058-02	Notification retry and suppression	Android/iOS	Low	System shall complete the action without data loss.	Rejected once
OQ-058-03	Battery and Bluetooth warning	Local DB	TBD	Audit/event record shall be generated where applicable.	Approved?
OQ-058-04	Biometric login option	Backend API	TBD	Audit/event record shall be generated where applicable.	Rejected once

OQ Section 59 - Bluetooth edge cases

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-059. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

For iOS only? For Android only? unclear; parser should capture platform if visible.

54. Unnumbered note - check sensor disconnect behavior during active monitoring.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-059-01	Audit user actions	Notification Service	Medium	Result must be visible in mobile UI within expected time.	Draft
OQ-059-02	Capture heart rate from paired device	iOS	High	Result must be visible in mobile UI within expected time.	In Review
OQ_59.3	Display current BPM with timestamp	Bluetooth Sensor	Medium	Audit/event record shall be generated where applicable.	Approved?
OQ-059-04	Show trend chart for 7/30/90 days	iOS	Low	User shall receive clear error message on failure.	Rejected once
OQ-059-05	Show trend chart for 7/30/90 days	Android	High	System shall complete the action without data loss.	In Review

OQ Section 60 - Risk and control mapping

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-060. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

55. OQ-060-2: App shall process heart rate data and preserve timestamp/timezone context.

OQ-060-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-060-01	Display current BPM with timestamp	Backend API	Low	Result must be visible in mobile UI within expected time.	Pending QA
OQ-060-02	Notification retry and suppression	Local DB	Medium	System shall complete the action without data loss.	Need SME
OQ-060-03	Display current BPM with timestamp	Android	Not ranked	Data shall be encrypted in transit and at rest.	Need SME
OQ-060-04	Generate high/low heart-rate alert	Android	TBD	User shall receive clear error message on failure.	Rejected once

OQ Section 61 - Mobile platform variation

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-061. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

56. OQ-061-1: App shall process heart rate data and preserve timestamp/timezone context.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_61.1	Sync readings to cloud API	Bluetooth Sensor	High	System shall complete the action without data loss.	Pending QA
OQ-061-02	Support caregiver view	Local DB	Not ranked	Data shall be encrypted in transit and at rest.	In Review
OQ-061-03	Notification retry and suppression	Bluetooth Sensor	Not ranked	TBD by clinical SME - intentionally incomplete.	Draft
OQ-061-04	Manual heart rate entry when device unavailable	Android/iOS	TBD	Result must be visible in mobile UI within expected time.	Draft
OQ-061-05	Support caregiver view	Notification Service	Not ranked	TBD by clinical SME - intentionally incomplete.	Approved?

OQ Section 62 - UI behavior

??

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-062. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

57. Old requirement copied from web portal project - review if still valid.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

For iOS only? For Android only? unclear; parser should capture platform if visible.

58. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-062-01	Notification retry and suppression	Android	Low	Result must be visible in mobile UI within expected time.	In Review
OQ-062-02	Export readings as PDF/CSV	Cloud Sync	High	System shall complete the action without data loss.	In Review
OQ_62.3	Export readings as PDF/CSV	iOS	TBD	TBD by clinical SME - intentionally incomplete.	In Review
OQ-062-04	Notification retry and suppression	Android/iOS	Low	Data shall be encrypted in transit and at rest.	In Review

OQ Section 63 - Bluetooth edge cases

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-063. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

59. For iOS only? For Android only? unclear; parser should capture platform if visible.

OQ-063-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-063-01	Handle offline mode	Backend API	TBD	Data shall be encrypted in transit and at rest.	Pending QA
OQ-063-02	Validate sensor data range	Backend API	TBD	System shall complete the action without data loss.	Need SME
OQ_63.3	Generate high/low heart-rate alert	Bluetooth Sensor	Medium	TBD by clinical SME - intentionally incomplete.	Rejected once

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

OQ Section 64 - Data handling notes

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-064. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 60. OQ-064-1: App shall process heart rate data and preserve timestamp/timezone context.
- 61. For iOS only? For Android only? unclear; parser should capture platform if visible.
- 62. For iOS only? For Android only? unclear; parser should capture platform if visible.
- 63. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-064-01	Handle offline mode	Cloud Sync	Not ranked	Data shall be encrypted in transit and at rest.	Pending QA
OQ-064-02	Battery and Bluetooth warning	Backend API	Not ranked	User shall receive clear error message on failure.	Rejected once
OQ-064-03	Store readings securely on device	Cloud Sync	Not ranked	TBD by clinical SME - intentionally incomplete.	Approved?
OQ-064-04	Support caregiver view	Local DB	TBD	Result must be visible in mobile UI within expected time.	Draft

OQ Section 65 - Repeated requirement block

TBD

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-065. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- 64. OQ-065-2: App shall process heart rate data and preserve timestamp/timezone context.
- 65. For iOS only? For Android only? unclear; parser should capture platform if visible.

OQ-065-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-065-01	Export readings as PDF/CSV	Local DB	Not ranked	User shall receive clear error message on failure.	Approved?
OQ-065-02	Handle offline mode	iOS	Low	Audit/event record shall be generated where applicable.	Draft
OQ_65.3	Notification retry and suppression	Cloud Sync	High	Audit/event record shall be generated where applicable.	Need SME
OQ_65.4	Audit user actions	Backend API	Low	User shall receive clear error message on failure.	Draft

Random inserted note: duplicate title appears again below.

OQ Section 65 - Repeated requirement block

OQ Section 66 - Security and privacy

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-066. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

66. Old requirement copied from web portal project - review if still valid.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-066-01	Display current BPM with timestamp	Android/iOS	TBD	Data shall be encrypted in transit and at rest.	Pending QA
OQ-066-02	Biometric login option	Bluetooth Sensor	Not ranked	System shall complete the action without data loss.	Draft
OQ-066-03	Export readings as PDF/CSV	Local DB	High	Result must be visible in mobile UI within expected time.	Need SME
OQ-066-04	Handle offline mode	Cloud Sync	Low	User shall receive clear error message on failure.	In Review

OQ Section 67 - UI behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-067. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-067-01	Store readings securely on device	Backend API	High	Data shall be encrypted in transit and at rest.	Pending QA
OQ-067-02	Manual heart rate entry when device unavailable	Bluetooth Sensor	Not ranked	TBD by clinical SME - intentionally incomplete.	Approved?
OQ-067-03	Audit user actions	Bluetooth Sensor	Low	Result must be visible in mobile UI within expected time.	Rejected once

OQ Section 68 - Mobile platform variation

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-068. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-068-01	Support caregiver view	Cloud Sync	High	User shall receive clear error message on failure.	Need SME
OQ-068-02	Display current BPM with timestamp	Backend API	Low	Data shall be encrypted in transit and at rest.	Rejected once
OQ-068-03	Sync readings to cloud API	Local DB	TBD	TBD by clinical SME - intentionally incomplete.	Need SME
OQ-068-04	Consent capture and privacy notice	Local DB	Medium	System shall complete the action without data loss.	In Review
OQ-068-05	Audit user actions	Android/iOS	High	Audit/event record shall be generated where applicable.	Rejected once

OQ Section 69 - Audit trail mapping

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-069. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-069-01	Sync readings to cloud API	Backend API	Not ranked	Audit/event record shall be generated where applicable.	In Review
OQ-069-02	Manual heart rate entry when device unavailable	Android/iOS	Low	Data shall be encrypted in transit and at rest.	Need SME
OQ-069-03	Audit user actions	Notification Service	Medium	TBD by clinical SME - intentionally incomplete.	Draft
OQ-069-04	Consent capture and privacy notice	Android	TBD	System shall complete the action without data loss.	Approved?
OQ-069-05	Notification retry and suppression	Android	Medium	TBD by clinical SME - intentionally incomplete.	In Review

OQ Section 70 - Traceability notes

duplicate section

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-070. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Old requirement copied from web portal project - review if still valid.

67. OQ-070-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-070-01	Manual heart rate entry when device unavailable	Notification Service	Not ranked	TBD by clinical SME - intentionally incomplete.	Draft
OQ-070-02	Sync readings to cloud API	Bluetooth Sensor	Not ranked	Audit/event record shall be generated where applicable.	Pending QA
OQ-070-03	Validate sensor data range	Android/iOS	TBD	User shall receive clear error message on failure.	Approved?
OQ-070-04	Consent capture and privacy notice	iOS	Not ranked	Result must be visible in mobile UI within expected time.	Pending QA
OQ-070-05	Consent capture and privacy notice	Local DB	High	Result must be visible in mobile UI within expected time.	Rejected once

OQ Section 71 - Test condition table

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-071. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-071-01	Biometric login option	Notification Service	Not ranked	Audit/event record shall be generated where applicable.	Pending QA
OQ-071-02	Display current BPM with timestamp	Local DB	TBD	TBD by clinical SME - intentionally incomplete.	Draft
OQ-071-03	Store readings securely on device	Cloud Sync	Low	System shall complete the action without data loss.	Need SME

OQ Section 72 - Open questions

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-072. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- Old requirement copied from web portal project - review if still valid.

68. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-072-01	Show trend chart for 7/30/90 days	Android/iOS	Low	TBD by clinical SME - intentionally incomplete.	Need SME
OQ-072-02	Capture heart rate from paired device	Backend API	High	Data shall be encrypted in transit and at rest.	Need SME
OQ-072-03	Notification retry and suppression	Notification Service	Medium	User shall receive clear error message on failure.	In Review
OQ-072-04	Export readings as PDF/CSV	Bluetooth Sensor	TBD	Data shall be encrypted in transit and at rest.	Draft

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

OQ Section 73 - API behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-073. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

69. Unnumbered note - check sensor disconnect behavior during active monitoring.
70. OQ-073-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-073-01	Support caregiver view	Backend API	Not ranked	User shall receive clear error message on failure.	Need SME
OQ-073-02	Validate sensor data range	Cloud Sync	Not ranked	Result must be visible in mobile UI within expected time.	Need SME
OQ-073-03	Support caregiver view	Bluetooth Sensor	High	Audit/event record shall be generated where applicable.	Approved?
OQ-073-04	Capture heart rate from paired device	Android	TBD	Audit/event record shall be generated where applicable.	Need SME
OQ_73.5	Support caregiver view	Android	Not ranked	User shall receive clear error message on failure.	Draft

OQ Section 74 - Mobile platform variation

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-074. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-074-01	Battery and Bluetooth warning	Android/iOS	TBD	Audit/event record shall be generated where applicable.	Draft
OQ-074-02	Manual heart rate entry when device unavailable	Android	Low	System shall complete the action without data loss.	Draft
OQ-074-03	Battery and Bluetooth warning	Notification Service	Not ranked	Result must be visible in mobile UI within expected time.	Approved?
OQ-074-04	Validate sensor data range	Local DB	Medium	User shall receive clear error message on failure.	Draft

OQ Section 75 - API behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-075. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- OQ-075-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-075-01	Battery and Bluetooth warning	Local DB	Not ranked	Audit/event record shall be generated where applicable.	Draft
OQ-075-02	Handle offline mode	iOS	TBD	System shall complete the action without data loss.	Pending QA
OQ-075-03	Notification retry and suppression	Backend API	Not ranked	TBD by clinical SME - intentionally incomplete.	Need SME
OQ-075-04	Validate sensor data range	Local DB	Not ranked	Result must be visible in mobile UI within expected time.	Need SME

OQ Section 76 - Alert workflow

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-076. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-076-01	Validate sensor data range	iOS	TBD	Result must be visible in mobile UI within expected time.	Pending QA
OQ-076-02	Generate high/low heart-rate alert	iOS	High	System shall complete the action without data loss.	Draft
OQ-076-03	Validate sensor data range	Cloud Sync	Low	TBD by clinical SME - intentionally incomplete.	Need SME
OQ-076-04	Notification retry and suppression	Local DB	Low	Result must be visible in mobile UI within expected time.	Need SME

OQ Section 77 - Open questions

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-077. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- OQ-077-2: App shall process heart rate data and preserve timestamp/timezone context.

Old requirement copied from web portal project - review if still valid.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-077-01	Export readings as PDF/CSV	Backend API	TBD	System shall complete the action without data loss.	Approved?
OQ-077-02	Validate sensor data range	iOS	Not ranked	User shall receive clear error message on failure.	Rejected once
OQ-077-03	Support caregiver view	Cloud Sync	High	Data shall be encrypted in transit and at rest.	Draft
OQ-077-04	Validate sensor data range	Backend API	High	Audit/event record shall be generated where applicable.	Draft

OQ Section 78 - Requirement details

??

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-078. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- OQ-078-1: App shall process heart rate data and preserve timestamp/timezone context.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-078-01	Consent capture and privacy notice	Backend API	Medium	Audit/event record shall be generated where applicable.	Pending QA
OQ-078-02	Battery and Bluetooth warning	Local DB	TBD	TBD by clinical SME - intentionally incomplete.	Pending QA
OQ_78.3	Biometric login option	Android/iOS	Low	System shall complete the action without data loss.	Draft

Random inserted note: duplicate title appears again below.

OQ Section 78 - Requirement details

OQ Section 79 - Mobile platform variation

REVIEW-LATER

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-079. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

Old requirement copied from web portal project - review if still valid.

OQ-079-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-079-01	Consent capture and privacy notice	Backend API	TBD	TBD by clinical SME - intentionally incomplete.	Approved?
OQ-079-02	Validate sensor data range	Bluetooth Sensor	Medium	Data shall be encrypted in transit and at rest.	Rejected once
OQ_79.3	Export readings as PDF/CSV	Android/iOS	Not ranked	Result must be visible in mobile UI within expected time.	Need SME
OQ-079-04	Consent capture and privacy notice	Local DB	TBD	Result must be visible in mobile UI within expected time.	Approved?
OQ-079-05	Support caregiver view	Notification Service	Low	TBD by clinical SME - intentionally incomplete.	Rejected once

OQ Section 80 - Test condition table

RAG TEST CHUNK

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-080. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

71. Unnumbered note - check sensor disconnect behavior during active monitoring.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-080-01	Capture heart rate from paired device	Notification Service	Medium	Data shall be encrypted in transit and at rest.	Draft
OQ-080-02	Sync readings to cloud API	Notification Service	Not ranked	User shall receive clear error message on failure.	Pending QA
OQ-080-03	Validate sensor data range	Backend API	Not ranked	TBD by clinical SME - intentionally incomplete.	Pending QA
OQ-080-04	Consent capture and privacy notice	Android/iOS	TBD	System shall complete the action without data loss.	Approved?

OQ Section 81 - Alert workflow

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-081. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

Unnumbered note - check sensor disconnect behavior during active monitoring.

72. OQ-081-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-081-01	Display current BPM with timestamp	Notification Service	TBD	System shall complete the action without data loss.	Pending QA
OQ-081-02	Battery and Bluetooth warning	Android/iOS	Not ranked	User shall receive clear error message on failure.	Approved?
OQ-081-03	Validate sensor data range	Backend API	TBD	Data shall be encrypted in transit and at rest.	Rejected once
OQ-081-04	Export readings as PDF/CSV	Android	Not ranked	User shall receive clear error message on failure.	Draft
OQ-081-05	Show trend chart for 7/30/90 days	iOS	Medium	Result must be visible in mobile UI within expected time.	Draft

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

OQ Section 82 - Mobile platform variation

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-082. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

73. OQ-082-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-082-01	Show trend chart for 7/30/90 days	Local DB	Not ranked	Data shall be encrypted in transit and at rest.	Draft
OQ_82.2	Consent capture and privacy notice	Cloud Sync	Low	Audit/event record shall be generated where applicable.	In Review
OQ_82.3	Handle offline mode	Android	Low	System shall complete the action without data loss.	Draft

OQ Section 83 - Requirement details

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-083. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

OQ-083-1: App shall process heart rate data and preserve timestamp/timezone context.

OQ-083-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_83.1	Notification retry and suppression	iOS	Medium	Result must be visible in mobile UI within expected time.	Draft
OQ-083-02	Notification retry and suppression	iOS	TBD	System shall complete the action without data loss.	Approved?
OQ-083-03	Manual heart rate entry when device unavailable	Local DB	Low	Result must be visible in mobile UI within expected time.	Draft
OQ-083-04	Manual heart rate entry when device unavailable	iOS	TBD	System shall complete the action without data loss.	Rejected once
OQ_83.5	Audit user actions	Bluetooth Sensor	Low	Data shall be encrypted in transit and at rest.	Draft

OQ Section 84 - Exception handling

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-084. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

74. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

75. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_84.1	Display current BPM with timestamp	Android/iOS	Not ranked	Result must be visible in mobile UI within expected time.	Approved?
OQ-084-02	Consent capture and privacy notice	Bluetooth Sensor	Medium	Data shall be encrypted in transit and at rest.	Approved?
OQ-084-03	Consent capture and privacy notice	Notification Service	High	TBD by clinical SME - intentionally incomplete.	Approved?
OQ-084-04	Manual heart rate entry when device unavailable	Android	Low	Data shall be encrypted in transit and at rest.	Approved?

OQ Section 85 - API behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-085. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

76. Old requirement copied from web portal project - review if still valid.

Unnumbered note - check sensor disconnect behavior during active monitoring.

77. Unnumbered note - check sensor disconnect behavior during active monitoring.

78. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-085-01	Notification retry and suppression	Backend API	TBD	Data shall be encrypted in transit and at rest.	Approved?
OQ-085-02	Capture heart rate from paired device	Notification Service	High	Audit/event record shall be generated where applicable.	Approved?
OQ-085-03	Generate high/low heart-rate alert	Notification Service	High	Data shall be encrypted in transit and at rest.	In Review

OQ Section 86 - Risk and control mapping

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-086. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

79. For iOS only? For Android only? unclear; parser should capture platform if visible.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-086-01	Generate high/low heart-rate alert	Notification Service	Not ranked	System shall complete the action without data loss.	Pending QA
OQ-086-02	Export readings as PDF/CSV	Local DB	TBD	TBD by clinical SME - intentionally incomplete.	In Review
OQ-086-03	Manual heart rate entry when device unavailable	Bluetooth Sensor	TBD	User shall receive clear error message on failure.	Approved?
OQ-086-04	Notification retry and suppression	Android/iOS	Medium	TBD by clinical SME - intentionally incomplete.	Need SME
OQ-086-05	Audit user actions	iOS	Not ranked	System shall complete the action without data loss.	Need SME

OQ Section 87 - Alert workflow
duplicate section

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-087. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

80. Unnumbered note - check sensor disconnect behavior during active monitoring.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-087-01	Sync readings to cloud API	Cloud Sync	Low	Result must be visible in mobile UI within expected time.	Pending QA
OQ_87.2	Battery and Bluetooth warning	Cloud Sync	High	Data shall be encrypted in transit and at rest.	Pending QA
OQ-087-03	Manual heart rate entry when device unavailable	Notification Service	TBD	Data shall be encrypted in transit and at rest.	In Review
OQ-087-04	Display current BPM with timestamp	Local DB	Low	System shall complete the action without data loss.	Draft

OQ Section 88 - UI behavior

OCR noisy line

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-088. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- OQ-088-1: App shall process heart rate data and preserve timestamp/timezone context.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-088-01	Export readings as PDF/CSV	Local DB	Not ranked	System shall complete the action without data loss.	Need SME
OQ-088-02	Biometric login option	Notification Service	Low	Result must be visible in mobile UI within expected time.	Need SME
OQ-088-03	Support caregiver view	Android	Low	System shall complete the action without data loss.	Pending QA
OQ_88.4	Show trend chart for 7/30/90 days	Android	TBD	Audit/event record shall be generated where applicable.	Draft
OQ-088-05	Support caregiver view	Notification Service	Low	System shall complete the action without data loss.	Pending QA

OQ Section 89 - Repeated requirement block

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-089. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

81. Old requirement copied from web portal project - review if still valid.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-089-01	Manual heart rate entry when device unavailable	Android/iOS	TBD	User shall receive clear error message on failure.	In Review
OQ-089-02	Validate sensor data range	iOS	Low	User shall receive clear error message on failure.	Need SME
OQ_89.3	Show trend chart for 7/30/90 days	Android/iOS	TBD	TBD by clinical SME - intentionally incomplete.	Approved?

OQ Section 90 - Evidence placeholder

manual note

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-090. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_90.1	Capture heart rate from paired device	Android/iOS	Low	Result must be visible in mobile UI within expected time.	Rejected once
OQ-090-02	Manual heart rate entry when device unavailable	Cloud Sync	High	Audit/event record shall be generated where applicable.	Draft
OQ-090-03	Biometric login option	Android	Medium	User shall receive clear error message on failure.	In Review
OQ-090-04	Support caregiver view	Android	TBD	System shall complete the action without data loss.	Need SME

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

OQ Section 91 - Data handling notes

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-091. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

82. Unnumbered note - check sensor disconnect behavior during active monitoring.

For iOS only? For Android only? unclear; parser should capture platform if visible.

- OQ-091-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-091-01	Export readings as PDF/CSV	Backend API	Low	Result must be visible in mobile UI within expected time.	Approved?
OQ-091-02	Capture heart rate from paired device	Notification Service	Low	TBD by clinical SME - intentionally incomplete.	Rejected once
OQ-091-03	Consent capture and privacy notice	iOS	Not ranked	Data shall be encrypted in transit and at rest.	Approved?
OQ-091-04	Battery and Bluetooth warning	Cloud Sync	Low	Audit/event record shall be generated where applicable.	Draft
OQ-091-05	Display current BPM with timestamp	Local DB	TBD	Result must be visible in mobile UI within expected time.	Pending QA

Random inserted note: duplicate title appears again below.

OQ Section 91 - Data handling notes

OQ Section 92 - UI behavior

old text retained

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-092. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

83. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-092-01	Support caregiver view	Cloud Sync	Low	System shall complete the action without data loss.	Need SME
OQ_92.2	Capture heart rate from paired device	Android	Low	User shall receive clear error message on failure.	In Review
OQ-092-03	Battery and Bluetooth warning	Android/iOS	Not ranked	User shall receive clear error message on failure.	Draft

OQ Section 93 - Risk and control mapping

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-093. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

84. OQ-093-1: App shall process heart rate data and preserve timestamp/timezone context.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-093-01	Generate high/low heart-rate alert	Android	High	System shall complete the action without data loss.	Pending QA
OQ-093-02	Validate sensor data range	Cloud Sync	Not ranked	Audit/event record shall be generated where applicable.	Need SME
OQ-093-03	Handle offline mode	Backend API	Not ranked	User shall receive clear error message on failure.	Pending QA

OQ Section 94 - Data handling notes

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-094. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

85. For iOS only? For Android only? unclear; parser should capture platform if visible.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

Old requirement copied from web portal project - review if still valid.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-094-01	Biometric login option	Local DB	Low	System shall complete the action without data loss.	Need SME
OQ-094-02	Manual heart rate entry when device unavailable	iOS	Not ranked	User shall receive clear error message on failure.	Rejected once
OQ-094-03	Export readings as PDF/CSV	Local DB	Medium	Data shall be encrypted in transit and at rest.	Pending QA

OQ Section 95 - UI behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-095. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

OQ-095-3: App shall process heart rate data and preserve timestamp/timezone context.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_95.1	Export readings as PDF/CSV	iOS	Not ranked	User shall receive clear error message on failure.	Approved?
OQ_95.2	Generate high/low heart-rate alert	Bluetooth Sensor	High	Result must be visible in mobile UI within expected time.	Approved?
OQ-095-03	Notification retry and suppression	Android	Not ranked	User shall receive clear error message on failure.	Need SME
OQ_95.4	Battery and Bluetooth warning	Android/iOS	Low	Data shall be encrypted in transit and at rest.	In Review
OQ_95.5	Display current BPM with timestamp	Local DB	Medium	TBD by clinical SME - intentionally incomplete.	Need SME

OQ Section 96 - Audit trail mapping

REVIEW-LATER

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-096. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

86. OQ-096-1: App shall process heart rate data and preserve timestamp/timezone context.
87. Unnumbered note - check sensor disconnect behavior during active monitoring.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_96.1	Validate sensor data range	Android	TBD	System shall complete the action without data loss.	Need SME
OQ-096-02	Notification retry and suppression	Android	High	Audit/event record shall be generated where applicable.	In Review
OQ-096-03	Handle offline mode	Local DB	TBD	TBD by clinical SME - intentionally incomplete.	Pending QA
OQ-096-04	Handle offline mode	Notification Service	TBD	TBD by clinical SME - intentionally incomplete.	Draft

OQ Section 97 - Test condition table

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-097. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

Unnumbered note - check sensor disconnect behavior during active monitoring.

88. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-097-01	Handle offline mode	iOS	Low	Audit/event record shall be generated where applicable.	Need SME
OQ-097-02	Capture heart rate from paired device	Local DB	High	Result must be visible in mobile UI within expected time.	Rejected once
OQ_97.3	Capture heart rate from paired device	Android/iOS	Medium	Result must be visible in mobile UI within expected time.	Need SME
OQ-097-04	Display current BPM with timestamp	Local DB	High	Result must be visible in mobile UI within expected time.	Pending QA

OQ Section 98 - UI behavior

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-098. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ_98.1	Audit user actions	Cloud Sync	Low	Audit/event record shall be generated where applicable.	Pending QA
OQ-098-02	Store readings securely on device	Bluetooth Sensor	TBD	Audit/event record shall be generated where applicable.	Approved?
OQ_98.3	Export readings as PDF/CSV	Android	Medium	System shall complete the action without data loss.	In Review

OQ Section 99 - Audit trail mapping

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-099. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

For iOS only? For Android only? unclear; parser should capture platform if visible.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

89. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-099-01	Show trend chart for 7/30/90 days	Notification Service	TBD	System shall complete the action without data loss.	Approved?
OQ-099-02	Capture heart rate from paired device	Android	TBD	Data shall be encrypted in transit and at rest.	Draft
OQ-099-03	Support caregiver view	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	Pending QA
OQ-099-04	Capture heart rate from paired device	Android	Medium	User shall receive clear error message on failure.	Draft
OQ-099-05	Show trend chart for 7/30/90 days	Android/iOS	TBD	Audit/event record shall be generated where applicable.	In Review

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

OQ Section 100 - Open questions

This page belongs to Operational Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: OQ-100. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

90. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Old requirement copied from web portal project - review if still valid.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
OQ-100-01	Battery and Bluetooth warning	iOS	Medium	TBD by clinical SME - intentionally incomplete.	Need SME
OQ_100.2	Audit user actions	Bluetooth Sensor	Not ranked	Data shall be encrypted in transit and at rest.	Need SME
OQ-100-03	Capture heart rate from paired device	Bluetooth Sensor	Low	User shall receive clear error message on failure.	In Review