

Document 6 - PQ - Heart Rate Monitor Application

Application: Heart Rate Monitor for Android and iOS

Document state: DRAFT / uncontrolled / deliberately messy for parser testing

Note: This is synthetic test material only. It is not approved medical-device validation content.

Revision table is mixed below; some rows intentionally repeat or omit values.

Version	Date	Author	Change
0.1	2026-05-18	QA/BA	Initial messy draft
1.0?	TBD	SME?	Imported from old template
0.2	missing	AI Test	duplicate version row

This PQ defines performance and user workflow verification under realistic usage conditions for Android and iOS users. It includes messy evidence fields and scenario fragments.

PQ Section 2 - Cover / uncontrolled draft

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-002. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- PQ-002-1: App shall process heart rate data and preserve timestamp/timezone context.
- 1. PQ-002-2: App shall process heart rate data and preserve timestamp/timezone context.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-002-01	Consent capture and privacy notice	Android	TBD	Result must be visible in mobile UI within expected time.	Pending QA
PQ-002-02	Battery and Bluetooth warning	Notification Service	Low	Data shall be encrypted in transit and at rest.	Rejected once
PQ-002-03	Show trend chart for 7/30/90 days	Local DB	High	System shall complete the action without data loss.	In Review

PQ Section 3 - Abbreviations mixed list

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-003. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

PQ-003-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-003-01	Notification retry and suppression	Android/iOS	Medium	User shall receive clear error message on failure.	Pending QA
PQ-003-02	Biometric login option	Bluetooth Sensor	TBD	System shall complete the action without data loss.	Draft
PQ-003-03	Validate sensor data range	Android/iOS	Low	Data shall be encrypted in transit and at rest.	Draft
PQ_3.4	Manual heart rate entry when device unavailable	iOS	Low	Result must be visible in mobile UI within expected time.	In Review

PQ Section 4 - Document purpose

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-004. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

PQ-004-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-004-01	Capture heart rate from paired device	Backend API	High	TBD by clinical SME - intentionally incomplete.	Pending QA
PQ-004-02	Sync readings to cloud API	Local DB	Medium	Result must be visible in mobile UI within expected time.	Pending QA
PQ_4.3	Battery and Bluetooth warning	Notification Service	High	User shall receive clear error message on failure.	Rejected once

PQ Section 5 - Scope and non-scope

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-005. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 2. Unnumbered note - check sensor disconnect behavior during active monitoring.
- PQ-005-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_5.1	Sync readings to cloud API	iOS	Not ranked	User shall receive clear error message on failure.	Rejected once
PQ-005-02	Sync readings to cloud API	Android	Not ranked	Result must be visible in mobile UI within expected time.	Approved?
PQ-005-03	Support caregiver view	Android/iOS	Low	User shall receive clear error message on failure.	Approved?
PQ_5.4	Show trend chart for 7/30/90 days	Notification Service	TBD	Result must be visible in mobile UI within expected time.	In Review

PQ Section 6 - System overview

RAG TEST CHUNK

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-006. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

3. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

PQ-006-2: App shall process heart rate data and preserve timestamp/timezone context.

PQ-006-3: App shall process heart rate data and preserve timestamp/timezone context.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-006-01	Sync readings to cloud API	Backend API	Medium	Result must be visible in mobile UI within expected time.	Need SME
PQ-006-02	Validate sensor data range	Bluetooth Sensor	Medium	User shall receive clear error message on failure.	Need SME
PQ-006-03	Biometric login option	Cloud Sync	High	Audit/event record shall be generated where applicable.	Pending QA
PQ-006-04	Manual heart rate entry when device unavailable	Cloud Sync	Not ranked	System shall complete the action without data loss.	In Review
PQ-006-05	Capture heart rate from paired device	Backend API	Not ranked	Audit/event record shall be generated where applicable.	Pending QA

PQ Section 7 - Mobile app overview

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-007. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 4. For iOS only? For Android only? unclear; parser should capture platform if visible.
- 5. Old requirement copied from web portal project - review if still valid.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-007-01	Notification retry and suppression	Android	Low	User shall receive clear error message on failure.	Pending QA
PQ-007-02	Notification retry and suppression	Android	TBD	Audit/event record shall be generated where applicable.	Pending QA
PQ_7.3	Biometric login option	Local DB	High	Audit/event record shall be generated where applicable.	Approved?
PQ-007-04	Show trend chart for 7/30/90 days	Notification Service	Not ranked	Audit/event record shall be generated where applicable.	In Review
PQ-007-05	Store readings securely on device	Backend API	Not ranked	TBD by clinical SME - intentionally incomplete.	Draft

PQ Section 8 - User roles

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-008. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

PQ-008-1: App shall process heart rate data and preserve timestamp/timezone context.

6. PQ-008-2: App shall process heart rate data and preserve timestamp/timezone context.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-008-01	Sync readings to cloud API	Notification Service	High	System shall complete the action without data loss.	Draft
PQ-008-02	Sync readings to cloud API	Bluetooth Sensor	High	User shall receive clear error message on failure.	Approved?
PQ_8.3	Support caregiver view	Android/iOS	Medium	Result must be visible in mobile UI within expected time.	Approved?

PQ Section 9 - Regulatory notes

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-009. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

7. Unnumbered note - check sensor disconnect behavior during active monitoring.

Old requirement copied from web portal project - review if still valid.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-009-01	Show trend chart for 7/30/90 days	Android/iOS	Low	Data shall be encrypted in transit and at rest.	In Review
PQ-009-02	Export readings as PDF/CSV	iOS	TBD	Data shall be encrypted in transit and at rest.	In Review
PQ-009-03	Notification retry and suppression	Notification Service	High	User shall receive clear error message on failure.	Draft

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

PQ Section 10 - Data privacy notes

manual note

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-010. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

8. Unnumbered note - check sensor disconnect behavior during active monitoring.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-010-01	Audit user actions	Bluetooth Sensor	Low	Result must be visible in mobile UI within expected time.	Rejected once
PQ_10.2	Sync readings to cloud API	iOS	Low	Audit/event record shall be generated where applicable.	In Review
PQ-010-03	Notification retry and suppression	Cloud Sync	TBD	System shall complete the action without data loss.	Need SME
PQ_10.4	Battery and Bluetooth warning	Android/iOS	Medium	System shall complete the action without data loss.	Approved?

PQ Section 11 - High level assumptions

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-011. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- PQ-011-2: App shall process heart rate data and preserve timestamp/timezone context.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_11.1	Handle offline mode	Bluetooth Sensor	Low	Data shall be encrypted in transit and at rest.	In Review
PQ-011-02	Support caregiver view	Bluetooth Sensor	Medium	Audit/event record shall be generated where applicable.	Approved?
PQ-011-03	Audit user actions	Backend API	Low	TBD by clinical SME - intentionally incomplete.	Rejected once

PQ Section 12 - Cover / uncontrolled draft

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-012. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.
9. For iOS only? For Android only? unclear; parser should capture platform if visible.

PQ-012-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-012-01	Consent capture and privacy notice	iOS	Low	TBD by clinical SME - intentionally incomplete.	Pending QA
PQ-012-02	Battery and Bluetooth warning	Android	High	Result must be visible in mobile UI within expected time.	In Review
PQ-012-03	Display current BPM with timestamp	Android/iOS	Not ranked	Result must be visible in mobile UI within expected time.	Approved?
PQ-012-04	Validate sensor data range	Android/iOS	High	Result must be visible in mobile UI within expected time.	Approved?

PQ Section 13 - Abbreviations mixed list

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-013. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- For iOS only? For Android only? unclear; parser should capture platform if visible.
- PQ-013-3: App shall process heart rate data and preserve timestamp/timezone context.

10. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-013-01	Support caregiver view	Cloud Sync	TBD	User shall receive clear error message on failure.	Draft
PQ-013-02	Notification retry and suppression	Android	Low	Result must be visible in mobile UI within expected time.	Pending QA
PQ-013-03	Support caregiver view	Backend API	Not ranked	Result must be visible in mobile UI within expected time.	Rejected once
PQ_13.4	Sync readings to cloud API	Android/iOS	Not ranked	Audit/event record shall be generated where applicable.	Pending QA
PQ-013-05	Capture heart rate from paired device	Local DB	TBD	Result must be visible in mobile UI within expected time.	Approved?

Random inserted note: duplicate title appears again below.

PQ Section 13 - Abbreviations mixed list

PQ Section 14 - Document purpose

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-014. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

Old requirement copied from web portal project - review if still valid.

11. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-014-01	Battery and Bluetooth warning	iOS	Medium	Data shall be encrypted in transit and at rest.	Need SME
PQ-014-02	Sync readings to cloud API	Backend API	Low	Data shall be encrypted in transit and at rest.	In Review
PQ-014-03	Show trend chart for 7/30/90 days	iOS	Medium	TBD by clinical SME - intentionally incomplete.	Rejected once
PQ-014-04	Handle offline mode	Android/iOS	Medium	TBD by clinical SME - intentionally incomplete.	Need SME

PQ Section 15 - API behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-015. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

12. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-015-01	Audit user actions	Cloud Sync	Medium	Audit/event record shall be generated where applicable.	Approved?
PQ-015-02	Audit user actions	Android	Not ranked	System shall complete the action without data loss.	Rejected once
PQ-015-03	Store readings securely on device	Cloud Sync	Not ranked	Result must be visible in mobile UI within expected time.	Pending QA
PQ-015-04	Handle offline mode	iOS	TBD	TBD by clinical SME - intentionally incomplete.	In Review

PQ Section 16 - Test condition table

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-016. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

13. Unnumbered note - check sensor disconnect behavior during active monitoring.
- Old requirement copied from web portal project - review if still valid.
14. Old requirement copied from web portal project - review if still valid.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_16.1	Handle offline mode	Bluetooth Sensor	High	Result must be visible in mobile UI within expected time.	Need SME
PQ-016-02	Consent capture and privacy notice	Bluetooth Sensor	Not ranked	Audit/event record shall be generated where applicable.	In Review
PQ-016-03	Store readings securely on device	Backend API	TBD	Result must be visible in mobile UI within expected time.	Pending QA
PQ-016-04	Support caregiver view	Android	High	Data shall be encrypted in transit and at rest.	Pending QA
PQ-016-05	Consent capture and privacy notice	Local DB	Not ranked	System shall complete the action without data loss.	Rejected once

PQ Section 17 - UI behavior

OCR noisy line

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-017. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

15. Unnumbered note - check sensor disconnect behavior during active monitoring.
16. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- Unnumbered note - check sensor disconnect behavior during active monitoring.
17. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-017-01	Manual heart rate entry when device unavailable	iOS	Low	System shall complete the action without data loss.	Rejected once
PQ-017-02	Store readings securely on device	Cloud Sync	Not ranked	User shall receive clear error message on failure.	Pending QA
PQ-017-03	Support caregiver view	Backend API	TBD	Audit/event record shall be generated where applicable.	Draft

PQ Section 18 - Audit trail mapping

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-018. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

18. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-018-01	Display current BPM with timestamp	Cloud Sync	High	TBD by clinical SME - intentionally incomplete.	Approved?
PQ_18.2	Store readings securely on device	Notification Service	Low	Result must be visible in mobile UI within expected time.	Pending QA
PQ-018-03	Sync readings to cloud API	Cloud Sync	Medium	Result must be visible in mobile UI within expected time.	Draft

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

PQ Section 19 - UI behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-019. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.
- For iOS only? For Android only? unclear; parser should capture platform if visible.
- PQ-019-3: App shall process heart rate data and preserve timestamp/timezone context.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-019-01	Validate sensor data range	iOS	Low	Audit/event record shall be generated where applicable.	Pending QA
PQ-019-02	Sync readings to cloud API	Local DB	Not ranked	Data shall be encrypted in transit and at rest.	Pending QA
PQ-019-03	Consent capture and privacy notice	iOS	Medium	System shall complete the action without data loss.	Rejected once
PQ_19.4	Audit user actions	Cloud Sync	Not ranked	Result must be visible in mobile UI within expected time.	In Review
PQ-019-05	Battery and Bluetooth warning	Android/iOS	Medium	Result must be visible in mobile UI within expected time.	Need SME

PQ Section 20 - UI behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-020. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

19. Old requirement copied from web portal project - review if still valid.

Old requirement copied from web portal project - review if still valid.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-020-01	Support caregiver view	Cloud Sync	Low	Data shall be encrypted in transit and at rest.	Rejected once
PQ-020-02	Battery and Bluetooth warning	Android/iOS	Medium	Result must be visible in mobile UI within expected time.	Rejected once
PQ-020-03	Manual heart rate entry when device unavailable	Cloud Sync	High	User shall receive clear error message on failure.	Approved?
PQ-020-04	Show trend chart for 7/30/90 days	Local DB	High	User shall receive clear error message on failure.	Rejected once

PQ Section 21 - UI behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-021. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-021-01	Capture heart rate from paired device	Backend API	High	Audit/event record shall be generated where applicable.	Pending QA
PQ_21.2	Audit user actions	Notification Service	High	Result must be visible in mobile UI within expected time.	Rejected once
PQ-021-03	Handle offline mode	Cloud Sync	Medium	User shall receive clear error message on failure.	In Review
PQ-021-04	Audit user actions	Backend API	Low	System shall complete the action without data loss.	Need SME
PQ-021-05	Capture heart rate from paired device	Backend API	TBD	Audit/event record shall be generated where applicable.	Need SME

PQ Section 22 - Alert workflow

old text retained

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-022. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-022-01	Capture heart rate from paired device	Android/iOS	High	Audit/event record shall be generated where applicable.	Pending QA
PQ-022-02	Export readings as PDF/CSV	Android	Low	Data shall be encrypted in transit and at rest.	In Review
PQ-022-03	Manual heart rate entry when device unavailable	Android/iOS	Not ranked	User shall receive clear error message on failure.	Need SME
PQ-022-04	Capture heart rate from paired device	Bluetooth Sensor	TBD	TBD by clinical SME - intentionally incomplete.	Rejected once
PQ-022-05	Generate high/low heart-rate alert	Notification Service	Low	System shall complete the action without data loss.	Rejected once

PQ Section 23 - Traceability notes

RAG TEST CHUNK

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-023. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

20. Unnumbered note - check sensor disconnect behavior during active monitoring.

- PQ-023-2: App shall process heart rate data and preserve timestamp/timezone context.

PQ-023-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-023-01	Biometric login option	Local DB	Not ranked	TBD by clinical SME - intentionally incomplete.	Need SME
PQ_23.2	Generate high/low heart-rate alert	iOS	Medium	User shall receive clear error message on failure.	Need SME
PQ-023-03	Manual heart rate entry when device unavailable	Cloud Sync	High	System shall complete the action without data loss.	Pending QA
PQ-023-04	Manual heart rate entry when device unavailable	Notification Service	Not ranked	System shall complete the action without data loss.	In Review

PQ Section 24 - UI behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-024. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

21. Old requirement copied from web portal project - review if still valid.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-024-01	Manual heart rate entry when device unavailable	Bluetooth Sensor	High	TBD by clinical SME - intentionally incomplete.	Rejected once
PQ-024-02	Notification retry and suppression	Bluetooth Sensor	Low	System shall complete the action without data loss.	Rejected once
PQ-024-03	Biometric login option	iOS	Not ranked	User shall receive clear error message on failure.	Approved?
PQ-024-04	Handle offline mode	Android	Low	User shall receive clear error message on failure.	Rejected once
PQ_24.5	Display current BPM with timestamp	Backend API	High	Data shall be encrypted in transit and at rest.	Pending QA

PQ Section 25 - Requirement details

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-025. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

22. Unnumbered note - check sensor disconnect behavior during active monitoring.
23. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_25.1	Store readings securely on device	Backend API	TBD	User shall receive clear error message on failure.	Pending QA
PQ-025-02	Handle offline mode	Cloud Sync	Low	User shall receive clear error message on failure.	Rejected once
PQ-025-03	Validate sensor data range	Android	Medium	System shall complete the action without data loss.	Approved?

PQ Section 26 - Risk and control mapping

duplicate section

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-026. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

Old requirement copied from web portal project - review if still valid.

24. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-026-01	Display current BPM with timestamp	Android	TBD	System shall complete the action without data loss.	Need SME
PQ-026-02	Validate sensor data range	Android/iOS	Not ranked	Data shall be encrypted in transit and at rest.	Rejected once
PQ-026-03	Notification retry and suppression	iOS	High	TBD by clinical SME - intentionally incomplete.	Need SME
PQ-026-04	Support caregiver view	iOS	Medium	Result must be visible in mobile UI within expected time.	Pending QA
PQ-026-05	Biometric login option	Android/iOS	Not ranked	Audit/event record shall be generated where applicable.	Rejected once

Random inserted note: duplicate title appears again below.

PQ Section 26 - Risk and control mapping

PQ Section 27 - Open questions

missing owner

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-027. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

PQ-027-2: App shall process heart rate data and preserve timestamp/timezone context.

Old requirement copied from web portal project - review if still valid.

25. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-027-01	Validate sensor data range	Android/iOS	Medium	System shall complete the action without data loss.	Pending QA
PQ-027-02	Battery and Bluetooth warning	Backend API	Medium	Audit/event record shall be generated where applicable.	Rejected once
PQ_27.3	Validate sensor data range	Backend API	Medium	Data shall be encrypted in transit and at rest.	Need SME
PQ-027-04	Generate high/low heart-rate alert	Backend API	Low	User shall receive clear error message on failure.	Rejected once
PQ-027-05	Audit user actions	Bluetooth Sensor	Not ranked	TBD by clinical SME - intentionally incomplete.	Approved?

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

PQ Section 28 - API behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-028. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

PQ-028-1: App shall process heart rate data and preserve timestamp/timezone context.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-028-01	Capture heart rate from paired device	Cloud Sync	Not ranked	Audit/event record shall be generated where applicable.	Rejected once
PQ-028-02	Support caregiver view	iOS	Low	Result must be visible in mobile UI within expected time.	Approved?
PQ-028-03	Store readings securely on device	iOS	High	TBD by clinical SME - intentionally incomplete.	Approved?
PQ-028-04	Support caregiver view	Android/iOS	Not ranked	Audit/event record shall be generated where applicable.	In Review

PQ Section 29 - Open questions

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-029. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

26. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-029-01	Validate sensor data range	Local DB	Not ranked	System shall complete the action without data loss.	Draft
PQ-029-02	Support caregiver view	Notification Service	High	User shall receive clear error message on failure.	Need SME
PQ_29.3	Biometric login option	Local DB	TBD	Audit/event record shall be generated where applicable.	Approved?

PQ Section 30 - Data handling notes

v0.1/v1.0 mixed

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-030. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- PQ-030-1: App shall process heart rate data and preserve timestamp/timezone context.

27. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-030-01	Manual heart rate entry when device unavailable	Bluetooth Sensor	High	TBD by clinical SME - intentionally incomplete.	Draft
PQ-030-02	Export readings as PDF/CSV	iOS	High	Audit/event record shall be generated where applicable.	Rejected once
PQ-030-03	Export readings as PDF/CSV	Backend API	TBD	TBD by clinical SME - intentionally incomplete.	Rejected once
PQ-030-04	Audit user actions	Android	TBD	TBD by clinical SME - intentionally incomplete.	Need SME

PQ Section 31 - API behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-031. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- PQ-031-1: App shall process heart rate data and preserve timestamp/timezone context.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-031-01	Notification retry and suppression	Android/iOS	High	System shall complete the action without data loss.	Rejected once
PQ-031-02	Capture heart rate from paired device	iOS	Low	TBD by clinical SME - intentionally incomplete.	Approved?
PQ_31.3	Store readings securely on device	Android	Medium	Audit/event record shall be generated where applicable.	Pending QA
PQ_31.4	Validate sensor data range	Android/iOS	TBD	Audit/event record shall be generated where applicable.	Need SME
PQ-031-05	Battery and Bluetooth warning	Local DB	Medium	User shall receive clear error message on failure.	Need SME

PQ Section 32 - Security and privacy

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-032. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

For iOS only? For Android only? unclear; parser should capture platform if visible.

Old requirement copied from web portal project - review if still valid.

28. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-032-01	Validate sensor data range	iOS	High	TBD by clinical SME - intentionally incomplete.	Draft
PQ-032-02	Generate high/low heart-rate alert	Android/iOS	Low	Data shall be encrypted in transit and at rest.	Need SME
PQ_32.3	Sync readings to cloud API	Android/iOS	Medium	System shall complete the action without data loss.	Rejected once

PQ Section 33 - Repeated requirement block

old text retained

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-033. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- Old requirement copied from web portal project - review if still valid.

29. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

PQ-033-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_33.1	Capture heart rate from paired device	Local DB	Low	System shall complete the action without data loss.	Draft
PQ-033-02	Show trend chart for 7/30/90 days	Bluetooth Sensor	Not ranked	Data shall be encrypted in transit and at rest.	Need SME
PQ_33.3	Audit user actions	Android	Low	Result must be visible in mobile UI within expected time.	In Review
PQ-033-04	Store readings securely on device	Android/iOS	Medium	User shall receive clear error message on failure.	Pending QA
PQ_33.5	Store readings securely on device	Notification Service	Low	Audit/event record shall be generated where applicable.	In Review

PQ Section 34 - Repeated requirement block

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-034. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

30. For iOS only? For Android only? unclear; parser should capture platform if visible.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

31. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-034-01	Support caregiver view	iOS	Medium	Data shall be encrypted in transit and at rest.	Rejected once
PQ-034-02	Display current BPM with timestamp	Backend API	Low	Result must be visible in mobile UI within expected time.	Draft
PQ_34.3	Biometric login option	Bluetooth Sensor	High	System shall complete the action without data loss.	Need SME

PQ Section 35 - Alert workflow

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-035. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

32. Old requirement copied from web portal project - review if still valid.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

Old requirement copied from web portal project - review if still valid.

For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_35.1	Consent capture and privacy notice	Notification Service	Low	Data shall be encrypted in transit and at rest.	Pending QA
PQ_35.2	Battery and Bluetooth warning	Android	Not ranked	User shall receive clear error message on failure.	Pending QA
PQ-035-03	Validate sensor data range	Notification Service	Medium	Result must be visible in mobile UI within expected time.	Draft
PQ_35.4	Display current BPM with timestamp	Local DB	Low	Audit/event record shall be generated where applicable.	Pending QA
PQ-035-05	Notification retry and suppression	Backend API	TBD	System shall complete the action without data loss.	Rejected once

PQ Section 36 - Repeated requirement block

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-036. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

33. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-036-01	Manual heart rate entry when device unavailable	Backend API	Not ranked	System shall complete the action without data loss.	Rejected once
PQ-036-02	Generate high/low heart-rate alert	Android/iOS	Low	Result must be visible in mobile UI within expected time.	Rejected once
PQ-036-03	Support caregiver view	Android	Medium	System shall complete the action without data loss.	Draft
PQ-036-04	Generate high/low heart-rate alert	Local DB	High	Data shall be encrypted in transit and at rest.	Need SME

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

PQ Section 37 - Open questions

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-037. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 34. Unnumbered note - check sensor disconnect behavior during active monitoring.
- 35. Old requirement copied from web portal project - review if still valid.
- 36. For iOS only? For Android only? unclear; parser should capture platform if visible.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-037-01	Validate sensor data range	Local DB	TBD	System shall complete the action without data loss.	Approved?
PQ-037-02	Battery and Bluetooth warning	Bluetooth Sensor	Low	System shall complete the action without data loss.	Need SME
PQ-037-03	Sync readings to cloud API	Backend API	Not ranked	System shall complete the action without data loss.	Pending QA
PQ-037-04	Handle offline mode	Android/iOS	High	System shall complete the action without data loss.	Draft
PQ-037-05	Manual heart rate entry when device unavailable	Cloud Sync	Not ranked	Data shall be encrypted in transit and at rest.	In Review

PQ Section 38 - Exception handling

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-038. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_38.1	Capture heart rate from paired device	Cloud Sync	Low	Data shall be encrypted in transit and at rest.	Draft
PQ-038-02	Consent capture and privacy notice	Bluetooth Sensor	Low	Data shall be encrypted in transit and at rest.	In Review
PQ-038-03	Sync readings to cloud API	iOS	High	Data shall be encrypted in transit and at rest.	Rejected once

PQ Section 39 - Bluetooth edge cases

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-039. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

PQ-039-2: App shall process heart rate data and preserve timestamp/timezone context.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-039-01	Audit user actions	Android	TBD	Audit/event record shall be generated where applicable.	Draft
PQ-039-02	Consent capture and privacy notice	Local DB	High	Result must be visible in mobile UI within expected time.	Need SME
PQ-039-03	Validate sensor data range	Android	Not ranked	Data shall be encrypted in transit and at rest.	Pending QA

Random inserted note: duplicate title appears again below.

PQ Section 39 - Bluetooth edge cases

PQ Section 40 - Data handling notes

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-040. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

37. PQ-040-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_40.1	Validate sensor data range	Backend API	Medium	Result must be visible in mobile UI within expected time.	Draft
PQ-040-02	Battery and Bluetooth warning	Android	TBD	System shall complete the action without data loss.	Draft
PQ-040-03	Battery and Bluetooth warning	Notification Service	TBD	Audit/event record shall be generated where applicable.	In Review
PQ-040-04	Support caregiver view	Bluetooth Sensor	TBD	Result must be visible in mobile UI within expected time.	Rejected once
PQ-040-05	Audit user actions	Android/iOS	TBD	System shall complete the action without data loss.	Rejected once

PQ Section 41 - Bluetooth edge cases

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-041. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Old requirement copied from web portal project - review if still valid.

38. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_41.1	Show trend chart for 7/30/90 days	Cloud Sync	TBD	System shall complete the action without data loss.	Rejected once
PQ-041-02	Consent capture and privacy notice	Bluetooth Sensor	High	TBD by clinical SME - intentionally incomplete.	Draft
PQ-041-03	Show trend chart for 7/30/90 days	Android/iOS	Low	TBD by clinical SME - intentionally incomplete.	Rejected once
PQ-041-04	Notification retry and suppression	Local DB	TBD	TBD by clinical SME - intentionally incomplete.	Draft
PQ-041-05	Consent capture and privacy notice	Local DB	Not ranked	Data shall be encrypted in transit and at rest.	Need SME

PQ Section 42 - Risk and control mapping

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-042. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- PQ-042-1: App shall process heart rate data and preserve timestamp/timezone context.

PQ-042-2: App shall process heart rate data and preserve timestamp/timezone context.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_42.1	Sync readings to cloud API	Android	Low	User shall receive clear error message on failure.	In Review
PQ-042-02	Validate sensor data range	Android/iOS	Not ranked	Data shall be encrypted in transit and at rest.	Pending QA
PQ-042-03	Support caregiver view	Android	Medium	System shall complete the action without data loss.	Draft
PQ_42.4	Notification retry and suppression	Cloud Sync	Medium	User shall receive clear error message on failure.	Rejected once

PQ Section 43 - Alert workflow

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-043. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

PQ-043-1: App shall process heart rate data and preserve timestamp/timezone context.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- PQ-043-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-043-01	Notification retry and suppression	Backend API	Not ranked	Audit/event record shall be generated where applicable.	Need SME
PQ-043-02	Generate high/low heart-rate alert	Notification Service	Low	Audit/event record shall be generated where applicable.	In Review
PQ-043-03	Notification retry and suppression	Backend API	High	TBD by clinical SME - intentionally incomplete.	Draft
PQ_43.4	Handle offline mode	Backend API	Not ranked	Result must be visible in mobile UI within expected time.	Pending QA
PQ-043-05	Sync readings to cloud API	iOS	TBD	User shall receive clear error message on failure.	Need SME

PQ Section 44 - Alert workflow

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-044. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

39. PQ-044-1: App shall process heart rate data and preserve timestamp/timezone context.

Unnumbered note - check sensor disconnect behavior during active monitoring.

40. Old requirement copied from web portal project - review if still valid.

41. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-044-01	Support caregiver view	Android/iOS	Low	Data shall be encrypted in transit and at rest.	Rejected once
PQ_44.2	Show trend chart for 7/30/90 days	Cloud Sync	Low	TBD by clinical SME - intentionally incomplete.	Pending QA
PQ-044-03	Support caregiver view	Bluetooth Sensor	TBD	Audit/event record shall be generated where applicable.	Draft

PQ Section 45 - Traceability notes

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-045. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

42. PQ-045-1: App shall process heart rate data and preserve timestamp/timezone context.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

43. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-045-01	Consent capture and privacy notice	Cloud Sync	TBD	Result must be visible in mobile UI within expected time.	Need SME
PQ-045-02	Capture heart rate from paired device	Android/iOS	Medium	Result must be visible in mobile UI within expected time.	Draft
PQ-045-03	Sync readings to cloud API	Notification Service	TBD	TBD by clinical SME - intentionally incomplete.	Draft
PQ-045-04	Handle offline mode	Android	Low	Audit/event record shall be generated where applicable.	Rejected once
PQ-045-05	Validate sensor data range	Backend API	TBD	User shall receive clear error message on failure.	Need SME

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

PQ Section 46 - Audit trail mapping

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-046. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

44. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-046-01	Audit user actions	Cloud Sync	High	Audit/event record shall be generated where applicable.	Need SME
PQ-046-02	Capture heart rate from paired device	Notification Service	High	TBD by clinical SME - intentionally incomplete.	Draft
PQ_46.3	Support caregiver view	iOS	Medium	System shall complete the action without data loss.	Need SME
PQ-046-04	Sync readings to cloud API	Android/iOS	Not ranked	TBD by clinical SME - intentionally incomplete.	Rejected once
PQ-046-05	Store readings securely on device	Local DB	Low	Audit/event record shall be generated where applicable.	Need SME

PQ Section 47 - Requirement details

OCR noisy line

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-047. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

45. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

46. PQ-047-3: App shall process heart rate data and preserve timestamp/timezone context.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-047-01	Handle offline mode	Android	Not ranked	System shall complete the action without data loss.	Rejected once
PQ_47.2	Capture heart rate from paired device	iOS	TBD	Result must be visible in mobile UI within expected time.	Need SME
PQ-047-03	Capture heart rate from paired device	Cloud Sync	High	Audit/event record shall be generated where applicable.	Draft
PQ_47.4	Validate sensor data range	Android/iOS	Low	Audit/event record shall be generated where applicable.	Pending QA

PQ Section 48 - Alert workflow

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-048. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.

Unnumbered note - check sensor disconnect behavior during active monitoring.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_48.1	Store readings securely on device	Cloud Sync	Not ranked	Audit/event record shall be generated where applicable.	Need SME
PQ_48.2	Manual heart rate entry when device unavailable	Backend API	Not ranked	User shall receive clear error message on failure.	In Review
PQ-048-03	Support caregiver view	Bluetooth Sensor	Medium	User shall receive clear error message on failure.	Pending QA
PQ-048-04	Display current BPM with timestamp	Android/iOS	High	Result must be visible in mobile UI within expected time.	Approved?

PQ Section 49 - Security and privacy

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-049. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 47. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- 48. Unnumbered note - check sensor disconnect behavior during active monitoring.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-049-01	Manual heart rate entry when device unavailable	iOS	Not ranked	Data shall be encrypted in transit and at rest.	Draft
PQ-049-02	Support caregiver view	Android/iOS	Medium	Data shall be encrypted in transit and at rest.	Rejected once
PQ-049-03	Sync readings to cloud API	Android/iOS	TBD	User shall receive clear error message on failure.	Need SME
PQ-049-04	Generate high/low heart-rate alert	Bluetooth Sensor	Medium	User shall receive clear error message on failure.	Draft

PQ Section 50 - Alert workflow

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-050. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

- PQ-050-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-050-01	Store readings securely on device	Backend API	Medium	Result must be visible in mobile UI within expected time.	Pending QA
PQ-050-02	Manual heart rate entry when device unavailable	Bluetooth Sensor	Medium	Result must be visible in mobile UI within expected time.	Draft
PQ-050-03	Validate sensor data range	Local DB	Not ranked	TBD by clinical SME - intentionally incomplete.	Rejected once

PQ Section 51 - Evidence placeholder

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-051. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- PQ-051-3: App shall process heart rate data and preserve timestamp/timezone context.

49. PQ-051-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-051-01	Support caregiver view	Bluetooth Sensor	High	User shall receive clear error message on failure.	In Review
PQ_51.2	Handle offline mode	Backend API	High	Result must be visible in mobile UI within expected time.	Rejected once
PQ-051-03	Validate sensor data range	Android	TBD	Audit/event record shall be generated where applicable.	Need SME

PQ Section 52 - Traceability notes

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-052. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 50. Unnumbered note - check sensor disconnect behavior during active monitoring.
 - 51. Unnumbered note - check sensor disconnect behavior during active monitoring.
 - 52. Old requirement copied from web portal project - review if still valid.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-052-01	Generate high/low heart-rate alert	iOS	Not ranked	Audit/event record shall be generated where applicable.	In Review
PQ-052-02	Validate sensor data range	Local DB	Medium	Audit/event record shall be generated where applicable.	Need SME
PQ_52.3	Battery and Bluetooth warning	Backend API	Not ranked	User shall receive clear error message on failure.	Draft
PQ_52.4	Export readings as PDF/CSV	Android	TBD	Audit/event record shall be generated where applicable.	Pending QA
PQ_52.5	Battery and Bluetooth warning	Bluetooth Sensor	Medium	Audit/event record shall be generated where applicable.	Need SME

Random inserted note: duplicate title appears again below.

PQ Section 52 - Traceability notes

PQ Section 53 - Data handling notes

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-053. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

PQ-053-1: App shall process heart rate data and preserve timestamp/timezone context.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-053-01	Capture heart rate from paired device	Cloud Sync	TBD	User shall receive clear error message on failure.	Pending QA
PQ-053-02	Capture heart rate from paired device	Android/iOS	High	Audit/event record shall be generated where applicable.	Draft
PQ-053-03	Display current BPM with timestamp	Notification Service	Not ranked	TBD by clinical SME - intentionally incomplete.	Need SME
PQ-053-04	Capture heart rate from paired device	iOS	Low	User shall receive clear error message on failure.	In Review

PQ Section 54 - Evidence placeholder

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-054. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

53. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-054-01	Notification retry and suppression	Backend API	TBD	TBD by clinical SME - intentionally incomplete.	Approved?
PQ-054-02	Battery and Bluetooth warning	Local DB	Low	Data shall be encrypted in transit and at rest.	Need SME
PQ-054-03	Handle offline mode	Cloud Sync	Not ranked	TBD by clinical SME - intentionally incomplete.	Approved?
PQ-054-04	Battery and Bluetooth warning	Cloud Sync	Medium	User shall receive clear error message on failure.	Need SME
PQ-054-05	Show trend chart for 7/30/90 days	Notification Service	High	TBD by clinical SME - intentionally incomplete.	In Review

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

PQ Section 55 - Data handling notes

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-055. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

54. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-055-01	Battery and Bluetooth warning	Bluetooth Sensor	TBD	Data shall be encrypted in transit and at rest.	Approved?
PQ-055-02	Export readings as PDF/CSV	Bluetooth Sensor	Not ranked	Audit/event record shall be generated where applicable.	Pending QA
PQ-055-03	Handle offline mode	Bluetooth Sensor	Low	System shall complete the action without data loss.	Rejected once
PQ-055-04	Biometric login option	Notification Service	Not ranked	User shall receive clear error message on failure.	Pending QA
PQ-055-05	Biometric login option	Bluetooth Sensor	Not ranked	Audit/event record shall be generated where applicable.	Draft

PQ Section 56 - API behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-056. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- PQ-056-1: App shall process heart rate data and preserve timestamp/timezone context.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-056-01	Sync readings to cloud API	Android	High	TBD by clinical SME - intentionally incomplete.	Approved?
PQ-056-02	Validate sensor data range	Bluetooth Sensor	Medium	Result must be visible in mobile UI within expected time.	Rejected once
PQ-056-03	Validate sensor data range	Android	Low	TBD by clinical SME - intentionally incomplete.	Pending QA
PQ-056-04	Support caregiver view	Notification Service	Medium	System shall complete the action without data loss.	Need SME

PQ Section 57 - Mobile platform variation

RAG TEST CHUNK

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-057. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- Old requirement copied from web portal project - review if still valid.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-057-01	Sync readings to cloud API	Android/iOS	TBD	System shall complete the action without data loss.	Rejected once
PQ-057-02	Manual heart rate entry when device unavailable	Cloud Sync	High	TBD by clinical SME - intentionally incomplete.	Rejected once
PQ-057-03	Store readings securely on device	iOS	TBD	Data shall be encrypted in transit and at rest.	In Review

PQ Section 58 - Risk and control mapping

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-058. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

55. PQ-058-1: App shall process heart rate data and preserve timestamp/timezone context.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

56. Unnumbered note - check sensor disconnect behavior during active monitoring.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-058-01	Support caregiver view	Local DB	Low	Audit/event record shall be generated where applicable.	Pending QA
PQ-058-02	Export readings as PDF/CSV	Bluetooth Sensor	Medium	Data shall be encrypted in transit and at rest.	In Review
PQ-058-03	Battery and Bluetooth warning	Android	Medium	Data shall be encrypted in transit and at rest.	Need SME
PQ-058-04	Biometric login option	iOS	High	Result must be visible in mobile UI within expected time.	Approved?
PQ_58.5	Generate high/low heart-rate alert	Notification Service	Low	User shall receive clear error message on failure.	Approved?

PQ Section 59 - Requirement details

old text retained

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-059. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 57. Unnumbered note - check sensor disconnect behavior during active monitoring.
- 58. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-059-01	Export readings as PDF/CSV	Notification Service	High	User shall receive clear error message on failure.	Rejected once
PQ_59.2	Biometric login option	Android	TBD	Data shall be encrypted in transit and at rest.	Draft
PQ-059-03	Store readings securely on device	Bluetooth Sensor	TBD	System shall complete the action without data loss.	Approved?
PQ-059-04	Export readings as PDF/CSV	iOS	Medium	Audit/event record shall be generated where applicable.	In Review

PQ Section 60 - Evidence placeholder
missing owner

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-060. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

Unnumbered note - check sensor disconnect behavior during active monitoring.

PQ-060-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-060-01	Generate high/low heart-rate alert	iOS	TBD	TBD by clinical SME - intentionally incomplete.	Need SME
PQ-060-02	Notification retry and suppression	Android/iOS	Medium	System shall complete the action without data loss.	Rejected once
PQ-060-03	Battery and Bluetooth warning	Local DB	Medium	Result must be visible in mobile UI within expected time.	Approved?
PQ-060-04	Consent capture and privacy notice	Notification Service	TBD	Data shall be encrypted in transit and at rest.	Draft

PQ Section 61 - Audit trail mapping

??

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-061. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

- Old requirement copied from web portal project - review if still valid.

59. For iOS only? For Android only? unclear; parser should capture platform if visible.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-061-01	Handle offline mode	Cloud Sync	TBD	User shall receive clear error message on failure.	In Review
PQ-061-02	Biometric login option	Android/iOS	High	Result must be visible in mobile UI within expected time.	Draft
PQ-061-03	Generate high/low heart-rate alert	Backend API	Low	User shall receive clear error message on failure.	Rejected once
PQ-061-04	Display current BPM with timestamp	Backend API	Not ranked	Data shall be encrypted in transit and at rest.	Need SME

PQ Section 62 - Evidence placeholder

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-062. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 60. For iOS only? For Android only? unclear; parser should capture platform if visible.
- 61. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-062-01	Consent capture and privacy notice	Android	High	Result must be visible in mobile UI within expected time.	Approved?
PQ-062-02	Show trend chart for 7/30/90 days	iOS	Medium	Data shall be encrypted in transit and at rest.	Approved?
PQ_62.3	Consent capture and privacy notice	iOS	TBD	TBD by clinical SME - intentionally incomplete.	Approved?

PQ Section 63 - Data handling notes

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-063. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.
- PQ-063-2: App shall process heart rate data and preserve timestamp/timezone context.
- Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-063-01	Notification retry and suppression	Backend API	Medium	Result must be visible in mobile UI within expected time.	Approved?
PQ_63.2	Battery and Bluetooth warning	Cloud Sync	Medium	System shall complete the action without data loss.	Pending QA
PQ-063-03	Battery and Bluetooth warning	Backend API	TBD	User shall receive clear error message on failure.	Rejected once
PQ-063-04	Biometric login option	Local DB	High	TBD by clinical SME - intentionally incomplete.	In Review
PQ-063-05	Audit user actions	Android/iOS	Low	User shall receive clear error message on failure.	Pending QA

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

PQ Section 64 - Security and privacy

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-064. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

62. Unnumbered note - check sensor disconnect behavior during active monitoring.

- Unnumbered note - check sensor disconnect behavior during active monitoring.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

63. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-064-01	Consent capture and privacy notice	Backend API	Not ranked	TBD by clinical SME - intentionally incomplete.	Pending QA
PQ-064-02	Audit user actions	Bluetooth Sensor	Medium	User shall receive clear error message on failure.	Draft
PQ-064-03	Manual heart rate entry when device unavailable	Local DB	Low	Result must be visible in mobile UI within expected time.	Draft
PQ-064-04	Manual heart rate entry when device unavailable	Local DB	Low	Result must be visible in mobile UI within expected time.	Rejected once

PQ Section 65 - Open questions

duplicate section

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-065. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

64. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-065-01	Display current BPM with timestamp	Notification Service	Medium	Audit/event record shall be generated where applicable.	Rejected once
PQ-065-02	Capture heart rate from paired device	Android/iOS	TBD	Data shall be encrypted in transit and at rest.	Need SME
PQ-065-03	Battery and Bluetooth warning	Backend API	Low	Audit/event record shall be generated where applicable.	Rejected once
PQ-065-04	Consent capture and privacy notice	Backend API	Medium	TBD by clinical SME - intentionally incomplete.	Need SME

Random inserted note: duplicate title appears again below.

PQ Section 65 - Open questions

PQ Section 66 - Test condition table

TBD

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-066. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-066-01	Show trend chart for 7/30/90 days	iOS	Medium	Result must be visible in mobile UI within expected time.	In Review
PQ-066-02	Display current BPM with timestamp	Backend API	Not ranked	Data shall be encrypted in transit and at rest.	Need SME
PQ-066-03	Capture heart rate from paired device	Android/iOS	High	Audit/event record shall be generated where applicable.	Draft

PQ Section 67 - Audit trail mapping

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-067. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

65. PQ-067-1: App shall process heart rate data and preserve timestamp/timezone context.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- For iOS only? For Android only? unclear; parser should capture platform if visible.

66. PQ-067-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-067-01	Biometric login option	Bluetooth Sensor	Low	TBD by clinical SME - intentionally incomplete.	Approved?
PQ-067-02	Show trend chart for 7/30/90 days	Cloud Sync	High	TBD by clinical SME - intentionally incomplete.	Rejected once
PQ_67.3	Store readings securely on device	Backend API	Not ranked	TBD by clinical SME - intentionally incomplete.	Need SME
PQ-067-04	Handle offline mode	Cloud Sync	High	Data shall be encrypted in transit and at rest.	Rejected once

PQ Section 68 - Mobile platform variation

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-068. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

67. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

68. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-068-01	Biometric login option	Backend API	TBD	Result must be visible in mobile UI within expected time.	Pending QA
PQ-068-02	Consent capture and privacy notice	Android	TBD	Result must be visible in mobile UI within expected time.	Draft
PQ-068-03	Support caregiver view	Notification Service	Medium	Result must be visible in mobile UI within expected time.	In Review
PQ-068-04	Display current BPM with timestamp	Notification Service	Low	System shall complete the action without data loss.	Rejected once

PQ Section 69 - Security and privacy
duplicate section

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-069. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

69. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

For iOS only? For Android only? unclear; parser should capture platform if visible.

PQ-069-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-069-01	Display current BPM with timestamp	Android/iOS	High	User shall receive clear error message on failure.	Pending QA
PQ-069-02	Generate high/low heart-rate alert	Backend API	Not ranked	Result must be visible in mobile UI within expected time.	In Review
PQ-069-03	Notification retry and suppression	Local DB	TBD	System shall complete the action without data loss.	In Review
PQ-069-04	Capture heart rate from paired device	iOS	Not ranked	Audit/event record shall be generated where applicable.	In Review

PQ Section 70 - Audit trail mapping

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-070. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- Unnumbered note - check sensor disconnect behavior during active monitoring.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-070-01	Support caregiver view	Cloud Sync	Medium	Data shall be encrypted in transit and at rest.	Approved?
PQ-070-02	Audit user actions	iOS	TBD	Result must be visible in mobile UI within expected time.	In Review
PQ-070-03	Battery and Bluetooth warning	Backend API	Medium	TBD by clinical SME - intentionally incomplete.	Pending QA
PQ-070-04	Support caregiver view	Android	Low	Result must be visible in mobile UI within expected time.	Rejected once
PQ-070-05	Sync readings to cloud API	Notification Service	Low	User shall receive clear error message on failure.	Approved?

PQ Section 71 - UI behavior

missing owner

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-071. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- PQ-071-1: App shall process heart rate data and preserve timestamp/timezone context.
- Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-071-01	Battery and Bluetooth warning	Bluetooth Sensor	Low	Audit/event record shall be generated where applicable.	Rejected once
PQ-071-02	Display current BPM with timestamp	Local DB	Medium	Result must be visible in mobile UI within expected time.	Approved?
PQ-071-03	Validate sensor data range	Local DB	Low	User shall receive clear error message on failure.	In Review
PQ-071-04	Audit user actions	Android/iOS	Not ranked	Data shall be encrypted in transit and at rest.	Need SME

PQ Section 72 - UI behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-072. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-072-01	Consent capture and privacy notice	iOS	High	Data shall be encrypted in transit and at rest.	Approved?
PQ-072-02	Battery and Bluetooth warning	Local DB	Low	Data shall be encrypted in transit and at rest.	Draft
PQ-072-03	Audit user actions	Backend API	Medium	User shall receive clear error message on failure.	Pending QA

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

PQ Section 73 - UI behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-073. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

70. PQ-073-1: App shall process heart rate data and preserve timestamp/timezone context.

71. PQ-073-2: App shall process heart rate data and preserve timestamp/timezone context.

- PQ-073-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-073-01	Capture heart rate from paired device	Android/iOS	Medium	System shall complete the action without data loss.	Approved?
PQ_73.2	Support caregiver view	Cloud Sync	High	TBD by clinical SME - intentionally incomplete.	In Review
PQ-073-03	Notification retry and suppression	Notification Service	Medium	User shall receive clear error message on failure.	Approved?

PQ Section 74 - Mobile platform variation

old text retained

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-074. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.

72. PQ-074-2: App shall process heart rate data and preserve timestamp/timezone context.

73. Unnumbered note - check sensor disconnect behavior during active monitoring.

74. Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-074-01	Consent capture and privacy notice	iOS	Medium	Result must be visible in mobile UI within expected time.	Rejected once
PQ-074-02	Notification retry and suppression	Backend API	Not ranked	User shall receive clear error message on failure.	Pending QA
PQ-074-03	Battery and Bluetooth warning	Cloud Sync	High	User shall receive clear error message on failure.	Rejected once
PQ_74.4	Handle offline mode	iOS	Not ranked	Audit/event record shall be generated where applicable.	Need SME
PQ_74.5	Display current BPM with timestamp	Android	Medium	TBD by clinical SME - intentionally incomplete.	Need SME

PQ Section 75 - Alert workflow

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-075. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 75. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- 76. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-075-01	Capture heart rate from paired device	Android	Not ranked	TBD by clinical SME - intentionally incomplete.	Approved?
PQ-075-02	Generate high/low heart-rate alert	Cloud Sync	High	User shall receive clear error message on failure.	Draft
PQ-075-03	Show trend chart for 7/30/90 days	Notification Service	Not ranked	Result must be visible in mobile UI within expected time.	Approved?
PQ-075-04	Audit user actions	Android/iOS	Low	Result must be visible in mobile UI within expected time.	Pending QA
PQ-075-05	Validate sensor data range	Cloud Sync	Not ranked	Audit/event record shall be generated where applicable.	Need SME

PQ Section 76 - Requirement details

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-076. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

77. Old requirement copied from web portal project - review if still valid.

- Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-076-01	Validate sensor data range	Android	TBD	Data shall be encrypted in transit and at rest.	Approved?
PQ-076-02	Support caregiver view	Bluetooth Sensor	High	Result must be visible in mobile UI within expected time.	Rejected once
PQ-076-03	Audit user actions	Bluetooth Sensor	TBD	Audit/event record shall be generated where applicable.	Rejected once
PQ-076-04	Validate sensor data range	Local DB	TBD	User shall receive clear error message on failure.	In Review
PQ-076-05	Biometric login option	Local DB	Not ranked	System shall complete the action without data loss.	Rejected once

PQ Section 77 - Open questions

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-077. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Unnumbered note - check sensor disconnect behavior during active monitoring.

PQ-077-2: App shall process heart rate data and preserve timestamp/timezone context.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-077-01	Export readings as PDF/CSV	Local DB	Medium	Audit/event record shall be generated where applicable.	Pending QA
PQ-077-02	Show trend chart for 7/30/90 days	Bluetooth Sensor	Not ranked	User shall receive clear error message on failure.	Rejected once
PQ-077-03	Consent capture and privacy notice	iOS	Low	User shall receive clear error message on failure.	Rejected once
PQ-077-04	Export readings as PDF/CSV	Android/iOS	Not ranked	Result must be visible in mobile UI within expected time.	Draft

PQ Section 78 - Audit trail mapping

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-078. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

78. PQ-078-1: App shall process heart rate data and preserve timestamp/timezone context.
79. Unnumbered note - check sensor disconnect behavior during active monitoring.
80. For iOS only? For Android only? unclear; parser should capture platform if visible.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-078-01	Display current BPM with timestamp	Local DB	Medium	TBD by clinical SME - intentionally incomplete.	Draft
PQ-078-02	Biometric login option	Bluetooth Sensor	Not ranked	TBD by clinical SME - intentionally incomplete.	Need SME
PQ-078-03	Show trend chart for 7/30/90 days	Cloud Sync	High	Audit/event record shall be generated where applicable.	Pending QA

Random inserted note: duplicate title appears again below.

PQ Section 78 - Audit trail mapping

PQ Section 79 - UI behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-079. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

Old requirement copied from web portal project - review if still valid.

81. PQ-079-3: App shall process heart rate data and preserve timestamp/timezone context.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-079-01	Store readings securely on device	Cloud Sync	TBD	TBD by clinical SME - intentionally incomplete.	Need SME
PQ-079-02	Capture heart rate from paired device	Bluetooth Sensor	Medium	Result must be visible in mobile UI within expected time.	In Review
PQ-079-03	Display current BPM with timestamp	Notification Service	TBD	System shall complete the action without data loss.	Approved?
PQ_79.4	Biometric login option	iOS	TBD	Audit/event record shall be generated where applicable.	Approved?

PQ Section 80 - Repeated requirement block

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-080. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- For iOS only? For Android only? unclear; parser should capture platform if visible.

82. PQ-080-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-080-01	Sync readings to cloud API	Cloud Sync	TBD	Result must be visible in mobile UI within expected time.	Draft
PQ-080-02	Export readings as PDF/CSV	iOS	Medium	Data shall be encrypted in transit and at rest.	Approved?
PQ-080-03	Validate sensor data range	Bluetooth Sensor	Not ranked	Audit/event record shall be generated where applicable.	Rejected once
PQ-080-04	Show trend chart for 7/30/90 days	Local DB	Not ranked	User shall receive clear error message on failure.	Draft
PQ-080-05	Audit user actions	Android	Medium	TBD by clinical SME - intentionally incomplete.	Pending QA

PQ Section 81 - Audit trail mapping

manual note

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-081. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- PQ-081-1: App shall process heart rate data and preserve timestamp/timezone context.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- Unnumbered note - check sensor disconnect behavior during active monitoring.

PQ-081-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-081-01	Battery and Bluetooth warning	iOS	TBD	TBD by clinical SME - intentionally incomplete.	Need SME
PQ-081-02	Show trend chart for 7/30/90 days	Android	Medium	Result must be visible in mobile UI within expected time.	In Review
PQ-081-03	Display current BPM with timestamp	iOS	Low	Audit/event record shall be generated where applicable.	In Review
PQ-081-04	Store readings securely on device	iOS	Medium	Audit/event record shall be generated where applicable.	Approved?

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

PQ Section 82 - Data handling notes

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-082. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

83. For iOS only? For Android only? unclear; parser should capture platform if visible.

- For iOS only? For Android only? unclear; parser should capture platform if visible.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_82.1	Capture heart rate from paired device	iOS	High	Data shall be encrypted in transit and at rest.	Rejected once
PQ_82.2	Store readings securely on device	Cloud Sync	High	TBD by clinical SME - intentionally incomplete.	Approved?
PQ_82.3	Consent capture and privacy notice	Android/iOS	Not ranked	Audit/event record shall be generated where applicable.	Approved?

PQ Section 83 - Requirement details

duplicate section

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-083. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

Unnumbered note - check sensor disconnect behavior during active monitoring.

- Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-083-01	Audit user actions	Android/iOS	High	System shall complete the action without data loss.	Draft
PQ-083-02	Show trend chart for 7/30/90 days	Cloud Sync	Not ranked	TBD by clinical SME - intentionally incomplete.	In Review
PQ-083-03	Store readings securely on device	iOS	High	TBD by clinical SME - intentionally incomplete.	Need SME

PQ Section 84 - Risk and control mapping

OCR noisy line

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-084. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

84. PQ-084-1: App shall process heart rate data and preserve timestamp/timezone context.

For iOS only? For Android only? unclear; parser should capture platform if visible.

- Unnumbered note - check sensor disconnect behavior during active monitoring.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_84.1	Handle offline mode	Bluetooth Sensor	Medium	User shall receive clear error message on failure.	Rejected once
PQ-084-02	Manual heart rate entry when device unavailable	Notification Service	TBD	Data shall be encrypted in transit and at rest.	Approved?
PQ_84.3	Notification retry and suppression	Bluetooth Sensor	Low	User shall receive clear error message on failure.	Draft
PQ-084-04	Handle offline mode	Android/iOS	TBD	Result must be visible in mobile UI within expected time.	Need SME
PQ-084-05	Biometric login option	Bluetooth Sensor	Medium	Data shall be encrypted in transit and at rest.	Draft

PQ Section 85 - Alert workflow

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-085. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

Old requirement copied from web portal project - review if still valid.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-085-01	Handle offline mode	Backend API	High	Data shall be encrypted in transit and at rest.	Pending QA
PQ-085-02	Battery and Bluetooth warning	iOS	Medium	Audit/event record shall be generated where applicable.	In Review
PQ-085-03	Store readings securely on device	Notification Service	TBD	System shall complete the action without data loss.	Approved?
PQ-085-04	Consent capture and privacy notice	Backend API	High	TBD by clinical SME - intentionally incomplete.	Pending QA
PQ_85.5	Show trend chart for 7/30/90 days	iOS	Not ranked	Audit/event record shall be generated where applicable.	Approved?

PQ Section 86 - API behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-086. Owner: Validation. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

For iOS only? For Android only? unclear; parser should capture platform if visible.

For iOS only? For Android only? unclear; parser should capture platform if visible.

- Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-086-01	Handle offline mode	Android/iOS	Not ranked	Audit/event record shall be generated where applicable.	Rejected once
PQ-086-02	Export readings as PDF/CSV	Notification Service	Not ranked	Result must be visible in mobile UI within expected time.	Rejected once
PQ_86.3	Audit user actions	Backend API	High	Result must be visible in mobile UI within expected time.	Need SME

PQ Section 87 - API behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-087. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

PQ-087-1: App shall process heart rate data and preserve timestamp/timezone context.

85. PQ-087-2: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-087-01	Export readings as PDF/CSV	Notification Service	High	Result must be visible in mobile UI within expected time.	Draft
PQ-087-02	Notification retry and suppression	Local DB	High	Result must be visible in mobile UI within expected time.	Approved?
PQ_87.3	Validate sensor data range	Bluetooth Sensor	Not ranked	System shall complete the action without data loss.	Rejected once
PQ-087-04	Capture heart rate from paired device	Android	Medium	User shall receive clear error message on failure.	Draft
PQ-087-05	Validate sensor data range	Android	Low	User shall receive clear error message on failure.	Pending QA

PQ Section 88 - Security and privacy

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-088. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

86. Old requirement copied from web portal project - review if still valid.

- Old requirement copied from web portal project - review if still valid.

87. PQ-088-3: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-088-01	Show trend chart for 7/30/90 days	iOS	Not ranked	Result must be visible in mobile UI within expected time.	Need SME
PQ-088-02	Show trend chart for 7/30/90 days	Android/iOS	Low	Result must be visible in mobile UI within expected time.	In Review
PQ-088-03	Display current BPM with timestamp	Bluetooth Sensor	Medium	Result must be visible in mobile UI within expected time.	Draft
PQ-088-04	Audit user actions	Android	Medium	Audit/event record shall be generated where applicable.	Rejected once
PQ-088-05	Biometric login option	Android	High	TBD by clinical SME - intentionally incomplete.	Need SME

PQ Section 89 - Alert workflow

manual note

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-089. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-089-01	Generate high/low heart-rate alert	Android	High	Data shall be encrypted in transit and at rest.	Need SME
PQ-089-02	Manual heart rate entry when device unavailable	iOS	Not ranked	Result must be visible in mobile UI within expected time.	Approved?
PQ-089-03	Handle offline mode	Backend API	Medium	Result must be visible in mobile UI within expected time.	Pending QA
PQ-089-04	Handle offline mode	Android/iOS	Low	User shall receive clear error message on failure.	Draft

PQ Section 90 - Security and privacy

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-090. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- Old requirement copied from web portal project - review if still valid.
- PQ-090-2: App shall process heart rate data and preserve timestamp/timezone context.
- Old requirement copied from web portal project - review if still valid.
- Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-090-01	Biometric login option	Android	High	Data shall be encrypted in transit and at rest.	Approved?
PQ-090-02	Validate sensor data range	Local DB	Not ranked	User shall receive clear error message on failure.	Pending QA
PQ-090-03	Biometric login option	Local DB	High	System shall complete the action without data loss.	Rejected once
PQ-090-04	Sync readings to cloud API	iOS	Medium	Audit/event record shall be generated where applicable.	In Review

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

PQ Section 91 - Traceability notes

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-091. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

88. Unnumbered note - check sensor disconnect behavior during active monitoring.
- For iOS only? For Android only? unclear; parser should capture platform if visible.
89. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_91.1	Biometric login option	Bluetooth Sensor	Medium	User shall receive clear error message on failure.	Approved?
PQ-091-02	Manual heart rate entry when device unavailable	Android/iOS	TBD	Audit/event record shall be generated where applicable.	Need SME
PQ-091-03	Store readings securely on device	Android/iOS	Medium	User shall receive clear error message on failure.	Draft
PQ-091-04	Sync readings to cloud API	Cloud Sync	TBD	System shall complete the action without data loss.	Draft
PQ-091-05	Notification retry and suppression	iOS	Low	System shall complete the action without data loss.	Rejected once

Random inserted note: duplicate title appears again below.

PQ Section 91 - Traceability notes

PQ Section 92 - Exception handling

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-092. Owner: TBD. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

90. PQ-092-1: App shall process heart rate data and preserve timestamp/timezone context.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-092-01	Store readings securely on device	Bluetooth Sensor	Medium	System shall complete the action without data loss.	Need SME
PQ-092-02	Export readings as PDF/CSV	Android/iOS	Not ranked	Data shall be encrypted in transit and at rest.	In Review
PQ-092-03	Manual heart rate entry when device unavailable	Backend API	Low	Data shall be encrypted in transit and at rest.	Approved?
PQ-092-04	Support caregiver view	Notification Service	Medium	System shall complete the action without data loss.	Draft

PQ Section 93 - Test condition table

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-093. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 91. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- 92. For iOS only? For Android only? unclear; parser should capture platform if visible.
- 93. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-093-01	Capture heart rate from paired device	Notification Service	Medium	Audit/event record shall be generated where applicable.	Draft
PQ-093-02	Manual heart rate entry when device unavailable	Cloud Sync	Medium	TBD by clinical SME - intentionally incomplete.	Need SME
PQ-093-03	Handle offline mode	Cloud Sync	TBD	TBD by clinical SME - intentionally incomplete.	Need SME

PQ Section 94 - Evidence placeholder

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-094. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-094-01	Manual heart rate entry when device unavailable	iOS	Not ranked	User shall receive clear error message on failure.	Draft
PQ-094-02	Support caregiver view	Android	Low	TBD by clinical SME - intentionally incomplete.	Need SME
PQ-094-03	Biometric login option	Android/iOS	Not ranked	System shall complete the action without data loss.	Draft
PQ-094-04	Audit user actions	Cloud Sync	TBD	Audit/event record shall be generated where applicable.	Pending QA
PQ_94.5	Audit user actions	iOS	Low	Audit/event record shall be generated where applicable.	Draft

PQ Section 95 - Test condition table

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-095. Owner: Product. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

94. Old requirement copied from web portal project - review if still valid.

- PQ-095-2: App shall process heart rate data and preserve timestamp/timezone context.
- Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_95.1	Capture heart rate from paired device	Android/iOS	Not ranked	System shall complete the action without data loss.	Need SME
PQ-095-02	Biometric login option	Android/iOS	Not ranked	TBD by clinical SME - intentionally incomplete.	Approved?
PQ-095-03	Validate sensor data range	iOS	Not ranked	Data shall be encrypted in transit and at rest.	Approved?

PQ Section 96 - UI behavior

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-096. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

- 95. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.
- 96. Unnumbered note - check sensor disconnect behavior during active monitoring.
- 97. PQ-096-3: App shall process heart rate data and preserve timestamp/timezone context.
- 98. PQ-096-4: App shall process heart rate data and preserve timestamp/timezone context.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-096-01	Handle offline mode	iOS	Medium	Audit/event record shall be generated where applicable.	Pending QA
PQ-096-02	Display current BPM with timestamp	Bluetooth Sensor	Not ranked	Result must be visible in mobile UI within expected time.	Rejected once
PQ_96.3	Manual heart rate entry when device unavailable	Bluetooth Sensor	Not ranked	User shall receive clear error message on failure.	Draft
PQ-096-04	Manual heart rate entry when device unavailable	Android	High	User shall receive clear error message on failure.	In Review

PQ Section 97 - Repeated requirement block

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-097. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

99. Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

Unnumbered note - check sensor disconnect behavior during active monitoring.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-097-01	Validate sensor data range	iOS	Medium	User shall receive clear error message on failure.	Rejected once
PQ_97.2	Audit user actions	Notification Service	Low	Result must be visible in mobile UI within expected time.	Need SME
PQ-097-03	Handle offline mode	Cloud Sync	Low	Audit/event record shall be generated where applicable.	Draft

PQ Section 98 - UI behavior

??

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-098. Owner: QA. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

- Old requirement copied from web portal project - review if still valid.

100. PQ-098-3: App shall process heart rate data and preserve timestamp/timezone context.

101. Old requirement copied from web portal project - review if still valid.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-098-01	Sync readings to cloud API	Local DB	High	TBD by clinical SME - intentionally incomplete.	Rejected once
PQ-098-02	Store readings securely on device	Bluetooth Sensor	TBD	User shall receive clear error message on failure.	Draft
PQ-098-03	Biometric login option	Android/iOS	Not ranked	Audit/event record shall be generated where applicable.	Pending QA

PQ Section 99 - Data handling notes

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-099. Owner: Mobile Lead. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

Old requirement copied from web portal project - review if still valid.

Unnumbered note - check sensor disconnect behavior during active monitoring.

Acceptance: expected result to be confirmed by QA; evidence screenshot may be attached later.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ-099-01	Consent capture and privacy notice	iOS	High	Data shall be encrypted in transit and at rest.	Draft
PQ-099-02	Consent capture and privacy notice	Bluetooth Sensor	High	Data shall be encrypted in transit and at rest.	Draft
PQ_99.3	Battery and Bluetooth warning	Android	Low	TBD by clinical SME - intentionally incomplete.	In Review
PQ-099-04	Handle offline mode	Android	Low	Data shall be encrypted in transit and at rest.	Draft
PQ-099-05	Capture heart rate from paired device	Android	Low	Data shall be encrypted in transit and at rest.	Draft

MIXED TRACEABILITY LINE: URS-00X -> FRS?? -> DS component maybe -> IQ/OQ/PQ evidence TBD. This line is intentionally noisy.

PQ Section 100 - Test condition table

This page belongs to Performance Qualification for the Heart Rate Monitor mobile application. The application supports Android and iOS users, paired heart-rate sensors, manual BPM entry, trend review, alerts, data export, and controlled access. This block intentionally includes uneven numbering, repeated labels, partial owner fields, and mixed wording so an AI traceability/RAG engine can be tested against non-perfect documents. Page marker: PQ-100. Owner: Clinical SME. Important terms: BPM, sensor pairing, low alert, high alert, caregiver, audit trail, local cache, encrypted sync, consent, export, notification.

102. Old requirement copied from web portal project - review if still valid.
103. For iOS only? For Android only? unclear; parser should capture platform if visible.

ID	Requirement / Test / Step	Area	Risk	Acceptance / Expected Result	Status
PQ_100.1	Export readings as PDF/CSV	Local DB	Medium	Audit/event record shall be generated where applicable.	Pending QA
PQ-100-02	Manual heart rate entry when device unavailable	Bluetooth Sensor	Medium	Audit/event record shall be generated where applicable.	Approved?
PQ_100.3	Capture heart rate from paired device	Android/iOS	Low	Audit/event record shall be generated where applicable.	Need SME