


Intro


Packages from the Typst Universe like Mitex or Cetz are not passed as separate files, they are simply imported. The API uses `SystemPackages` from `typst-kit` which fetches and caches packages “on-demand”.

Cetz example

Karl’s picture:



Torus



Mitex example

The Mitex package is super useful for using LaTeX code inside a Typst document.

Write inline equations like

x

or

y

.

Also block equations (this example is from [katex.org](#)):

$$f(x) = \int_{-\infty}^{\infty} \hat{f}(\xi) \, e^{2\pi i \xi x} \, d\xi$$

We also support text mode (in development):

Title

A **strong** text, a *emph* text and inline equation

$x + y$

.

Also block equation 1.

$$a^2 + b^2 = c^2 \tag{1}$$

And everything you can imagine...

More examples!

$$\lim_{x \rightarrow \infty} a_n \qquad \frac{d}{dt} \qquad \ddot{x} \qquad \frac{\partial^2}{\partial x^2} \qquad \sum_{i=1}^n a_i \qquad \int_a^b f(t) dt \qquad \oint_C \vec{F} \cdot \vec{dr}$$

$$\underbrace{1 - e^0}_0 + 6 \qquad \overbrace{\frac{\partial f}{\partial x} \dot{x} + \frac{\partial f}{\partial y} \dot{y} + \frac{\partial f}{\partial t} = 0}^{\frac{df}{dt}} \qquad \underbrace{a + a + a}_{\substack{\text{1st line of text} \\ \text{2nd line of text}}}$$

$$\begin{pmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \end{pmatrix} \qquad \begin{bmatrix} v_1 \\ v_2 \\ v_3 \end{bmatrix} \qquad \begin{vmatrix} \mathbf{i} & \mathbf{j} & \mathbf{k} \\ v_1 & v_2 & v_3 \\ u_1 & u_2 & u_3 \end{vmatrix}$$

$$f(x,y) = \begin{cases} \frac{x \sin(x^2+y^2)}{x^2+y^2} & \text{if}(x,y) \neq (0,0) \\ 0 & \text{if}(x,y) = (0,0) \end{cases}$$