

The planar topologies in QCD corrections to Z boson pair production

Wenjie He





April 29, 2024

Outline





- 1 The planar topologies in QCD corrections to Z boson pair production
- 2 Two topologies

- 1 The planar topologies in QCD corrections to Z boson pair production
- 2 Two topologies
 - Roots involved the root




Planar topologies in quark channel







Planar topologies in gluon channel







Planar topologies in gluon channel







Planar topologies in gluon channel





Planar topologies in gluon channel



Planar topologies in gluon channel



Planar topologies in gluon channel



$$D_1 = l_1^2$$

$$D_4 = (l_2 + p_1 + p_2)^2 - m_t^2$$

$$D_7 = (l_1 - l_2)^2 - m_t^2$$

$$D_2 = (l_1 + p_1)^2$$

$$D_5 = (l_2 - p_4)^2 - m_t^2$$

$$D_8 = (l_2 + p_1)^2 - m_t^2$$

$$D_3 = (l_1 + p_1 + p_2)^2$$

$$D_6 = l_2^2 - m_t^2$$

$$D_9 = (l_1 - p_4)^2 - m_t^2$$

The special sector


- 56 MIs
- Roots involved the root:

$$\Lambda_1 = \sqrt{(-4m_t^2 + m_Z^2 - \rho)} \quad \Lambda_2 = \sqrt{(4m_t^2 + m_Z^2 - \rho)}$$

$$\Lambda_3 = \sqrt{(-4m_t^2 + m_Z^2 + \rho)} \quad \Lambda_4 = \sqrt{(4m_t^2 + m_Z^2 + \rho)}$$

$$\rho = \sqrt{(4sm_t^2 + (m_Z^2 - 4m_t^2)^2)}$$

The special sector



$$\mathbb{T}_{19,20,21;19,20,21} = \begin{pmatrix} \lambda_3 \epsilon^3 & 0 & 0 \\ -\frac{\Lambda_1 \Lambda_2 \Lambda_3^2 \epsilon^3}{4m_t^2} & \frac{\Lambda_1 \Lambda_2 \Lambda_3^2 \epsilon^2 (2\epsilon - 1)}{4m_t^2} & -\frac{\Lambda_1 \Lambda_2 \Lambda_3^2 \rho \epsilon^2}{4m_t^2} \\ \frac{\Lambda_3 \Lambda_4 \epsilon^3 \Lambda_1^2}{4m_t^2} & -\frac{\Lambda_3 \Lambda_4 \epsilon^2 (2\epsilon - 1) \Lambda_1^2}{4m_t^2} & -\frac{\Lambda_3 \Lambda_4 \rho \epsilon^2 \Lambda_1^2}{4m_t^2} \end{pmatrix}$$

$$\lambda_3 = \sqrt{s(-4m_Z^2 + s)}$$

Why only these two sectors?

I was young.

Thanks!