Attendance System Using YOLO

Maqsood Ahmed*, Ali Gohar†, Karrar Ahmed‡
*Registration Number: 2022656, u2022656@giki.edu.pk
†Registration Number: 2022081, u2022081@giki.edu.pk
‡Registration Number: 2022246, u2022246@giki.edu.pk

***Abstract*—This project developed an AI-based attendance system using YOLO for face detection and classification. Challenges like insufficient training data and limited model generalization were addressed through dataset augmentation using Roboflow, enhancing diversity and size. Separate YOLO models for detection and classification improved recognition accuracy, especially for images with multiple faces. A lightweight backend using CSV file handling and Flask for frontend-backend integration ensured efficient data management. While results were promising on testing data, performance on out-of-dataset images highlighted areas for improvement. Future work includes enhancing robustness, enabling real-time capabilities, and exploring advanced models for scalability and generalization.**

I. Introduction

The primary objective of this project was to develop an automated attendance system using advanced AI technologies for accurate face detection and recognition. By leveraging the YOLO model, the system effectively handled both detection and classification tasks, enabling it to identify faces in images with high precision. Uploaded images were processed seamlessly, and predictions were displayed dynamically through a user-friendly web interface designed to enhance accessibility and usability.

Challenges such as limited initial training data and model generalization issues were encountered during the development process. To overcome these, data augmentation techniques were applied, significantly improving dataset diversity and size. A combination of detection and classification models was employed, optimizing the system's accuracy, particularly in scenarios involving multiple faces.

The backend, implemented using Flask and CSV file handling, ensured efficient data management and storage, while the frontend provided real-time feedback for a seamless user experience. Although the system performed well on testing data, it struggled with out-of-dataset images, revealing opportunities for improvement. Overall, the project made significant strides, laying a solid foundation for future enhancements, including real-time processing and integration with advanced AI architectures.

II. Project Workflow

A. Data Collection and Preparation

The success of an AI-based system heavily depends on the quality and diversity of its dataset. In this project, significant efforts were made to create, augment, and preprocess a dataset that could effectively train the models for accurate face detection and recognition.

- **Initial Challenges:** The dataset initially available for training lacked diversity in terms of facial features, lighting conditions, and backgrounds. This limitation resulted in poor generalization, as the model struggled to perform well on unseen data, particularly out-of-dataset (OOD) images. The lack of variation highlighted the necessity for a more comprehensive and representative dataset.
- **Dataset Creation:** To address the issue, a dataset comprising images of 28 classmates was captured under varied conditions. These conditions included different lighting setups, angles, facial expressions, and poses. This approach ensured that the dataset better reflected real-world scenarios, increasing the model's ability to generalize effectively.
- **Augmentation via Roboflow:** To further enhance dataset diversity, augmentation techniques were applied using Roboflow. Techniques such as flipping, rotation, cropping, brightness adjustments, and noise addition were employed. This process expanded the dataset to a total of 758 images. Augmentation introduced variability that mimicked real-world data, making the dataset more robust for training.
- **Annotation Process:** Each image in the dataset was carefully annotated with bounding boxes to mark the regions of interest (faces). The accuracy of these annotations was critical for the YOLO detection model to learn effectively. Bounding box coordinates were verified to ensure that all facial regions were correctly labeled.
- **Training Dataset:** The dataset was systematically split into three subsets: training, validation, and testing. The training set comprised the majority of the images and was used to train the model. The validation set was utilized to tune hyperparameters and monitor the model's performance during training. The testing set, kept entirely separate from the training and validation sets, provided an unbiased evaluation of the model's performance.
- **Generalization Efforts:** Despite augmentation and careful annotation, the dataset's diversity remained limited for certain unseen cases. To improve generalization, future efforts will include expanding the dataset by incorporating images from diverse environments, such as different ethnic groups, varied lighting conditions, and dynamic backgrounds.

B. Model Implementation

The implementation of the AI-based attendance system involved training and integrating advanced machine learning models for face detection and recognition. The journey of model implementation included multiple iterations and optimizations to improve performance and reliability.

- **YOLO for Detection:**
  The YOLO (You Only Look Once) model was chosen for its efficiency and high accuracy in object detection tasks. It was trained on the augmented dataset specifically to detect faces. During testing, the model demonstrated high accuracy on the testing dataset, successfully identifying faces with well-defined bounding boxes. However, its performance decreased when applied to out-of-dataset (OOD) images, highlighting its limitations in generalization. To address this issue, experimentation with different YOLO variants, such as YOLOv11, was conducted. These variants showed improved performance on OOD images but required further fine-tuning for optimal results.
- **FaceNet for Classification:**
  FaceNet, a deep learning model known for generating facial embeddings, was integrated with YOLO to perform face recognition after detection. Detected faces were cropped and preprocessed before being passed to FaceNet for classification. Despite its robust architecture, the model struggled to achieve satisfactory accuracy on OOD images, largely due to the limited diversity in the training dataset. Additional preprocessing steps, including resizing and normalization, were employed to enhance FaceNet's accuracy. However, the results indicated a need for alternative approaches to achieve better recognition performance.
- **Separate Detection and Classification Models:**
  To improve overall performance, separate YOLO models were trained for detection and classification tasks. The detection model focused on identifying face regions with bounding boxes, while the classification model specialized in predicting class labels for cropped face images. This modular approach allowed each model to excel in its specific task, leading to improved accuracy and confidence levels in recognizing individuals. It also enhanced the system's ability to handle images with multiple faces. By combining the outputs of the detection and classification models, the system achieved more reliable predictions, particularly in scenarios involving complex image inputs.
- **Model Evaluation:**
  The performance of the detection and classification models was evaluated using metrics such as precision, recall, and mean Average Precision (mAP). These metrics provided a comprehensive assessment of the models' accuracy and robustness. The evaluation process highlighted the strengths of the YOLO detection model while identifying areas for improvement in the classification model, particularly in handling OOD images. Continuous testing and analysis guided the refinement of the models, ensuring incremental improvements in their performance. As shown in Figure 1, the architecture involves YOLO models for detection. As shown in Figure 2, the architecture involves YOLO models for detection.



Fig. 1. YOLO detection of the Attendance System.



Fig. 2. YOLO classificationof the Attendance System.

C. Backend Development

The backend development focused on building a robust and scalable infrastructure to handle user interactions, process images, and store results efficiently. The implementation leveraged lightweight frameworks and file handling techniques to achieve the desired functionality.

- **Flask Framework:**
  - Flask was chosen as the backend framework for its simplicity and flexibility in handling HTTP requests and responses.
  - It managed critical tasks such as file uploads, routing, and the interaction between the user interface and the AI models for detection and classification.

  - The framework enabled smooth communication between the frontend and the AI models, ensuring real-time predictions and dynamic updates on the user interface.
  - Flask also facilitated the integration of model predictions with backend storage systems, enabling efficient logging and retrieval of data.
- **CSV File Handling:**
  - Predictions, including details such as bounding boxes, class labels, confidence scores, and timestamps, were stored in a CSV file as a lightweight backend solution.
  - Python's built-in `csv` module was used to append results dynamically for every processed image, ensuring data integrity and easy access.
  - The CSV file provided a simple yet effective way to log predictions, making it suitable for the project's initial scope without adding unnecessary complexity.
  - This approach also allowed for future scalability, as the data stored in the CSV file could easily be migrated to a relational database for advanced querying and analysis.
- **pgAdmin Integration:**
  - Integration with pgAdmin and PostgreSQL was planned to provide a robust database backend capable of managing large datasets and offering advanced querying capabilities.
  - The plan included storing predictions and attendance records in a structured database for enhanced data accessibility and management.
  - Due to time constraints, the full implementation of pgAdmin integration was deferred, but foundational steps were taken to ensure a seamless upgrade in future iterations.
  - Future enhancements will focus on migrating from the current CSV-based solution to a fully-fledged database system to support real-time analytics and scalability.

D. Frontend Development

The frontend development focused on creating a user-friendly interface that facilitates seamless interactions with the attendance system. Key features were implemented to ensure ease of use and responsiveness.

- **HTML/CSS Interface:**
  - A simple yet visually appealing interface was designed using HTML and CSS, allowing users to upload images and view predictions with ease.
  - The interface was styled to provide a clean layout, with intuitive buttons and input fields to guide users through the process.
  - Responsive design principles were applied to ensure compatibility across various devices and screen sizes, enhancing accessibility for all users.
  - CSS styling was utilized to highlight interactive elements like buttons and progress indicators, improving the overall user experience.
- **Dynamic Result Display:**
  - JavaScript was integrated to enable dynamic updates, allowing predictions to be displayed in real-time without requiring a full page reload.
  - The Fetch API was used for asynchronous communication with the backend, ensuring a smooth flow of data between the user interface and the Flask server.
  - Prediction results, including bounding boxes, class labels, and confidence scores, were dynamically rendered on the page in an organized format for easy interpretation.
  - Error handling mechanisms were implemented to provide users with immediate feedback in case of invalid file uploads or server-side issues.
- **Interactive Feedback:**
  - Visual cues, such as loading animations and success notifications, were added to enhance user interaction during image uploads and processing.
  - Informative messages were displayed to guide users throughout the process, ensuring clarity and reducing potential errors.
- **Future Scalability:**
  - The frontend was designed to accommodate future enhancements, such as real-time video uploads and advanced visualization features.
  - The modular design allows for easy integration of modern frameworks like React or Vue.js for improved performance and interactivity.

III. Challenges and Solutions

The development of the AI-based attendance system presented several challenges, which the team systematically addressed with innovative solutions. These are detailed below:

- **Insufficient Data:**
  - Initially, the dataset lacked diversity, which significantly impacted the model's ability to generalize effectively to unseen data.
  - To overcome this, the team utilized **Roboflow** to augment the dataset. Techniques such as flipping, rotation, scaling, and color adjustments were applied, increasing the dataset size to 758 images. This enhancement introduced the variability needed for robust training.
- **Detection Challenges:**
  - The YOLO detection model performed well on testing data but struggled with out-of-dataset (OOD) images due to limited diversity in the training set.
  - To address this, the team switched to a more advanced version, **YOLO11**, which demonstrated improved detection performance and better generalization across diverse datasets.

  - Additional training iterations with augmented data further enhanced the model's ability to detect faces in challenging scenarios.
- **Recognition Accuracy:**
  - FaceNet was initially employed for face recognition but exhibited low accuracy on OOD images, highlighting limitations in its performance.
  - By introducing separate **YOLO classification models**, trained specifically for face recognition tasks, the team significantly improved recognition accuracy.
  - This approach leveraged the strengths of YOLO's architecture to handle both detection and classification tasks effectively, improving the overall reliability of the system.
- **Backend Integration:**
  - Efficient data handling was a critical requirement for the system. A lightweight solution using **CSV file handling** was implemented, allowing predictions to be stored dynamically.
  - Each processed image's details, including bounding boxes, class labels, confidence scores, and timestamps, were logged in the CSV file for easy retrieval and analysis.
  - While **pgAdmin** integration was planned for robust database management, it was deferred due to time constraints. The groundwork for future implementation was laid during the project.
- **Deployment Issues:**
  - Ensuring smooth data flow between the frontend and backend components posed challenges during deployment.
  - The team resolved these issues by streamlining the **API workflow** using Flask. This included handling file uploads, processing images, and delivering predictions to the frontend efficiently.
  - Robust error-handling mechanisms were added to ensure seamless user interaction, even during unexpected scenarios.

IV. Results

The project delivered promising results, showcasing the potential of combining YOLO detection and classification models for an AI-powered attendance system. The key outcomes are summarized below:

- **Effective Face Detection and Recognition:**
  - The system demonstrated the ability to accurately detect and recognize faces in uploaded images.
  - The YOLO detection model efficiently localized faces with bounding boxes, while the classification model provided accurate class predictions for recognized individuals.
- **Improved Recognition Accuracy:**
  - By employing separate models for detection and classification, the system achieved significant improvements in recognition accuracy.
  - This modular approach enhanced the reliability of the system, particularly in scenarios involving multiple faces within a single image.
- **Generalization Challenges:**
  - While the system performed well on testing data, its generalization to out-of-dataset (OOD) images remained a challenge.
  - The results highlighted the need for further dataset expansion and augmentation to improve model robustness.
- **Efficient Data Logging:**
  - Processed predictions, including bounding boxes, class labels, confidence scores, and timestamps, were dynamically logged in a CSV file.
  - This lightweight solution ensured efficient data storage and allowed for easy retrieval and analysis, providing valuable insights into system performance.
- **User-Friendly Interface:**
  - The web-based interface allowed users to seamlessly upload images and view predictions in real-time.
  - The dynamic display of results enhanced the user experience, making the system accessible and interactive.
- **Testing Performance:**
  - The system achieved high accuracy and confidence levels on testing data, validating the effectiveness of the training pipeline and augmented dataset.
  - Precision, recall, and mAP metrics demonstrated strong performance on the testing set, affirming the reliability of the detection and classification models.

V. Future Work

While the project demonstrated promising results, several areas for improvement and expansion have been identified. Future work will focus on enhancing the system's usability, scalability, and performance:

- **Enhanced Frontend and Backend:**
  - Develop a more intuitive and responsive frontend interface to improve user experience.
  - Integrate **pgAdmin** with PostgreSQL for robust and scalable data storage and management, replacing the current CSV-based solution.
  - Introduce advanced analytics and visualization dashboards to provide insights into attendance trends and system performance.
- **Improved Generalization:**
  - Expand the dataset by incorporating images from diverse environments, lighting conditions, and demographics to enhance model robustness.
  - Employ advanced augmentation techniques, such as geometric transformations, domain-specific noise addition, and synthetic data generation, to further improve the model's generalization capabilities.
- **Real-Time Capability:**

  - Extend the system to support live video processing for real-time attendance tracking.
  - Optimize the detection and classification models for faster inference speeds to handle real-time video streams effectively.
- **Advanced Models:**
  - Explore hybrid architectures that combine detection and recognition into a unified model for improved efficiency.
  - Experiment with state-of-the-art models such as **MTCNN** for face detection and deep learning-based recognition models for higher accuracy.
  - Integrate cloud-based solutions for deployment, enabling seamless scalability, remote access, and real-time data synchronization.
- **Scalability and Deployment:**
  - Deploy the system on cloud platforms to support scalability and ensure reliability for large-scale applications.
  - Design modular APIs to facilitate integration with third-party systems, such as student management software and biometric devices.
- **Comprehensive Testing:**
  - Conduct rigorous testing on diverse datasets, including out-of-dataset (OOD) images, to evaluate and improve model robustness.
  - Collect user feedback to identify areas of improvement and incorporate enhancements based on real-world usage scenarios.

VI. Conclusion

This project demonstrated the feasibility of using YOLO models for an AI-powered attendance system. By integrating detection and classification models with a Flask backend and a functional frontend, the system effectively detected and recognized faces. Despite challenges like data limitations and integration issues, significant progress was made.

Promising results on testing data laid the foundation for future improvements, including enhanced generalization, real-time processing, and advanced database integration. This work provides a strong basis for scalable and efficient attendance systems with broader applications.

Acknowledgments

The team extends gratitude to **Dr. Ali Imran Sandhu** for his guidance and support throughout this project.