#### **Exercise Web II:**

# JavaScript Challenges (strings, arrays, and date/time) Web II Lab | SE & IT Dept. – Level 3

- 1. Check for Anagrams: Write a function that takes two strings as input and returns true if the two strings are anagrams (meaning they contain the same letters in a different order).
- 2. Slice an Array: Write a function that takes an array and two indices as input and returns a new array that contains the elements between the two indices.
- 3. Split a String into Words: Write a function that takes a string as input and returns an array of the words in that string.
- 4. Calculate the Age Based on a Date of Birth: Write a function that takes a date of birth as input and returns the age of the person as of today.
- 5. Check if a String is a Valid Email Address: Write a function that takes a string as input and returns true if the string is a valid email address.
- 6. Replace All Occurrences of a Substring in a String: Write a function that takes a string, a substring, and a replacement string as input, and returns the same string with all occurrences of the substring replaced with the replacement string.
- 7. Find the Second Smallest Value in an Array: Write a function that takes an array of numbers as input and returns the second smallest value in that array.
- 8. Find the Difference Between Two Arrays: Write a function that takes two arrays as input and returns an array that contains the elements that are in the first array but not in the second array.
- 9. Format a Time Duration: Write a function that takes a time duration (in seconds) as input and returns a formatted string in the format of "X hours, Y minutes, Z seconds".
- 10. Convert a String to CamelCase: Write a function that takes a string as input and returns the same string in CamelCase (meaning each word is capitalized except for the first word).

## The Solutions:

## • Check for Anagrams:

```
function isAnagram(str1, str2) {
   str1 = str1.toLowerCase().replace(/[^a-z]/g, '');
   str2 = str2.toLowerCase().replace(/[^a-z]/g, '');

   return str1.split('').sort().join('') ===
   str2.split('').sort().join('');
}
```

.....

### • Slice an Array:

```
function sliceArray(arr, start, end) {
  return arr.slice(start, end);
}
```

.....

## • Split a String into Words:

```
function splitString(str) {
   str = str.trim().replace(/[^a-z\s]/ig, '');
   return str.split(/\s+/);
}
```

• Calculate the Age Based on a Date of Birth:

```
function calculateAge(dob) {
  dob = new Date(dob);
  var ageDiffMs = Date.now() - dob.getTime();
  var ageDate = new Date(ageDiffMs);
  return Math.abs(ageDate.getUTCFullYear() - 1970);
}
```

• Check if a String is a Valid Email Address:

```
function isValidEmail(email) {
  var regex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
  return regex.test(email);
}
```

• Replace All Occurrences of a Substring in a String:

```
function replaceAll(str, substr, replacement) {
   return str.replace(new RegExp(substr, 'g'),
   replacement);
}
```

• Find the Second Smallest Value in an Array:

```
function findSecondSmallest(arr) {
  return arr.sort()[1];
}
```

• Find the Difference Between Two Arrays:

```
function arrayDifference(arr1, arr2) {
   return arr1.filter(function(element) {
     return arr2.indexOf(element) === -1;
   });
}
```

.....

• Format a Time Duration:

```
function formatDuration(seconds) {
  var hours = Math.floor(seconds / 3600);
  seconds %= 3600;
  var minutes = Math.floor(seconds / 60);
  seconds %= 60;

  var str = '';
  if (hours > 0) {
    str += hours + ' hours, ';
  }
  if (minutes > 0) {
    str += minutes + ' minutes, ';
  }
  str += seconds + ' seconds';
```

```
return str;
}
```

## • Convert a String to CamelCase:

```
function toCamelCase(str) {
  var words = str.split(/[\s_-]+/);
  for (var i = 1; i < words.length; i++) {
    words[i] = words[i].charAt(0).toUpperCase() +
  words[i].slice(1);
  }
  return words.join('');
}</pre>
```