```
/mnt/c/Users/client/Desktop/tesi/tesi/Analisi/W14R12/threshold scan/all norm/
200/20221010 110437 threshold scan interpreted.h5
                  Chip = W14R12
```

Script version = fe5a39f

IBIAS = 50, ITHR = 64, ICASN = 0, IDB = 100, ITUNE = 53, VRESET = 143, VCASP =

93, VCASC = 228, VCLIP = 255, VL = 2, VH = 200, ICOMP = 80, IDEL = 88, IRAM = 50

threshold scan

start column = 56, stop column = 84, start row = 0, stop row = 512, n injections


= 100, VCAL HIGH = 200, VCAL LOW start = 199, VCAL LOW stop = 1, VCAL LOW step =


-1




S-Curve (All FEs) VH = 200, VL = 199..1 (step -1) 13500 1.4 12000 1.2 10500 1.0 9000 Occupancy Pixels / bin 8.0 7500 6000 0.6 4500 0.4 3000 0.2 1500 0.0 20 40 60 80 100 120 160 180 140 Injected charge [DAC]


S-Curve (Normal) VH = 200, VL = 199..1 (step -1) 13500 1.4 12000 1.2 10500 1.0 9000 Occupancy Pixels / bin 8.0 7500 6000 0.6 4500 0.4 3000 0.2 1500 0.0 20 40 60 80 160 180 100 120 140 Injected charge [DAC]







Threshold distribution






Threshold map






Noise (width of s-curve slope) distribution



Noise (width of s-curve slope) map

VH = 200, VL = 199..1 (step -1)



Time between hits (All FEs) VH = 200, VL = 199..1 (step -1) Δt_{token} from previous hit [µs] 40000 Hits / bin ToT [25 ns]

Time between hits (Normal) VH = 200, VL = 199..1 (step -1) Δt_{token} from previous hit [µs] 40000 Hits / bin ToT [25 ns]

Time between hits (All FEs) VH = 200, VL = 199..1 (step -1) Δt_{token} from previous hit [µs] Injected charge [DAC]

