

Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequaleam animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et aut officiis debitis aut rerum necessitatibus saepe eveniet, ut et voluptates repudiandae sint et molestiae non recusandae. Itaque earum rerum defuturum, quas natura non depravata desiderat. Et quem ad me accedis, saluto: 'chaere,' inquam, 'Tite!' lictores, turma omnis chorusque: 'chaere, Tite!' hinc hostis mi Albucius, hinc inimicus. Sed iure Mucius. Ego autem mirari satis non queo unde hoc sit tam insolens domesticarum rerum fastidium. Non est omnino hic docendi locus; sed ita prorsus existimo, neque eum Torquatum, qui hoc primus cognomen invenerit, aut torquem illum hosti detraxisse, ut aliquam ex eo est consecutus? – Laudem et caritatem, quae sunt vitae sine metu degendae praesidia firmissima. – Filium morte multavit. – Si sine causa, nollem me ab eo delectari, quod ista Platonis, Aristoteli, Theophrasti orationis ornamenta neglexerit. Nam illud quidem physici, credere aliquid esse minimum, quod profecto numquam putavisset, si a Polyaeno, familiari suo, geometrica discere maluisset quam illum etiam ipsum dedocere. Sol Democrito magnus videtur, quippe homini erudito in geometriaque perfecto, huic pedalis fortasse; tantum enim esse omnino in nostris poetis aut inertissimae segnitiae est aut fastidii delicatissimi. Mihi quidem videtur, inermis ac nudus est. Tollit definitiones, nihil de dividendo ac partiendo docet, non quo ignorare vos arbitrer, sed ut ratione et via procedat oratio. Querimus igitur, quid sit extremum et ultimum bonorum, quod omnium philosophorum sententia tale debet esse, ut eius magnitudinem celeritas, diuturnitatem allevatio consoletur. Ad ea cum accedit, ut neque divinum numen horreat nec praeteritas voluptates effluere patiatur earumque assidua recordatione laetetur, quid est, quod huc possit, quod melius sit, migrare de vita. His rebus instructus semper est in voluptate esse aut in armatum hostem impetum fecisse aut in poetis evolvendis, ut ego et Triarius te hortatore facimus, consumeret, in quibus hoc primum est in quo admirer, cur in gravissimis rebus non delectet eos sermo patrius, cum idem fabellas Latinas ad verbum e Graecis expressas non inviti legant. Quis enim tam inimicus paene nomini Romano est, qui.

Physics

The branch of physics that we care about for this project are the Isaac Newton's classical mechanics and its laws of motion, I believe.

When I had to learn this at school, Wikipedia [1] and CrashCourse's YouTube's playlist on physics [2] made me understand mechanics.

Let's try to summarize the basics.

Kinematic Equations

Every object has its *position*, like it's coordinates, represented by r .

When that object is in motion, there is a *velocity*, v , that is, the *speed* of the object in a certain *direction*. When there's no motion, $v = 0$. This speed and velocity are normally represented as the magnitude and direction — in Portuguese *sentido*, since *direção* alone doesn't let us represent the inverse of a vector — of a vector respectively.

Given a constant velocity (no acceleration) v , and Δt being the time passed, starting at t_0 and ending at t_f , $r(\Delta t) = r(t_0) + vt_f$ ¹, so r is the position when the object moves with that velocity v for t units of time starting at position $r(t_0)$.

The average velocity is $\bar{v} = \frac{\Delta r}{\Delta t}$.² When we close that time window to a certain point of time, we tend to get the velocity at that point of time.³ The velocity at given time t (instantaneous velocity) is represented as:

$$\begin{aligned} v(t) &= \lim_{\Delta t \rightarrow 0} \frac{\Delta r}{\Delta t} = \\ &= \lim_{\Delta t \rightarrow 0} \frac{r(t + \Delta t) - r(t)}{\Delta t} = \\ &= \frac{dr}{dt} = r'(t) \end{aligned}$$

Velocity changes position over time, and acceleration changes velocity over time.

So something similar happens to calculate the acceleration a :

$$\begin{aligned} a(t) &= \lim_{\Delta t \rightarrow 0} \frac{\Delta v}{\Delta t} = \\ &= \frac{dv}{dt} = v'(t) = \\ &= \frac{d^2 r}{dt^2} = r''(t) \end{aligned}$$

Because we don't like in a unidimensional world, v and a are represented in vectors:

$$\begin{aligned} \vec{a} &= \frac{\Delta \vec{v}}{t} \Leftrightarrow \vec{a}t = \Delta \vec{v} \Leftrightarrow \\ &\Leftrightarrow \vec{v} = \vec{v}_0 + \vec{a}t \end{aligned}$$

We can also use integrals to arrive to some common equations:⁴

¹[3]

²[4]

³[5]

⁴[6]

$$\begin{aligned}
\overrightarrow{\Delta r} &= \int_{t_0}^t \vec{v} dt = \\
&= \vec{v}_0 t + \frac{\Delta \vec{v} t}{2} = \\
&= \vec{v}_0 t + \frac{\vec{a} t^2}{2}
\end{aligned}$$

That was assuming the acceleration is constant. From that, we arrive to the kinematic equation⁵

$$r = r_0 + \vec{v}_0 t + \frac{1}{2} \vec{a} t^2$$

For Later

There are some equations that appear on the project statement that we can talk about right now.

We can calculate the new position of an object if we have a record of the of it's last its position, velocity and acceleration at a certain point of time. We then know how much time has passed, so from the last equation we get:

$$r(t + \Delta t) = r(t) + v(t)\Delta t + \frac{1}{2}a(t)\Delta t^2$$

We can do the same for the velocity:

$$v(t + \Delta t) = v(t) + a(t)\Delta t$$

On the project statement, the teacher suggests a *half-step* and finally a correction. I still have to figure out why exactly, but the logic is the same.

Newton's Laws of Motion

1. For the velocity of an object to change, there must be a force acting upon it;
2. The linear momentum $\vec{p} = m\vec{v}$ of the object will change depending on that force applied. All the forces acting upon the object at the moment, together, equal how much the linear momentum is changing at that time.

That is, assuming mass doesn't change over time:

$$\vec{F} = mv'(t) = m\vec{a}$$

3. If you hit a wall, the wall hits you back with equal force (and that's why it hurts).

So for any force, there's an equal one but with inverse *sentido*.

Newton's Law of Universal Gravitation

This part about the history of the apple falling on Newton's head, we are learning together! Or at least I'll relearn something that didn't get stuck in my head this last year's I had physics in school.

Newton's law of universal gravitation describes gravity as a force by stating that every particle attracts every other particle in the universe with a force that is proportional to the product of their masses and inversely proportional to the square of the distance between their centers of mass.

⁵[7]

That gives the following:

$$F_{\text{gravity}} \propto \frac{m_a m_b}{\|\vec{a} - \vec{b}\|^2}$$

With empiricism, Newton figured out that the bigger the masses of the objects, the stronger the force; and the further apart the objects are from each other, the weaker the force.

Well, one thing is for sure: I am not some sort of magnet that when I'm walking around things just come towards me, and I only walk into a streetlight by the force of distraction, not by some sort of gravitational force. At the same time, when I fall, I find the ground and not the sky. Right. Newton came to the conclusion that the force between me and the Earth's surface (between me and the Earth really) is much, much greater than the force between me and... Imagine something really, really, big, and probably heavy, like a whale, or a huge building, the biggest in the world. That mass is nothing compared to the Earth's mass. But certainly there are heavier things than the Earth, right? Probably the Sun, for example. Yeah, probably, but don't forget that we are touching the Earth, and **the Sun is probably an astronomical unit away**, and that the distance between the objects also count.

Because of all of the above, Newton added to the equation a constant G which represents just a very little and tiny number that would make those force calculation results seem more realistic. G initially didn't have a specific value attributed to it by Newton. Later scientists figured out that a good number for it is $G = 6.6743015 \times 10^{-11} \text{m}^3 \text{kg}^{-1} \text{s}^{-2}$.⁶⁷ As Newton figured out, pretty tiny. So the formula becomes:

$$\vec{F}_{\text{gravity}} = G \frac{m_a m_b}{\|\vec{a} - \vec{b}\|^2}$$

Look how cool is this. If you are free-falling, the force of gravity acting on you, based on the second law of motion, is:

$$\vec{F}_{\text{gravity}} = m\vec{g}$$

We are taught that the acceleration of Earths gravity is close to $\|\vec{g}\| = 9.8 \text{m/s}^2$. Now look:⁸

$$\begin{aligned} \frac{\vec{F}_{\text{gravity}}}{m_{\text{you}}} &= G \frac{m_{\text{Earth}}}{\|\vec{a} - \vec{b}\|^2} = \\ &= \vec{g} = \\ &= (9.8) \end{aligned}$$

$\|\vec{a} - \vec{b}\|$ is the radius of the Earth⁹ (I guess the Earth isn't a sphere, but you get the point), so:

$$\begin{aligned} G \frac{m_{\text{Earth}}}{6371008.7714^2} &= 9.8 \Leftrightarrow m_{\text{Earth}} = 9.8 \frac{6371008.7714^2}{G} \Leftrightarrow \\ &\Leftrightarrow m_{\text{Earth}} = 5.9598683 \times 10^{24} \text{ kg} \end{aligned}$$

I believe I did the maths right, and as you can see, the Earth is... heavy.

⁶[9]

⁷[10]

⁸[9]

⁹[11]

n -Body Problem

The problem of predicting the motion of n objects subject to gravity is known as the n -body problem.

– [8]

Conclusion

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequaleamur animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete.

Bibliography

- [1] "Wikipedia, the Free Encyclopedia." Accessed: Apr. 13, 2026. [Online]. Available: https://en.wikipedia.org/wiki/Main_Page
- [2] "Crash Course Physics (YouTube Playlist)." Accessed: Apr. 13, 2026. [Online]. Available: https://www.youtube.com/playlist?list=PL8dPuuaLjXtN0ge7yDk_UA0ldZJdhwkoV
- [3] "Motion in a Straight Line: Crash Course Physics #1 (Video)." Accessed: Apr. 13, 2026. [Online]. Available: <https://www.youtube.com/watch?v=ZM8ECpBuQYE>
- [4] "Velocity." Accessed: Apr. 13, 2026. [Online]. Available: <https://en.wikipedia.org/wiki/Velocity>
- [5] "Derivatives: Crash Course Physics #2 (Video)." Accessed: Apr. 13, 2026. [Online]. Available: <https://www.youtube.com/watch?v=ObHJJYvu3RE>
- [6] "Integrals: Crash Course Physics #3 (Video)." Accessed: Apr. 13, 2026. [Online]. Available: <https://www.youtube.com/watch?v=ObHJJYvu3RE>
- [7] "Motion in a Straight Line: Crash Course Physics #1," Physics. Accessed: Apr. 13, 2026. [Online]. Available: <https://thecrashcourse.com/courses/motion-in-a-straight-line-crash-course-physics-1/>
- [8] "Newton's Law of Universal Gravitation." Accessed: Apr. 13, 2026. [Online]. Available: https://en.wikipedia.org/wiki/Newton%27s_law_of_universal_gravitation
- [9] "Newtonian Gravity: Crash Course Physics #8 (Video)." Accessed: Apr. 13, 2026. [Online]. Available: <https://www.youtube.com/watch?v=7gf6YpdvtE0>
- [10] "Gravitational Constant." Accessed: Apr. 13, 2026. [Online]. Available: https://en.wikipedia.org/wiki/Gravitational_constant
- [11] "Earth Radius." Accessed: Apr. 13, 2026. [Online]. Available: https://en.wikipedia.org/wiki/Earth_radius