

Smart Home AIoT – Test Data Collection Sheet – All 130 Tests

Senior Project CE08 – Bangkok University

Generated: 2026-05-25 22:46

Instructions for use:

- 1. Run each test 10 times consecutively (or across sessions, as practical)
- 2. Record: Date, Time, exact Input given, Actual Output observed, Response Time (use stopwatch), and Pass/Fail
- 3. Pass criteria: Actual matches Expected description
- 4. After 10 trials, calculate: Pass Rate %, Average Response Time, Standard Deviation
- 5. Use Comments for any anomalies or special observations

Statistical formulas:

- Pass Rate = (Pass Count / 10) × 100%
- Avg RT = (response times) / 10
- Variance = (xi -)² / n
- Std Dev = √variance

Coverage Matrix

Phase	Description	Count
Phase A	Phase A – Single Device Verification	16
Phase B	Phase B – Sensor Reading	18
Phase C	Phase C – Mode Change & Cascading	10
Phase D	Phase D – Safety Auto-Flows Simulation	12
Phase E	Phase E – Adaptive Lighting	8
Phase F	Phase F – GPS Welcome/Goodbye	8
Phase G	Phase G – Schedule Automations	7
Phase H	Phase H – AI Agent (LINE Thai + Alexa EN + Deep Reasoning)	39
Phase I	Phase I – Integration Tests	12
	TOTAL	130

Phase A – Single Device Verification

A01	Bedroom Light	Phase A					
Method: HA toggle switch.bedroom_light							
Expected: ไฟห้องนอนติด/ดับ + state เปลี่ยน							
#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10		Pass Rate: ____%		Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: HA toggle light.living_room_light

Expected: Tuya bulb ON 7 color default

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

A03

Kitchen Light

Phase A

Method: HA toggle switch.kitchen_light

Expected: ไฟครัวติด/ดับ

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

A04

Bathroom Light

Phase A

Method: HA toggle switch.bathroom_light

Expected: ไฟห้องน้ำติด/ดับ

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

A05

Garden Light

Phase A

Method: HA toggle switch.garden_light

Expected: ไฟสวนหลักติด/ดับ

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

A06

Garage Light

Phase A

Method: HA toggle switch.garage_light

Expected: ไฟจราจรหลักติด/ดับ

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

A07

Garage Pathway Light

Phase A

Method: HA toggle switch.garage_pathway_light

Expected: ไฟทางเดินโรงรถ

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: HA toggle switch.garden_pathway_light

Expected: ไฟทางเดินสวน

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

A09

Bedroom Fan

Phase A

Method: HA toggle switch.bedroom_fan

Expected: พัดลมห้องนอนหมุน

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: HA toggle switch.living_room_fan

Expected: พัดลมห้องนั่งเล่นหมุน

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: HA toggle switch.kitchen_fan

Expected: vent fan ครัวทำงาน

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

A12

Bedroom Curtain – Open

Phase A

Method: HA cover.bedroom_curtain open

Expected: ม่านพับเก็บขึ้น (หน้าต่างโล่ง)

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: HA cover.bedroom_curtain close

Expected: ม่านลงคลุมหน้าต่าง

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10	Pass Rate: ____%	Avg RT: ____ ms	Std Dev: ____ ms
Comments:			

Method: HA lock.front_door_lock

Expected: servo หมุน 090°

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10	Pass Rate: ____%	Avg RT: ____ ms	Std Dev: ____ ms
Comments:			

A15

Garage Door

Phase A

Method: HA cover.garage_door open/close

Expected: servo หมุนเปิด/ปิด

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

A16

Garden Water Pump

Phase A

Method: HA toggle switch.garden_water_pump

Expected: ปั๊มทำงาน + น้ำไหล

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Phase B – Sensor Reading

B01	Bedroom Temperature + Humidity (DHT22)				Phase B		
Method:  HA Dashboard sensor.bedroom_temperature, humidity							
Expected: 20-35°C, 40-80% (sanity range)							
#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10		Pass Rate: ____%		Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

B02

Living Room Temperature + Humidity

Phase B

Method: `HA sensor.living_room_temperature, humidity`

Expected: same range

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

B03

Kitchen Temperature + Humidity

Phase B

Method: `HA sensor.kitchen_temperature, humidity`

Expected: same range

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: ดู sensor.bedroom_ldr + เอามือบังเซ็นเซอร์ ค่าเพิ่ม

Expected: 0-4095 range (high=มืด)

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: sanity test

Expected: 0-4095

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

B06

Kitchen LDR

Phase B

Method: sanity test

Expected: 0-4095

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

B07

Bathroom LDR

Phase B

Method: sanity test

Expected: 0-4095

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: sanity test

Expected: 0-4095

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

B09

Garage LDR

Phase B

Method: sanity test

Expected: 0-4095

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

B10

Kitchen Gas (MQ-2)

Phase B

Method: จุดไฟแช็คไกล้ sensor.kitchen_gas_lpg ค่าขึ้น

Expected: ADC ขึ้นจาก baseline

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: จุดไฟแช็ค/สเปรย์ sensor.garage_smoke_lpg ค่าขึ้น

Expected: ADC ขึ้นจาก baseline

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

B12

Garden Soil Moisture

Phase B

Method: ตะเดดินเปียก vs แทง % เป็ลี่ยน

Expected: 0-100% range

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

B13

Bathroom Water Leak (SNZB-05P)

Phase B

Method: แตะน้ำที่ขาทองแดง binary_sensor.bathroom_water_leak ON

Expected: binary state ON

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: เปิด/ปิดประตู binary_sensor.front_door ON/OFF

Expected: binary state เปลี่ยน

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: เดินผ่าน binary_sensor.bedroom_motion ON

Expected: ON 30s window

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: เดินผ่าน binary_sensor.living_room_motion ON

Expected: ON

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: เดินเข้า binary_sensor.bathroom_presence ON

Expected: ON

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

B18

Garage Motion (PIR)

Phase B

Method: เดินผ่าน binary_sensor.garage_motion ON

Expected: ON 30s timeout

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Phase C – Mode Change & Cascading

C01	House Mode	Home	Phase C				
Method: Set input_select.house_mode = Home							
Expected: Mode Scene fires + adaptive ON + GPS welcome enabled							
#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10		Pass Rate: ____%		Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: Set input_select.house_mode = Away

Expected: window switch OFF + lock + curtain close + LINE notify

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: Set input_select.house_mode = Security

Expected: Door + monitor active (door open = intrusion)

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: Set input_select.comfort_mode = Normal

Expected: adaptive light ON, sensors active

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

C05

Comfort Mode Sleep

Phase C

Method: Set comfort_mode = Sleep

Expected: ปิดไฟทุกห้อง + curtain close + path-light enabled

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: Set comfort_mode = Relax

Expected: Tuya warm 60% + auto-fan if >28°C

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ___/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: Set comfort_mode = Warm

Expected: Tuya 2700K + ปิดพัดลม

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: เปลี่ยน mode รั้วๆ 3 ครั้ง

Expected: All devices end at correct state

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

C09

Concurrent: Home + Sleep

Phase C

Method: Set both

Expected: Path-light ON, adaptive OFF

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: Change Sleep Normal

Expected: Auto-fan stops, adaptive resumes

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Phase D – Safety Auto-Flows Simulation

D01	Gas Alert – Stove OFF				Phase D		
Method: mosquitto_pub home/kitchen/gas_alert ON							
Expected: switch.kitchen_stove OFF (double-block)							
#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10		Pass Rate: ____%		Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: gas_alert trigger

Expected: switch.kitchen_fan ON

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: gas_alert trigger

Expected: script.living_room_red_flash fired (Tuya แดงพริบ)

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

D04

Gas Alert – LINE Message

Phase D

Method: gas_alert trigger

Expected: LINE message " ก๊าซรั่ว!" arrives

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

D05

Water Leak Detection

Phase D

Method: แตะน้ำที่ probe / force binary_sensor.bathroom_water_leak = on

Expected: blue pulse + LINE " น้ำรั่ว!"

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: force binary_sensor.bathroom_fall_alert = on

Expected: scene.livingroom_pre_fall_alert saved

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: fall_alert trigger

Expected: ไฟแดงพริบ 30 วินาที (10 รอบ)

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: fall_alert trigger

Expected: LINE " คนล้ม!" + scene restore กลับ

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

D09

Garage Smoke Alert

Phase D

Method: mosquitto_pub home/garage/smoke_alert ON

Expected: Red flash + LINE " คำนโรรงรณ!"

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: Set Security + force door open

Expected: Auto-lock + Red flash + LINE " ฝึคณนุค!"

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: mosquitto_pub home/garden/soil_moisture 25

Expected: switch.garden_water_pump ON + LINE " ดินแห้ง"

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: stove ON 10/15 min + Away

Expected: LINE warning + auto-OFF

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Phase E – Adaptive Lighting

E01	Bedroom Adaptive (PIR + LDR)				Phase E		
Method: Setup LDR > 2200 + walk PIR							
Expected: switch.bedroom_light ON							
#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10		Pass Rate: ____%		Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: LDR > 2200 + motion

Expected: Tuya bulb ON brightness scaled by LDR (30-100%)

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: LDR > 2000 + presence

Expected: switch.bathroom_light ON

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: LDR > 2400 + motion

Expected: garage_light + pathway_light ON

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ___/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: LDR < 2200 + motion

Expected: light ยัง OFF (no trigger)

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

E06

Bedroom Auto-off (5 min)

Phase E

Method: turn on light + no motion 5 min

Expected: auto OFF

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

E07

Garage Auto-off (5 min)

Phase E

Method: turn on lights + no motion 5 min

Expected: both garage lights OFF

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

E08

Bathroom Auto-off (5 min)

Phase E

Method: light on + no presence 5 min

Expected: bath light OFF

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Phase F – GPS Welcome/Goodbye

F01	GPS Welcome – Garage Door Open				Phase F		
Method: Mock person home							
Expected: cover.garage_door opening							
#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10		Pass Rate: ____%		Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: garden_ldr > 2400 + welcome

Expected: garage_light + pathway ON

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

F03

GPS Welcome – Garden Lights

Phase F

Method: garden_ldr > 2200 + welcome

Expected: garden_light + pathway ON

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: Set Away + GPS welcome

Expected: house_mode Home auto

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: GPS welcome

Expected: LINE "ยินดีต้อนรับ"

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

F06

GPS Goodbye – 2-min grace

Phase F

Method: person not_home + wait 2 min

Expected: house_mode Away

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: Goodbye trigger

Expected: switches OFF + lock + curtain close

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: Goodbye trigger

Expected: LINE goodbye message (random variant)

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Phase G – Schedule Automations

G01		Daily Watering 07:00 (10s)				Phase G	
Method:		wait or force time = 07:00					
Expected:		pump turn_on 10s turn_off					
#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10		Pass Rate: ____%		Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

G02

Lights OFF 23:00

Phase G

Method: wait or force time = 23:00

Expected: all lights OFF

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: wait or force time = 06:00

Expected: Tuya gradual brighten

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: wait or force time = 18:00

Expected: switch.garden_light ON

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: wait or force time = 23:00

Expected: switch.garden_light OFF

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

G06

Sunset Curtain Close

Phase G

Method: force sun.sun below_horizon (Home mode)

Expected: bedroom_curtain close

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: force sun event + 30 min (not Sleep)

Expected: bedroom_curtain open

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Phase H – AI Agent (LINE Thai + Alexa EN + Deep Reasoning)

H01	LINE: "เปิดไฟห้องนอน"				Phase H		
Method: สั่ง LINE							
Expected: switch.bedroom_light ON + Thai reply							
#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10		Pass Rate: ____%		Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method:

สั่ง LINE

Expected:

all switches OFF

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ___/10			Pass Rate: ____%		Avg RT: ____ ms		Std Dev: ____ ms
Comments:							

H03

LINE: "นอนแล้ว"

Phase H

Method: ส่ง LINE

Expected: Sleep mode + cascade

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: ส่ง LINE

Expected: Away mode + cascade

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

H05

LINE: "อุณหภูมิครัว"

Phase H

Method: ส่ง LINE

Expected: sensor reply with °C value

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: สั่ง LINE

Expected: Tuya bulb red

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

H07

LINE: "ปาร์ตี้!"

Phase H

Method: ส่ง LINE

Expected: Party scene (colorloop) fires

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

H08

LINE: "มีคนบุก"

Phase H

Method: ส่ง LINE

Expected: Security mode + intrusion response

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

H09

LINE: "แก๊สรั่ว"

Phase H

Method: ส่ง LINE

Expected: Gas alert simulated response

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: ส่ง LINE

Expected: both actions fire

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

H11	Alexa: "turn on bedroom light"	Phase H
-----	--------------------------------	---------

Method: พูด Alexa

Expected: switch.bedroom_light ON + TTS confirm

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

H12

Alexa: "kitchen fan on"

Phase H

Method: พูด Alexa

Expected: fan ON

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: พูด Alexa

Expected: cover.garage_door open

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: พูด Alexa

Expected: Away cascade

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: พูด Alexa

Expected: TTS reply with °C

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: พูด Alexa

Expected: Tuya colorloop

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: พูด Alexa

Expected: lock + servo หมุน

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

H18

Alexa: "tell home control I am going to sleep"

Phase H

Method: พูด Alexa

Expected: Sleep mode via AI Agent

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

H19

Alexa: "tell home control what model is the living room bulb"

Phase H

Method: พูด Alexa

Expected: TTS "Tuya TS0505B"

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

H20

Alexa Thai bridge: "tell home control เปิดโคมดปาร์ตี้"

Phase H

Method: พูด Alexa

Expected: Party scene via AI Agent (Thai)

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: ส่ง LINE

Expected: เช็ค gas + เต้า + suggest ไฟครัว

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: สั่ง LINE

Expected: scan gas ยืนยันปลอดภัย

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: ส่ง LINE

Expected: list device ON propose ปิด

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

H24

LINE Reasoning: "ออกจากบ้าน ลืมอะไรมัย"

Phase H

Method: ส่ง LINE

Expected: checklist เตรียม Away

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: ส่ง LINE

Expected: Sleep mode + suggest Sunrise scene

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

H26

LINE Reasoning: "หนาว"

Phase H

Method: ส่ง LINE

Expected: อ่าน temp + ปิดพัดลม + Tuya warm

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: ส่ง LINE

Expected: check device_tracker + GPS + door history

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: ส่ง LINE

Expected: time-aware Sleep mode suggestion

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: พูด Alexa

Expected: gas check + stove + suggest light

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: พูด Alexa

Expected: bedroom temp + adjust

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: พูด Alexa

Expected: smart triage

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

H32

Alexa Reasoning: "what is wrong" (after alert)

Phase H

Method: พูด Alexa

Expected: multi-sensor scan

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: พูด Alexa

Expected: multi-action sleep prep

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: พูด Alexa

Expected: weather + temp + Sunrise scene

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: พูด Alexa

Expected: pre-Away checklist

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: พูด Alexa

Expected: time + state inference

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: ส่ง 2 turns

Expected: follow-through action

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: ส่ง 2 turns

Expected: mode/scene back to normal

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

H39

Compound Alexa: "I am leaving home but feed the dog first"

Phase H

Method: พูด Alexa

Expected: break down: feed + Away

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Phase I – Integration Tests

I01	HA Dashboard Latency				Phase I		
Method: click switch on Lovelace, measure ms							
Expected: < 500 ms							
#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10		Pass Rate: ____%		Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: voice + measure

Expected: 1-3 seconds

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ___/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: LINE + measure

Expected: 2-5 seconds (Claude API)

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: Sleep + walk PIR

Expected: ไฟไม่เปิด (adaptive OFF)

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: Sleep + PIR bedroom

Expected: Tuya dim 10% warm

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ___/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: after path light

Expected: auto OFF after 2 min

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ___/10			Pass Rate: ____%		Avg RT: ____ ms		Std Dev: ____ ms
Comments:							

Method: HomeSleepHomeSleepAway (5s)

Expected: final state correct, no stuck

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

I08

Away during adaptive

Phase I

Method: Set Away while adaptive light ON

Expected: ไฟติด, lock ทำงาน

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ____/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: Set Sleep while Relax fan ON

Expected: fan OFF, curtain close

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

Pass Count: ___/10

Pass Rate: ____%

Avg RT: ____ ms

Std Dev: ____ ms

Comments:

Method: unplug ESP32 #1 10s + plug

Expected: reconnect MQTT + retained state restore

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ___/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: restart HA container

Expected: all entities back online

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ___/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							

Method: disconnect 30s + reconnect

Expected: webhook auto-heal

#	Date	Time	Input/Command	Actual Output	RT (ms)	P/F	Notes
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Pass Count: ____/10			Pass Rate: ____%	Avg RT: ____ ms		Std Dev: ____ ms	
Comments:							