



# **MyBox: Easy Tools Set User Guide - Overview**


Author: Mara  
Version: 6.5.9  
Date: 2022-8-29

## Contents

1	Introduction.....	3
1.1	What's New.....	3
1.2	Cross Platforms .....	4
1.3	Personal.....	4
1.4	Data Compatible.....	4
1.5	Internationalized .....	4
2	Resources Addresses.....	5
3	Documents.....	6
4	Download and Execution.....	7
4.1	Source Codes.....	7
4.2	Self-contain packages.....	7
4.3	Jar.....	7
4.4	Other addresses to download.....	7
4.5	Limitation.....	7
4.6	Migration.....	8
4.7	Configuration .....	8
5	Implementation.....	9
6	Common Functions in Interfaces.....	11
6.1	Main Interface.....	11
6.2	Interface Layout.....	12
6.3	Set Font Size.....	12
6.4	Open New Stage.....	13
6.5	Restore Scene Size.....	13
6.6	Recent Visited Files/Directories.....	13
6.7	Data Table.....	14
6.8	Context Menu.....	15
6.9	Window “Examples”.....	16
6.10	Window “Histories”.....	17
6.11	Color Block and Palette .....	17
7	Settings.....	18
7.1	Interface.....	19
7.2	Base.....	20
7.3	Data.....	20
7.4	PDF.....	21
7.5	Image.....	21
7.6	Map.....	22
8	Window.....	23
9	Shortcuts.....	24

# 1 Introduction

This is desktop application based on JavaFx to provide simple and easy functions. It's free and open sources.



## 1.1 What's New

2022-8-28 v6.5.9

- Data. Simple Linear Regression – Combination. Multiple Linear Regression. Group by Equal Values. Sort By multiple columns. Save example data in suitable types. Data name can be set when create data. New options for Set Values. Options for invalid numbers.
- Codes. Separate operations logic from data read/write.
- Documentation. ReadMe does not include mentions of tools. Update user guides for tools.

- Solved. Endless errors popped and user has to reboot computer when close window while “Play Images” is running (!! Sorry). Statistic for integer/long may fail. Some operations may fail when row filter includes statistic name. Offset one column when edit results of Simple Linear Regression. No results in Box-and-whisker chart when calculate by rows for all pages. File/Path should be null instead of saved value when input is empty. Auto-backup of files may be cancelled by itself.

[Closed requirements/bugs in this version](#)

## 1.2 Cross Platforms

MyBox is implemented in pure Java and only based on open sources, and it can run on platforms which support Java 18.

Versions before v5.3 are based on Java 8.

## 1.3 Personal

1. No register/login/DataCenter/Cloud.
2. No network if unnecessary.
3. Not read/write if unnecessary.

## 1.4 Data Compatible

4. Exported data are in common text formats, like txt/csv/xml/json/html.
5. Imported data are in common text format, like txt/csv.
6. At least one exported format can be imported.
7. Imported data are self-contain, that original data can be rebuilt without extra data.

## 1.5 Internationalized

1. All codes of MyBox are internationalized. Language can be switched in time.
2. Each language is defined in two resource files, like: "Messages\_NAME.properties" and "TableMessages\_NAME.properties".
3. Support adding new languages online. Table is provided with English as comparison. New languages take effects at once.  
Example, the new language is named as “aa”, and its resource files are Messages\_aa.properties and TableMessages\_aa.properties.
4. Translated languages can be shared with others: Put the files under "mybox\_languages" of data path and MyBox is aware of them immediately.
5. Embed Chinese and English, whose files are under path  
MyBox/src/main/resources/bundles/.

Language	Resource file of interface	Resource file of data tables
Chinese	Messages_zh_CN.properties	TableMessages_zh_CN.properties
English	Messages_en.properties	TableMessages_en.properties

## 2 Resources Addresses

Contents	Link
Project Main Page	<a href="https://github.com/Mararsh/MyBox/">https://github.com/Mararsh/MyBox/</a>
Source Codes and Compiled Packages	<a href="https://github.com/Mararsh/MyBox/releases">https://github.com/Mararsh/MyBox/releases</a>
Submit Software Requirements and Problem Reports	<a href="https://github.com/Mararsh/MyBox/issues">https://github.com/Mararsh/MyBox/issues</a>
Data	<a href="https://github.com/Mararsh/MyBox_data">https://github.com/Mararsh/MyBox_data</a>
Documents	<a href="https://github.com/Mararsh/MyBox_documents">https://github.com/Mararsh/MyBox_documents</a>
Mirror Site	<a href="https://sourceforge.net/projects/mara-mybox/files/">https://sourceforge.net/projects/mara-mybox/files/</a>
Cloud Storage	<a href="https://pan.baidu.com/s/1fWMRzym_jh075OCX0D8y8A#list/path=%2F">https://pan.baidu.com/s/1fWMRzym_jh075OCX0D8y8A#list/path=%2F</a>

文件(E) 编辑(E) 查看(V) 历史(S) 书签(B) 工具(I) 帮助(H)

https://github.com/Mararsh/MyBox

Mararsh / MyBox Public

Code Issues 41 Pull requests Discussions Actions Projects Wiki Security Insights Settings

master 1 branch 90 tags

Go to file Add file Code

Mararsh a6.5.9 79eff01 5 hours ago 573 commits

- alpha/MyBox a6.5.9 5 hours ago
- docs v6.5.8 18 days ago
- en v6.5.8 18 days ago
- released/MyBox v6.5.8 18 days ago
- .gitignore v6.5.6 3 months ago
- LICENSE Initial commit 4 years ago
- README.md v6.5.8 18 days ago

About

Easy tools of document, image, file, network, location, color, and media.

html markdown pdf image ocr  
csv sql database excel convert  
location javafx media bytes ppt  
jshell matrix

Readme Apache-2.0 license  
79 stars 4 watching 17 forks

Releases 89

v6.5.8 Latest 18 days ago + 88 releases

README.md

ReadMe in English

https://github.com/Mararsh/MyBox/releases

### 3 Documents

Name	Version	Time	Link
Development Logs	6.5.9	2022-8-28	<a href="#">html</a>
Shortcuts	6.5.6	2022-6-11	<a href="#">html</a>
Packing Steps	6.3.3	2020-9-27	<a href="#">html</a>
Development Guide	2.1	2022-8-28	<a href="#">PDF</a>
User Guide - Overview	6.5.9	2022-8-29	<a href="#">html</a> <a href="#">PDF</a>
User Guide – Document Tools	6.5.9	2022-8-29	<a href="#">html</a> <a href="#">PDF</a>
User Guide - Image Tools	6.5.9	2022-8-29	<a href="#">html</a> <a href="#">PDF</a>
User Guide - File Tools	6.5.9	2022-8-29	<a href="#">html</a> <a href="#">PDF</a>
User Guide - Network Tools	6.5.9	2022-8-29	<a href="#">html</a> <a href="#">PDF</a>
User Guide - Data Tools	6.5.9	2022-8-29	<a href="#">html</a> <a href="#">PDF</a>
User Guide - Media Tools	6.5.9	2022-8-29	<a href="#">html</a> <a href="#">PDF</a>
User Guide - Development Tools	6.5.9	2022-8-29	<a href="#">html</a> <a href="#">PDF</a>

## 4 Download and Execution

Packages of each version have been uploaded at [Releases](#) directory now. You can find them by clicking releases tab in main page of this project.

### 4.1 Source Codes

[MyBox-6.5.9-src.zip](#) 42M-

About structure, editing, and building of source codes, please refer to [Developement Guide](#) and [Packing Steps](#)

### 4.2 Self-contain packages

Self-contain packages include all files and need not java env nor installation.

Platform	Link	Size	Launcher
win10 x64	<a href="#">MyBox-6.5.9-win10-x64.zip</a>	210MB	MyBox.exe
CentOS 7 x64	<a href="#">MyBox-6.5.9-CentOS7-x64.tar.gz</a>	242MB	bin/MyBox
mac	<a href="#">MyBox-6.5.9-mac.dmg</a>	220MB	MyBox-6.5.8.app

User can double click the launcher to start MyBox or run it by command line. The default “Open Method” of image/text/PDF files can be associated to MyBox and a file can be opened directly by MyBox by double clicking the file’s name.

### 4.3 Jar

When JRE or JDK([Oracle jdk](#) or [open jdk](#)) is installed, jar can run:

Platform	Link	Size	Requirements
win	<a href="#">MyBox-6.5.9-win-jar.zip</a>	144MB	Java 18 or higher
linux	<a href="#">MyBox-6.5.9-linux-jar.zip</a>	175MB	Java 18 or higher
mac	<a href="#">MyBox-6.5.9-mac-jar.zip</a>	147MB	Java 18 or higher

Run following command to launch this program with Jar package:

```
java -jar MyBox-6.5.8.jar
```

A file path can follow the command as argument to be opened directly by MyBox. Example, following command will open the image:

```
java -jar MyBox-6.5.8.jar /tmp/a1.jpg
```

### 4.4 Other addresses to download

Download from cloud storage: [https://pan.baidu.com/s/1fWMRzym\\_jh075OCX0D8y8A#list/path=%2F](https://pan.baidu.com/s/1fWMRzym_jh075OCX0D8y8A#list/path=%2F)  
Download from sourceforge: <https://sourceforge.net/projects/mara-mybox/files/>

### 4.5 Limitation

- MyBox windows may often be blocked when some Input Method is running. Workaround is to disable/uninstall this Input Method.

## 4.6 Migration

1. Each version has itself's configuration file. New version can copy parameters from existed versions.
2. Data handled in each version are under "Data Directory" referred by it. Multiple versions can refer to same data directory.
3. MyBox is backward compatibility: Later version can work on data of previous versions. While forward compatibility is not supported: Wrong may happen when old version handles data of new version.

## 4.7 Configuration

Configuration file is under "User Home":

Platform	Path of MyBox Configuration File
win	C:\users\UserName\mybox\MyBox_v6.5.8.ini
linux	/home/UserName/mybox/MyBox_v6.5.8.ini
mac	/Users/UserName/mybox/MyBox_v6.5.8.ini

Add parameter "config="FilePath"" when run jar to change configuration file temporarily.  
Function "Settings" can be used to change configuration values.

## 5 Implementation

MyBox is based on following open sources:


Name	Role	Link
JDK	Java	<a href="http://jdk.java.net/">http://jdk.java.net/</a>
		<a href="https://www.oracle.com/technetwork/java/javase/downloads/index.html">https://www.oracle.com/technetwork/java/javase/downloads/index.html</a>
		<a href="https://docs.oracle.com/en/java/javase/18/docs/api/index.html">https://docs.oracle.com/en/java/javase/18/docs/api/index.html</a>
JavaFx	GUI	<a href="https://gluonhq.com/products/javafx/">https://gluonhq.com/products/javafx/</a>
		<a href="https://docs.oracle.com/javafx/2/">https://docs.oracle.com/javafx/2/</a>
		<a href="https://gluonhq.com/products/scene-builder/">https://gluonhq.com/products/scene-builder/</a>
		<a href="https://openjfx.io/javadoc/18/">https://openjfx.io/javadoc/18/</a>
NetBeans	IDE	<a href="https://netbeans.org/">https://netbeans.org/</a>
jpackage	pack	<a href="https://docs.oracle.com/en/java/javase/18/docs/specs/man/jpackage.html">https://docs.oracle.com/en/java/javase/18/docs/specs/man/jpackage.html</a>
maven	build	<a href="https://maven.apache.org/">https://maven.apache.org/</a>
jai-imageio	Image manufacture	<a href="https://github.com/jai-imageio/jai-imageio-core">https://github.com/jai-imageio/jai-imageio-core</a>
PDFBox	PDF manufacture	<a href="https://pdfbox.apache.org/">https://pdfbox.apache.org/</a>
PDF2DOM	PDF to html	<a href="http://cssbox.sourceforge.net/pdf2dom/">http://cssbox.sourceforge.net/pdf2dom/</a>
javazoom	MP3 manufacture	<a href="https://sourceforge.net/projects/javalayer/">https://sourceforge.net/projects/javalayer/</a>
Derby	Database	<a href="http://db.apache.org/derby/">http://db.apache.org/derby/</a>
GifDecoder	Decode broken gif	<a href="https://github.com/DhyanB/Open-Imaging/">https://github.com/DhyanB/Open-Imaging/</a>
EncodingDetect	Determine encoding of text file	<a href="https://www.cnblogs.com/ChurchYim/p/8427373.html">https://www.cnblogs.com/ChurchYim/p/8427373.html</a>
Lindbloom	Color theory	<a href="https://icons8.com/icons/set/home">https://icons8.com/icons/set/home</a>
Free Icons	Icon	<a href="http://brucelindbloom.com/index.html">http://brucelindbloom.com/index.html</a>
tess4j	OCR	<a href="https://github.com/nguyenq/tess4j">https://github.com/nguyenq/tess4j</a>
tesseract	OCR	<a href="https://github.com/tesseract-ocr/tesseract">https://github.com/tesseract-ocr/tesseract</a>
barcode4j	Create barcodes	<a href="http://barcode4j.sourceforge.net">http://barcode4j.sourceforge.net</a>
zxing	Create/Decode barcodes	<a href="https://github.com/zxing/zxing">https://github.com/zxing/zxing</a>
flexmark-java	Convert Markdown	<a href="https://github.com/vsch/flexmark-java">https://github.com/vsch/flexmark-java</a>
commons-compress	archive/compress	<a href="https://commons.apache.org/proper/commons-compress">https://commons.apache.org/proper/commons-compress</a>
XZ for Java	archive/compress	<a href="https://tukaani.org/xz/java.html">https://tukaani.org/xz/java.html</a>
jaffree	wrap ffmpeg	<a href="https://github.com/kokorin/Jaffree">https://github.com/kokorin/Jaffree</a>
ffmpeg	convert/create medias	<a href="http://ffmpeg.org">http://ffmpeg.org</a>
image4j	ico format	<a href="https://github.com/imcdonagh/image4j">https://github.com/imcdonagh/image4j</a>
AutoCommitCell	Submit updates	<a href="https://stackoverflow.com/questions/24694616">https://stackoverflow.com/questions/24694616 (Ogmios)</a>

Name	Role	Link
GaoDe	Map	<a href="https://lbs.amap.com/api/javascript-api/summary">https://lbs.amap.com/api/javascript-api/summary</a>
GaoDe	Coordinate	<a href="https://lbs.amap.com/api/webservice/guide/api/georegeo">https://lbs.amap.com/api/webservice/guide/api/georegeo</a>
WeiBo	Image materials	<a href="https://weibo.com/3876734080/InmB1aPil?type=comment#_rnd1582211299665">https://weibo.com/3876734080/InmB1aPil? type=comment#_rnd1582211299665</a>
poi	Microsoft Documents	<a href="https://poi.apache.org">https://poi.apache.org</a>
LabeledBarChart	JavaFx charts	<a href="https://stackoverflow.com/questions/34286062/how-to-clear-text-added-in-a-javafx-barchart/41494789#41494789 (Roland)">https://stackoverflow.com/questions/34286062/how-to-clear-text-added-in-a-javafx-barchart/41494789#41494789 (Roland)</a>
commons-csv	CSV	<a href="https://commons.apache.org/proper/commons-csv/">https://commons.apache.org/proper/commons-csv/</a>
geonames	Location data	<a href="https://www.geonames.org/countries/">https://www.geonames.org/countries/</a>
world-area	Location data	<a href="https://github.com/wizardcode/world-area">https://github.com/wizardcode/world-area</a>
China National Bureau of Statistics	Data	<a href="http://www.stats.gov.cn/tjsj/tjbz/tjyqhdmhcxhfdm/">http://www.stats.gov.cn/tjsj/tjbz/tjyqhdmhcxhfdm/</a>
JHU	COVID-19 data	<a href="https://github.com/CSSEGISandData/COVID-19">https://github.com/CSSEGISandData/COVID-19</a>
Website	Color data	<a href="https://tool.lanrentuku.com/color/china.html">https://tool.lanrentuku.com/color/china.html</a>
Book	Materials	<a href="https://book.douban.com/subject/3894923/">https://book.douban.com/subject/3894923/</a>
National Geomatics Center of China	Map	<a href="http://lbs.tianditu.gov.cn/api/js4.0/guide.html">http://lbs.tianditu.gov.cn/api/js4.0/guide.html</a>
movebank	Location data	<a href="https://www.datarepository.movebank.org">https://www.datarepository.movebank.org</a>
CoordinateConverter	convert coordinates	<a href="https://www.jianshu.com/p/c39a2c72dc65?from=singlmessage">https://www.jianshu.com/p/c39a2c72dc65?from=singlmessage</a>
JavaMail	email	<a href="https://javaee.github.io/javamail/">https://javaee.github.io/javamail/</a>
Commons IO	File IO	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>
colorhexa	Color data	<a href="https://www.colorhexa.com/color-names">https://www.colorhexa.com/color-names</a>
WQY	Font file	<a href="http://wenq.org/wqy2/">http://wenq.org/wqy2/</a>
ttc2ttf	Extract ttf	<a href="https://github.com/fermi1981/TTC_TTF">https://github.com/fermi1981/TTC_TTF</a>
sfds	Handwriting	<a href="https://book.douban.com/subject/10465940/">https://book.douban.com/subject/10465940/</a>
Book	Materials	<a href="http://www.sfds.cn/725B/">http://www.sfds.cn/725B/</a>
PaginatedPdfTable	PDF	<a href="https://github.com/eduardohl/Paginated-PDFBox-Table-Sample">https://github.com/eduardohl/Paginated-PDFBox-Table-Sample</a>
jsoup	DOM	<a href="https://jsoup.org/">https://jsoup.org/</a>
WeiBo	Materials	<a href="https://weibo.com/2328516855/LhFIHy26O">https://weibo.com/2328516855/LhFIHy26O</a>
ZhiHu	Materials	<a href="https://www.zhihu.com/question/41580677/answer/1300242801">https://www.zhihu.com/question/41580677/answer/1300242801</a>
commons-math	Calculation	<a href="https://commons.apache.org/proper/commons-math/index.html">https://commons.apache.org/proper/commons-math/index.html</a>
JEXL	Calculation	<a href="https://commons.apache.org/proper/commons-jexl">https://commons.apache.org/proper/commons-jexl</a>
OpenOffice	Document	<a href="http://www.openoffice.org/">http://www.openoffice.org/</a>

## 6 Common Functions in Interfaces


### 6.1 Main Interface

Main interface is shown after MyBox is launched. Move mouse over one icon to pop its menu. Then select a tool to start.



## 6.2 Interface Layout

1. Window title includes the object name being handled.
2. Main menu in top to open windows of functions.
3. Some interfaces include pagination toolbar which is generally in bottom.
4. Some interface include icon Fish. Hover mouse upon it to pop tips.
5. Some interfaces include left pane or right pane. If icon Rosefinch is there, hover mouse upon it to hide/show the pane.
6. To some buttons, checkbox, or icon, shortcut or tips will be popped when hover mouse upon them.




## 6.3 Set Font Size

1. Decrease font size by press key “CTRL” and key “-” at same time.
2. Increase font size by press key “CTRL” and key “=” at same time.
3. Select one font size of 12px, 15px, and 17px by click menu item directly.
4. Set font size in Setting window.

## 6.4 Open New Stage

To open new window for new scene and keep current scene in current window, **do not select** menu item “Settings”-“Close current window when open new tool”.




## 6.5 Restore Scene Size

By selecting menu item “Settings”-“Record size and location of windows”, recent size and location of each stage will be saved and restored when it is opened again.

## 6.6 Recent Visited Files/Directories

When menu item “Settings”-“Pop recent visited files/directories” is selected, each access of files/directories will be record and list will be popped when mouse is moved upon the button of selection. Example:



## 6.7 Data Table

The screenshot shows a data table with the following columns: Table row, id, year\_, populationat\_year\_end\_ten\_thousand\_, maleten\_thousand\_, femaleten\_thousand\_, urbanaten\_thousand\_, and ruralaten\_thousand\_. The table has 13 rows, indexed from 1 to 13. Row 4 is selected, indicated by a blue background and checked in the header checkbox.

Annotations in the screenshot:


- A blue arrow points from the text "Select rows and click button to handle" to the header checkbox of row 4.
- A blue arrow points from the text "Click header to sort rows." to the header of the "year\_" column.
- A blue arrow points from the text "Drag header to adjust columns" to the header of the "populationat\_year\_end\_ten\_thousand\_" column.
- A blue arrow points from the text "Click data cell to edit" to the value "128453.0" in the "populationat\_year\_end\_ten\_thousand\_" cell of row 4.
- A blue arrow points from the text "Hide/show columns" to the "+" button in the header row.

Pagination controls at the bottom show "Selected: 1 Rows: 23/73 Page size 50 Page 2 /2".

1. To select rows:
  - Press key SHIFT and click rows to select multiple rows of a range.
  - Press key CTRL and click rows to select multiple rows one by one.
  - Click the checkboxes in head of rows.
2. To edit data:
  - Header texts of editable columns are in blue (Editable primary keys are still in red).
  - Click the editable cell, then its input field will be shown.
  - When editable cell loses focus, its value will be checked and invalid data will be rejected.
3. To display/hide columns, click button "+" in right side of table header.  
This operation does not affect data.
4. To adjust order of columns, click and drag column headers.  
This operation does not affect data.
5. - To order rows:
  - Click column header for ascending order by this column.
  - Click column header again for descending order by this column.
  - Click column header for third time to cancel ordering of this column.
  - Press SHIFT and click more column headers to order by multiple columns.
 This operation only affect current data in table.
6. Header texts of primary keys are in red and auto-increased keys are in orange.

## 6.8 Context Menu

1. This menu is popped when right click object like text, image, or table.
2. If interface includes button “Cloud”, context menu will be popped when click this button.
3. If interface includes checkbox “Cloud”:
  - If this checkbox is not selected, the context menu is not popped when right click object.
  - If this checkbox is selected, the context menu is popped when right click object.
  - Checkbox “Cloud” does not affect button “Cloud”, which means context menu is always popped when click button “Cloud”.



## 6.9 Window “Examples”

Window “Examples” is popped when hover or click button “Examples”.

**Control whether pop window Examples when hover button Examples**

**Hover or click button Examples to pop window Examples**

```
#DataRowNumber % 2 == 0 #DataRowNumber % 2 == 1 #DataRowNumber >= 9
#TableRowNumber % 2 == 0 #TableRowNumber % 2 == 1 #TableRowNumber == 1
#year == 0 Math.abs(#year) >= 0 #year < 0 || #year_ > 100 #year != 6
'#year'.search(/Hello/ig) >= 0 '#year'.length > 0 '#year'.indexOf('Hello') == 3
'#year'.startsWith('Hello') '#year'.endsWith('Hello') var array = [ 'A', 'B', 'C', 'D' ];
array.includes('#year')
" == == != != === !== true false null undefined >=
> <= < && ||
" var = ; += -= *= /= %= + - * / % ++
-- , () {} [] " " . this
".search(/ig) >= 0 ".length > 0 ".indexOf("") >= 0 ".startsWith("") ".endsWith("")
```


[Learn JavaScript](#)

[JavaScript Tutorial](#)

**Click value button to paste value into target**


## 6.10 Window “Histories”

Hover or click button “Histories” to pop window “Histories”.



## 6.11 Color Block and Palette

1. Hover “Color Block” to pop color's information.
2. Hover or click button “Palette” to pop window Palette, and select or edit colors.



## 7 Settings

Select “Settings...” in main menu to open window Settings.

The screenshot shows the 'Settings' window with the following interface:

- Top Bar:** Settings, Recent Accessed, Development, Help.
- Main Area:**
  - General:** Pop color palette when mouse hovering button (checked), Show/hide panes when mouse hovering button (checked), Pop recent visited files/directories (checked), Close current window when open new tool (unchecked), Record size and location of windows (checked).
  - Languages:** 中文 (checked), English (unchecked).
  - Font Size:** Font size 12px, Font size 15px, Font size 17px.
  - Icons:** Small size icon (checked), Normal size icon (checked), Big size icon (unchecked).
  - Icons Submenu:** Icons (selected), Open data path, Edit Configure File, Clear personal settings.
- Color Palette:** A sidebar on the right showing a list of colors with corresponding checkboxes:
  - Dark red (checked)
  - Dark pink
  - Dark grey blue
  - Dark blue
  - Orange (selected)
  - Dark green
  - Display controls texts (unchecked)
  - High DPI icons (checked)


## 7.1 Interface

- Language, font size, icon size
- Control color, whether display control text, interface style
- Select hi-dpi icons(100x100) or common icons(40x40).

When screen resolution is not high than 120dpi, suggest to use common icons.

Hi-dpi icons may look blurred on low-resolution screen.

- Whether restore last size of each scene.
- Whether open new stage to display scene.
- Whether show/Hide splitted panes when mouse passing.
- Whether pop stage "Set Color" when mouse passing.
- Font size, color, duration of popped messages.



## 7.2 Base

1. Maximum memory usage of JVM
2. Network timeouts

Interface **Base** Data PDF Image Map

JVM maximum available memory  MB   (Mybox will restart automatically when change it)

Physical memory: 8102MB JVM maximum available memory: 2026MB

Web connect timeout(milliseconds)  

Web read timeout(milliseconds)  

## 7.3 Data

1. Data path
2. Derby driver mode
3. Whether pop recent visited files/directories. And the number.
4. Whether close alarm clocks when exit program.

Interface Base **Data** PDF Image Map

Data directory(Can be existed data path of other version)  
 

Current value: d:\tmp\mybox-data-6.5.9  
 Clear d:\tmp\mybox-data-6.5.9 when change to new path  
 (Mybox will restart automatically when change it)

Derby  Embedded mode  Network mode(only local allowed)  
 Derby is started in embedded mode now.

Recent File/Directory Histories    

Stop alarm clocks when close window.

## 7.4 PDF

Maximum main memory of PDF handling.

Maximum main memory for PDF  500M  1G  2G  Unlimit

When limited quota is reached, temporary files will be used as extended memory.  
If not limit main memory usage, "Out of Memory" may happen for large PDF files.

## 7.5 Image

1. Width and color of stroke and anchor. Whether anchors are solid.
2. Color to replace Alpha when Alpha is not supported. (Suggest as White)
3. Wdith of thumbnail
4. Maximum width to display sampled images

Stroke Color Width 2

Anchor Color Width 10 Solid

Grid lines Color Width 1 Interval Auto Opacity 0.1

Color to use if Alpha unsupported  Suggest as white

Thumbnail width 100

Apply render options when load or modify image

Rendering  Automatic  Quality  Speed

Color rendering  Automatic  Quality  Speed

Pixels interpolation  9 nearest neighbor  4 nearest neighbor  Nearest neighbor

Alpha interpolation  Automatic  Quality  Speed

Shape anti-aliasing  Automatic  On  Off

Text anti-aliasing  Automatic  On  Off GASP  LCD\_HRGB  LCD\_HBGR  LCD\_VRGB  LCD\_VBGR

Font fractional metrics  Automatic  On  Off

Stroke  Automatic  Normalize  Unmodified

Dithering  Automatic  On  Off

[RenderingHints](#)

## 7.6 Map

### Data keys of map

Interface Base Data PDF Image **Map**

Following are free map keys shared by users of MyBox. You can request and set your private free/commercial map keys.

TianDiTu web key 0ddeb917def62b4691500526cc30a9b1  
<https://console.tianditu.gov.cn/api/key>


Web key of GaoDe map 06b9e078a51325a843dfefd57ffd876c

Web service key of GaoDe map d7444d9a7fae01fa850236d909ad4450  
<https://lbs.amap.com/dev/index>

## 8 Window

1. Refresh/Reset/Full-screen/Top windows.
2. Close other windows.
3. Reboot MyBox.
4. Recent visited tools.
5. Snapshot of window/pane.



## 9 Shortcuts

Controls in interfaces, like buttons, checkboxes, images, may have their shortcuts:

- When focus is in "Text Input" control, following keys work for this control:

Delete/Home/End/PageUp/PageDown/Enter/Ctrl-c/v/z/y/x

Or else shortcuts work for the interface.

- When focus is not in "Text Input" control, Ctrl/Alt of combination keys can be omitted.

Example, if an image is currently focused, press "c" to copy and press "2" to set as pane size.

- Move mouse upon control, its tooltip(if has) including shortcut may be popped.

Function key	Action	Possible alternative
F1	Start / OK / Synchronize / Set / Query	CTRL+e / ALT+e, CTRL+q / ALT+q
F2	Save	CTRL+s / ALT+s
F3	Recover / Export	CTRL+r / ALT+r, CTRL+e / ALT+e
F4	Show/Hide left pane	
F5	Show/Hide right pane	
F6	Close Popup	
F7	Close Stage	
F8	Refresh Stage	
F10	Synchronize	
F11	Save as	CTRL+b / ALT+b
F12	Menu	
DELETE	Delete	CTRL+d / ALT+d
PAGE_UP	Previous	ALT+PAGE_UP
PAGE_DOWN	Next	ALT+PAGE_DOWN
HOME	First	ALT+HOME
END	Last	ALT+END
ESCAPE	Cancel / Withdraw	CTRL+w / ALT+w
CTRL+e	Start /OK / Set / Export	F1 / ALT+e
CTRL+c	Copy	ALT+c
CTRL+v	Paste	ALT+v
CTRL+z	Undo	ALT+z
CTRL+y	Redo	ALT+y
CTRL+d	Delete	DELETE / ALT+d
CTRL+x	Crop	ALT+x
CTRL+s	Save	F2 / ALT+s
CTRL+b	Save as	F11 / ALT+b

Function key	Action	Possible alternative
CTRL+f	Find	ALT+f
CTRL+h	Replace / Copy html	ALT+h
CTRL+r	Recover / Clear	ALT+r
CTRL+n	Create	
CTRL+a	Select all	ALT+a
CTRL+o	Select none	ALT+o
CTRL+u	Select	ALT+u
CTRL+g	Clear	ALT+g
CTRL+w	Cancel / Withdraw / Replace all	ESCAPE
CTRL+p	Pop	ALT+p
CTRL+q	Query	ALT+q
CTRL+k	Pick color	ALT+k
CTRL+t	Select area / Copy text	ALT+t
CTRL+m	MyBox Clipboard	ALT+m
CTRL+j	System Clipboard	ALT+j
CTRL+1	Original size / Previous	
CTRL+2	Pane size / Next	
CTRL+3	Zoom in	
CTRL+4	Zoom out	
CTRL+-	Decrease font size	
CTRL+=	Increase font size	
ALT+1	Set / Previous	F1
ALT+2	Increase / Next	
ALT+3	Decrease	
ALT+4	Filter	
ALT+5	Invert	
ALT+PAGE_UP	Previous	PAGE_UP
ALT+PAGE_DOWN	Next	PAGE_DOWN
ALT+HOME	First	HOME
ALT+END	Last	END
s / S	Play / Pause	
q / Q	Stop	
m / M	Mute / Sound	
f / F	Full screen	

&lt;End of Document&gt;