

Internal store Administrator manual

A catalog of items, a cart, approval, a warehouse with stock and reservations, issue against a printed note, limits and analytics. An order lives as an ordinary GLPI ticket — there is no separate portal to learn.

WHAT IS INSIDE

how the plugin is built, setting a catalog up step by step, the work of three roles, rolling out to production

EXAMPLE

the “Office supplies” catalog of a Facilities department: six items, two warehouses, a kit, three limits

SCREENSHOTS

27 screens of the real interface: the catalog, the warehouse, the queue, the issue note, the analytics

TIME FOR THE FIRST SETUP

40–60 minutes, then 10–15 minutes per catalog

This document was assembled from a stand with the plugin installed: every screen was captured from a working catalog, and the field values on them match the examples in the text.

CONTENTS

What this manual is made of

Part 1. How it works

1.1. Roles and rights · 1.2. Where everything lives · 1.3. The plugin's objects · 1.4. The ordering process · 1.5. Tickets, SLA and notifications

Part 2. A catalog from scratch: 14 steps

Entity, groups, ticket category, SLA, rights, the catalog, warehouses, items, stock, kits, job title levels, limits, the acceptance order, the scheduler

Part 3. Working with the catalog

3.1. The employee: catalog, cart, order · 3.2. The approver · 3.3. The storekeeper: queue, issue, note · 3.4. The warehouse: receipts, write-offs, transfers, stock counts

Part 4. Analytics and reports

Part 5. Rolling out to production

Requirements, installation, checks after installing, the pilot, upgrading, rolling back, limitations

Appendices

A. The item import format · B. The rights and what they grant · C. Order statuses · D. If something is wrong

How to read this

If you need to set a catalog up and start working — read part 2 straight through, checking against the screenshots. If you want to understand how it all works before touching anything — start with part 1. If the plugin is already set up and your question is about one role — part 3. Whoever installs the plugin on a production system needs part 5.

Conventions

Management → Store — a path through the GLPI menu. **“Approve the quantities”** — the caption of a button or a field exactly as it appears in the interface. `storefront_reserves` — a technical name (a task, a table, a file).

PART 1

How it works

1.1. Roles and rights

ROLE	PLUGIN RIGHTS	WHAT THEY DO
Employee	none needed	orders from the catalog, follows the order in the ticket, prints the issue note, rates what they received
Approver	none needed	answers the approval request with the standard buttons in the ticket
Storekeeper	"Orders: picking queue and issue", "Warehouse: stock, receipts, write-offs, transfers" — read and update	runs the queue, approves quantities, issues, receives, writes off, transfers, counts stock
Catalog administrator	"Catalogs, items, kits and limits" — all rights	creates catalogs, items, warehouses, kits and limits; reads the analytics and the reports

Rights are granted on the profile form, on the **"Internal store"** tab. A profile is assigned to a user **in a particular entity** — and that is what bounds responsibility: the storekeeper of one entity neither sees nor touches another entity's warehouse.

Home / Administration / Profiles + Add Search... Super-Admin ...entity (древовидная структура) GLPI

Profile - Office supplies storekeeper - ID 14 Actions

INTERNAL STORE	READ	UPDATE	PICKING AND ISSUE	STOCK MOVEMENTS	CREATE	PURGE	SELECT/UNSELECT ALL
Catalogs, items, kits and limits	☒	☐			☐	☐	☐
Orders: picking queue and issue	☒		☒				☒
Warehouse: stock, receipts, write-offs, transfers	☒			☒			☒
Select/unselect all	☒						☐

Save

Fig. 1. The "Internal store" tab on the profile form: the three store rights and the bits of each. The storekeeper needs "Orders" and "Warehouse" with update, and the catalogs read-only.

The storekeeper also needs standard GLPI rights

Tickets and followups — read and update; consumables — read, update, create; ticket categories, entities, groups, users and job titles — read. Without them they cannot answer in the ticket or maintain the items.

1.2. Where everything lives

All the administration sits in one menu section: [Management → Store](#).




Fig. 2. The list of catalogs. On the left is the “Store” entry under “Management”; inside it are the pages for the queue, the warehouse, the analytics, the reports, the item import and the job title levels.

PAGE	PURPOSE	WHO NEEDS IT
Store catalogs	the list of catalogs and the card with all the settings	administrator
Order queue	the storekeeper's workplace	storekeeper
Orders	every order as a list, with GLPI search	storekeeper, administrator
Item import	bulk load of items from CSV and the sample file	administrator
Warehouse	stock and every warehouse operation	storekeeper
Analytics	issues over a period, times, shortages, limits	administrator
Reports	consumption over a period with CSV export	administrator
Job title levels	marking job titles up for the approval threshold	administrator

The employee searches for nothing: the catalog appears as a **tile on the self-service home page**, next to “Report a problem”.





Fig. 3. The employee's home page: the "Office supplies" tile among GLPI's own tiles. The tile is created and removed automatically when the catalog is saved.

1.3. The plugin's objects

Catalog	The entry point for the employee and the owner of every process setting. There can be several catalogs: office supplies for one entity, equipment for another — they mix neither their warehouse, nor their items, nor their analytics.
Catalog item	Points at a GLPI item — a consumable or a cartridge — and adds the commercial properties: unit, price, description for the employee, alert threshold, target stock, maximum per order, whether it is charged for. Assets (computers, monitors, phones) are not put in a catalog: issuing specific units with inventory numbers is not supported.
Warehouse	A catalog may have several warehouses: the main one, a spare pool, a site store. The employee picks the pickup warehouse while ordering.
Stock and movements	Stock is kept as an aggregate ("on hand", "reserved") and backed by a movement log: receipt, issue, write-off, transfer, stock count, reservation and reservation release.
Kit	A ready-made cart for a role. A one-off kit is issued once per person; a repeat needs the catalog administrator's permission.
Issue limit	The rule for "how much may be received per period": the scope, the allowance, what it covers, the period, the maximum, soft or hard.
Job title level	A numeric markup of the job title dictionary. The "Approver at least of job title" threshold and the automatic choice of an approver up the manager chain both rely on it.
Rating	An employee rates an item and writes a review only for an item they have received.

1.4. The ordering process



STEP	WHO	WHAT HAPPENS
The order	employee	fills the cart, picks the recipient, the warehouse and the approver, writes a comment and presses "Submit the order". A GLPI ticket is created in the catalog's category
Approval	manager	an order below the routine threshold goes to the warehouse at once; otherwise an approval request appears in the ticket. A refusal ends the order: the solution "Approval refused", the ticket becomes "Solved", the stock is untouched
Picking	storekeeper	"Approve the quantities" — a reduction requires a reason, and the employee will see it; "Ready for pickup" if needed
The issue	storekeeper	"Issue and write off": the stock is written off and the note number is generated automatically or entered by hand. An issue is indivisible — if any one item is short of stock, nothing is written off at all
The issue note	storekeeper, employee	printed once the goods are issued; before that the form does not open
Completion	the plugin	a solution listing what was issued is added to the ticket, the ticket becomes "Solved", and GLPI's auto-close finishes it later

1.5. Tickets, SLA and notifications

- The ticket is created in the **ticket category** from the catalog settings.
- Response and resolution targets are assigned by GLPI's **standard business rule for tickets** by that category. Without a category, tickets are created with no targets — the catalog warns about that when saved.
- Notifications are GLPI's standard templates. The warehouse's intermediate steps are written as followups without e-mail, so that one order does not produce four notifications.
- The ticket and the order live together: deleting the ticket does not leave the order orphaned.

A refusal at approval

The ticket gets a solution and the status **"Solved"** rather than "Closed": the employee has time to read the reason and, if they disagree, to push the ticket back into work. GLPI's auto-close finishes it later, by the delay configured for the entity.

PART 2

A catalog from scratch: 14 steps

The example is an office-supplies catalog for a Facilities department. Substitute your own names; the order of the steps does not change. Steps 1–5 are done with standard GLPI features, steps 6–13 under [Management → Store](#).

What you will end up with

OBJECT	VALUE IN THIS EXAMPLE
Entity	Facilities (a child of the root entity)
Groups	"Office supplies approvers", "Office supplies storekeepers"
Ticket category	"Office supplies issue"
SLA	4 working hours to take in hand, 3 working days to resolve
Profile	"Office supplies storekeeper"
Catalog	"Office supplies" — available from the root, a tile on the home page
Warehouses	"Facilities store" (default), "Site store"
Items	6 items with prices, thresholds and target stock
Kit	"New joiner set" (one-off)
Limits	3 rules, including a shared group allowance

1 The entity

[Administration → Entities → +](#)

The name **Facilities**, the parent being the root entity. The entity becomes the owner of the warehouse and the catalog: its staff manage the catalog, everybody else only orders.

2 The groups

[Administration → Groups → +](#)

NAME	FLAGS	WHOM TO INCLUDE
Office supplies approvers	"Can be supervisor", "Can be assigned to tickets", "Child entities"	the managers
Office supplies storekeepers	"Can be assigned to tickets", "Child entities"	the storekeepers

The entity of both is Facilities. The recursive flag is required if orders arrive from child entities. The membership is filled on the "Users" tab.

3 The ticket category

Setup → Dropdowns → Ticket categories → +

The name `Office supplies issue`; visible in tickets (request); the root entity with the “Child entities” flag; the technician group being “Office supplies storekeepers”. The category is the anchor the SLA and the routing attach to.

4 The SLA and the business rule

Setup → Service levels → + — an agreement with your working calendar and two SLAs: “take in hand” in 4 working hours, “issue” in 3 working days.

Setup → Rules → Business rules for tickets → + — the criterion “Category = Office supplies issue”, the actions being time to own and time to resolve from the SLAs you created. Check that the rule is active.

5 The storekeeper's profile and rights

Administration → Profiles → + — the profile `Office supplies storekeeper`, the standard interface. Then tick the rights on the “Internal store” tab (see fig. 1):

RIGHT	WHAT TO GRANT THE STOREKEEPER
“Catalogs, items, kits and limits”	read
“Orders: picking queue and issue”	read, picking and issue
“Warehouse: stock, receipts, write-offs, transfers”	read, stock movements

The profile is assigned to the storekeeper **in their entity**: Administration → Users → the user → Authorizations — the profile, the entity Facilities, “Recursive” — yes.

The scope of responsibility is set here

The Facilities storekeeper will not see another entity's warehouse even if they know its id: access is checked on every action, not only on the page.

6 The catalog and its settings

Management → Store → Store catalogs → + . The form is split into sections; below is each section with the example's values.


Name and appearance

Fig. 4. The name, the description for the employee, the entity, the visibility and the tile. “Available from parent entities” — yes, if the employees work from the root and never switch entity.

Announcement above the catalog

Fig. 5. The text is shown to the employee above the item list: issue schedules, rules, temporary restrictions. The style is a regular announcement, a warning or an intake restriction.

Who approves the order



Who approves the order

How the approver is chosen ? The employee picks the approver ▼

Approver at least of job title ? Manager (70) ▼


Approver group — fallback ? Office supplies approvers ▼ i +

Auto-approve orders cheaper than ? 500.00

... and no more items than ? 3

Fig. 6. The approval mode, the job title threshold, the approver group as a fallback, whether an approver is mandatory, and the routine order threshold: up to 500 and no more than three items goes to the warehouse without approval.

Who issues



Who issues


Fulfilment group ? Office supplies storekeepers ▼ i +

Ticket category ? Office supplies issue ▼ i +

Reserve stock for an approved order ? Soft reservation once work starts ▼

Fig. 7. The fulfilment group lands in the ticket, the ticket category ties the catalog to the SLA, and the reservation mode decides whether stock is held for an approved order.

What the employee sees and can do



What the employee sees and can do

Show prices to the employee ? Yes ▼

Show stock level ? Yes ▼

Maximum items per order ? 10

Approver is mandatory ? Yes ▼

Move the ticket to "Solved" on refusal ? Yes ▼

Order comment is mandatory ? Yes ▼

Allow ordering for others ? Yes ▼

Fig. 8. Prices, stock levels, the maximum items per order, a mandatory comment, ordering for others, and moving the ticket to "Solved" on refusal.

Printed issue note

Fig. 9. The details of the form: the organisation in the header, the document title, the job title of the person issuing, whether prices and the “requested” column are printed, and the text below the signatures.

After saving

The tabs “Warehouses”, “Catalog items”, “Kits” and “Issue limits” appear, and so does the catalog's tile on the self-service home page.

7 Warehouses

The “Warehouses” tab → the **“Add a warehouse”** block. The example has two warehouses: **Facilities store** (the default) and **Site store**.

WAREHOUSE	LOCATION	OWNER	DEFAULT	ACTIVE	ISSUE
Facilities store		—	yes	yes	yes
Site store		—		yes	yes

Fig. 10. The catalog's warehouses and the form for adding one. A second warehouse is needed when goods are issued from two places: the employee then picks the pickup warehouse while ordering.

8 The items

The “Catalog items” tab. An item points at a GLPI item — a consumable or a cartridge: either create both at once in the **“Create a new item”** block, or attach an existing one.




Fig. 11. The six items of the example: the price, the unit, the threshold, the target stock, the maximum per order and the active flag.

able in the GLPI dictionary and adds it to the catalog straight away.
ated from scratch.

Reference	Unit	Price
	pcs	
Alert threshold	Target stock	Payment
+		free

mployee

Create

Add an existing item
If the item already exists in GLPI — a consumable, a cartridge or an asset.

Item type

Object id

Unit

Add

Fig. 12. The form for a new item. “Alert threshold” and “Target stock” are used by the low-stock task: the need is calculated as “target stock minus available stock”. “Maximum per order” is the quantity cap in the cart.

The example's items

NAME	REFERENCE	UNIT	PRICE	THRESHOLD	TARGET	MAX
Blue ballpoint pen	ART-0041	pcs	12.00	50	300	5
HB pencil	ART-0055	pcs	8.00	40	200	5
A4 paper, 500 sheets	ART-0102	pack	430.00	10	50	2
Lever arch file, 70 mm	ART-0210	pcs	190.00	15	60	3
Sticky note block 90×90	ART-0233	pcs	95.00	20	80	2
Whiteboard marker	ART-0301	pcs	65.00	12	40	4

When there are many items, loading them from a file is faster — see appendix A and fig. 20.

9 Opening stock

Management → Store → Warehouse → the **“Receive”** block: the item, the warehouse, the quantity, and optionally a document number and a price. Check that the stock and the receipt entries have appeared (fig. 16).

10 The kit

The “Kits” tab → the **“Create a kit”** block: **New joiner set**, “Issued once” — yes. Then use **“Add to the kit”** to put the items in with their quantities.

The screenshot shows the GLPI interface for creating a kit. The left sidebar contains navigation links for Find menu, Assets, Assistance, Management (selected), Licenses, Budgets, Suppliers, Contacts, Contracts, Documents, Phone lines, Certificates, Data centers, Clusters, Domains, Appliances, Databases, Store, Tools, Administration, and Setup. The main content area is titled 'Store catalog - Office supplies - ID 15'. It features a search bar, a 'Search...' button, and a 'Super-Admin' user profile. The 'Store catalog' section includes links for Warehouses (2), Catalog items (6), Kits (1), Issue limits (3), and Historical (1). The 'Kits' section is active, showing a 'New joiner set' kit with 5 items and a total value of 747.00. The kit is marked as 'issued' and 'once per person'. Below the kit details, there is a table of items with their quantities and amounts. The 'One-off issue' section indicates that the kit is already received and has no permissions in force. The 'Create a kit' section allows for creating a new kit with a name, note, icon, and issue. The 'Add to the kit' button is visible next to the item selection.

Fig. 13. A kit of five items and the creation form. A one-off kit becomes unavailable once issued; a repeat is only possible if the administrator grants a permission in the “One-off issue” block.

11 Job title levels

Management → Store → Job title levels → **“Mark up the job title dictionary”**, then fix by hand where it matters: a head of department must come out above a specialist.

GLPI

Find menu

Assets

Assistance

Management

Licenses

Budgets

Suppliers

Contacts

Contracts

Documents

Phone lines

Certificates

Data centers

Clusters

Domains

Appliances

Databases

Store

Tools

Administration

Home / Management / Store / Job title levels

+ Add

Search...

Super-Admin
...entity (древовидная структура)

Job title levels

An approval rule is phrased as “at least a chief specialist”, but a job title in GLPI is a flat dictionary with no order to it. The level is derived from the name by a pattern: “chief” is sixty, “lead” is fifty, “senior” is forty, “junior” is twenty, an intern is ten, and managerial titles are seventy. Support titles such as an assistant or a secretary never rise above a specialist, even when the name contains the word “manager”.

job titles in the dictionary: 15 marked up: 15

Mark up the job title dictionary ☐ overwrite manual edits too

Distribution by level

LEVEL	JOB TITLES	EMPLOYEES	MAY APPROVE
Specialist (30)	7	28	no
Senior (40)	1	2	no
Lead (50)	2	3	no
Manager (70)	5	4	yes

Search by job title

Search

JOB TITLE	EMPLOYEES	LEVEL	SOURCE	
Head of department	1	Manager (70)	from the name	Manager (70) Set
Specialist	1	Specialist (30)	from the name	Specialist (30) Set
Storekeeper	1	Specialist (30)	from the name	Specialist (30) Set
Бармен	14	Specialist (30)	from the name	Specialist (30) Set

Fig. 14. The markup of the job title dictionary. These are exactly the levels the “Approver at least of job title” setting uses: without the markup the threshold selects nobody.

12 Limits

The “Issue limits” tab → the **“Add a limit”** block. The example's three rules cover everything the setting can do.




Fig. 15. Three rules and the form for adding one. The “Allowance” column shows whose pool is spent: “one per recipient” or “shared across the scope”.

RULE	WHOM	ALLOWANCE	WHAT IT COVERS	PERIOD	MAX	HARD
Paper — 2 packs a month	every employee of the catalog	one per recipient	the item “A4 paper”	month	2	yes
Office supplies — 20 units a quarter	every employee of the catalog	one per recipient	the whole catalog	quarter	20	no
Sales — 10 files a year	the group “Sales”	shared across the scope	the item “Lever arch file”	year	10	yes

One per recipient — every employee has their own two packs a month, and an order for a group spends the group's separate allowance. **Shared across the scope** — the group has one common pool for everybody, and the personal orders of its employees spend it too; that is how the loophole is closed where an employee takes more than their personal allowance “for the group”.

A hard limit is checked twice

When the order is submitted and again at the moment of issue: between those two events the person may have received their allowance through another order. The message about the excess names the rule and whose allowance is exhausted.

13 The acceptance order

Walk the whole process with real people — that tests the rights, the routing, the SLA and the printed form all at once. These screens are covered in detail in part 3.

1. The employee opens the catalog's tile, puts items in the cart, tries to exceed an item's cap and adds the kit.
2. They pick the recipient, the warehouse and the approver, write a comment and submit the order. Without a comment and an approver the order must not go anywhere.
3. The approver answers in the ticket; test a refusal on a separate order too.
4. The storekeeper approves the quantities (reduce a line with a reason), marks the order ready, issues it and prints the note.
5. The employee sees the solution in the ticket, prints their own note and rates an item.
6. The administrator looks at "Analytics" and "Reports".

14 Scheduled tasks

[Setup → Automatic actions](#) — the plugin's three tasks must be enabled.

TASK	PERIOD	WHAT IT DOES
storefront_lowstock	daily	finds items below the threshold and calculates the purchase need
storefront_cartcleanup	weekly	removes carts abandoned more than 30 days ago
storefront_reserves	daily	releases reservations that no order holds any more

GLPI's system cron is required

The tasks run in external mode. Without a working scheduler the reservations gradually get stuck and block ordering what is in fact on the shelf.

PART 3

Working with the catalog

3.1. The employee

The employee opens the catalog from the tile on the home page (fig. 3). From there it is an ordinary shop: search, categories, “in stock” only, sorting, the cart.




Fig. 16. The “Office supplies” catalog: the announcement, the search and the category filter, the ready-made kits, the item cards with price, stock and rating. The cart is on the right.




Fig. 17. Ready-made kits: one “Take the kit” button puts all of the kit’s items into the cart at once, in the right quantities.

 Cart — items 2

Blue ballpoint pen 36.00

pcs · 12.00 per unit

-	3	+	OK	×
---	---	---	----	---

Sticky note block 90×90 190.00

pcs · 95.00 per unit

-	2	+	OK	×
---	---	---	----	---

Who is this order for

For myself



Total 226.00

Recipient: **myself**

Where to pick it up

Facilities store



Who approves *

Whitfield Dana



Only employees whose job title meets the catalog threshold are listed. Your manager is offered by default.

Why the order is needed *

For example: HR has run out of pens



The approver and the storekeeper see this note — without it the order cannot be submitted.

Submit the order

Empty the cart




Fig. 18. The cart and the checkout: the recipient, the pickup warehouse, the approver, the comment. The “Submit the order” button is disabled when a hard limit has fired or a mandatory field is empty.

Once submitted, the order is visible to the employee in two places: in the list of their own orders in the catalog, and in the GLPI ticket itself, where every step is recorded — from the approval to the issue with the note number.

3.2. The approver

The approver never enters the plugin: they answer with the standard approval buttons in the ticket. An order below the routine threshold never reaches them — it goes straight to the warehouse marked “approved automatically”.

A refusal ends the order: a solution “Approval refused” with the reason is added to the ticket, the ticket becomes “Solved”, and the stock is untouched. If the need remains, the employee submits a new order.

3.3. The storekeeper: the queue and the issue

GLPI

Find menu

Assets

Assistance

Management

Store

Tools

Administration

Setup

Home / Management / Store / Order queue

Search...

Office supplies storekeeper
... > Facilities (tree structure)

SR

Order queue

Catalog

Status

Office supplies

In progress (all open)

Show

ORDER	REQUESTER	FOR WHOM	CATALOG	WAREHOUSE	ITEMS	REQUESTED	APPROVED	STATUS	CREATED	
N°656	Carter Alex	For myself	Office supplies	Facilities store	1	2	0	Awaiting approval	2026-09-03	Open
N°655	Carter Alex	For myself	Office supplies	Facilities store	2	5	0	In progress	2026-09-03	Open

Fig. 19. The order queue: the filter by catalog and status, the requester, the recipient, the warehouse, the number of items, requested and approved.

GLPI

Find menu

Assets

Assistance

Management

Store

Tools

Administration

Setup

← Collapse menu

Home / Management / Store / Order queue

Search...

Office supplies storekeeper
... > Facilities (tree structure)

SR

Order queue

Catalog

Status

Office supplies

In progress (all open)

Show

ORDER	REQUESTER	FOR WHOM	CATALOG	WAREHOUSE	ITEMS	REQUESTED	APPROVED	STATUS	CREATED	
N°656	Carter Alex	For myself	Office supplies	Facilities store	1	2	0	Awaiting approval	2026-09-03	Open
N°655	Carter Alex	For myself	Office supplies	Facilities store	2	5	0	In progress	2026-09-03	Open

Order No.655 Office supplies · requester Carter Alex

In progress

For myself. Signs the issue note: **Carter Alex**.

Ticket No.634

ITEM	UNIT	REQUESTED	AVAILABLE	TO ISSUE	ISSUED	REASON FOR THE CHANGE
Lever arch file, 70 mm	pcs	2	58	2	0	mandatory when reducing
Whiteboard marker	pcs	3	37	3	0	mandatory when reducing

You cannot increase beyond what was requested. A reason is mandatory when reducing — it goes into the issue note and the ticket timeline.

Approve the quantities

reason for cancelling

Cancel the order

Fig. 20. The order card: for every item you see what was requested, the available stock and the “to issue” field. A reduction requires a reason — it goes into the issue note and the ticket timeline. The buttons: “Approve the quantities”, “Cancel the order”; once approved, “Ready for pickup” and “Issue and write off” appear.

Facilities

OFFICE SUPPLIES ISSUE NOTE

No. 2026-0654 of 03 September 2026

Issued to: **Carter Alex**

Grounds: order No. 654 , ticket No. 633

Issuing warehouse: Facilities store

Purpose: We are running out of paper, and the new joiners need pens

N°	Name	Unit	Requested	Issued
1	A4 paper, 500 sheets	pack	1	1
2	Blue ballpoint pen	pcs	2	2
3	Sticky note block 90×90	pcs	2	2
Total				5

Items in total: 3, units: 5

Issued by (Facilities storekeeper)

Received by

signature, name in full

signature, name in full

Goods received; no complaints as to quantity or quality.

Fig. 21. The issue note for goods that have been issued: the organisation header, the number and the date, who received it and who ordered it, the grounds with the order and ticket numbers, the warehouse, the contents, the totals and the signatures. Before the issue the form does not open.

3.4. The warehouse: receipts, write-offs, transfers, stock counts

The screenshot shows the GLPI Warehouse interface. On the left is a dark sidebar with navigation links: Find menu, Assets, Assistance, Management (highlighted), Store, Tools, Administration, and Setup. The main content area has a breadcrumb trail: Home / Management / Store / Warehouse. A search bar and a user profile 'Office supplies storekeeper' are at the top right. Below the breadcrumb, there's a 'Catalog' dropdown set to 'Office supplies' and buttons for 'Facilities store' and 'Site store'. A status bar shows 'below threshold: 0', 'zero stock: 0', and 'to purchase: 10 units'. There are links for 'Excel', 'CSV', and 'Import from a file'. A table lists items with columns: ITEM, UNIT, ON HAND, RESERVED, AVAILABLE, THRESHOLD, TARGET, TO PURCHASE, and STATUS. The items are: Blue ballpoint pen ART-0041, HB pencil ART-0055, A4 paper, 500 sheets ART-0102, Lever arch file, 70 mm ART-0210, Sticky note block 90x90 ART-0233, and Whiteboard marker ART-0301. Below the table are four forms: 'Record a receipt' (with fields for item, quantity, price per unit, document number, and comment), 'Stock count adjustment' (with fields for item, actual quantity, and grounds), 'Write off from the warehouse' (with fields for item, quantity, document number, and grounds), and 'Transfer to another warehouse' (with fields for item, quantity, destination warehouse, and comment). Each form has a 'Receive', 'Record the adjustment', 'Write off', or 'Transfer' button respectively.

ITEM	UNIT	ON HAND	RESERVED	AVAILABLE	THRESHOLD	TARGET	TO PURCHASE	STATUS
Blue ballpoint pen ART-0041	pcs	298	0	298	50	300	2	allowance
HB pencil ART-0055	pcs	200	0	200	40	200	—	allowance
A4 paper, 500 sheets ART-0102	pack	49	0	49	10	50	1	allowance
Lever arch file, 70 mm ART-0210	pcs	60	2	58	15	60	2	allowance
Sticky note block 90x90 ART-0233	pcs	78	0	78	20	80	2	allowance
Whiteboard marker ART-0301	pcs	40	3	37	12	40	3	allowance

Fig. 22. The warehouse page: the stock by item and warehouse, the available quantity and the reservation, the forms for receipts, write-offs, transfers and stock counts, and the movement log.

OPERATION	WHAT IT NEEDS	WHAT IT DOES
Receive	item, warehouse, quantity; a document and a price may be given	increases the stock, writes an entry
Write off	mandatory grounds, optionally a document number	decreases the stock, does not touch other orders' reservations
Transfer	the destination warehouse	a pair of entries; the total across warehouses is preserved
Stock count	the actual quantity	brings the stock to the actual figure and records the count date

You cannot write off more than there is. Available stock is “on hand” minus the reservation; reservations are held by approved orders that have not been issued yet.




Fig. 23. The item import: the sample file, the choice of catalog and warehouse, and a dry run with a “created / updated / skipped” report. The format is in appendix A.

PART 4

Analytics and reports




Fig. 24. The analytics over a period: orders, units and value issued, the average and median time from order to issue, consumption by month, what is taken most often, who receives it, what needs purchasing and how the limits are being spent.




Fig. 25. The consumption report over a period, grouped by item, recipient or entity, with CSV export.

Everything is counted from the warehouse movements rather than from the current stock: the stock says what is there now, while decisions are made from the consumption over a period. In the limits table, personal allowances are summed per employee, while a shared allowance of a scope is shown once — with a note as to whose pool it is.

PART 5

Rolling out to production

5.1. Requirements

WHAT	VALUE
GLPI	11.0 and newer (verified on 11.0.8)
PHP	the same version your GLPI build requires
Scheduler	GLPI's system cron must be running
File permissions	the <code>plugins/</code> directory must be writable by the web server user
Access	a GLPI administrator with full rights

5.2. Before installing

- ☐ **Back up the database** and the GLPI directory.
- ☐ Check the GLPI version: [Setup → General → System](#).
- ☐ Make sure there is no `plugins/storefront` directory yet.
- ☐ Check that GLPI's cron is running: the built-in tasks have a last-run date.
- ☐ Decide who the catalog administrator and the storekeeper are, and in which entities to assign their profiles.

5.3. Installing

Unpack the `storefront` directory into `plugins/` and run as the web server user:

```
php bin/console plugin:install storefront
php bin/console plugin:activate storefront
```

The web interface does the same: [Setup → Plugins → Internal store → Install → Enable](#).




Fig. 26. This is how an installed and enabled plugin looks in the list: the name “Internal store”, the version, the state “Enabled”.

What appears in the system

WHAT	DETAILS
14 tables	<code>glpi_plugin_storefront_*</code> : catalogs, warehouses, items, stock, movements, orders, order lines, limits, kits, kit contents, permissions, ratings, job title levels, carts
3 rights	catalogs · orders · warehouse — on the “Internal store” tab of the profile form
3 tasks	<code>storefront_lowstock</code> , <code>storefront_cartcleanup</code> , <code>storefront_reserves</code>
Menu entry	Management → Store

GLPI's schema is not modified

Tickets, approval requests, followups, solutions and consumables are created by the plugin through GLPI's own API — exactly as a person would create them in the interface.

5.4. Checks right after installing

#	WHAT TO CHECK	EXPECTED RESULT
1	Setup → Plugins	"Internal store", the version, the state "Enabled"
2	Management → Store	the entry is there and opens the (empty) list of catalogs
3	The sub-entries	eight pages: catalogs, queue, orders, import, warehouse, analytics, reports, job title levels
4	Any profile	there is an "Internal store" tab with three rights
5	Setup → Automatic actions	the three <code>storefront_*</code> tasks are enabled
6	<code>files/_log/php-errors.log</code>	no new entries mentioning <code>storefront</code>
7	<code>files/_log/sql-errors.log</code>	no new entries
8	Open the plugin's pages one by one	all of them answer; empty lists are normal

If the menu entry did not appear, reload the page with the browser cache cleared and check that the plugin is "Enabled" and not merely "Installed".

5.5. The pilot

1. **One catalog.** Start with the one whose items are simple and whose issues are frequent — office supplies suit better than equipment.
2. **A limited group.** 5–10 employees, one or two approvers, one storekeeper.
3. **One or two weeks.** That is enough time for every branch to occur: a normal issue, a partial one, a refusal, a cancellation, a stock receipt, a limit firing.
4. **A review.** The wording is fixed through the catalog's settings — the description, the announcement, the item names — without touching the code.

What must be checked

- ☐ The employee finds the catalog by its tile without asking where it is.
- ☐ An order below the threshold goes to the warehouse without approval; a more expensive one reaches the manager.
- ☐ An approver's refusal: the ticket gets a solution and the status "Solved", the stock is untouched, the reason is visible.
- ☐ The storekeeper reduces a quantity with a reason — the employee sees that reason in the ticket.
- ☐ An issue writes off exactly what was issued; the note is printed and signed.
- ☐ A hard limit stops the order and says whose allowance is exhausted.
- ☐ Tickets get SLA targets by the catalog's category.
- ☐ A day later the `storefront_reserves` task has run.

What to look at every few days

WHERE	WHAT TO LOOK FOR
Store → Warehouse	no negative stock; no reservation larger than the stock without a reason
Store → Analytics	issues land in the report; the time to issue looks realistic
php-errors.log	entries mentioning storefront
Automatic actions	all three tasks are running

5.6. Upgrading

Replace the `plugins/storefront` directory and **always** run the same two commands as for the installation.

Until the migration is run the plugin does not work — that is GLPI's normal behaviour

While the version of the files differs from the version in the database, GLPI considers the plugin to require an update and does not load its classes: the store's pages return an error and the tile disappears. Run `plugin:install` and `plugin:activate` and everything comes back. The data survives.

5.7. Rolling back

Disable while keeping the data: `Setup → Plugins → Disable`. The catalog disappears from the menu and from self-service, while the orders and the stock stay. Enabling it brings everything back.

Uninstalling the plugin: what happens to the data

DATA	WHAT HAPPENS TO IT
Orders, order lines, warehouse movements, stock	kept in the database as they are — these are accounting records
Catalogs, warehouses, items, limits, kits, permissions, ratings, job title levels	the tables are renamed with a date suffix <code>_backup_YYYYMMDD</code>
Carts	deleted
The store's rights	removed from every profile
Tickets, solutions, followups, consumables	kept: this is GLPI's data

5.8. Limitations and agreements

Not implemented

- **Tracking by inventory number.** A quantity of a consumable is issued, not a specific numbered unit. That is why only consumables and cartridges are put in a catalog — assets are not offered in the list of types.
- **A “not in the catalog” line.** Ordering something absent from the item list as free text is not possible.

What is worth agreeing on in advance

- **A limit counts the whole period**, including the issues made before the rule was created. A “one chair a year” rule entered in September will also count January's chair.
- **The limit's allowance** is an organisational decision: “one per recipient” or “shared across the scope”. For expensive items a shared group allowance is usually closer to real life.
- **An order for a group or an entity** spends that group's allowance rather than the personal allowance of whoever signed the note.
- **The reservation is soft**: the promise may exceed the actual stock, and the shortage is discovered at the moment of issue. That way one order does not block the warehouse for everybody else.

APPENDICES

Reference material

A. The item import format

CSV with `;` as the separator, in UTF-8 or windows-1251. The sample is downloaded from the import page. The header may be written in English or in Russian — both spellings are recognised.

```
name;reference;category;unit;price;threshold;target;stock
Blue ballpoint pen;ART-0041;Office supplies;pcs;12,00;50;300;100
A4 paper, 500 sheets;ART-0102;Paper;pack;430,00;10;50;20
```

COLUMN	WHAT IT MEANS	REQUIRED
name	the name of the GLPI item and of the catalog item	yes
reference	the reference or code an existing item is found by	no
category	the GLPI consumable type, created if absent	no
unit	pcs, pack, set — how to show it to the employee	no
price	the price per unit; a comma is accepted as the decimal mark	no
threshold	the alert threshold for low stock	no
target	the target stock used to calculate the need	no
stock	when filled in, it is booked into the default warehouse straight away	no

Uploading the same file again updates the items instead of creating copies.

B. The rights and what they grant

RIGHT	READ	UPDATE
Catalogs, items, kits and limits	see the catalogs, items, kits, limits, analytics and reports	create and change them; full rights are needed only by the catalog administrator
Orders: picking queue and issue	see the queue and the orders	approve quantities, mark readiness, issue, cancel
Warehouse: stock, receipts, write-offs, transfers	see the stock and the movements	receive, write off, transfer, count stock

Access is bounded by the entity the profile is assigned in: both the pages and every single action check the entity of the order or the warehouse.

C. Order statuses

STATUS	WHAT IT MEANS	WHAT COMES NEXT
draft	the cart is filled but not submitted	the employee submits it or abandons it
awaiting approval	waiting for the manager's answer	approval or refusal
in the warehouse queue	approved, waiting to be picked	the storekeeper approves the quantities
approved for issue	the quantities are confirmed, the stock is reserved	readiness or the issue
ready for pickup	picked, waiting for the recipient	the issue
issued	the stock is written off, the note is printed	the ticket becomes "Solved"
refused	the approver said no	the ticket becomes "Solved", the stock is untouched
cancelled	cancelled by the employee or the warehouse	the reservation is released, the stock is unchanged

D. If something is wrong

SYMPTOM	THE CAUSE AND WHAT TO DO
The employee does not see the catalog	the catalog is disabled; the entity does not match and "Available from parent entities" is off; there are no active items
There is no tile on the home page	turn on "Tile on the self-service home page" and save the catalog
The order will not submit	the comment or the approver is missing while they are mandatory; a hard limit fired — the message names the rule and whose allowance is exhausted
An order hangs with no approver	the mode "the employee picks the approver" with neither mandatory approver nor an approver group
Tickets have no targets	the catalog has no ticket category, or there is no business rule for that category
The storekeeper does not see the queue	the right for orders was not granted, or the profile is assigned in the wrong entity
"There is stock, but ordering is refused"	available stock = on hand minus reservations; a stuck reservation will be released by the <code>storefront_reserves</code> task
The store's pages return an error after the files were replaced	the migration was not run: <code>plugin:install</code> and <code>plugin:activate</code>

E. What the distribution contains

FILE	WHAT IS INSIDE
<code>README.md</code>	a short description, requirements, installation, first setup
<code>docs/en/manual.md</code>	the same manual as text, without screenshots
<code>docs/en/setup-example.md</code>	the step-by-step catalog setup example
<code>docs/en/prod-checklist.md</code>	the production rollout, the pilot, rolling back
<code>locales/</code>	the interface translations: <code>en_GB</code> , <code>en_US</code> , <code>ru_RU</code>