



Performance



Accessibility



Best Practices



SEO



Agentic Browsing



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100

METRICS

Expand view

● First Contentful Paint

0.6 s

■ Total Blocking Time

250 ms

■ Speed Index

1.4 s

■ Largest Contentful Paint

1.9 s

● Cumulative Layout Shift

0.003



Show audits relevant to: **All** [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Use efficient cache lifetimes — Est savings of 251 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) **FCP** **LCP** **Unscored**

Request


Cache TTL Transfer Size


Request		Cache TTL	Transfer Size
Stripe	Utility		256 KiB
/dahlia/stripe.js (js.stripe.com)		2m	242 KiB
/out-4.5.45.js (m.stripe.network)		5m	14 KiB

▲ Improve image delivery — Est savings of 262 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

☒ Show 3rd-party resources (3)

URL		Resource Size	Est Savings
vercel.app 1st Party		134.6 KiB	134.5 KiB
	InstaWear <img alt="InstaWear" class="w	/InstaWear-logo.webp (instawear.vercel.app)	134.6 KiB
-full h-full object-cover" decoding="async" src="/InstaWear-logo.webp">		This image file is larger than it needs to be (2472x2421) for its displayed dimensions (45x45). Use responsive images to reduce the image download size. 134.5 KiB	
imagekit.io		148.2 KiB	127.6 KiB
	40 looks good classic tee <img alt="40	...36c1d9fb-f52a-4a29-a54d-c2ba11ef851b/808080.jpg?ik-t=... (ik.imagekit.io)	79.7 KiB
looks good classic tee" loading="lazy" decoding="async" class="w-full h-full object-cover transition-transform duration-700 ease-out grou..." src="https://ik.imagekit.io/ccx3pyrrg/tr:q-80,f-webp/https://hkbybsycaylobvbnw...">		This image file is larger than it needs to be (1000x1000) for its displayed dimensions (373x373). Use responsive images to reduce the image download size. 68.6 KiB	
	21st Birthday Shirt — Finally Legal,	...a7b7815f-81df-4c32-b10c-57d7554aca02/1a1a1a-front_dtf.jpg?... (ik.imagekit.io)	50.0 KiB
Barely Responsible — Y2K Chrome Party 		43.1 KiB	

URL		Resource Size	Est Savings
			
Garment-dyed heavyweight long-sleeve shirt			
<code></code>			
This image file is larger than it needs to be (1000x1000) for its displayed dimensions (373x373). Use responsive images to reduce the image download size.			43.1 KiB
...prod-printful-452.../808080.jpg?ik-t=210...&ik-s=e18deca... (ik.imagekit.io)		18.5 KiB	15.9 KiB
This image file is larger than it needs to be (1000x1000) for its displayed dimensions (373x373). Use responsive images to reduce the image download size.			15.9 KiB

▲ Render-blocking requests — Est savings of 120 ms ^

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP Unscored

☒ Show 3rd-party resources (1)

URL	Transfer Size	Duration
Google Fonts Cdn	1.6 KiB	300 ms
/css2?family=... (fonts.googleapis.com)	1.6 KiB	300 ms
vercel.app 1st Party	15.1 KiB	0 ms
/assets/index-DICMoB67.css (instawear.vercel.app)	15.1 KiB	

▲ Forced reflow ^

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

Top function call	Total reflow time
/assets/index-C91ZZgi7.js:19:1417 (instawear.vercel.app)	356 ms
Source	Total reflow time
/build/installHook.js:1:85609 (fmkadmapgofadopljbjfkapdkoienihi)	282 ms


Source	Total reflow time
/assets/index-C91ZZgi7.js:452:13413 (instawear.vercel.app)	38 ms
/assets/index-C91ZZgi7.js:453:87306 (instawear.vercel.app)	36 ms

▲ Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **1,107 ms**

Initial Navigation



Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://hkbybsycaylobvbnwak.supabase.co/	head > link <link rel="preconnect" href="https://hkbybsycaylobvbnwak.supabase.co" crossorigin="">
https://fonts.googleapis.com/	head > link <link rel="preconnect" href="https://fonts.googleapis.com">
https://fonts.gstatic.com/	head > link <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin="">

Unused preconnect. Check that the `crossorigin` attribute is used properly.


Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

Origin	Est LCP savings
https://fonts.gstatic.com	220 ms
https://js.stripe.com	90 ms

○ Layout shift culprits



Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element	Layout shift score
Total	0.003
	◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2... <div class="flex items-center gap-8 px-8 shrink-0"> 0.003
...v12/LDloaomQN....woff2 (fonts.gstatic.com)	Web font

○ Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size](#).


Unscored

Statistic	Element	Value
Total elements		1,233
DOM depth	 div.flex > span.text-xs > svg.lucide > path <path d="M20 6 9 171-5-5">	15
Most children	 div.max-w-350 > div.flex > button.chip > svg.lucide <svg xmlns="http://www.w3.org/2000/svg" width="15" height="15" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round" class="lucide lucide-snowflake" aria-hidden="true">	12

○ LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	140 ms
Resource load delay	60 ms
Resource load duration	140 ms
Element render delay	1,750 ms

	section.relative > div.relative > div.absolute > img.absolute
---	---

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
Stripe Utility	242 KiB	98 ms
/dahlia/stripe.js (js.stripe.com)	242 KiB	98 ms
cfhdojbkjhnklbpkdaibdccddilifddb	0 KiB	59 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/vendor/@eyeo/webext-ad-filtering-solution/content.js	0 KiB	25 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/onpage-dialog-ui.preload.js	0 KiB	11 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	0 KiB	10 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/polyfill.js	0 KiB	5 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/composer.preload.js	0 KiB	3 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/cookie-banner-detection.preload.js	0 KiB	2 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/bypass.preload.js	0 KiB	2 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/onpage-dialog.preload.js	0 KiB	1 ms
fmkadmapgofadopljbjfkapdkoienihi	0 KiB	50 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	0 KiB	19 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js	0 KiB	13 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/backendManager.js	0 KiB	6 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/proxy.js	0 KiB	4 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/hookSettingsInjector.js	0 KiB	3 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/prepareInjection.js	0 KiB	3 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/fallbackEvalContext.js	0 KiB	2 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/fileFetcher.js	0 KiB	0 ms
gighmmpiobklfepjocnamgkbbiglidom	0 KiB	46 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/globals-front.js	0 KiB	15 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	0 KiB	10 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	0 KiB	9 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfill.js	0 KiB	5 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/adblock-picreplacement.js	0 KiB	2 ms
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/cookie-banner-detection.preload.js	0 KiB	1 ms

3rd party	Transfer size	Main thread time
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	0 KiB	1 ms
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-uiscrpts-rightclick_hook.js	0 KiB	1 ms
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/premium.preload.js	0 KiB	0 ms
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/contentscript-loader.js	0 KiB	0 ms
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/ext/common.js	0 KiB	0 ms
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/ext/content.js	0 KiB	0 ms
fihnjjcciajhdojfnbdddfaoknhalnja	0 KiB	32 ms
chrome-extension://fihnjjcciajhdojfnbdddfaoknhalnja/data/js/common.js	0 KiB	30 ms
chrome-extension://fihnjjcciajhdojfnbdddfaoknhalnja/data/js/embeds.js	0 KiB	2 ms
ohahllgiabjaoigichmmfljhkclikeof	0 KiB	32 ms
chrome-extension://ohahllgiabjaoigichmmfljhkclikeof/pages/document-start.js	0 KiB	32 ms
eimadpbcbfmbkopoojfekhkhdbieeh	0 KiB	28 ms
chrome-extension://eimadpbcbfmbkopoojfekhkhdbieeh/inject/index.js	0 KiB	21 ms
chrome-extension://eimadpbcbfmbkopoojfekhkhdbieeh/inject/color-scheme-watcher.js	0 KiB	3 ms
chrome-extension://eimadpbcbfmbkopoojfekhkhdbieeh/inject/proxy.js	0 KiB	2 ms
chrome-extension://eimadpbcbfmbkopoojfekhkhdbieeh/inject/fallback.js	0 KiB	1 ms
cmedhionkhpncndndgjdbohmhepckk	0 KiB	9 ms
chrome-extension://cmedhionkhpncndndgjdbohmhepckk/contentscript.js	0 KiB	9 ms
imagekit.io	169 KiB	0 ms
...36c1d9fb-f52a-4a29-a54d-c2ba11ef851b/808080.jpg?ik-t=... (ik.imagekit.io)	80 KiB	0 ms
...a7b7815f-81df-4c32-b10c-57d7554aca02/1a1a1a-front_dtf.jpg?... (ik.imagekit.io)	50 KiB	0 ms
...72ced7ce-9aba-4dd0-add5-9db4542b3b8a/1a1a1a.jpg?ik-t=... (ik.imagekit.io)	20 KiB	0 ms
...prod-printful-452.../808080.jpg?ik-t=210...&ik-s=e18deca... (ik.imagekit.io)	19 KiB	0 ms
Google Fonts Cdn	46 KiB	0 ms
...v12/LDloaomQN....woff2 (fonts.gstatic.com)	27 KiB	0 ms
...v17/-nFhOHM81....woff2 (fonts.gstatic.com)	17 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	2 KiB	0 ms
supabase.co	25 KiB	0 ms
...v1/products?select=*&order=created_at.desc (hkbybsycaylobvbnwak.supabase.co)	18 KiB	0 ms
...v1/store_settings?select=*&id=eq.true (hkbybsycaylobvbnwak.supabase.co)	2 KiB	0 ms
...v1/product_s...?select=... (hkbybsycaylobvbnwak.supabase.co)	1 KiB	0 ms
...v1/hero_promotions?select=*&order=order.asc (hkbybsycaylobvbnwak.supabase.co)	1 KiB	0 ms
...v1/product_scores?select=... (hkbybsycaylobvbnwak.supabase.co)	1 KiB	0 ms
...v1/merch_config?select=* (hkbybsycaylobvbnwak.supabase.co)	1 KiB	0 ms
...v1/customers?select=... (hkbybsycaylobvbnwak.supabase.co)	1 KiB	0 ms
...v1/search_trends?select=term&order=hits.desc&limit=6 (hkbybsycaylobvbnwak.supabase.co)	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲

Minimize main-thread work — 2.6 s

^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Style & Layout	729 ms
Other	658 ms
Script Evaluation	595 ms
Rendering	376 ms
Script Parsing & Compilation	184 ms
Parse HTML & CSS	34 ms
Garbage Collection	12 ms

▲

Reduce unused JavaScript — Est savings of 552 KiB

^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). FCP LCP Unscored

☒ Show 3rd-party resources (1)

URL	Transfer Size	Est Savings
Unattributable	464.0 KiB	300.1 KiB
chrome-extension://eimadpbcbfmbkopoojfehknkhdbieeh/inject/index.js	116.8 KiB	100.5 KiB
chrome-extension://ohahllgiabjaoigichmmfljhkclikeof/pages/document-start.js	125.9 KiB	52.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/globals-front.js	84.7 KiB	44.3 KiB
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	55.6 KiB	37.2 KiB
chrome-extension://cfhdojbkjhnlbpkdaibdcddilifddb/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	40.5 KiB	33.0 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	40.5 KiB	33.0 KiB
Stripe Utility	225.1 KiB	165.2 KiB
/dahlia/stripe.js (js.stripe.com)	225.1 KiB	165.2 KiB
vercel.app 1st Party	143.7 KiB	86.2 KiB

URL	Transfer Size	Est Savings
/assets/index-C91ZZgi7.js (instawear.vercel.app)	104.4 KiB	54.8 KiB
/assets/supabase-dlChsWQP.js (instawear.vercel.app)	39.3 KiB	31.5 KiB

■ Minify JavaScript — Est savings of 212 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). FCP
LCP Unscored

URL	Transfer Size	Est Savings
chrome-extension://ohahllgiabjaoigichmmfljhkcfikeof/pages/document-start.js	125.9 KiB	66.1 KiB
chrome-extension://eimadpbcfbnmbkopoojfehnkhdbieeh/inject/index.js	116.8 KiB	48.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/globals-front.js	84.7 KiB	43.0 KiB
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	40.5 KiB	5.9 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	40.5 KiB	5.9 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/polyfill.js	10.8 KiB	5.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/polyfill.js	10.8 KiB	5.8 KiB
chrome-extension://cmehdionkhpnaekndndgjdbohhepckk/contentscript.js	33.1 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/cookie-banner-detection.preload.js	10.0 KiB	5.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
chrome-extension://eimadpbcfbnmbkopoojfehnkhdbieeh/inject/proxy.js	7.3 KiB	2.8 KiB
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/bypass.preload.js	8.2 KiB	2.7 KiB
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/polyfill.js	7.5 KiB	2.5 KiB
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/composer.preload.js	7.6 KiB	2.3 KiB
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/cookie-banner-detection.preload.js	6.9 KiB	2.2 KiB

○ Avoid long main-thread tasks — 6 long tasks found





Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

✓ Show 3rd-party resources (1)

URL	Start Time	Duration
vercel.app 1st Party		646 ms
https://instawear.vercel.app	256 ms	212 ms
/assets/index-C91ZZgi7.js (instawear.vercel.app)	1,293 ms	170 ms
/assets/index-C91ZZgi7.js (instawear.vercel.app)	1,108 ms	151 ms
/assets/index-C91ZZgi7.js (instawear.vercel.app)	1,463 ms	62 ms
/assets/index-C91ZZgi7.js (instawear.vercel.app)	1,603 ms	51 ms
Stripe Utility		85 ms
/dahlia/stripe.js (js.stripe.com)	1,943 ms	85 ms

○ Avoid non-composited animations — 40 animated elements found

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS Unscored


Element	Name
	abcd efg <pre><h1 class="font-extrabold text-white leading-[0.95] tracking-tight mb-5 animate-fade-..." style="font-size: clamp(2.5rem, 6vw, 4.5rem); animation-delay: 80ms;"></pre>
Unsupported CSS Property: background-position-x	fadeUp
	LIMITED INSTAWEAR Baby short sleeve one piece - cook +3 18.00 \$ 23.40 \$ In st... <pre><article class="ticket-card animate-fade-up group "></pre>
Unsupported CSS Property: background-position-x	fadeUp
	Baby short sleeve one piece - cook <pre><p class="text-sm sm:text-base mb-7 animate-fade-up" style="color: rgba(255, 255, 255, 0.8); animation-delay: 160ms; max-width: 34ch;"></pre>
Unsupported CSS Property: background-position-x	fadeUp
	INSTAWEAR Dad hat Golf, RV, Fishing Retirement +5 28.24 \$ 36.71 \$ In stock Add... <pre><article class="ticket-card animate-fade-up group "></pre>
Unsupported CSS Property: background-position-x	fadeUp
	Découvrir



```
<button class="btn btn-accent animate-fade-up" style="animation-delay: 240ms;">
```

Unsupported CSS Property: background-position-x

fadeUp




INSTAWEAR Embroidered Beanie 19.00 \$ 24.70 \$ In stock Add to cart

```
<article class="ticket-card animate-fade-up group ">
```

Unsupported CSS Property: background-position-x

fadeUp



INSTAWEAR Retro relaxed mid-weight hooded sweatshirt +1 44.00 \$ 57.20 \$

In st...

```
<article class="ticket-card animate-fade-up group ">
```

Unsupported CSS Property: background-position-x

fadeUp




INSTAWEAR 21st Birthday Shirt — Finally Legal, Barely Responsible — Y2K

Chrome...

```
<article class="ticket-card animate-fade-up group ">
```

Unsupported CSS Property: background-position-x

fadeUp




INSTAWEAR 40 looks good classic tee +5 12.50 \$ 16.25 \$ In stock Add to cart

```
<article class="ticket-card animate-fade-up group ">
```

Unsupported CSS Property: background-position-x

fadeUp




LIMITED INSTAWEAR Baby short sleeve one piece - cook +3 18.00 \$ 23.40 \$ In

st...

```
<article class="ticket-card animate-fade-up group ">
```

Unsupported CSS Property: background-position-x

fadeUp




INSTAWEAR Garment-dyed heavyweight long-sleeve shirt 26.00 \$ 33.80 \$ In

stock ...

```
<article class="ticket-card animate-fade-up group ">
```






Unsupported CSS Property: background-position-x

fadeUp



INSTAWEAR Embroidered Beanie 19.00 \$ 24.70 \$ In stock Add to cart

```
<article class="ticket-card animate-fade-up group ">
```

Element	Name
Unsupported CSS Property: background-position-x	fadeUp
 INSTAWEAR 40 looks good classic tee +5 12.50 \$ 16.25 \$ In stock Add to cart <pre><article class="ticket-card animate-fade-up group "></pre>	
Unsupported CSS Property: background-position-x	fadeUp
 INSTAWEAR Dad hat Golf, RV, Fishing Retirement +5 28.24 \$ 36.71 \$ In stock Add... <pre><article class="ticket-card animate-fade-up group "></pre>	
Unsupported CSS Property: background-position-x	fadeUp
 INSTAWEAR Garment-dyed heavyweight long-sleeve shirt 26.00 \$ 33.80 \$ In stock ... <pre><article class="ticket-card animate-fade-up group "></pre>	
Unsupported CSS Property: background-position-x	fadeUp
 INSTAWEAR 21st Birthday Shirt — Finally Legal, Barely Responsible — Y2K Chrome... <pre><article class="ticket-card animate-fade-up group "></pre>	
Unsupported CSS Property: background-position-x	fadeUp
 ⚡ PROMOTION <pre></pre>	
Unsupported CSS Property: background-position-x	fadeUp
div.grid > div.ticket-card > div.p-3 > div.skeleton <pre><div class="skeleton aspect-square rounded-2xl"></pre>	
Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <pre><div class="skeleton h-5 w-20 rounded mt-2"></pre>	
Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <pre><div class="skeleton h-4 w-2/3 rounded"></pre>	
Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <pre><div class="skeleton h-4 w-2/3 rounded"></pre>	
Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-3 > div.skeleton	

Element	Name
<div class="skeleton aspect-square rounded-2xl"> Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-5 w-20 rounded mt-2"> Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-4 w-full rounded"> Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-4 w-2/3 rounded"> Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-3 > div.skeleton <div class="skeleton aspect-square rounded-2xl"> Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-4 w-full rounded"> Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-3 > div.skeleton <div class="skeleton aspect-square rounded-2xl"> Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-3 w-16 rounded"> Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-4 w-full rounded"> Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-5 w-20 rounded mt-2"> Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-4 w-2/3 rounded"> Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-3 w-16 rounded"> Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-4 w-full rounded"> Unsupported CSS Property: background-position-x	shimmer

Element	Name
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-5 w-20 rounded mt-2">	
Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-3 w-16 rounded">	
Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-3 w-16 rounded">	
Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-3 > div.skeleton <div class="skeleton aspect-square rounded-2x1">	
Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-5 > div.skeleton <div class="skeleton h-4 w-2/3 rounded">	
Unsupported CSS Property: background-position-x	shimmer
div.grid > div.ticket-card > div.p-3 > div.skeleton <div class="skeleton aspect-square rounded-2x1">	
Unsupported CSS Property: background-position-x	shimmer

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (15)

Hide

Document request latency	
Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored Avoids redirects Server responds quickly (observed 10 ms) Applies text compression	
Duplicated JavaScript	
Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored	
Font display	
Consider setting font-display to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with font metric overrides. Unscored	

○ INP breakdown


Start investigating [how to improve INP](#) by looking at the longest subpart. Unscored

● LCP request discovery

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

LCP Unscored

- ✓ fetchpriority=high applied
- ✓ Request is discoverable in initial document
- ✓ LCP resources should not use loading=lazy



section.relative > div.relative > div.absolute > img.absolute

```

```

● Legacy JavaScript

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP Unscored

● Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#). FCP LCP Unscored

● Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile. Unscored

head > meta

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

● Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). FCP LCP Unscored

● Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP Unscored

● Avoids enormous network payloads — Total size was 898 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored

☒ Show 3rd-party resources (6)

URL	Transfer Size
vercel.app 1st Party	362.9 KiB
/assets/index-C91ZZgi7.js (instawear.vercel.app)	138.7 KiB
/InstaWear-logo.webp (instawear.vercel.app)	134.8 KiB
/assets/supabase-dlCHsWQP.js (instawear.vercel.app)	54.9 KiB
/icon-192.png (instawear.vercel.app)	34.6 KiB
Stripe Utility	241.5 KiB
/dahlia/stripe.js (js.stripe.com)	241.5 KiB
imagekit.io	169.1 KiB
...36c1d9fb-f52a-4a29-a54d-c2ba11ef851b/808080.jpg?ik-t=... (ik.imagekit.io)	80.1 KiB
...a7b7815f-81df-4c32-b10c-57d7554aca02/1a1a1a-front_dtf.jpg?... (ik.imagekit.io)	50.4 KiB
...72ced7ce-9aba-4dd0-add5-9db4542b3b8a/1a1a1a.jpg?ik-t=... (ik.imagekit.io)	19.7 KiB
...prod-printful-452.../808080.jpg?ik-t=210...&ik-s=e18deca... (ik.imagekit.io)	18.9 KiB
Google Fonts Cdn	26.7 KiB
...v12/LDloaomQN....woff2 (fonts.gstatic.com)	26.7 KiB

○ User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#) Unscored

● JavaScript execution time — 0.7 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT Unscored

☒ Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
vercel.app 1st Party	2,086 ms	432 ms	135 ms
https://instawear.vercel.app	1,261 ms	71 ms	133 ms
/assets/index-C91ZZgi7.js (instawear.vercel.app)	825 ms	361 ms	2 ms
Unattributable	268 ms	14 ms	0 ms
Unattributable	268 ms	14 ms	0 ms
Stripe Utility	102 ms	65 ms	35 ms
/dahlia/stripe.js (js.stripe.com)	102 ms	65 ms	35 ms

Image elements have explicit [width](#) and [height](#)

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

Page didn't prevent back/forward cache restoration

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#) Unscored




Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.


NAMES AND LABELS

Buttons do not have an accessible name When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn how to make buttons more accessible.
--

Failing Elements



```
div.flex > div.flex > div.hidden > button.w-8  
<button aria-pressed="true" class="w-8 h-8 rounded-full flex items-center  
justify-center" style="background: var(--color-surface); box-shadow: var(--  
shadow-sm);">
```



```
div.flex > div.flex > div.hidden > button.w-8  
<button aria-pressed="false" class="w-8 h-8 rounded-full flex items-center  
justify-center" style="background: transparent; box-shadow: none;">
```

▲ Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

Failing Elements



```
div > div.flex > div.flex > input.w-full  
<input min="0" class="w-full bg-transparent outline-none text-sm"  
type="number" value="0" style="color: var(--color-ink);">
```




```
div > div.flex > div.flex > input.w-full  
<input min="0" class="w-full bg-transparent outline-none text-sm"  
type="number" value="200" style="color: var(--color-ink);">
```

▲ Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

Failing Elements




```
Popularity Newest Price: Low to High Price: High to Low Top Rated  
<select class="appearance-none rounded-full pl-4 pr-9 h-9 text-xs font-  
semibold outline-n..." style="background: var(--color-surface); border: 1px  
solid var(--color-border);">
```

○ Image elements do not have [alt] attributes that are redundant text.

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) (Unscored)


Failing Elements



InstaWear

```

```



InstaWear

```

```


These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

ARIA

▲ Elements use prohibited ARIA attributes


Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

Failing Elements




Social network (coming soon)

```
<span aria-label="Social network (coming soon)" class="btn-icon opacity-60 cursor-default">
```



Social network (coming soon)

```
<span aria-label="Social network (coming soon)" class="btn-icon opacity-60 cursor-default">
```



Social network (coming soon)

```
<span aria-label="Social network (coming soon)" class="btn-icon opacity-60 cursor-default">
```

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements

◆ NEW COLLECTION 2026

```
<span class="flex items-center gap-2 text-[11px] font-bold uppercase tracking-widest te...">
```




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="w-full py-2 overflow-hidden" style="background: var(--color-accent);">

◆ ZERO WASTE PRINTING

```
<span class="flex items-center gap-2 text-[11px] font-bold uppercase tracking-widest te...">
```




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="w-full py-2 overflow-hidden" style="background: var(--color-accent);">



◆ FREE SHIPPING \$35+




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="w-full py-2 overflow-hidden" style="background: var(--color-accent);">



◆ PRINTED IN 24H




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="w-full py-2 overflow-hidden" style="background: var(--color-accent);">



◆ MADE-TO-ORDER FASHION




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="w-full py-2 overflow-hidden" style="background: var(--color-accent);">



◆ NEW COLLECTION 2026




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="w-full py-2 overflow-hidden" style="background: var(--color-accent);">



◆ ZERO WASTE PRINTING


Failing Elements



`<span class="flex items-center gap-2 text-[11px] font-bold uppercase tracking-widest te...">`




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
`<div class="w-full py-2 overflow-hidden" style="background: var(--color-accent);">`



◆ FREE SHIPPING \$35+
`<span class="flex items-center gap-2 text-[11px] font-bold uppercase tracking-widest te...">`




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
`<div class="w-full py-2 overflow-hidden" style="background: var(--color-accent);">`



◆ PRINTED IN 24H
`<span class="flex items-center gap-2 text-[11px] font-bold uppercase tracking-widest te...">`




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
`<div class="w-full py-2 overflow-hidden" style="background: var(--color-accent);">`




Wear
`<span style="color: var(--color-accent);">`



InstaWear Catalog About Reviews FAQ Contact Sign in Festivals Sports Concerts S...
`<header class="sticky top-0 z-40 transition-shadow duration-300" style="background: var(--color-bg); border-bottom: 1px solid var(--color-border);">`




Découvrir
`<button class="btn btn-accent animate-fade-up" style="animation-delay: 240ms;">`



Printed within 24h
`<p class="text-xs truncate" style="color: var(--color-ink3);">`



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
`<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">`




30 days to change your mind
`<p class="text-xs truncate" style="color: var(--color-ink3);">`

Failing Elements




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">



End-to-end encryption
<p class="text-xs truncate" style="color: var(--color-ink3);">



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">



Zero wasted inventory
<p class="text-xs truncate" style="color: var(--color-ink3);">



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">



BY OCCASION




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">




FRESHLY PRINTED




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">



INSTAWEAR
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">



LIMITED INSTAWEAR Baby short sleeve one piece - cook +3 18.00 \$ 23.40 \$ In st...
<article class="ticket-card animate-fade-up group ">




+3

Failing Elements



LIMITED INSTAWEAR Baby short sleeve one piece - cook +3 18.00 \$ 23.40 \$ In st...

```
<article class="ticket-card animate-fade-up group ">
```




23.40 \$

```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```




LIMITED INSTAWEAR Baby short sleeve one piece - cook +3 18.00 \$ 23.40 \$ In st...

```
<article class="ticket-card animate-fade-up group ">
```




INSTAWEAR

```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```




INSTAWEAR Garment-dyed heavyweight long-sleeve shirt 26.00 \$ 33.80 \$ In stock ...

```
<article class="ticket-card animate-fade-up group ">
```




33.80 \$

```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```




INSTAWEAR Garment-dyed heavyweight long-sleeve shirt 26.00 \$ 33.80 \$ In stock ...

```
<article class="ticket-card animate-fade-up group ">
```




INSTAWEAR

```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```




INSTAWEAR 40 looks good classic tee +5 12.50 \$ 16.25 \$ In stock Add to cart

```
<article class="ticket-card animate-fade-up group ">
```




+5

```
<span class="text-[11px] font-semibold" style="color: var(--color-ink4);">
```



INSTAWEAR 40 looks good classic tee +5 12.50 \$ 16.25 \$ In stock Add to cart


```
<article class="ticket-card animate-fade-up group ">
```



16.25 \$


```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```

Failing Elements




INSTAWEAR 40 looks good classic tee +5 12.50 \$ 16.25 \$ In stock Add to cart

```
<article class="ticket-card animate-fade-up group ">
```




INSTAWEAR

```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```



INSTAWEAR 21st Birthday Shirt — Finally Legal, Barely Responsible — Y2K Chrome...

```
<article class="ticket-card animate-fade-up group ">
```




33.74 \$

```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```




INSTAWEAR 21st Birthday Shirt — Finally Legal, Barely Responsible — Y2K Chrome...

```
<article class="ticket-card animate-fade-up group ">
```




INSTAWEAR

```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```




INSTAWEAR Embroidered Beanie 19.00 \$ 24.70 \$ In stock Add to cart

```
<article class="ticket-card animate-fade-up group ">
```




24.70 \$

```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```




INSTAWEAR Embroidered Beanie 19.00 \$ 24.70 \$ In stock Add to cart

```
<article class="ticket-card animate-fade-up group ">
```




INSTAWEAR

```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```



INSTAWEAR Retro relaxed mid-weight hooded sweatshirt +1 44.00 \$ 57.20 \$ In st...

```
<article class="ticket-card animate-fade-up group ">
```



+1


```
<span class="text-[11px] font-semibold" style="color: var(--color-ink4);">
```

Failing Elements



INSTAWEAR Retro relaxed mid-weight hooded sweatshirt +1 44.00 \$ 57.20 \$ In st...

```
<article class="ticket-card animate-fade-up group ">
```




57.20 \$

```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```




INSTAWEAR Retro relaxed mid-weight hooded sweatshirt +1 44.00 \$ 57.20 \$ In st...

```
<article class="ticket-card animate-fade-up group ">
```




INSTAWEAR

```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```




INSTAWEAR Dad hat Golf, RV, Fishing Retirement +5 28.24 \$ 36.71 \$ In stock Add...

```
<article class="ticket-card animate-fade-up group ">
```




+5

```
<span class="text-[11px] font-semibold" style="color: var(--color-ink4);">
```



INSTAWEAR Dad hat Golf, RV, Fishing Retirement +5 28.24 \$ 36.71 \$ In stock Add...

```
<article class="ticket-card animate-fade-up group ">
```




36.71 \$

```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```




INSTAWEAR Dad hat Golf, RV, Fishing Retirement +5 28.24 \$ 36.71 \$ In stock Add...

```
<article class="ticket-card animate-fade-up group ">
```




Order now

```
<button class="btn btn-accent">
```



Timeless elegance


```
<span class="text-xs" style="color: var(--color-ink3);">
```



Timeless elegance Discover the Accessories collection See more


```
<button class="text-left rounded-4x1 p-6 flex items-center justify-between gap-4" style="background: var(--color-surface2); border: 1px solid var(--color-border);">
```

Failing Elements




See more

```
<span class="inline-flex items-center gap-1 text-xs font-bold mt-3" style="color: var(--color-accent);">
```




Timeless elegance Discover the Accessories collection See more

```
<button class="text-left rounded-4xl p-6 flex items-center justify-between gap-4" style="background: var(--color-surface2); border: 1px solid var(--color-border);">
```




Find your pair

```
<span class="text-xs" style="color: var(--color-ink3);">
```




Find your pair Explore the Sports collection See more

```
<button class="text-left rounded-4xl p-6 flex items-center justify-between gap-4" style="background: var(--color-surface2); border: 1px solid var(--color-border);">
```




See more

```
<span class="inline-flex items-center gap-1 text-xs font-bold mt-3" style="color: var(--color-accent);">
```




Find your pair Explore the Sports collection See more

```
<button class="text-left rounded-4xl p-6 flex items-center justify-between gap-4" style="background: var(--color-surface2); border: 1px solid var(--color-border);">
```




Shop now

```
<button class="btn" style="background: rgb(255, 255, 255); color: var(--color-accent);">
```




WELCOME

```
<span class="eyebrow">
```




WELCOME An offer just for you Enjoy a special discount on your first order. G...

```
<div class="rounded-4xl p-8 sm:p-10 min-h-55 flex flex-col justify-between" style="background: var(--color-surface2); border: 1px solid var(--color-border);">
```



Enjoy a special discount on your first order.

```
<p class="text-sm mb-4" style="color: var(--color-ink3);">
```



WELCOME An offer just for you Enjoy a special discount on your first order. G...

```
<div class="rounded-4xl p-8 sm:p-10 min-h-55 flex flex-col justify-between" style="background: var(--color-surface2); border: 1px solid var(--color-border);">
```




BY PRODUCT TYPE

```
<span class="eyebrow">
```

Failing Elements




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">



THE SHOP



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">




EVENT

<h4 class="text-xs font-bold uppercase tracking-wider mb-3" style="color: var(--color-ink3);">



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">




CATEGORY

<h4 class="text-xs font-bold uppercase tracking-wider mb-3" style="color: var(--color-ink3);">



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">



PRICE

<h4 class="text-xs font-bold uppercase tracking-wider mb-3" style="color: var(--color-ink3);">



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">



STYLE

<h4 class="text-xs font-bold uppercase tracking-wider mb-3" style="color: var(--color-ink3);">



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">



streetwear


<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">

Failing Elements



graphique

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```



typographique

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```



minimaliste

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```



rétro

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```




rave

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```



festif

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```




MATERIAL

```
<h4 class="text-xs font-bold uppercase tracking-wider mb-3" style="color: var(--color-ink3);">
```




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...

```
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">
```



Coton bio


```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```



Coton peigné

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```

Failing Elements




Polyester recyclé

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```




Molleton bio

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```



Céramique

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```



SIZE

```
<h4 class="text-xs font-bold uppercase tracking-wider mb-3" style="color: var(--color-ink3);">
```




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...

```
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">
```




XS

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```




XL

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```




XXL

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```



3XL


```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```



4XL


```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```

Failing Elements




5XL

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```



6XL

```
<button class="px-2.5 py-1 rounded-full text-[10px] font-bold transition-colors" style="background: var(--color-surface2); color: var(--color-ink3);">
```




COLOR

```
<h4 class="text-xs font-bold uppercase tracking-wider mb-3" style="color: var(--color-ink3);">
```



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...

```
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">
```




+18

```
<span class="text-[11px] font-semibold cursor-pointer hover:underline" style="color: var(--color-ink4);">
```




◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...

```
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">
```




INSTAWEAR

```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```




INSTAWEAR Retro relaxed mid-weight hooded sweatshirt +1 44.00 \$ 57.20 \$ In st...

```
<article class="ticket-card animate-fade-up group ">
```




+1

```
<span class="text-[11px] font-semibold" style="color: var(--color-ink4);">
```



INSTAWEAR Retro relaxed mid-weight hooded sweatshirt +1 44.00 \$ 57.20 \$ In st...


```
<article class="ticket-card animate-fade-up group ">
```



57.20 \$


```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```

Failing Elements




INSTAWEAR Retro relaxed mid-weight hooded sweatshirt +1 44.00 \$ 57.20 \$ In st...

```
<article class="ticket-card animate-fade-up group ">
```




INSTAWEAR

```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```




INSTAWEAR 40 looks good classic tee +5 12.50 \$ 16.25 \$ In stock Add to cart

```
<article class="ticket-card animate-fade-up group ">
```




+5

```
<span class="text-[11px] font-semibold" style="color: var(--color-ink4);">
```




INSTAWEAR 40 looks good classic tee +5 12.50 \$ 16.25 \$ In stock Add to cart

```
<article class="ticket-card animate-fade-up group ">
```




16.25 \$

```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```




INSTAWEAR 40 looks good classic tee +5 12.50 \$ 16.25 \$ In stock Add to cart

```
<article class="ticket-card animate-fade-up group ">
```




INSTAWEAR

```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```




LIMITED INSTAWEAR Baby short sleeve one piece - cook +3 18.00 \$ 23.40 \$ In st...

```
<article class="ticket-card animate-fade-up group ">
```




+3

```
<span class="text-[11px] font-semibold" style="color: var(--color-ink4);">
```



LIMITED INSTAWEAR Baby short sleeve one piece - cook +3 18.00 \$ 23.40 \$ In st...

```
<article class="ticket-card animate-fade-up group ">
```



23.40 \$


```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```

Failing Elements



LIMITED INSTAWEAR Baby short sleeve one piece - cook +3 18.00 \$ 23.40 \$ In st...

```
<article class="ticket-card animate-fade-up group ">
```




INSTAWEAR

```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```



INSTAWEAR Dad hat Golf, RV, Fishing Retirement +5 28.24 \$ 36.71 \$ In stock Add...

```
<article class="ticket-card animate-fade-up group ">
```



+5

```
<span class="text-[11px] font-semibold" style="color: var(--color-ink4);">
```



INSTAWEAR Dad hat Golf, RV, Fishing Retirement +5 28.24 \$ 36.71 \$ In stock Add...

```
<article class="ticket-card animate-fade-up group ">
```




36.71 \$

```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```




INSTAWEAR Dad hat Golf, RV, Fishing Retirement +5 28.24 \$ 36.71 \$ In stock Add...

```
<article class="ticket-card animate-fade-up group ">
```




INSTAWEAR

```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```




INSTAWEAR Embroidered Beanie 19.00 \$ 24.70 \$ In stock Add to cart

```
<article class="ticket-card animate-fade-up group ">
```




24.70 \$

```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```



INSTAWEAR Embroidered Beanie 19.00 \$ 24.70 \$ In stock Add to cart


```
<article class="ticket-card animate-fade-up group ">
```



INSTAWEAR


```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```

Failing Elements




INSTAWEAR Garment-dyed heavyweight long-sleeve shirt 26.00 \$ 33.80 \$ In stock ...

```
<article class="ticket-card animate-fade-up group ">
```




33.80 \$

```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```



INSTAWEAR Garment-dyed heavyweight long-sleeve shirt 26.00 \$ 33.80 \$ In stock ...

```
<article class="ticket-card animate-fade-up group ">
```




INSTAWEAR

```
<p class="text-[11px] font-bold uppercase tracking-wider mb-1" style="color: var(--color-ink3);">
```



INSTAWEAR 21st Birthday Shirt — Finally Legal, Barely Responsible — Y2K Chrome...

```
<article class="ticket-card animate-fade-up group ">
```




33.74 \$

```
<span class="text-xs line-through" style="color: var(--color-ink4);">
```




INSTAWEAR 21st Birthday Shirt — Finally Legal, Barely Responsible — Y2K Chrome...

```
<article class="ticket-card animate-fade-up group ">
```



OUR STORY

```
<span class="eyebrow mb-4 block">
```



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...

```
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">
```




12k+

```
<p class="text-2xl font-extrabold" style="color: var(--color-accent);">
```



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...

```
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">
```



Items printed


```
<p class="text-xs mt-1" style="color: var(--color-ink3);">
```

Failing Elements



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...

```
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">
```




4.7/5

```
<p class="text-2xl font-extrabold" style="color: var(--color-accent);">
```



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...

```
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">
```




Average rating

```
<p class="text-xs mt-1" style="color: var(--color-ink3);">
```



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...

```
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">
```




48h

```
<p class="text-2xl font-extrabold" style="color: var(--color-accent);">
```



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...

```
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">
```



Shipping lead time

```
<p class="text-xs mt-1" style="color: var(--color-ink3);">
```



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...

```
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">
```



WHAT THEY SAY

```
<span class="eyebrow mb-2 block">
```



WHAT THEY SAY Customer reviews "the Finish Line tee is so light i barely felt ...

```
<section id="testimonials" style="background: var(--color-surface2);">
```

London · T-Shirts

```
<p class="text-xs" style="color: var(--color-ink3);">
```

"the Finish Line tee is so light i barely felt it during my half marathon. def ...

```
<div class="card-premium p-8 sm:p-10 max-w-2xl animate-fade-up">
```

Failing Elements




WHAT PEOPLE SAY

```
<span class="eyebrow justify-center">
```



◆ NEW COLLECTION 2026 ◆ ZERO WASTE PRINTING ◆ FREE SHIPPING \$35+ ◆ PRINTED IN 2...

```
<div class="min-h-screen bg-gray-50 text-gray-900 flex flex-col font-sans selection:bg...">
```




Help Center

```
<span class="block text-xs" style="color: var(--color-ink3);">
```



We're always here to help Choose the fastest channel for you. Help Center aid...

```
<div style="background: var(--color-accent-bg);">
```




Email

```
<span class="block text-xs" style="color: var(--color-ink3);">
```



We're always here to help Choose the fastest channel for you. Help Center aid...

```
<div style="background: var(--color-accent-bg);">
```




Wear

```
<span style="color: var(--color-accent);">
```



We're always here to help Choose the fastest channel for you. Help Center aid...

```
<footer style="background: var(--color-bg); border-top: 1px solid var(--color-border);">
```




SHOP

```
<h4 class="text-xs font-bold uppercase tracking-wider mb-4" style="color: var(--color-ink3);">
```




We're always here to help Choose the fastest channel for you. Help Center aid...

```
<footer style="background: var(--color-bg); border-top: 1px solid var(--color-border);">
```



HELP


```
<h4 class="text-xs font-bold uppercase tracking-wider mb-4" style="color: var(--color-ink3);">
```



We're always here to help Choose the fastest channel for you. Help Center aid...

```
<footer style="background: var(--color-bg); border-top: 1px solid var(--color-border);">
```

Failing Elements




STAY INFORMED

<h4 class="text-xs font-bold uppercase tracking-wider mb-4" style="color: var(--color-ink3);">



We're always here to help Choose the fastest channel for you. Help Center aid...

<footer style="background: var(--color-bg); border-top: 1px solid var(--color-border);">




Subscribe to get new arrivals and exclusive offers, no spam.

<p class="text-xs" style="color: var(--color-ink4);">



We're always here to help Choose the fastest channel for you. Help Center aid...

<footer style="background: var(--color-bg); border-top: 1px solid var(--color-border);">




© 2026 InstaWear. All rights reserved.



We're always here to help Choose the fastest channel for you. Help Center aid...

<footer style="background: var(--color-bg); border-top: 1px solid var(--color-border);">




Built by mybooker



We're always here to help Choose the fastest channel for you. Help Center aid...

<footer style="background: var(--color-bg); border-top: 1px solid var(--color-border);">




Terms

<button class="hover:underline bg-transparent border-none cursor-pointer text-xs" style="color: var(--color-ink3);">



We're always here to help Choose the fastest channel for you. Help Center aid...

<footer style="background: var(--color-bg); border-top: 1px solid var(--color-border);">



Privacy

<button class="hover:underline bg-transparent border-none cursor-pointer text-xs" style="color: var(--color-ink3);">



We're always here to help Choose the fastest channel for you. Help Center aid...

<footer style="background: var(--color-bg); border-top: 1px solid var(--color-border);">

Failing Elements



Cookies

```
<button class="hover:underline bg-transparent border-none cursor-pointer text-xs" style="color: var(--color-ink3);">
```



We're always here to help Choose the fastest channel for you. Help Center aid...

```
<footer style="background: var(--color-bg); border-top: 1px solid var(--color-border);">
```



Manage cookies

```
<button class="hover:underline bg-transparent border-none cursor-pointer text-xs" style="color: var(--color-ink3);">
```



We're always here to help Choose the fastest channel for you. Help Center aid...

```
<footer style="background: var(--color-bg); border-top: 1px solid var(--color-border);">
```

These are opportunities to improve the legibility of your content.


BEST PRACTICES

▲ Touch targets do not have sufficient size or spacing.




Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Failing Elements




div > div.inline-block > div.flex > button.w-5

```
<button class="w-5 h-5 rounded-full transition-transform hover:scale-110" style="background: rgb(139, 134, 130); border: 1px solid var(--color-border2);">
```




div > div.inline-block > div.flex > button.color-wheel

```
<button class="color-wheel transition-transform hover:scale-110">
```



div > div.inline-block > div.flex > button.color-wheel

```
<button class="color-wheel transition-transform hover:scale-110">
```



div > div.inline-block > div.flex > button.w-5

```
<button class="w-5 h-5 rounded-full transition-transform hover:scale-110" style="background: rgb(139, 134, 130); border: 1px solid var(--color-border2);">
```


These items highlight common accessibility best practices.

NAVIGATION

▲ Heading elements are not in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](#).

Failing Elements



EVENT

```
<h4 class="text-xs font-bold uppercase tracking-wider mb-3" style="color: var(--color-ink3);">
```

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

○ Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable](#). Unscored

○ Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints](#). Unscored

○ The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering](#). Unscored

○ Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering](#). Unscored

○ User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps](#). Unscored

○ The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content](#). Unscored

☐	HTML5 landmark elements are used to improve navigation	^
	Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements. Unscored	
☐	Offscreen content is hidden from assistive technology	^
	Offscreen content is hidden with display: none or aria-hidden=true. Learn how to properly hide offscreen content. Unscored	
☐	Custom controls have associated labels	^
	Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more about custom controls and labels. Unscored	
☐	Custom controls have ARIA roles	^
	Custom interactive controls have appropriate ARIA roles. Learn how to add roles to custom controls. Unscored	

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (16)

Hide

☒	[aria-*] attributes match their roles	^
	Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Learn how to match ARIA attributes to their roles.	
☒	[aria-hidden="true"] is not present on the document <body>	^
	Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. Learn how aria-hidden affects the document body.	
☒	[aria-*] attributes have valid values	^
	Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more about valid values for ARIA attributes.	
☒	[aria-*] attributes are valid and not misspelled	^
	Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more about valid ARIA attributes.	
☒	Image elements have [alt] attributes	^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

- `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

- ARIA attributes are used as specified for the element's role ^

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

- `[aria-hidden="true"]` elements do not contain focusable descendents ^

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

- Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

- `<html>` element has a `[lang]` attribute ^

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

- `<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

- Links have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

●	Lists contain only <code></code> elements and script supporting elements (<code><script></code> and <code><template></code>).	^
	Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. Learn more about proper list structure.	
●	List items (<code></code>) are contained within <code></code> , <code></code> or <code><menu></code> parent elements	^
	Screen readers require list items (<code></code>) to be contained within a parent <code></code> , <code></code> or <code><menu></code> to be announced properly. Learn more about proper list structure.	
●	Document has a main landmark.	^
	One main landmark helps screen reader users navigate a web page. Learn more about landmarks.	
●	Elements with <code>role="none"</code> or <code>role="presentation"</code> do not have conflicts	^
	There are certain cases where the semantic role of an element with <code>role="none"</code> or <code>role="presentation"</code> does not resolve to none or presentation. To ensure the element remains removed from the accessibility tree, you should not add any global ARIA attributes to the element or make it focusable. Learn more about presentation role conflict.	

NOT APPLICABLE (39)

Hide

○	<code>[accesskey]</code> values are unique	^
	Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys. Unscored	
○	<code>button</code> , <code>link</code> , and <code>menuitem</code> elements have accessible names	^
	When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to make command elements more accessible. Unscored	
○	Deprecated ARIA roles were not used	^
	Deprecated ARIA roles may not be processed correctly by assistive technology. Learn more about deprecated ARIA roles. Unscored	
○	Elements with <code>role="dialog"</code> or <code>role="alertdialog"</code> have accessible names.	^
	ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible. Unscored	

☐ ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#) Unscored

☐ ARIA `meter` elements have accessible names ^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#) Unscored

☐ ARIA `progressbar` elements have accessible names ^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#) Unscored

☐ `[role]`s have all required `[aria-*)` attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#) Unscored

☐ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#) Unscored

☐ `[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#) Unscored

☐ `[role]` values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#) Unscored

☐ Elements with the `role=``text` attribute do not have focusable descendents. ^

Adding `role=``text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=``text` attribute.](#) Unscored

☐ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#) Unscored

☐ ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#) Unscored

- ☐ ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling `treeitem` elements.](#)

Unscored

- ☐ The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#) Unscored

- ☐ `<d1>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#) Unscored

- ☐ Definition list items are wrapped in `<d1>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<d1>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#) Unscored

- ☐ ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#) Unscored

- ☐ No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#) Unscored

- ☐ `<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

Unscored

- ☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute.](#) Unscored

- ☐ Input buttons have discernible text. ^

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#) Unscored

- ☐ `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#) Unscored

- ☐ Links are distinguishable without relying on color. ^

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#) Unscored

- ☐ The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#) Unscored

- ☐ `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#) Unscored

- ☐ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#) Unscored

- ☐ No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#) Unscored

- ☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#) Unscored

- ☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#) Unscored

- ☐ `[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#) Unscored

- ☐ `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information.

[Learn more about video captions.](#) Unscored

- ☐ autocomplete attributes are used correctly ^

The autocomplete attribute values must be valid and correctly applied for screen readers to function correctly. [Learn more about valid autocomplete values.](#) Unscored

- ☐ SVG elements with an `img` role have an accessible text alternative ^

Ensures SVG elements with an `img`, `graphics-document` or `graphics-symbol` role have an accessible text alternative. [Learn more about SVG alt text.](#) Unscored

- ☐ Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#) Unscored

- ☐ All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#) Unscored

- ☐ Uses ARIA roles only on compatible elements ^

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#) Unscored

- ☐ Identical links have the same purpose. ^

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) Unscored



Best Practices

○ Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) Unscored

Description	Directive	Severity
Host allowlists can frequently be bypassed. Consider using CSP nonces or hashes instead, along with ``strict-dynamic`` if necessary.	script-src	High
``unsafe-inline`` allows the execution of unsafe in-page scripts and event handlers. Consider using CSP nonces or hashes to allow scripts individually.	script-src	High

○ Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) Unscored

Description	Directive	Severity
No COOP header found		High

○ Mitigate DOM-based XSS with Trusted Types

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) Unscored

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

BROWSER COMPATIBILITY

○ Baseline Features

Lists web features used on the page and their Baseline status as of 2026-07-15. [Learn more about Baseline.](#) Unscored

☒ Show 3rd-party resources (3)

Web-features	Baseline Status	Source
vercel.app 1st Party		
page-visibility-state	⚠ Limited Availability	https://instawear.vercel.app:2:18421
long-animation-frames	⚠ Limited Availability	https://instawear.vercel.app:2:2509
layout-instability	⚠ Limited Availability	https://instawear.vercel.app:2:17083

Web-features	Baseline Status	Source
manifest	🔗 Limited Availability	https://instawear.vercel.app:-1:-2
requestidlecallback	🔗 Limited Availability	https://instawear.vercel.app:2:5589
beforeinstallprompt	🔗 Limited Availability	https://instawear.vercel.app:-1:-2
scrollend	✅ Newly Available (2025-12-12)	/assets/index-C91ZZgi7.js:33:128348 (instawear.vercel.app)
scrollbar-width	✅ Newly Available (2024-12-11)	/assets/index-C91ZZgi7.js:33:10604 (instawear.vercel.app)
fetch-priority	✅ Newly Available (2024-10-29)	https://instawear.vercel.app:-1:-2
relative-color	✅ Newly Available (2024-09-16)	https://instawear.vercel.app:-1:-2
backdrop-filter	✅ Newly Available (2024-09-16)	https://instawear.vercel.app:1:0
registered-custom-properties	✅ Newly Available (2024-07-09)	https://instawear.vercel.app:-1:-2
contain-intrinsic-size	✅ Widely Available (2023-09-18)	https://instawear.vercel.app:-1:-2
color-mix	✅ Widely Available (2023-05-09)	https://instawear.vercel.app:-1:-2
outline	✅ Widely Available (2023-03-27)	/assets/index-C91ZZgi7.js:33:10604 (instawear.vercel.app)
overflow-clip	✅ Widely Available (2022-09-12)	https://instawear.vercel.app:1:0
cascade-layers	✅ Widely Available (2022-03-14)	https://instawear.vercel.app:-1:-2
focus-visible	✅ Widely Available (2022-03-14)	https://instawear.vercel.app:-1:-2
broadcast-channel	✅ Widely Available (2022-03-14)	/assets/supabase-dlCHsWQP.js:43:16260 (instawear.vercel.app)
color-scheme	✅ Widely Available (2022-02-03)	https://instawear.vercel.app:-1:-2
logical-properties	✅ Widely Available (2021-09-20)	https://instawear.vercel.app:1:0
file-selector-button	✅ Widely Available (2021-04-26)	https://instawear.vercel.app:-1:-2
weak-references	✅ Widely Available (2021-04-26)	https://instawear.vercel.app:2:17785

Web-features	Baseline Status	Source
where	Widely Available (2021-01-21)	https://instawear.vercel.app:-1:-2
is	Widely Available (2021-01-21)	https://instawear.vercel.app:-1:-2
not	Widely Available (2021-01-21)	https://instawear.vercel.app:-1:-2
nullish-coalescing	Widely Available (2020-09-16)	https://instawear.vercel.app:1:0
webp	Widely Available (2020-09-16)	https://instawear.vercel.app:-1:-2
slot	Widely Available (2020-01-15)	/assets/index-C91ZZgi7.js:33:87390 (instawear.vercel.app)
will-change	Widely Available (2020-01-15)	https://instawear.vercel.app:1:0
aborting	Widely Available (2019-03-25)	https://instawear.vercel.app:2:17253
intersection-observer	Widely Available (2019-03-25)	/assets/index-C91ZZgi7.js:452:102516 (instawear.vercel.app)
js-modules	Widely Available (2018-05-09)	https://instawear.vercel.app:-1:-2
text-indent	Widely Available (2015-07-29)	https://instawear.vercel.app:1:0
Unattributable		
ua-client-hints	Limited Availability	/inject/index.js:7:48 (eimadpbcbfmbkpoopjfehkhndbieeh)
accent-color	Limited Availability	/build/installHook.js:1:85609 (fmkadmapgofadopljbjfkapdkoienihi)
text-wrap-pretty	Limited Availability	/build/installHook.js:1:85609 (fmkadmapgofadopljbjfkapdkoienihi)
text-wrap	Newly Available (2024-10-17)	/build/installHook.js:1:85609 (fmkadmapgofadopljbjfkapdkoienihi)
text-wrap-balance	Newly Available (2024-05-13)	/build/installHook.js:1:85609 (fmkadmapgofadopljbjfkapdkoienihi)
masks	Widely Available (2023-12-07)	/build/installHook.js:1:85609 (fmkadmapgofadopljbjfkapdkoienihi)
oklab	Widely Available (2023-05-09)	/build/installHook.js:1:85609 (fmkadmapgofadopljbjfkapdkoienihi)
individual-transforms	Widely Available (2022-08-05)	/build/installHook.js:1:85609 (fmkadmapgofadopljbjfkapdkoienihi)

Web-features	Baseline Status	Source
appearance	✔ Widely Available (2022-03-14)	/build/installHook.js:1:85609 (fmkadmappgofadopljbjfkapdkoienihi)
referrer-policy	✔ Widely Available (2021-09-20)	
aspect-ratio	✔ Widely Available (2021-09-20)	/build/installHook.js:1:85609 (fmkadmappgofadopljbjfkapdkoienihi)
scroll-snap	✔ Widely Available (2020-01-15)	/build/installHook.js:1:85609 (fmkadmappgofadopljbjfkapdkoienihi)
grid	✔ Widely Available (2017-10-17)	/build/installHook.js:1:85609 (fmkadmappgofadopljbjfkapdkoienihi)
template	✔ Widely Available (2015-11-12)	/globals-front.js:3907:30 (gighmmpiobklfepjocnamgkbiglidom)
flexbox	✔ Widely Available (2015-09-30)	/build/installHook.js:1:85609 (fmkadmappgofadopljbjfkapdkoienihi)
ch	✔ Widely Available (2015-07-29)	/build/installHook.js:1:85609 (fmkadmappgofadopljbjfkapdkoienihi)
Stripe Utility		
canvas-2d-alpha	✖ Limited Availability	/out-4.5.45.js:1:4519 (m.stripe.network)
canvas	✔ Widely Available (2015-07-29)	/out-4.5.45.js:1:4495 (m.stripe.network)
canvas-2d	✔ Widely Available (2015-07-29)	/out-4.5.45.js:1:4519 (m.stripe.network)

PASSED AUDITS (13)

Hide

● Uses HTTPS All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more about HTTPS.	^
● Avoids deprecated APIs Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs.	^
● Avoids third-party cookies	^

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](#).

● Allows users to paste into input fields ^

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields](#).

● Avoids requesting the geolocation permission on page load ^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission](#). Also consider using the [<geolocation> element](#).

● Avoids requesting the notification permission on page load ^

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).

● Displays images with correct aspect ratio ^

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](#).

● Serves images with appropriate resolution ^

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](#).

● Page has the HTML doctype ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration](#).

● Properly defines charset ^

A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding](#).

● No browser errors logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

● No issues in the [Issues](#) panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

● Page has valid source maps

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) Unscored

URL	Map URL
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js Error: Failed fetching source map (null)	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js.map
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js Error: Failed fetching source map (null)	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js.map
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js Error: Failed fetching source map (null)	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js.map
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/cookie-banner-detection.preload.js Error: Failed fetching source map (null)	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/cookie-banner-detection.preload.js.map
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js Error: Failed fetching source map (null)	chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js.map
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js Error: Failed fetching source map (null)	chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js.map
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/polyfill.js Error: Failed fetching source map (null)	chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/polyfill.js.map
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/onpag	chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/onpag

URL	Map URL
ge-dialog.preload.js	e-dialog.preload.js.map
Error: Failed fetching source map (null)	
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/onpage-dialog-ui.preload.js	chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/onpage-dialog-ui.preload.js.map
Error: Failed fetching source map (null)	
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/cookie-banner-detection.preload.js	chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/cookie-banner-detection.preload.js.map
Error: Failed fetching source map (null)	
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/composer.preload.js	chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/composer.preload.js.map
Error: Failed fetching source map (null)	
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/bypass.preload.js	chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/bypass.preload.js.map
Error: Failed fetching source map (null)	

NOT APPLICABLE (4)

Hide

☐ Redirects HTTP traffic to HTTPS	^
Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. Learn more. Unscored	
☐ Use a strong HSTS policy	^
Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. Learn more about using a strong HSTS policy. Unscored	
☐ Mitigate clickjacking with XFO or CSP	^
The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. Learn more about mitigating clickjacking. Unscored	
☐ Detected JavaScript libraries	^

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#) Unscored



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials.](#)

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

☐ Structured data is valid ^

Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data.](#) Unscored

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)

Hide

● Page isn't blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives.](#)

● Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

● Document has a meta description ^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

● Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

● Links have descriptive text ^

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

● Links are crawlable ^

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

● robots.txt is valid ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt.](#)

● Image elements have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

● Document has a valid hreflang ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

● Document has a valid rel=canonical ^

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

Agentic Browsing

These checks ensure high-quality, [browsable websites for AI agents](#) and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

AGENT ACCESSIBILITY

▲ Accessibility tree is not well-formed

A well-formed [accessibility tree](#) helps AI agents to navigate and interact with the page.

Failed Audits

Description	Failing Element
Elements must only use permitted ARIA attributes	Social network (coming soon) <code></code>
Buttons must have discernible text	div.flex > div.flex > div.hidden > button.w-8 <code><button aria-pressed="true" class="w-8 h-8 rounded-full flex items-center justify-center" style="background: var(--color-surface); box-shadow: var(--shadow-sm);"></code>
Form elements must have labels	div > div.flex > div.flex > input.w-full <code><input min="0" class="w-full bg-transparent outline-none text-sm" type="number" value="0" style="color: var(--color-ink);"></code>
Select element must have an accessible name	Popularity Newest Price: Low to High Price: High to Low Top Rated <code><select class="appearance-none rounded-full pl-4 pr-9 h-9 text-xs font-semibold outline-n..." style="background: var(--color-surface); border: 1px solid var(--color-border);"></code>

These audits highlight best practices for improving the accessibility of the website for AI agents.

PASSED AUDITS (2)

Hide

Cumulative Layout Shift — 0.003

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric.](#)

llms.txt follows recommendations

If your llms.txt file does not follow recommendations, large language models may not be able to understand how you want your website to be crawled or used for training. The [llms.txt](#) file should be a Markdown file containing at least one H1 header. [Learn more about the llms.txt audit.](#)

NOT APPLICABLE (3)

Hide

☐ WebMCP form coverage	^
Consider adding WebMCP annotations to the forms listed below. This helps AI agents identify and interact with these forms more reliably. Unscored	
☐ WebMCP tools registered	^
Lists the WebMCP tools registered at the time of analysis. Unscored	
☐ WebMCP schemas are valid	^
Valid WebMCP schemas are required for AI agents to understand and interact with tools correctly. Please fix any errors or warnings reported by the browser. Unscored	

 Captured at Sep 14, 2026, 11:19 AM GMT-3	 Emulated Desktop with Lighthouse 13.4.1	 Single page session
 Initial page load	 Custom throttling	 Using Chromium 152.0.0.0 with devtools