

Using Python to make SPARQL queries

mja@statgroup.dk

2016-04-26

Contents

Using Python with SPARQL scripts for the demographics cube (DC-DEMO-sample.ttl)	1
Requirement	1
Get dimensions	1
Get attributes	19
Get observations	36
Get definition for all descriptive statistics	108
Get definition for descriptive statistics median	125
Get information for selection of data	143

Using Python with SPARQL scripts for the demographics cube (DC-DEMO-sample.ttl)

The examples below uses `rdflib` from (<https://github.com/RDFLib/rdflib>).

As of 28-jun-2015 the code is still in development.

Requirement

The python package `rdflib` must be installed, see description at (<https://github.com/RDFLib/rdflib>).

Get dimensions

```
from rdflib import Graph
g = Graph()
g.parse("../extdata/sample-rdf/DC-DEMO-sample.ttl", format="turtle")
with open("../extdata/sample-rdf/DEMOdimensions.rq", "r") as myfile:
    dimensionsQuery=myfile.read()
qres = g.query(dimensionsQuery)
for row in qres:
    print("%s" %row)
```

```
## INFO:rdflib:RDFLib Version: 4.2.0
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
```


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## http://www.example.org/dc/dimension#factor
## http://www.example.org/dc/dimension#ethnic
## http://www.example.org/dc/dimension#procedure
## http://www.example.org/dc/dimension#agegr1
## http://www.example.org/dc/dimension#sex
## http://www.example.org/dc/dimension#race
## http://www.example.org/dc/dimension#trt01a
```

Get attributes

```
from rdflib import Graph
g = Graph()
g.parse("../extdata/sample-rdf/DC-DEMO-sample.ttl", format="turtle")
with open("../extdata/sample-rdf/DEMOattributes.rq", "r") as myfile:
    attributesQuery=myfile.read()
qres = g.query(attributesQuery)
for row in qres:
    print("%s" %row)
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## http://www.example.org/dc/attribute#measurefmt
## http://www.example.org/dc/attribute#cellpartno
## http://www.example.org/dc/attribute#unit
## http://www.example.org/dc/attribute#denominator
## http://www.example.org/dc/attribute#rowno
## http://www.example.org/dc/attribute#colno
```

Get observations

The SPARQL script shows for each observation the dimension, attributes and measures in a row. The python code shows each variable on a line - that is not the right way to do it.

```
from rdflib import Graph
g = Graph()
g.parse("../extdata/sample-rdf/DC-DEMO-sample.ttl", format="turtle")
with open("../extdata/sample-rdf/DEMOobservations.rq", "r") as myfile:
    observationsQuery=myfile.read()

qres = g.query(observationsQuery)

for row in qres:
    for t in row:
        print("%s" %t)
```


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


```

## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs001
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 86.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs002
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 84.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs003
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 84.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs004
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## sex
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 100.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs005
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## sex

```

```

## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 100.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs006
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## sex
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 100.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs007
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 53.0
## NA

```



```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs008
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 50.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs009
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 40.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs010
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## None
## sex
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 61.627906977
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs011
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## sex
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 59.523809524
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs012
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## sex
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## 47.619047619
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs013
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 33.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs014
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 34.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs015
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None

```

```

## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 44.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs016
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## sex
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 38.372093023
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs017
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## sex
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 40.476190476
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs018
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## sex
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 52.380952381
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs019
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 4
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 8.5901671271
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs020
## %6.1f

```

```

## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 4
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 8.2860505995
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs021
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 4
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 7.8860938487
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs022
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 5
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 86.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs023
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 5
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 84.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs024
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 5
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 84.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1

```

```

## http://www.example.org/dc/demo/ds/obs025
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 6
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 76.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs026
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 6
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 77.5
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs027
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 6
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value

```



```

## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 76.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs028
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 7
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 75.209302326
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs029
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 7
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 75.666666667
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs030
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 7
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 74.380952381
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs031
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 8
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 82.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs032
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 8
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##

```

```

## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 82.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs033
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 8
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 80.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs034
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 9
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 69.0
## NA

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs035
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 9
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 71.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs036
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 9
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 70.5
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs037
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 10
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 89.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs038
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 10
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 88.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs039
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 10
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## 88.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs040
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 11
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 52.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs041
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 11
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 51.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs042
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None

```

```

## 11
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 56.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs043
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 18
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 86.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs044
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 18
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 84.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs045
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 18
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 84.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs046
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 18
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## agegr1
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 100.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs047
## %6.1f

```



```

## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 18
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## agegr1
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 100.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs048
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 18
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## agegr1
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 100.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs049
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 19
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 14.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs050
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 19
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 8.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs051
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 19
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 11.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2

```

```

## http://www.example.org/dc/demo/ds/obs052
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 19
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## agegr1
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 16.279069767
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs053
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 19
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## agegr1
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 9.5238095238
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs054
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 19
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## agegr1
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 13.095238095
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs055
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 20
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 42.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs056
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 20
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 47.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs057
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 20
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 55.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs058
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 20
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## agegr1
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 48.837209302
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs059
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 20
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## agegr1

```

```

## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 55.952380952
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs060
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 20
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## agegr1
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 65.476190476
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs061
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 21
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 30.0
## NA

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs062
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 21
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 29.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs063
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 21
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 18.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs064
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 21
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## None
## agegr1
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 34.88372093
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs065
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 21
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## agegr1
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 34.523809524
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs066
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 21
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## agegr1
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```



```

## 21.428571429
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs067
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 22
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 86.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs068
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 22
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 84.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs069
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None

```

```

## 22
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 84.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs070
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 22
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## race
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 100.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs071
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 22
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## race
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 100.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs072
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 22
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## race
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 100.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs073
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 23
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 78.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs074
## %6.0f

```

```

## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 23
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 78.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs075
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 23
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 74.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs076
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 23
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## race
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 90.697674419
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs077
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 23
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## race
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 92.857142857
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs078
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 23
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## race
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 88.095238095
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1

```

```

## http://www.example.org/dc/demo/ds/obs079
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 24
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 8.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs080
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 24
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 6.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs081
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 24
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 9.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs082
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 24
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## race
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 9.3023255814
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs083
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 24
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## race
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 7.1428571429
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs084
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 24
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## race
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 10.714285714
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs085
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 25
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 0.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs086
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 25
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##

```



```

## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 0.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs087
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 25
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs088
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 25
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## race
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 0.0
## NA

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs089
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 25
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## race
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 0.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs090
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 25
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## race
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1.1904761905
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs091
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 26
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 12.771543533
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs092
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 26
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 14.123598649
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs093
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 26
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## 14.653433372
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs094
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 27
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 86.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs095
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 27
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 83.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs096
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None

```

```

## 27
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 84.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs097
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 28
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 60.55
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs098
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 28
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 64.9
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs099
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 28
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 69.2
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs100
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 29
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 62.759302326
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs101
## %6.1f

```

```

## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 29
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 67.279518072
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs102
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 29
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 70.004761905
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs103
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 30
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 74.4
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs104
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 30
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 77.8
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs105
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 30
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 80.3
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1

```



```

## http://www.example.org/dc/demo/ds/obs106
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 31
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 53.5
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs107
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 31
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 55.8
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs108
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 31
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 56.75
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs109
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 32
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 86.2
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs110
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 32
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 106.1
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs111
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 32
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 108.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs112
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 33
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 34.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs113
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 33
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##

```

```

## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 45.4
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs114
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 33
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 41.7
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs115
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 36
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 86.0
## NA

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs116
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 36
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 84.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs117
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 36
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 84.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs118
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 36
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## None
## ethnic
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 100.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs119
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 36
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## ethnic
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 100.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs120
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 36
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## ethnic
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```

```

## 100.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs121
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 38
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 83.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs122
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 38
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 78.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs123
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None

```

```

## 38
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 81.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs124
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 38
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## ethnic
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 96.511627907
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs125
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 38
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## ethnic
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value

```



```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 92.857142857
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs126
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 38
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## ethnic
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 96.428571429
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs127
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 40
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 3.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs128
## %6.0f

```

```

## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 40
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 6.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 1
## http://www.example.org/dc/demo/ds/obs129
## %6.0f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 40
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
##
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 3.0
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs130
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 40
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## ethnic
## 1
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None

```

```

## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 3.488372093
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs131
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 40
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## ethnic
## 2
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 7.1428571429
## NA
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 2
## http://www.example.org/dc/demo/ds/obs132
## %6.1f
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## 40
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## ethnic
## 3
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## None
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## None
## http://www.example.org/dc/code/CODING ERROR- no decode value
## 3.5714285714
## NA
## None

```

Get definition for all descriptive statistics

The SPARQL script shows how the function definition for the descriptive statistics is stored in the cube.

```
from rdflib import Graph
g = Graph()
g.parse("../extdata/sample-rdf/DC-DEMO-sample.ttl", format="turtle")
with open("../extdata/sample-rdf/DEMOprocedure.rq", "r") as myfile:
    procedureQuery=myfile.read()
qres = g.query(procedureQuery)
for row in qres:
    print("%s | %s | %s" %row)
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```

## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## http://www.example.org/dc/code/procedure-percent| percent| function (x) {      -1 }
## http://www.example.org/dc/code/procedure-median| median| function (x) {      median(x, na.rm = TRUE) }
## http://www.example.org/dc/code/procedure-count| count| function (x) {      length(x) }
## http://www.example.org/dc/code/procedure-q1| q1| function (x) {      quantile(x, probs = c(0.25), na.rm = TRUE) }
## http://www.example.org/dc/code/procedure-mean| mean| function (x) {      mean(x, na.rm = TRUE) }
## http://www.example.org/dc/code/procedure-min| min| function (x) {      min(x, na.rm = TRUE) }
## http://www.example.org/dc/code/procedure-n| n| function (x) {      length(x[!is.na(x)]) }
## http://www.example.org/dc/code/procedure-std| std| function (x) {      sd(x, na.rm = TRUE) }
## http://www.example.org/dc/code/procedure-q3| q3| function (x) {      quantile(x, probs = c(0.75), na.rm = TRUE) }
## http://www.example.org/dc/code/procedure-max| max| function (x) {      max(x, na.rm = TRUE) }

```

Get definition for descriptive statistics median

The SPARQL script shows how the function definition for the descriptive statistics is stored in the cube.

```

from rdflib import Graph
g = Graph()
g.parse("../extdata/sample-rdf/DC-DEMO-sample.ttl", format="turtle")
with open("../extdata/sample-rdf/DEMOprocedure-median.rq", "r") as myfile:
    proceduremedianQuery=myfile.read()
qres = g.query(proceduremedianQuery)
for row in qres:
    print("%s| %s| %s" %row)

```

```

## INFO:rdflib:RDFLib Version: 4.2.0
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a
## WARNING:rdflib.term:http://www.example.org/dc/code/CODING ERROR- no decode value does not look like a

```


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


```
## http://www.example.org/dc/code/procedure-median| http://www.w3.org/2000/01/rdf-schema#comment| Descr
## http://www.example.org/dc/code/procedure-median| http://www.example.org/rrdfqbc rnd0/RdescStatDefFun|
## http://www.example.org/dc/code/procedure-median| http://www.w3.org/2004/02/skos/core#topConceptOf| h
## http://www.example.org/dc/code/procedure-median| http://www.example.org/rrdfqbc rnd0/R-selectionopera
## http://www.example.org/dc/code/procedure-median| http://www.w3.org/2004/02/skos/core#inScheme| http:
## http://www.example.org/dc/code/procedure-median| http://www.w3.org/1999/02/22-rdf-syntax-ns#type| ht
## http://www.example.org/dc/code/procedure-median| http://www.w3.org/1999/02/22-rdf-syntax-ns#type| ht
```

Get information for selection of data

The SPARQL script shows how the information for selecting data for derivation of univariate statistics is present in the cube.

```
from rdflib import Graph
g = Graph()
g.parse("../extdata/sample-rdf/DC-DEMO-sample.ttl", format="turtle")
with open("../extdata/sample-rdf/DEMOobservations-R-selection.rq", "r") as myfile:
    observationsRselection=myfile.read()
qres = g.query(observationsRselection)
for row in qres:
    print("%s| %s| %s| %s" %row)
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]