



# Infinity Classic.

Boundless Design Possibilities

Infinity Classic is a testament to innovation and adaptability in modular signage systems. At its core lies “the grid,” a versatile foundation that allows panels to be mounted horizontally or vertically, offering limitless customization options. Designed to harmonize functionality with aesthetic appeal, Infinity Classic integrates seamlessly into diverse environments, from modern corporate spaces to traditional settings. As a beacon of timeless design and unmatched flexibility, it delivers enduring value for creative and practical signage solutions.

### Timeless Modular Grid System

The Infinity Classic features a versatile grid system that allows horizontal and vertical panel arrangements, offering endless customization possibilities. Its sleek, professional aesthetic integrates seamlessly into modern and traditional spaces alike.

### Premium Material Composition

The panels are modular and fully interchangeable, streamlining updates effortlessly.

With options for wall-mounted and free-standing formats, it offers the perfect solution for any wayfinding needs.

### Unmatched Adaptability and Functionality

Supporting diverse configurations, from wall-mounted signs to freestanding monoliths, the Infinity Classic adapts to changing needs. This makes it a perfect choice for corporate offices, public spaces, and custom-designed projects.

### Functional Accessories for Versatility

Accessories like window signs, note bars, and eye beams extend its practical applications while maintaining a cohesive, modular design that suits various environments and requirements.

#### Typical Use




- Overview sign
- Directory sign
- Directional sign
- Door/pictogram sign
- Identification sign



#### Installation Methods

- Wall sign
- Monolith





## Material.

- *Panels in Painted Aluminum:* Made from high-quality, 3mm aluminum plates for durability and a premium finish.
- *Grid:* 1.2 mm steel plate with mounting holes placed in a distance of 9.525 mm.
- *Attachment Mechanisms:* Different tabs in injection moulded polycarbonate (PC) and moulded polyamide (PA).
- *Window signs:* Extruded aluminium profile. The front is made of polycarbonate.
- *Flat Paper holder:* Paper holder and back plate is injection moulded polycarbonate. The front is PET.
- *Paperflex glass:* The transparent glass plate is made of special hardened Float Glass. The hinge panel is made of 3 mm aluminium and Paper plate is 1 mm alu. Grid is steel plate.



## Sustainability.

Modulex is committed to sustainability across all its product lines, integrating sustainable practices into the manufacturing and lifecycle of its signage solutions. Infinity interior signs are designed with sustainability in mind, utilizing materials that are both durable and updatable, reducing the need for frequent replacements and minimizing waste.

The ISO 14001 certified production processes are optimized to conserve energy and reduce emissions aligning with Modulex's goal of decreasing environmental impact while delivering high-quality products.

## Warranty.

Modulex products are covered by a general 2-year product guarantee. The guarantee covers all product and function defects provided that the installation has taken place in accordance with the instructions from Modulex A/S.



# ISO Certifications.

Modulex products are meticulously crafted in facilities that are ISO 9001 and ISO 14001 certified. This dual certification ensures that the products meet the highest standards of quality management while also adhering to stringent environmental management practices.





## Benefits.

The Infinity Classic signage system sets a standard for modular, customizable, and visually impactful signage. Here's how it delivers exceptional value:

### Built for Durability and Excellence

Crafted with premium materials, including extruded aluminum and injection-molded components, Infinity Classic is built to withstand high-traffic and demanding environments. Produced in facilities certified to ISO 9001 standards, it guarantees consistently superior quality, maintaining its aesthetics and performance over time.

### Precision-Engineered Modular System

The Infinity Classic grid-based system is meticulously designed for seamless configuration, ensuring precise compatibility across all components. This guarantees a uniform, reliable signage solution adaptable to any space, delivering unparalleled flexibility for creative layouts and innovative applications.

### Easy Maintenance and Future-Ready Updates

Interchangeable panels make updates effortless, allowing for quick changes to graphics, logos, or messaging at minimal cost. This feature makes Infinity Classic a future-proof solution, ideal for environments requiring regular updates or rebranding.

### Tailored Configurations

With a grid structure that supports horizontal and vertical panel arrangements, Infinity Classic enables fully customizable setups to meet diverse design and functional requirements.

### Flexible Installation Options

Infinity Classic's grid system supports a variety of mounting methods, enabling seamless adaptation to different environments. Whether it's standard wall installations or tailored solutions for complex architectural spaces, its versatility ensures a perfect fit for everything from corporate interiors to cultural institutions.

# Painted Panels.

| Width                 | 38.1 mm<br>[1.5"] | 57.15 mm<br>[2.25"] | 76.2 mm<br>[3"] | 114.3 mm<br>[4.5"] | 133.35 mm<br>[5.25"] | 152.4 mm<br>[6"] | 190.5 mm<br>[7.5"] | 209.55 mm<br>[8.25"] |
|-----------------------|-------------------|---------------------|-----------------|--------------------|----------------------|------------------|--------------------|----------------------|
| Height                |                   |                     |                 |                    |                      |                  |                    |                      |
| 19.05 mm<br>[.75"]    |                   |                     |                 |                    |                      |                  |                    |                      |
| 28.575 mm<br>[1.125"] |                   |                     |                 |                    |                      |                  |                    |                      |
| 38.10 mm<br>[1.5"]    |                   |                     |                 |                    |                      |                  |                    |                      |
| 57.15 mm<br>[2.25"]   |                   |                     |                 |                    |                      |                  |                    |                      |
| 76.20 mm<br>[3"]      |                   |                     |                 |                    |                      |                  |                    |                      |
| 114.30 mm<br>[4.5"]   |                   |                     |                 |                    |                      |                  |                    |                      |
| 152.40 mm<br>[6"]     |                   |                     |                 |                    |                      |                  |                    |                      |
| 190.50 mm<br>[7.5"]   |                   |                     |                 |                    |                      |                  |                    |                      |
| 228.60 mm<br>[9"]     |                   |                     |                 |                    |                      |                  |                    |                      |
| 304.80 mm<br>[12"]    |                   |                     |                 |                    |                      |                  |                    |                      |
| 457.20 mm<br>[18"]    |                   |                     |                 |                    |                      |                  |                    |                      |
| 609.60 mm<br>[24"]    |                   |                     |                 |                    |                      |                  |                    |                      |
| 895.35 mm<br>[35.25"] |                   |                     |                 |                    |                      |                  |                    |                      |



Standard size



Custom size

# Painted Panels.

| Width                 | 228.6 mm<br>[9"] | 304.8 mm<br>[12"] | 457.2 mm<br>[18"] | 609.60 mm<br>[24"] | 895.35 mm<br>[35.25"] |
|-----------------------|------------------|-------------------|-------------------|--------------------|-----------------------|
| Height                |                  |                   |                   |                    |                       |
| 19.05 mm<br>[.75"]    |                  |                   |                   |                    |                       |
| 28.575 mm<br>[1.125"] |                  |                   |                   |                    |                       |
| 38.10 mm<br>[1.5"]    |                  |                   |                   |                    |                       |
| 57.15 mm<br>[2.25"]   |                  |                   |                   |                    |                       |
| 76.20 mm<br>[3"]      |                  |                   |                   |                    |                       |
| 114.30 mm<br>[4.5"]   |                  |                   |                   |                    |                       |
| 152.40 mm<br>[6"]     |                  |                   |                   |                    |                       |
| 190.50 mm<br>[7.5"]   |                  |                   |                   |                    |                       |
| 228.60 mm<br>[9"]     |                  |                   |                   |                    |                       |
| 304.80 mm<br>[12"]    |                  |                   |                   |                    |                       |
| 457.20 mm<br>[18"]    |                  |                   |                   |                    |                       |
| 609.60 mm<br>[24"]    |                  |                   |                   |                    |                       |
| 895.35 mm<br>[35.25"] |                  |                   |                   |                    |                       |



# Painted Accent Panels.

| Width                         | 38.1 mm<br>[1.5"] | 76.2 mm<br>[3"] | 114.3 mm<br>[4.5"] | 152.4 mm<br>[6"] | 190.5 mm<br>[7.5"] | 228.6 mm<br>[9"] | 304.8 mm<br>[12"] | 457.2 mm<br>[18"] | 609.60 mm<br>[24"] |
|-------------------------------|-------------------|-----------------|--------------------|------------------|--------------------|------------------|-------------------|-------------------|--------------------|
| Height<br>9.52 mm<br>[0.375"] |                   |                 |                    |                  |                    |                  |                   |                   |                    |

# Glass Panels.

| Width                      | 114.3 mm<br>[4.5"] | 152.4 mm<br>[6"] | 228.6 mm<br>[9"] | 457.2 mm<br>[18"] |
|----------------------------|--------------------|------------------|------------------|-------------------|
| Height<br>76.20 mm<br>[3"] |                    |                  |                  |                   |
| 114.30 mm<br>[4.5"]        |                    |                  |                  |                   |
| 152.40 mm<br>[6"]          |                    |                  |                  |                   |
| 228.60 mm<br>[9"]          |                    |                  |                  |                   |



| Width                        | 38.1 mm<br>[1.5"] | 114.3 mm<br>[4.5"] | 133.35 mm<br>[5.25"] | 152.4 mm<br>[6"] | 171.45 mm<br>[6.75"] | 190.5 mm<br>[7.5"] | 200.025 mm<br>[7.875"] | 228.6 mm<br>[9"] |
|------------------------------|-------------------|--------------------|----------------------|------------------|----------------------|--------------------|------------------------|------------------|
| Height<br>38.10 mm<br>[1.5"] |                   |                    |                      |                  |                      |                    |                        |                  |
| 57.15 mm<br>[2.25"]          |                   |                    |                      |                  |                      |                    |                        |                  |
| 66.675 mm<br>[2.625"]        |                   |                    |                      |                  |                      |                    |                        |                  |
| 76.20 mm<br>[3"]             |                   |                    |                      |                  |                      |                    |                        |                  |
| 85.725 mm<br>[3.375"]        |                   |                    |                      |                  |                      |                    |                        |                  |
| 95.25 mm<br>[3.75"]          |                   |                    |                      |                  |                      |                    |                        |                  |
| 104.775 mm<br>[4.125"]       |                   |                    |                      |                  |                      |                    |                        |                  |
| 114.30 mm<br>[4.5"]          |                   |                    |                      |                  |                      |                    |                        |                  |
| 133.35 mm<br>[5.25"]         |                   |                    |                      |                  |                      |                    |                        |                  |
| 142.875 mm<br>[5.625"]       |                   |                    |                      |                  |                      |                    |                        |                  |
| 152.40 mm<br>[6"]            |                   |                    |                      |                  |                      |                    |                        |                  |
| 171.45 mm<br>[6.75"]         |                   |                    |                      |                  |                      |                    |                        |                  |
| 190.50 mm<br>[7.5"]          |                   |                    |                      |                  |                      |                    |                        |                  |
| 200.025 mm<br>[7.875"]       |                   |                    |                      |                  |                      |                    |                        |                  |
| 209.55 mm<br>[8.25"]         |                   |                    |                      |                  |                      |                    |                        |                  |
| 228.60 mm<br>[9"]            |                   |                    |                      |                  |                      |                    |                        |                  |
| 285.75mm<br>[11.25"]         |                   |                    |                      |                  |                      |                    |                        |                  |
| 304.80 mm<br>[12"]           |                   |                    |                      |                  |                      |                    |                        |                  |
| 342.9 mm<br>[13.5"]          |                   |                    |                      |                  |                      |                    |                        |                  |
| 381 mm<br>[15"]              |                   |                    |                      |                  |                      |                    |                        |                  |
| 400.05 mm<br>[15.75"]        |                   |                    |                      |                  |                      |                    |                        |                  |
| 457.20 mm<br>[18"]           |                   |                    |                      |                  |                      |                    |                        |                  |
| 533.4 mm<br>[21"]            |                   |                    |                      |                  |                      |                    |                        |                  |
| 609.60 mm<br>[24"]           |                   |                    |                      |                  |                      |                    |                        |                  |
| 895.35 mm<br>[35.25"]        |                   |                    |                      |                  |                      |                    |                        |                  |

# Grid.

| Width                        | 266.7 mm<br>[10.5"] | 304.8 mm<br>[12"] | 323.85 mm<br>[12.75"] | 381 mm<br>[15"] | 400.05 mm<br>[15.75"] | 457.2 mm<br>[18"] | 514.35 mm<br>[20.25"] | 533.4 mm<br>[21"] |
|------------------------------|---------------------|-------------------|-----------------------|-----------------|-----------------------|-------------------|-----------------------|-------------------|
| Height<br>38.10 mm<br>[1.5"] |                     |                   |                       |                 |                       |                   |                       |                   |
| 57.15 mm<br>[2.25"]          |                     |                   |                       |                 |                       |                   |                       |                   |
| 66.675 mm<br>[2.625"]        |                     |                   |                       |                 |                       |                   |                       |                   |
| 76.20 mm<br>[3"]             |                     |                   |                       |                 |                       |                   |                       |                   |
| 85.725 mm<br>[3.375"]        |                     |                   |                       |                 |                       |                   |                       |                   |
| 95.25 mm<br>[3.75"]          |                     |                   |                       |                 |                       |                   |                       |                   |
| 104.775 mm<br>[4.125"]       |                     |                   |                       |                 |                       |                   |                       |                   |
| 114.30 mm<br>[4.5"]          |                     |                   |                       |                 |                       |                   |                       |                   |
| 133.35 mm<br>[5.25"]         |                     |                   |                       |                 |                       |                   |                       |                   |
| 142.875 mm<br>[5.625"]       |                     |                   |                       |                 |                       |                   |                       |                   |
| 152.40 mm<br>[6"]            |                     |                   |                       |                 |                       |                   |                       |                   |
| 171.45 mm<br>[6.75"]         |                     |                   |                       |                 |                       |                   |                       |                   |
| 190.50 mm<br>[7.5"]          |                     |                   |                       |                 |                       |                   |                       |                   |
| 200.025 mm<br>[7.875"]       |                     |                   |                       |                 |                       |                   |                       |                   |
| 209.55 mm<br>[8.25"]         |                     |                   |                       |                 |                       |                   |                       |                   |
| 228.60 mm<br>[9"]            |                     |                   |                       |                 |                       |                   |                       |                   |
| 285.75mm<br>[11.25"]         |                     |                   |                       |                 |                       |                   |                       |                   |
| 304.80 mm<br>[12"]           |                     |                   |                       |                 |                       |                   |                       |                   |
| 342.9 mm<br>[13.5"]          |                     |                   |                       |                 |                       |                   |                       |                   |
| 381 mm<br>[15"]              |                     |                   |                       |                 |                       |                   |                       |                   |
| 400.05 mm<br>[15.75"]        |                     |                   |                       |                 |                       |                   |                       |                   |
| 457.20 mm<br>[18"]           |                     |                   |                       |                 |                       |                   |                       |                   |
| 533.4 mm<br>[21"]            |                     |                   |                       |                 |                       |                   |                       |                   |
| 609.60 mm<br>[24"]           |                     |                   |                       |                 |                       |                   |                       |                   |
| 895.35 mm<br>[35.25"]        |                     |                   |                       |                 |                       |                   |                       |                   |

| Width                        | 571.5 mm<br>[22.5"] | 590.55 mm<br>[23.25"] | 609.60 mm<br>[24"] | 628.65 mm<br>[24.75"] | 742.95 mm<br>[29.25"] | 762 mm<br>[30"] | 800.1 mm<br>[31.5"] | 857.25 mm<br>[33.75"] |
|------------------------------|---------------------|-----------------------|--------------------|-----------------------|-----------------------|-----------------|---------------------|-----------------------|
| Height<br>38.10 mm<br>[1.5"] |                     |                       |                    |                       |                       |                 |                     |                       |
| 57.15 mm<br>[2.25"]          |                     |                       |                    |                       |                       |                 |                     |                       |
| 66.675 mm<br>[2.625"]        |                     |                       |                    |                       |                       |                 |                     |                       |
| 76.20 mm<br>[3"]             |                     |                       |                    |                       |                       |                 |                     |                       |
| 85.725 mm<br>[3.375"]        |                     |                       |                    |                       |                       |                 |                     |                       |
| 95.25 mm<br>[3.75"]          |                     |                       |                    |                       |                       |                 |                     |                       |
| 104.775 mm<br>[4.125"]       |                     |                       |                    |                       |                       |                 |                     |                       |
| 114.30 mm<br>[4.5"]          |                     |                       |                    |                       |                       |                 |                     |                       |
| 133.35 mm<br>[5.25"]         |                     |                       |                    |                       |                       |                 |                     |                       |
| 142.875 mm<br>[5.625"]       |                     |                       |                    |                       |                       |                 |                     |                       |
| 152.40 mm<br>[6"]            |                     |                       |                    |                       |                       |                 |                     |                       |
| 171.45 mm<br>[6.75"]         |                     |                       |                    |                       |                       |                 |                     |                       |
| 190.50 mm<br>[7.5"]          |                     |                       |                    |                       |                       |                 |                     |                       |
| 200.025 mm<br>[7.875"]       |                     |                       |                    |                       |                       |                 |                     |                       |
| 209.55 mm<br>[8.25"]         |                     |                       |                    |                       |                       |                 |                     |                       |
| 228.60 mm<br>[9"]            |                     |                       |                    |                       |                       |                 |                     |                       |
| 285.75mm<br>[11.25"]         |                     |                       |                    |                       |                       |                 |                     |                       |
| 304.80 mm<br>[12"]           |                     |                       |                    |                       |                       |                 |                     |                       |
| 342.9 mm<br>[13.5"]          |                     |                       |                    |                       |                       |                 |                     |                       |
| 381 mm<br>[15"]              |                     |                       |                    |                       |                       |                 |                     |                       |
| 400.05 mm<br>[15.75"]        |                     |                       |                    |                       |                       |                 |                     |                       |
| 457.20 mm<br>[18"]           |                     |                       |                    |                       |                       |                 |                     |                       |
| 533.4 mm<br>[21"]            |                     |                       |                    |                       |                       |                 |                     |                       |
| 609.60 mm<br>[24"]           |                     |                       |                    |                       |                       |                 |                     |                       |
| 895.35 mm<br>[35.25"]        |                     |                       |                    |                       |                       |                 |                     |                       |




# Grid.

| Width                        | 895.35 mm<br>[35.25"] | 914.4 mm<br>[36"] | 971.55 mm<br>[38.25"] | 1028.7 mm<br>[40.5"] | 1066.80 mm<br>[42"] | 1085.85 mm<br>[42.75"] | 1257.3 mm<br>[49.5"] | 1371.60 mm<br>[54"] |
|------------------------------|-----------------------|-------------------|-----------------------|----------------------|---------------------|------------------------|----------------------|---------------------|
| Height<br>38.10 mm<br>[1.5"] |                       |                   |                       |                      |                     |                        |                      |                     |
| 57.15 mm<br>[2.25"]          |                       |                   |                       |                      |                     |                        |                      |                     |
| 66.675 mm<br>[2.625"]        |                       |                   |                       |                      |                     |                        |                      |                     |
| 76.20 mm<br>[3"]             |                       |                   |                       |                      |                     |                        |                      |                     |
| 85.725 mm<br>[3.375"]        |                       |                   |                       |                      |                     |                        |                      |                     |
| 95.25 mm<br>[3.75"]          |                       |                   |                       |                      |                     |                        |                      |                     |
| 104.775 mm<br>[4.125"]       |                       |                   |                       |                      |                     |                        |                      |                     |
| 114.30 mm<br>[4.5"]          |                       |                   |                       |                      |                     |                        |                      |                     |
| 133.35 mm<br>[5.25"]         |                       |                   |                       |                      |                     |                        |                      |                     |
| 142.875 mm<br>[5.625"]       |                       |                   |                       |                      |                     |                        |                      |                     |
| 152.40 mm<br>[6"]            |                       |                   |                       |                      |                     |                        |                      |                     |
| 171.45 mm<br>[6.75"]         |                       |                   |                       |                      |                     |                        |                      |                     |
| 190.50 mm<br>[7.5"]          |                       |                   |                       |                      |                     |                        |                      |                     |
| 200.025 mm<br>[7.875"]       |                       |                   |                       |                      |                     |                        |                      |                     |
| 209.55 mm<br>[8.25"]         |                       |                   |                       |                      |                     |                        |                      |                     |
| 228.60 mm<br>[9"]            |                       |                   |                       |                      |                     |                        |                      |                     |
| 285.75mm<br>[11.25"]         |                       |                   |                       |                      |                     |                        |                      |                     |
| 304.80 mm<br>[12"]           |                       |                   |                       |                      |                     |                        |                      |                     |
| 342.9 mm<br>[13.5"]          |                       |                   |                       |                      |                     |                        |                      |                     |
| 381 mm<br>[15"]              |                       |                   |                       |                      |                     |                        |                      |                     |
| 400.05 mm<br>[15.75"]        |                       |                   |                       |                      |                     |                        |                      |                     |
| 457.20 mm<br>[18"]           |                       |                   |                       |                      |                     |                        |                      |                     |
| 533.4 mm<br>[21"]            |                       |                   |                       |                      |                     |                        |                      |                     |
| 609.60 mm<br>[24"]           |                       |                   |                       |                      |                     |                        |                      |                     |
| 895.35 mm<br>[35.25"]        |                       |                   |                       |                      |                     |                        |                      |                     |




# Window Signs.

Anodized and painted version.

| Width               | 76.2 mm<br>[3"]                                                                   | 114.3 mm<br>[4.5"]                                                                | 152.4 mm<br>[6"]                                                                  | 190.5 mm<br>[7.5"]                                                                | 228.6 mm<br>[9"]                                                                  | 304.8 mm<br>[12"]                                                                  |
|---------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Height              |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |
| 19.05 mm<br>[.75"]  |  |  |  |  |  |  |
| 38.10 mm<br>[1.5"]  |  |  |  |  |  |  |
| 57.15 mm<br>[2.25"] |  |  |  |  |  |  |
| 76.20 mm<br>[3"]    |  |  |  |  |  |  |



Standard size:



Custom size



Also available with holes  
for screw mounting

# Glass Paperflex.

| Description                             | Size (mm)       | Size (inches) |
|-----------------------------------------|-----------------|---------------|
| Infinity glass paperflex A4-L           | 228.6 x 400.05  | 9.0 x 15.75   |
| Infinity glass paperflex A4-P           | 323.85 x 304.80 | 12.75 x 12.0  |
| Infinity glass paperflex A3-L           | 323.85 x 533.40 | 12.75 x 21.0  |
| Infinity glass paperflex A3-P           | 457.20 x 400.05 | 18.0 x 15.75  |
| Infinity glass paperflex 11x14"         | 304.80 x 457.20 | 12.0 x 18.0   |
| Infinity glass paperflex Letter 8.5x11" | 238.12 x 381.0  | 9.37 x 15.0   |
| Infinity glass paperflex Tabloid 11x17" | 304.80 x 533.40 | 12.0 x 21.0   |

# Flat Paper Holder.

|                  |                                                                                   |                                                                                   |
|------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Width            | 114.30 mm [4.5"]                                                                  | 114.30 mm [4.5"]                                                                  |
| Height           | Black                                                                             | Gray                                                                              |
| 114.30 mm [4.5"] |  |  |

# Monolith.

|                 |                                                                                   |                                                                                   |
|-----------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Width           | 457.2 mm [18"]                                                                    | 609.6 mm [24"]                                                                    |
| Height          |                                                                                   |                                                                                   |
| 1828.8 mm [72"] |  |  |

# Accessories.

## Notebars

(Painted and anodized finish)

|                 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Width           | 76.2 mm [3"]                                                                        | 114.3 mm [4.5"]                                                                     | 152.4 mm [6"]                                                                       | 190.5 mm [7.5"]                                                                     | 228.6 mm [9"]                                                                       |
| Height          |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 19.05 mm [.75"] |  |  |  |  |  |

## Noteball

(Black powder coat and painted finish)

|                |                                                                                       |
|----------------|---------------------------------------------------------------------------------------|
| Width          | 38.1 mm [1.5"]                                                                        |
| Height         |                                                                                       |
| 38.1 mm [1.5"] |  |

## Eyebeams

|                 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Width           | 76.2 mm [3"]                                                                        | 114.3 mm [4.5"]                                                                     | 152.4 mm [6"]                                                                       | 190.5 mm [7.5"]                                                                     | 228.6 mm [9"]                                                                       |
| Height          |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 19.05 mm [.75"] |  |  |  |  |  |

## Free / Occupied Panels

|                  |                                                                                       |                                                                                       |
|------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Width            | 228.6 mm [9"]                                                                         | 304.8 mm [12"]                                                                        |
| Height           |                                                                                       |                                                                                       |
| 57.15 mm [2.25"] |  |  |



Standard size



Custom size



## Modulex Group - Factory Billund

Kløvervej 95 A, DK - 7190 Billund, Denmark

Tel + 45 7219 3000

[info@modulexbillund.com](mailto:info@modulexbillund.com)

[Modulex.com/billund](http://Modulex.com/billund)