

List Delete Nth

This is a **pair** exercise and must be completed in your **tutorial** or **lab** with your partner.

For this activity, you will be looking at a linked list.

Download [list.h](#), or copy it into your current directory on a CSE system by running

```
$ cp /web/cs1511/17s2/week11/files/list.h .
```

Make sure you understand the `list` and `node` data structures before beginning this task.

Create a file called `listDeleteNth.c` that includes the `list.h` header file. In it, you should implement `listDeleteNth`, a function which takes a linked list and an integer and removes *and frees* the `n` th element from the list (counting from 0 as with arrays). It should assume that it is given a positive integer less than the length of the list. It should have this prototype:

```
void listDeleteNth (List l, int n);
```

For example, if you had a list `l`, with the values `1 -> 2 -> 3 -> X` and you ran this snippet of code:

```
listDeleteNth (l, 1);
listPrint (l);
```

The output should be `1 -> 3 -> X`.

You should write your own tests in a separate file; `listDeleteNth.c` should *not* contain a `main`.

To run some simple automated tests:

```
$ 1511 autotest listDeleteNth
```

To run Styl-o-matic:

```
$ 1511 stylomatic listDeleteNth.c
```

Looks good!

You'll get advice if you need to make changes to your code.

Submit your work with the *give* command, like so:

```
$ give cs1511 wk11_listDeleteNth
```

Or, if you are working from home, upload the relevant file(s) to the `wk11_listDeleteNth` activity on [Give Online](#).