Glycopyrronium

**** This monograph is under review****

Neonatal

FORM Glycopyrronium bromide 1mg/5ml Oral Solution

INDICATION
Control of upper airway secretions
Hypersalivation
Noisy breathing at end of life (may be more effective if started early)

DOSE RANGE

AGE	DOSE	FREQUENCY	ROUTE
Birth to 6 months	Initially 20micrograms/kg	3 times daily	Oral/ NG
	Doses can be increased in steps of 20micrograms/kg/dose every 5-7 days	3 times daily	
	Up to a maximum dose of 100micrograms/kg/dose	3 times daily	

CAUTIONS, CONTRA-INDICATIONS AND SIDE EFFECTS
- See Summary of Product Characteristics and most recent edition of BNF for Children (links below)

FURTHER INFORMATION Product of choice in neonates due to lowest sodium benzoate concentration (rather than Sialanar®)

STORAGE Store below 25°C. Keep bottle in the original carton in order to protect from light. Once opened, the product may be stored for up to 28 days at a maximum of 25°C.

LICENSED STATUS Not licensed for use in under 3 years of age

LINKS BNF for Children: / Electronic Medicines Compendium / APPM Master Formulary

APPLICABLE POLICIES West of Scotland Neonatal Guidelines:

Consult local policy if applicable

Document Number:	002	Supersedes:	001
Prepared by:	Lauren Williams	Checked by	WoS Neonatal Pharmacists
Date prepared	January 2017	Date updated	August 2023
Updated by	Lauren Williams	Review Date	August 2026
Extension Agreed By	WoS NPG	Review Date	August 2027

Dose may vary depending on indication, age, renal function, hepatic function, and concomitant medications.
This monograph should be used in conjunction with the package insert, BNF for Children, and Summary of Product Characteristics. For further advice contact your clinical pharmacist or pharmacy department.