IDO- Question 1

Marcelino Sánchez Rodríguez 191654

6/2/24

```
using JuMP, HiGHS
  model = Model(HiGHS.Optimizer)
  Ovariable(model, x[1:15], Bin)
  @variable(model, y >= 0)
  @objective(model, Min, y)
  @constraint(model, 2*sum(x) + y == 15)
  optimization_result = optimize!(model)
Running HiGHS 1.6.0: Copyright (c) 2023 HiGHS under MIT licence terms
Presolving model
1 rows, 16 cols, 16 nonzeros
0 rows, 1 cols, 0 nonzeros
0 rows, 0 cols, 0 nonzeros
Presolve: Optimal
Solving report
  Status
                    Optimal
  Primal bound
  Dual bound
                    0% (tolerance: 0.01%)
  Gap
  Solution status
                    feasible
                    1 (objective)
                    0 (bound viol.)
                    0 (int. viol.)
                    0 (row viol.)
```

```
0.00 (total)
 Timing
                    0.00 (presolve)
                    0.00 (postsolve)
 Nodes
 LP iterations
                    0 (total)
                    0 (strong br.)
                    0 (separation)
                    0 (heuristics)
  value.(x)
15-element Vector{Float64}:
0.0
0.0
0.0
0.0
0.0
0.0
0.0
0.0
1.0
1.0
1.0
1.0
1.0
1.0
1.0
  value.(y)
```

1.0

2