Q

STARTBUTTON API DOC > SECURITY MEASURES.



IP Whitelisting

This security feature limits access to a system or network exclusively to approved IP addresses. By rejecting requests from non-whitelisted IPs, it enhances protection against unauthorized access.

To Get Started:

Authorization	Set value to Bearer {{MERCHANT_AUTH_TOKEN}}
Content-type	Set value to application/json
To generate [{MERCHANT_AUTH_TOKEN}}; Log in to your account via the API.	

Make a request to the URL below, where the base URL is determined by the environment you are on.

> BaseUrls
Endpoint
PATCH [{{baseUrl}}/merchant/ip-whitelist/configure

Add your IP(s) to be whitelisted just as in the sample request below.

Sample Request

```
{
    "whitelistedIps": ["127.0.0.1"],
    "password": "@mypassword"
}
```

Sample Response

• NOTE: Once you whitelist your IP, the system validates the IP address in your request for all endpoints that require a PRIVATE/SECRET_KEY Authorization. If it's invalid, the request will Fail.

If a request is made with a non-whitelisted IP address you get the response below:

```
403 Error

{
    "message": "Access denied: IP not whitelisted",
    "success": false
}
```

	Previous Security Measures.
Next Webhook	

Last updated 5 months ago