

[STARTBUTTON API DOC](#) > [SERVER-TO-SERVER INTEGRATION](#) >
[S2S INTEGRATION FOR MOBILE MONEY](#)

 Copy 

S2S MoMo (TZS and UGX)


Initiate S2S

Authorization

Set to Bearer PUBLIC_KEY

Content-Type

Set value to `application/json`

 The public key can be gotten from the 'Settings' page on your Startbutton dashboard.

Post a request to the URL below, where the base URL is determined by the environment you are in.

> BaseUrls

Endpoint

POST `{{baseurl}}/transaction/initialize/s2s/mobile_money`

Here's a sample request below

Required parameters (TZS)

Optional paramet...

To mock a faile...

```
{
  "phone": "+255121212121",
  "email": "johndoe@startbutton.africa",
  "amount": 12000,
  "currency": "TZS"
}
```

Required parameters (UGX)

Optional parameters...

Failed Sce...

```
{
  "phone": "+256101010111",
  "email": "johndoe@startbutton.africa",
  "amount": 120000,
  "currency": "UGX"
}
```

 The amount should be in fractional units.

Currency	Minimum amount	Maximum amount
TZS	10000	300000000
UGX	50000	500000000

Here's a sample response

Success (TZS)	Success (UGX)	Failed
<pre>{ "success": true, "message": "Payment initiated successfully!", "data": { "reference": "ffeaf8d13f71", "nextStep": "PIN" } }</pre>		

The next step is always PIN for both TZS and UGX. Your users only need to enter their PIN on the prompt on their phone.

Previous S2S MoMo (KES and GHS)
Next S2S MoMo (RWF)

Last updated 5 months ago