




source: Photo by [Lightsaber Collection](#) on [Unsplash](#)

Detailed Table Cleaning Breakdown

Holidays_Events Table:

- Records | 350
- Nulls | 0
- Data Types | VarChar (6 columns)
- Transformation | Converted date column to date data type, renamed `hol_date` to `date`

Oil Table:

- Records | 1218
- Nulls | 43 (dcoilwtico column)
- Data Types | VarChar (1 column) -- Float (1 columns)
- Transformation | Replaced null values with zeros, converted date column to date data type, renamed `oil_date` to `date`

Stores' Table:

- Records | 54
- Nulls | 0

- Data Types | Int (2 columns) -- VarChar (3 columns)
- Transformation | No nulls, data types intact

Train Table:

- Records | 3,000,888
- Nulls | 0
- Data Types | VarChar (3 columns) -- Float (1 column) -- Int (2 columns)
- Transformation | Converted date column to date data type, renamed `train_date` to `date`

Transactions' Table:

- Records | 83,488
- Nulls | 0
- Data Types | VarChar (1 column) -- Int (1 columns)
- Transformation | Converted date column to date data type, renamed `trn_date` to `date`

These thorough cleaning steps ensure a consistent and well-prepared dataset for subsequent analysis and modeling tasks, highlighting the essential need for precision in the process.

