```
BR2 aarch64=y
BR2_ARM_FPU_VFPV4=y
BR2 CCACHE=y
BR2 PACKAGE HOST LINUX HEADERS CUSTOM 4 19=y
BR2_TOOLCHAIN_BUILDROOT_CXX=y
BR2_TARGET_GENERIC_ROOT_PASSWD="12345"
BR2_SYSTEM_DHCP="eth0"
BR2_ROOTFS_OVERLAY="/home/marcelle/new_img"
BR2_ROOTFS_POST_BUILD_SCRIPT="board/raspberrypi3-64/post-build.sh"
BR2_ROOTFS_POST_IMAGE_SCRIPT="board/raspberrypi3-64/post-image.sh"
BR2_ROOTFS_POST_SCRIPT_ARGS="--aarch64"
BR2_LINUX_KERNEL=y
BR2_LINUX_KERNEL_CUSTOM_TARBALL=y
BR2_LINUX_KERNEL_CUSTOM_TARBALL_LOCATION="$(call github,raspberrypi,linux,raspberrypi-
kernel_1.20190819-1)/linux-raspberrypi-kernel_1.20190819-1.tar.gz"
BR2_LINUX_KERNEL_DEFCONFIG="bcmrpi3"
BR2_LINUX_KERNEL_DTS_SUPPORT=y
BR2_LINUX_KERNEL_INTREE_DTS_NAME="broadcom/bcm2710-rpi-3-b broadcom/bcm2710-rpi-3-b-
plus broadcom/bcm2837-rpi-3-b"
BR2 LINUX_KERNEL_NEEDS_HOST_OPENSSL=y
BR2_PACKAGE_RPI_FIRMWARE=y
# BR2_PACKAGE_RPI_FIRMWARE_INSTALL_DTB_OVERLAYS is not set
BR2_PACKAGE_OPENSSH=y
BR2_TARGET_ROOTFS_EXT2=y
BR2_TARGET_ROOTFS_EXT2_4=y
BR2_TARGET_ROOTFS_EXT2_SIZE="120M"
# BR2_TARGET_ROOTFS_TAR is not set
BR2_PACKAGE_HOST_DOSFSTOOLS=y
BR2_PACKAGE_HOST_GENIMAGE=y
BR2_PACKAGE_HOST_MTOOLS=y
```